WEST SPECIFICATION GUIDE

FEBRUARY 2019





Welcome to the new year and to a brand new look and feel for Schrock! With the advent of our new Full Access construction platform, we decided now was the perfect time to put a new face with our name. Offering the same ease of design, extensive offering, and expertise you know and love with our framed product line, our brand has grown!

ONE BRAND. TWO PLATFORMS. EPIC OPPORTUNITY.

Whether looking for designer-inspired color, intelligent storage, or just simple style basics, trust Schrock to deliver the design flexibility you want, the price breadth you need and the service you deserve in one complete brand experience.

Wishing you a prosperous and fulfilling 2019!

We can't wait to see what you create.

TABLE OF CONTENTS

Index by Description	
Characteristics	
12-Step Finishing Process	
Humidification	
Door Styles	
Premium Color Palette	
Unfinished	
Finish Techniques	
Finish Availability Chart	
Specifications	
Construction Features	
Cabinet Construction	
Modification/Upgrade Compatibility Chart	
Construction and Finish Upgrades	
Drawer Front Upgrades	
Drawer and Door Options	
Custom Modifications	
Door Modification/Specialty Doors	
Glass Inserts	
Cabinet Dimensions	
Design Checklist	
NKBA Guidelines	
Smart Solutions™ Reference Chart	
Wall Cabinets	
Hearths	
Base Cabinets	
Universal Design Cabinets	
Tall Cabinets	
Office & Furniture Cabinets	
Vanity Cabinets	
Fillers	
Wainscoting	
Custom Hinged Doors Decorative Appliance Panels	
Panels & Skins	
Moulding	
Valances	
Embellishments	
Contemporary Embellishments	
Decorative Hardware	
Accessories	
Roll Tray Kits	
Guide Kits and Parts	
Stain, Paint, & Touch-up Tools	
Hinges	
Parts	
Stacked Moulding Kits	
Agreements	
Index by Code	
muon by couc	.007-070

Description	Code	Page Number
Abbe Foot	AREOOT	331
Acanthus Foot.		
Acanthus Insert		
Acanthus Leg		
Acanthus Light Rail Insert		
Acanthus Moulding		
Acanthus Ornament		
Acanthus Overlay	. ACOVLY	317
Acanthus Tile		
Add Toekick	. ADDTK	49
All-plywood Construction	. APC	38
Aluminum Frame Doors w/Frost Glass	. ALF	54
Angled Corner Sinks	. ACS	180
Angled Fluted/Plain Fillers	. BLVDFF	284
Arched Valance		
Art Corbel 9"	. CORBELART9	336
Arts & Crafts Bracket		
Arts & Crafts Open Corbel		
Asymmetrical Base Easy Reach		
Asymmetrical Base Easy Reach w/Adjustable Shelves .		
Asymmetrical Easy Reach Wall Corners		
Asymmetrical Solid-wood Super Lazy Susan		
Asymmetrical Super Lazy Susan w/Chrome Rail		
Asymmetrical Super Susans		
Back Panel Moulding		
Back Skin, Interior		
Back Sockets		
Bar Leg	. BARLEG	319
Baroque Leg	. JBAROQUELEG	320
Base Bin Tray Pull-out Cabinets		
Base Box Column Pull-outs (Plain, Overlay)		
Base Buffet Three Drawer		
Base Buffet Three Drawer w/Deep Drawer		
Base Built-in Microwave Cabinet w/Deep Drawer		
Base Built-in Microwave Cabinet w/Standard Drawer		
Base Cabinets		
Base Cabinets Four Drawer w/Cutlery Insert	. 4VD	. 174
Wood Organizer	AND WICH	105
Base Cabinets Four Drawer w/Wood Tiered Cutlery	. 4DDWICD	. 173
Divider Drawer	ADR WICD	105
Base Cabinets Four Drawer w/Wood Tiered K-Cup	. 400WICD	. 173
Drawer	ADB KCIIP	195
Base Cabinets Three Drawer		
Base Cabinets Three Drawer w/Deep Drawer		
Base Cabinets Three Drawer w/Warming Drawer		
Base Cabinets Three Drawer w/Wood Tiered Cutlery		. 170
Divider Drawer	. 3DBWTCD	192
Base Cabinets Three Drawer w/Wood Tiered K-Cup		
Drawer	. 3DBKCUP	193
Base Cabinets Two Drawer		
Base Cabinets Two Drawer w/Drop-in Range		
Base Cabinets Two Drawer w/Pegged Dish Organizer .		
Base Cabinets Two Drawer w/Roll Tray		
Base Cabinets Two Drawer w/Roll Tray &		
Pegged Dish Organizer	. 2DBRTPDO	191
Base Cabinets w/Full Height Doors		
Base Cabinets w/Mixer Shelf		
Base Container Organizer Pantry Pull-out		
Base Corner Cabinets		
Base Corner Full Width Cabinets		
Base Corner Full Width Cabinets w/Curved Pull-out		
Base Drawer Cabinets		
Base Drop-in Range Cabinet		
Base Easy Access Cabinets		

Description	Code	Page Number
	DED	105
Base Easy Reach		
Base End Cabinet		
Base Full Height w/Tray Divider		
Base Lazy Susan Corner		
Base Message Center		
Base Microwave Cabinets w/Deep Drawer		
Base Mixer Kit		
Base Open Cabinets		
Base Open Cabinets w/Drawer	BOD	204
Base Ovens		
Base Pan Storage	BPS	343
Base Panel w/Filler Attached & Authentic End	BEPAEL, AER	300
Base Pantry Pull-outs		
Base Paper Towel Cabinet w/Wastebasket Full Height		
Base Pots & Pans Pull-out		
Base Rotating Deep Bin	BRDB	189
Base Spice Drawer		
Base Transition Cabinets		
Base Utensil Pantry Pull-out	BUPP	200
Base Utensil Pantry Pull-out w/Knife Block		
Base Wastebasket		
Base Wastebasket Full Height		
Base Wastebasket Lids		
Base w/Food Storage Container Organizer		
Baseboard Moulding		
Baseboard - Sculpted		
Baseboard - Shaker		
Baseboard - Swooped		
Bases w/Cutlery Insert		
Bases w/Drawer & Lid Organizer & Roll Trays		
Bases w/Full Height Doors & Roll Trays		
Bases w/Lid Organizer & Roll Trays		
Bases w/Roll Trays		
Bases w/Roll-out Tray Divider		
Bases w/Tray Dividers		
Bases w/Wood Cutlery Insert & Roll Trays		
Bases w/Wood Tiered Cutlery Divider Drawer	BWTCD	160
Bases w/Wood Tiered Cutlery Divider Drawer & Roll	D. DTILLTOD	1.00
Trays	.BKIWICD	169
Bases w/Wood Tiered K-Cup Drawer		
Bases w/Wood Tiered K-Cup Drawer & Roll Trays		
Battery Strip Light		
Bookcases Tall w/Doors		
Bookcases Wall Furniture		
Box Column Fillers (Wall, Base, Tall)		
Braided Moulding		
Broom Clip		
Buffet Leg		
Bumper Pads		
Cabinet Box Only		
Cabinet Case Only		
Cabinet False Panel		
Cabinet Panel Edge Moulding		
Cabinet w/No Door, w/Drawer		
CabMat TM		
CabMat™		
CabMat™ Vanity		
Cap Moulding		
Celtic Corbel		
Celtic Insert		
Celtic Light Rail Insert		
Celtic Overlay	JCFLUVLY	31/

Description	Code	Page Number
Celtic Rosette	ROSETTCELT	318
Classic Fluted Leg	JFLUTELEG	323
Classic Fluted Leg, Small	JFLUTELEGS	322
Classic Fluted Leg, Small Split		
Classic Rope Leg		
Classic Rope Leg, Small		
Classic Rope Leg, Small Split		
Classic Tall Crown Moulding		
Contemporary Light Rail		
Cooking Utensil Divider		
Cornice Tall Crown Moulding		
Cosmo Corbel, 7" Small.		
Cosmo Corbel, 13" Large		
Cosmo Corbel, 13" Large Deep		
Cosmo Foot		
Cosmo Leg		
Countertop Edge Moulding (Contemporary & Traditional) .	CCM, TCM	309
Country Sink Base w/CabMat™	CNTYSBCM	181
Country Sink Bases	CNTYSB	180
Country Sink Bases w/Short Apron		
Cove Corbel		
Cove Crown Moulding		
Craftsman Foot		
Craftsman Open Bracket		
Crescent Metal Corbel		
Custom Doors w/Hinge Routing		
Custom Doors w/Hinge Routing, Slab Styles		
Cut-for-glass Doors	CG. CG.BTM. CG.TOP	55
Cutlery Dividers		
Decorative Appliance Panels	DAPNL	292
Decorative Split Turnings 3"		
Decorative Split Turning End		
Decorative Split Turning Reed		
Decorative Split Turning Rope		
Decorative Split Turning Spool		
Dentil Moulding	MDENTII	308
Desk Door Drawer Bases		
Desk Double File Drawer Bases		
Desk Drawer Bases		
Desk Easy Reach	DER	247
Desk File Drawer Bases		
Desk Wastebasket Full Height Bases		
Diagonal Base Cabinet w/Full Height Door	DABFS	185
Diagonal Base Cabinet w/Full Height Door	DAD CIC	100
& Super Lazy Susan		
Diagonal Wall Cabinets		
Diagonal Wall Cabinets w/Lower Door		
Diagonal Wall Cabinets w/Lower Door & Lazy Susan		
Door Panel - Solid Reverse Raised		
Drawer Front Flat 5-piece		
Drawer Front Raised 5-piece	DFR5PC	39
Drawer Front Slab	DFSLB	39
Drawer Guide Kits		
Drawer Guide Spacer Block		
Ductless Conversion Kit		
Easy Reach Wall Corner Cabinets		
Egg & Dart Moulding	FGD	308 342
End Extended Back		
End Panel/Base		
End Panel/Tall	TEP	297

Description	Code	Page Numbe
End Panel/Vanity Base	VBEP	298
English Bar Column		
English Country Leg		
English Island Column		
Estate Leg		322
Estate Leg, Small		
Estate Leg, Small Split		
Exterior Shelves		
EZ-Org™ Modular Pull-out Racks		
False Panel Clips		
Filler Return		
Fillers		
Finger Pull		
•		
Finished Back Skins		
Finished Ends		
Flat Scribe Moulding		
Floating Island Bases		
Floating Island Bases without Top		
Floating Shelves	FS	139
Flush Toekick		49
Flush Toekick Arch		
	FTKAV.P	49
Flush Toekick Furniture	FTKFV, FTKFV.FNT.P,	
	FTKFV.P	49
Fluted/Beaded Fillers	FBF	284
French Country Foot		
French Country Leg		
French Leg		
Full Depth Shelf		
Full Depth Shelving		
Full Overlay Crown		
Furniture Drawer Window Bench		
Furniture Drawers		
Furniture Valance		
Glass Shelf Kits		
Hardware Decorative Pulls and Knobs		
Hearth Liner		
Hearth Mantels		
Hearth Piers		133 130
Hearth Piers w/Pull-out		
Hearth Shelf		15/
Heat Shields	,	0.47
	STRTHSHIELDSS	34/
Hinge Angle Restriction Clip, Framed		
	RESCLIPQR	
Hinge Angle Restriction Clip, Full Access		
Hinge Shim	HINGESHIMFA	354
Hinges		
Increased Depth	ID	42
Insert Crown	INSCROWN	304
Inside Corner Moulding	ICM	314
Installed Roll Tray	RT	46
Inverted Opening		
Island Leg		
K-Cup Insert		
Large Corbel		
Large Outside Corner Moulding		
Large Shaker Crown		
Large Square Foot		
Large Straight Angle Crown Moulding		
Lazy Susan Pull-out		
Library Moulding		
Lid Organizers		
Lidstay		
Light Baffle Moulding	rr	313

Description	Code	Page Number
•		
Light Installed Battery Strip Light Rail Moulding		
Lille Foot		
Linen Closet		
Linen Closet Hamper Liner		
Linen Closet w/Removable Hamper		
Linen Storage Cabinets		
Loose Toekick		
Madeline Foot		
Matching Interior Plywood		
Matching Specialty Laminate Furniture Board		
Medicine Cabinets (Single & Tri-View)		
Medium Straight Angle Crown Moulding		
Metal Feet		
Metro Bar Column		
Metro Island Column		
Metropolitan Foot		
Miscellaneous Parts		310
	BUMPERPADS,	
	CONBOLTCH,	
	DFBRACKETP	
	INSTALLSCR,	
	INSTALLSCREWS,	
	MC16HDW/WCATCH,	
	OCINSTALLFA, RETCLIPBAG,	
	SHELFPEGS,	
	TVHDW/WCATCH	355
Mission Corbel 6"		
Mission Corbel 9"		
Mission Insert		
Mission Leg		
Mission Rosette		
Mission Tile		
Mullion Doors	MD, MD.BTM, MD.TOP .	56
Mullion Doors, Prairie		
Mullion Doors, Shaker		
Ogee Edge Moulding		
Old World Corbel 5"		
Old World Corbel 7"		
Outside Corner 135° Moulding		
Outside Corner Moulding	OCM	315
Oven Cabinets Double		
Oven Cabinets Double w/Drawer		
Oven Cabinets Double w/Drawer & Extended Opening		
Oven Cabinets Single		
Oven Microwave Cabinets		
Oven Microwave Cabinets w/Drawer		
Overlay Fillers		
Panel Doors		
Panel Skins/Tall		
Panels w/Filler Attached		
Pantry Top Units		
Pantry Top Units w/Shelves		
Pegged Dish Organizer		
Peninsula		
Plinth Block	PLBLOCK	334
Plinth Block Filler 3"		
Plinth Block Filler 6"	HFP	319

		Page
Description	Code	Number
Pots & Pans Organizer Bases w/Drawer		
Pots & Pans Pull-out		
Power Pods		
PowerGlide™ Compact Drawer Outlet		
Push to Open Wastebasket		
Quarter Round Moulding		
Queen Anne Leg		
Raised Panel Arch Valance		
Recessed Bottom		
Recessed Island Toekick		
Recessed Panel Arch Valance	JRCPV	316
Recessed Toekick on Back or Side		
Reduced Depth		
Reed Leg		
Roll Tray Kits		
Roll Tray Kits Deep		
Roll Tray Plug In Bracket		
Roman Weave Leg		
Rope Moulding		
Rosette 3"		
Rosette 6"		
Scalloped Valance		
Scooped Drawer		
Scroll Corbel 6"		
Scroll Corbel 9"		
Scroll Rosette	ROSETTESCR	317
Segmented Super Susan		
Shaker Corbels		
Shaker Crown Moulding		
Shelf Pull-down		
Shelf Support Bracket		
Shoe Moulding — Convex Inside Corner		
Single Bead Moulding		
Single Bead Pilaster	SBP	310
Single Door Medicine Cabinet		
Single Outlet Cover	JS0C	340
Single Rocker Plate		
Sink Base Blind Corner		
Sink Base Caddy		
Sink Base SuperCabinet™		
Sink Base SuperCabinet™ w/CabMat™		
Sink Base SuperCabinet™ w/Caddy		
Sink Base SuperCabinet™ w/Tilt-out Trays	2B212	1/0
CabMat TM	SR STSCM	178
Sink Base SuperCabinet™ w/Tilt-out Trays & Caddy		
Sink Base w/CabMat™		
Sink Base w/Caddy		
Sink Base w∕Tilt-out Trays & CabMat™		
Sink Base w/Tilt-out Trays & Caddy	SBSTCDY	176
Sink Bases		
Sink Bases w/Drawers Below		
Sink Bases w/Tilt-out Trays		
Sliding Towel Rack		
Small Corbel		
Small Cove Crown Moulding		
Small Light Rail Moulding		
Small Scribe Moulding		
Snack Bar Support		
Soffit Filler Moulding	SFM	307
Soffit Trim Moulding	TSTM	.311

Description		Page Number	Description
Solid-wood Crown Moulding	SWCRM	.306	Triple Bead Edge Moulding
Solid-wood Large Crown Moulding	SWLCRM	306	Triple Bead Pilaster Moulding
Solid-wood Super Lazy Susan	SLSW	187	Tri-View Medicine Cabinets
Solid-wood Tall Crown Moulding			Truss Metal Corbel
Solid-wood Victorian Crown Moulding			Tulip Foot
Space Fillers			Tulip Leg
Spice Rack Pull-down			Under Counter Drawers
Spice Racks			Under Panel Moulding
Spool Decorative Leg			Universal Design Base Built-in Microwave Cabinets
Spool Leg			Universal Design Base Cabinets
Spool Leg, Small			Universal Design Base Cabinets w/Roll Tray
Spool Leg, Small Split			Universal Design Base Microwave Cabinets
Square Bar Leg			Universal Design Fillers
Square Bar Leg, Split			Universal Design Single Oven Cabinet
Square Corner Sinks			Universal Design Sink Base Cabinets
Square Foot			Universal Design Sink Base Cabinets w/Tilt-out Trays
Square Foot, Split			Universal Design Super Susan
Square Island Leg			Universal Design Three Drawer Base Cabinets
Square Island Leg, Split			Universal Design Toeboards
Stacked Diagonal Wall Cabinets	STDW	116	Universal Design Vanity Desk Leg
Stacked Wall	STW	106-108	Urn Leg
Stacked Wall Appliance Garage	STWDAG	102-103	Utility Cabinets
Stacked Wall Appliance Garage Vertical-lift			Utility Cabinets w/Roll Trays
Stacked Wall End Cabinets Double Door			Utility Easy Access Cabinets
Stacked Wall End Cabinets Single Door			Utility Organizer Cabinets
Stacked Wall Transition Cabinets			Utility Organizer Drop Zone Cabinet
Stain & Paint			Valance Top Rail
Starter Moulding			Valley Forge Moulding
Starter Moulding, Shaker			Vanity Base Easy Reach
Straight Angle Crown Moulding			Vanity Base Wastebasket
Straight Valance			Vanity Bases
Super Susans			Vanity Chrome Roll-out Rack
Super Susans w/Chrome Rail			Vanity Desk Legs
SuperCabinet™, 30″		164	Vanity Door Drawer Bases
SuperCabinet™, 36″	BSC36PRP, PRS, SRP,		Vanity Drawer Bases
	SRS		Vanity Four Drawer Bases
SuperCabinet™ Version 2, 30″	BV2SC3OPR, RP, RS, SR .	164	Vanity Grooming Pull-out
SuperCabinet™ Version 2, 36″	BV2SC36PRP, PRS, SRP,		Vanity Hamper
	SRS	165	Vanity Hamper w/Drawer
Super Lazy Susans w/Chrome Rail	SLSCR	187	Vanity Mirror
Tablet Holder			Vanity Mirror w/Side Pull-outs
Tall Built-in Microwave Cabinet			Vanity Pull-out
Tall Crown Moulding			Vanity Sink Bases w/False Drawer Fronts
Tall Panel w/Filler Attached & Authentic End			Vanity Sink Bases w/U-shaped Roll-out Tray
Tall Pantry Pull-outs			Vanity Sink Bases w/Wastebasket
			Vanity Sink Bases SuperCabinet™ w/Tilt-out Trays
Tapered Leg			
Tapered Wood Hood Blower			Vanity Sink Bases SuperCabinet™ w/Tilt-out Trays &
Tapered Wood Hoods			Wastebasket
Tilt-out Trays, Plastic			Vanity Sink Drawer Bases
Tilt-out Trays, Stainless Steel			Vanity Sink Drawer Bases w/Eight Drawers
Tilt-out Trays, Stainless Steel Slim			Vanity Sink Drawer Bases w/Eight Drawers &
Toeboards	TB	312	False Panel
Toekick Cap	$TKC \ldots \ldots \ldots$	312	Vanity Sink Drawer Bases w/Six Drawers
Toekick Drawer	DRWTK	52	Vanity Sink Drawer Bases w/Six Drawers & False Pa
Toekick Vacuum	TOEKICKVAC	349	Vanity Sink Three Drawer Bases
Toekick Tulip Foot	TKTLFOOT	334	Vanity Utility Cabinets
Touch Latch and Adapter			Vanity Wall Cabinets
Touch-up Tools			Vanity Wall Hung Cabinets
Traditional Light Rail			Vanity Wall Mirror Cabinets
Traditional Open Corbel			
			Vanity Wastebasket
Tray Divider, Chrome			Void Toekick
Tray Divider Kit			Wainscoting
Tray Divider Roll-out Kit			Wall Base Double Door Cabinets
Tray Dividers			Wall Base Single Door Cabinets
Tray Shelves	TRAYSHELF	139	Wall Box Column Pull-outs (Plain, Overlay)

Description	Code	Page Numbe
Triple Bead Edge Moulding	TBEM	311
Triple Bead Pilaster Moulding		
Tri-View Medicine Cabinets		
Truss Metal Corbel		
Tulip Foot		
Tulip Leg		
Under Counter Drawers		
Under Panel Moulding		,
Universal Design Base Built-in Microwave Cabinets		
Universal Design Base Cabinets		
Universal Design Base Cabinets w/Roll Tray		
Universal Design Base Microwave Cabinets		
Universal Design Fillers		
Universal Design Single Oven Cabinet		
Universal Design Sink Base Cabinets		
Universal Design Sink Base Cabinets w/Tilt-out Trays		
Universal Design Super Susan		
Universal Design Three Drawer Base Cabinets		
Universal Design Toeboards		
Universal Design Vanity Desk Leg		
Urn Leg		
Utility Cabinets		
Utility Cabinets w/Roll Trays	URT	216-218
Utility Easy Access Cabinets	UEAS	219-222
Utility Organizer Cabinets	UOC	223
Utility Organizer Drop Zone Cabinet	UOCDZ	224
Valance Top Rail		
Valley Forge Moulding	VFR	313
Vanity Base Easy Reach	VER	261
Vanity Base Wastebasket		
Vanity Bases		
Vanity Chrome Roll-out Rack		
Vanity Desk Legs	VDI	301
Vanity Door Drawer Bases	VDL	240
Vanity Drawer Bases		
Vanity Four Drawer Bases		
Vanity Grooming Pull-out	VU FU	200
Vanity Hamper		
Vanity Hamper w/Drawer		
Vanity Mirror		
Vanity Mirror w/Side Pull-outs		
Vanity Pull-out		
Vanity Sink Bases w/False Drawer Fronts		
Vanity Sink Bases w/U-shaped Roll-out Tray		
Vanity Sink Bases w/Wastebasket		
Vanity Sink Bases SuperCabinet™ w/Tilt-out Trays	VSSBST	258
Vanity Sink Bases SuperCabinet™ w/Tilt-out Trays &		
Wastebasket	VSSBSTWB	258
Vanity Sink Drawer Bases	VSD	266-271
Vanity Sink Drawer Bases w/Eight Drawers	VSD	273
Vanity Sink Drawer Bases w/Eight Drawers &		
False Panel	VSDFP	274
Vanity Sink Drawer Bases w/Six Drawers		
Vanity Sink Drawer Bases w/Six Drawers & False Panel.		
Vanity Sink Three Drawer Bases	VS3D	272
Vanity Utility Cabinets		
Vanity Wall Cabinets		
VOLIDA ANDIL CODINGIZ		
	VWΠ	2/6
Vanity Wall Hung Cabinets	vw/	2/8
Vanity Wall Hung Cabinets	MAID	765
Vanity Wall Hung Cabinets	VWB	
Vanity Wall Hung Cabinets Vanity Wall Mirror Cabinets Vanity Wastebasket Void Toekick	VWB	52
Vanity Wall Hung Cabinets Vanity Wall Mirror Cabinets Vanity Wastebasket Void Toekick Wainscoting	VWB	52 289
Vanity Wall Hung Cabinets Vanity Wall Mirror Cabinets Vanity Wastebasket Void Toekick Wainscoting Wall Base Double Door Cabinets	VWB	52 289 163
Vanity Wall Hung Cabinets Vanity Wall Mirror Cabinets Vanity Wastebasket Void Toekick Wainscoting Wall Base Double Door Cabinets Wall Base Single Door Cabinets Wall Box Column Pull-outs (Plain, Overlay)	VWB	52 289 163 163

Description	Code	Page Number
Wall Box Column Pull-outs w/K-Cup (Plain, Overlay)	WBCPOKCUP	131
Wall Built-in Microwave		
Wall Corner Cabinets	WC	109-112
Wall Corner Decorative Shelf	WCS	140
Wall Decorative Shelves	WS	140
Wall Double Door Cabinets		
Wall Easy Access Storage		
Wall Message Center		
Wall Microwave		
Wall Open Cabinets	W0C	135
Wall Organizers		
Wall Quarter Round End Shelves		
Wall Refrigerator Cabinets		
Wall Refrigerator Pull-out	WPO	
		92
Wall Refrigerator Vertical-lift		
Wall Shelf Pull-down		
Wall Single Door Cabinets	W	79-96
Wall Spice Drawers	WSD	138
Wall Spice Pull-down		
Wall Spice Pull-out	WSP	133
Wall Spice Rack	WSR	134
Wall Susan Kits		
Wall Three Drawer		
Wall Top Hinge Cabinets		
Wall Transition Cabinets		
Wall Two Drawer		
Wall Vertical-lift		
Wall Wine Cubbies		
Wall Wine Racks		
Weave Foot		
Weave Insert		
Weave Light Rail Insert		
Wide Scribe		
Window Casing — Traditional		
Wine Glass Holders		
Wine Storage Cabinet		
Wood Hood Arch		
Wood Hood Blower		
Wood Hood Canopy Arched		
Wood Hood Canopy Square		
Wood Hood Chimney		
Wood Hood Contemporary Straight		
Wood Hood Island Arch		
Wood Hood Island Square		
Wood Hood Linear, Tapered		
Wood Hood Shiplap Chimney		
Wood Hood Shiplap, Straight		
Wood Hood Shiplap, Straight w/Corbels		
Wood Hood Shiplap, Tapered		
Wood Hood Shiplap, Tapered w/Corbels		
Wood Hood Square		
Wood Tiered K-Cup Drawer		
Wood Tops, Four Sided		
Wood Tops, One Sided		
Wood Tops, Three Sided		
Wood V-grooved Beaded Skin 1/4" Panels		
Wood V-grooved w/Triple Beaded Front		
3/4" Panels (Base, Tall, Wall)	BEP, TEP, WEPVG	301

CHARACTERISTICS OF WOOD TYPES

No matter which species you choose for your new kitchen or bath cabinetry, please keep in mind that no two pieces of wood are exactly the same. Stains are likely to exaggerate the difference between open and closed grains and other markings in wood. Grain variation and color change should be expected. As hardwood ages, it will darken when exposed to different types of light. Color differences or changes in wood can also be caused by exposure to harsh chemicals, extreme heat or moisture. Additionally, wood species exhibit other defining characteristics, such as mineral deposits/streaks, knots, sap runs, pin holes and wormholes. These markings make the wood unique and contribute to its enduring beauty.



Alder has a straight fine textured grain similar to Cherry and Maple. Although classified as a hardwood, it is moderately light in weight and considerably softer than other species. Therefore, care must be taken as it will dent and mar easily. Alder may exhibit grain and color variations, sapwood can be distinguishable from the heartwood, tight pin knots are sometimes present.



Cherry is characterized by its red undertones, but may vary in color from white to a deep, rich brown. Cherry is a close-grained wood with fairly uniform texture, revealing pin knots and curly graining. All wood will age with time and the finish will darken. This is especially true for Cherry. This is a sought-after quality in Cherry cabinetry, and those who select it expect this evolution.



Hickory is a strong, heavy hardwood known for distinctive graining patterns. Contributing to its dramatic appearance is a wide variation in color and streaking, ranging from white to dark brown. This contrast in color can appear in a single door panel. Hickory also contains random knots and wormholes that further contribute to a varied appearance. These exaggerated characteristics are to be expected and are considered desirable in Hickory cabinetry.



Maple is a close-grained hardwood that is predominately white to creamy-white in color, with occasional reddish-brown tones. While Maple typically features uniform graining as compared to other wood species, characteristic markings may include fine brown lines, wavy or curly graining, bird pecks and mineral streaks. These traits are natural and serve to enhance Maple's natural beauty.



Oak is a strong, open-grained hardwood that ranges in color from white to pink and reddish tones. Streaks of green, yellow and even black may appear due to mineral deposits. Oak may also contain wormholes and wild, varying grain patterns. This distinct graining is considered a desirable quality.

CHARACTERISTICS OF WOOD TYPES (cont'd)



Rustic Alder is characterized by its light brown and reddish undertones and may contain a variety of pin holes, open and closed knots of various sizes and colors, small cracks, bird pecks, mineral streaks, and grain variation. Some knots may have small holes through the panel. Larger holes will not be filled. In addition, the wood will contain color difference caused by variations in minerals found in the soil, creating visible mineral tracks.

Sound Closed Knot (not moveable) — Expected in Rustic Alder up to approximately 3" diameter.

Sound Knot with Cracks – Expect sound knots with open cracks up to approximately 1" in length.


Open Knot (through door) — Expected in Rustic Alder with open area up to approximately 3/4" diameter. Note: 3/4" diameter is about the size of a penny. Holes created by open knots pass completely through the door and are desirable for this rustic look.

Unsound Knot (moveable core) — Not to be expected.

Knot Cluster (cluster of tight sound knots) — To be expected in Rustic Alder.

Worm Holes/Pin Holes (can go through door) — Can be expected on Rustic Alder up to approximately 1/4" diameter.

Worm Tracks – Can be expected on Rustic Alder in sizes up to approximately 1/8" wide by 8" long.



Sound Closed Knot (not moveable) — Expected up to approximately 3" in diameter

Sound Knot with Cracks — Expect sound knots with open cracks up to approximately 1" in length

Open Knot (through door) — Expected with open area up to approximately 3/4" in diameter

Note: 3/4" diameter is about the size of a penny. Holes created by open knots pass completely through the door and are desirable for this rustic look.

Unsound Knot (moveable core) — Not to be expected

Worm Holes/Pin Holes (can go through the door) — Can be expected up to 1/4" diameter

Worm Tracks — Can be expected in sizes up to approximately 1/8" wide by 8" long





CHARACTERISTICS OF GLAZING/PAINT

Characteristics of Glazing

A professional layer of glaze can add another layer of beauty to your cabinets. First, our craftsmen apply a wood toner, which accentuates the grain's natural attributes. We then add the glaze, by hand, adding depth, dimension and an understated sheen that's guaranteed to endure.

What to expect from glazed cabinetry...

- Glazing will range from a consistent, even appearance to varied coverage.
- You should expect the result to yield a subtle to dramatic look based on the complexity of a cabinet door's design, as glaze may collect in the
 corners and grooves.
- Printed materials and online, electronic presentations can only do so much. It's important to both see and touch actual finished samples to
 ensure your satisfaction.

Penned Glazes

A professional layer of glaze can add another layer of beauty to your cabinets. Schrock's hand-detailed penned glaze application adds depth and dimension to your cabinet's appearance by highlighting the profile of your door style choice.

What to expect from penned glazed cabinetry...

- Hand-detailed penned glazing will leave a consistent, "penned" appearance around the door profile, and will not change the overall stain or paint base color.
- You should expect the result to yield a subtle to dramatic look based on the complexity of a cabinet door's design.
- Printed materials and online, electronic presentations can only do so much. It's important to both see and touch actual finished samples to ensure your satisfaction.

Characteristics of Paint Finish

Paint may develop hairline cracks in the finish, most notable around the joints. This is a result of natural expansion and contraction of the genuine hardwoods used in the manufacturing of this product. Hairline cracks are not considered a defect in the cabinetry or finish.

CHARACTERISTICS OF SPECIALTY LAMINATES

Specialty Laminates feature design leading, high definition wood grain or high gloss laminates on doors, drawer fronts, overlay fillers, and Premium trim items. The surfaces are laminate based materials with an integrated top coat that provides superior beauty, durability, and performance while meeting or exceeding all of the KCMA performance standards. The core panel material is made of MDF to ensure a consistent and stable product. Additional coordinating trim items in the cabinet box color are also available.

A heat shield is required to separate all laminate products from heat producing units to be in compliance with cabinet warranty.

CHARACTERISTICS OF THERMOFOIL

Thermofoil doors and drawer fronts feature a shaped MDF core covered with a seamless vinyl material on the face and edges, and a melamine layer on the back. The vinyl material is applied to the MDF with an adhesive, and heat and pressure are used to create a product with excellent wear and heat resistance properties.

SCHROCK CABINETRY'S 12-STEP FINISHING PROCESS

- 1. Wood Selection The selection of the finest woods including Alder, Cherry, Hickory, Maple, Oak, and Rustic Alder is the essential first step of Schrock's 12-step finishing process.
- 2. Sanded to Perfection Our sanding utilizes a fine grit paper, both with and against the wood grain. This process is completed on a vacuum table, allowing for a wood surface that is free of dust particles.
- **3. Achieving Natural Wood Tone** Toner is applied to selected finishes, enhancing the naturalistic wood appearance.
- **4. Stain Application** A hand-sprayed deep penetrating stain is evenly applied to all surfaces for even coverage on all profiles.
- **5. Removal of Excess Stain** The wood is hand-wiped to remove excess stain, emphasizing the cabinet's natural wood grain.
- **6. Catalyzed Sealer** A tough, clear, catalyzed sealer is hand-sprayed on to protect the grain from moisture.
- 7. Drying Process For added durability, the sealed wood is oven cured to lock in the beauty of wood.
- **8. Hand-Sanded** To achieve an ultra-smooth finish, we hand-sand the material one last time.
- **9. Dust Removal** The resulting loose dust particles are removed from the surface of the wood.
- **10. Catalyzed Top Coat** A premium quality catalyzed clear top coat is applied to protect the wood from environmental elements.
- **11. Final Top Coat Cure** The top coat is cured to guarantee the strongest, most beautiful finish.
- 12. Final Inspection This last inspection is very thorough, ensuring quality and beauty. Our gift to you is that every cabinet is crafted with care.

HUMIDIFICATION

The natural response of wood to changes in humidity is much more dramatic than most people realize. Here is a table showing (a) how much a cabinet door panel is likely to shrink in a low humidity environment, (b) how much a cabinet door is likely to expand in excess humidity, and (c) the total potential range of dimension changes from a muggy summer to a cold dry winter.

Total Potential Movement (inches) of solid-wood panels

Species	Panel Dimension (inches)	(a) Winter	(b) Summer	(c) Annual Range
Alder/Rustic Alder	19.75	-0.27	0.25	0.52
Cherry	19.75	-0.26	0.25	0.51
Hickory	19.75	-0.34	0.31	0.65
Maple	19.75	-0.49	0.10	0.59
Oak	19.75	-0.32	0.31	0.63

Notice the annual dimension change for a solid-wood panel can approach three-quarters of an inch! For this reason, cabinet doors are typically manufactured at a targeted range of 40% - 50% relative humidity. This usually works very well because even low humidity environments stay between 20% and 70% in normal years with typical cooking and washing activities.

In extremely cold, dry winters, some doors can be exposed to conditions that are below 20% relative humidity for weeks at a time. Exposure to sustained conditions such as these would cause panels to shrink and will not be considered defective. New construction intensifies this issue since the heat is on but no one is living in the home to raise the humidity levels. Conversely, where in-home humidity exceeds 70% relative humidity for extended periods of time, panels will swell and this will not be considered defective.

Steps Consumers Can Take To Protect Real Wood Furnishings

- Keep an eye on the humidity inside the home. Reasonably accurate digital thermometers-hygrometer units are available to measure humidity.
- Maintain the humidity at or above 20% when the temperature is below 20°F and over 35% when the
 temperature is above 20°F. Some ways this may be accomplished are installing a whole-house humidifier on the furnace, running
 a portable humidifier in key rooms, or placing pans of water near the heat registers.
- **Don't over-do it.** Significant condensation on windows is a sign the humidity levels are too high for outside temperature conditions.
- Recognize that finished wood responds to humidity over several days to several weeks. It takes time before the
 wood returns to normal after any correction to the environment.

WOOD DUST WARNING:

When cutting, sanding, sawing, or shaping cabinets or wood products, you are likely to generate wood dust. For your own safety, we recommend that you wear a protective mask to prevent breathing wood dust. We also recommend eye protection to avoid injury by flying wood chips or sawdust during cabinet installation.


CARB COMPLIANCE:

Schrock is committed to offering solutions that meet or exceed air emissions rules and regulations. All composite wood products used in the construction of our cabinets for end panels, shelves, tops, bottoms, backs, toekicks, and corner blocks are compliant with the California Air Resources Board (CARB) regulations for formaldehyde emissions.



Door Style Reference Chart

							Rustic	Rustic	Specialty	
	Alder	Cherry	Hickory	Maple	Melamine	Oak	Alder	Hickory	Laminates	Thermofoil
Ainsley				1						
Asbury		1		1						
Aspen					1				1	1
Banbury		1		1						
Beckman	1	1	1	1		1	1	1		
Brantley		1		1						
Campbell		1		1						1
Carmin		1		1						
Chanley	1						1	1		
Denton		1		1						
Derazi									1	1
Edmond		1	✓	1		✓				
Elston	1	1		1		✓	1	1		
Fletcher		1		1						
Galena	1	1		1						
Gallio					1				1	
Hutton		1		1						
Huxley	1	1		1		✓	1	1		
Jarret		1		1						
Kennedy		1		1						1
Morgan	1	1		1			1	1		
Parker		1		1						
Patmore		1	1	1		✓				
Pleasant Hill	✓	1	/	1			1	1		
Prestley		1		1						
Reflection										1
Seaton		1		1						
Whittaker		1		1						1



DOOR STYLE SPECIFICATIONS

Cherry

• When Cherry door styles are ordered, it is recommended to specify a finished end option for exposed ends due to the natural aging of Cherry.

Maple

• When a Paint or Paint with Glaze finish is specified, the door and/or drawer front center panel may be constructed of Medium Density Fiberboard (MDF), except when Whittaker door style or when Distressing or Heirlooming are specified. MDF provides a smoother finish when painted, and is more resistant to warping, expansion, and contraction.

Rustic Alder & Rustic Hickory

• See trim section for availability of Rustic characteristics on trim items.

All Door Styles


• All doors and drawer fronts are 3/4" thick unless otherwise noted.


Door and Drawer Front Side Profiles

• Veneer and MDF components are shown with gray shading on side profiles. Solid-wood components do not have shading.

Wood Grain

- Shaker door styles (Pleasant Hill and Whittaker) have a vertical grain direction on the drawer front center panel.
- Gallio drawer fronts have vertical grain.
- See reference images for wood grain direction on all other door styles.







DOOR STYLES Rustic Rustic **Specialty Ainsley Alder** Hickory Maple* Melamine Oak **Thermofoil** Cherry Alder Hickory Laminatés Availability 21/2 21/2 Optional Drawer Front: Slab (DFSLB) **Door Options** 0.385" drawer ALF CG DPSRR MD SHMD PRMD 0.660" drawer front profile door front profile 10"+ muntin profile optional Wall Base


- Miter Doors
- Solid Raised Panel
- 5-piece Drawer Front Mitered to Match Door
- Distressing Available

- See page 70 for 5-piece drawer front dimensions when specifying decorative hardware.
- *When a Paint or Paint with Glaze finish is specified, the door and/or drawer front center panel may be constructed of Medium Density Fiberboard (MDF), except when Distressing or Heirlooming are specified. MDF provides a smoother finish when painted, and is more resistant to warping, expansion, and contraction.

Asbury		Alder	Cherry	Hickory	Maple*	Melamine	Oak	Rustic Alder	Rustic Hickory	Specialty Laminates	Thermofoil
	Availability	_	1	_	1	_	_	_	_	_	_
									3,"	21/2"	








- Miter Doors
- Solid Raised Panel on Door and Large Drawer Fronts
- 5-piece Drawer Front Mitered to Match Door
- Distressing Available

- See page 70 for 5-piece drawer front dimensions when specifying decorative hardware.
- *When a Paint or Paint with Glaze finish is specified, the door and/or drawer front center panel may be constructed of Medium Density Fiberboard (MDF), except when Distressing or Heirlooming are specified. MDF provides a smoother finish when painted, and is more resistant to warping, expansion, and contraction.


DOOR STYLES Rustic Rustic **Specialty** Maple Alder **Hickory** Oak **Thermofoil** Cherry Melamine Alder Hickory Laminatés **Aspen** Availability White High Gloss Front Front **Door Options** ALF CG DPSRR MD SHMD PRMD 3/4" 3/4" High Gloss drawer edgebanding Slab Wall door profile Slab Base options

- Slab Doors and Drawer Fronts
- High Gloss Laminate has Two Edgebanding Options
- Matching Specialty Laminate Furniture Board (MSLFB) not available on Aspen Melamine.
- In High Gloss, doors, drawer fronts, overlay fillers, and selected premium trim items will be in White High Gloss (see Trim
 section for availability of premium trim items). Backs of doors, drawer fronts, and Premium panels will be white melamine.
 All other cabinet components and embellishments will be Painted White.
- A heat shield is required to separate Aspen doors, drawer fronts, overlay fillers, and all laminate and melamine products from heat producing units to be in compliance with cabinet warranty.
- For complementing Contemporary Embellishments, see page 341.

Banbury		Alder	Cherry	Hickory	Maple*	Melamine	Oak	Rustic Alder	Rustic Hickory	Specialty Laminates	Thermofoil
,	Availability	_	1	_	1	_	_	_	_	_	
										7 17) [








- · Miter Doors
- Veneer Flat Panel
- 5-piece Drawer Front Mitered to Match Door
- See page 70 for 5-piece drawer front dimensions when specifying decorative hardware.
- *When a Paint or Paint with Glaze finish is specified, the door and/or drawer front center panel may be constructed of Medium Density Fiberboard (MDF), except when Heirlooming is specified. MDF provides a smoother finish when painted, and is more resistant to warping, expansion, and contraction.


DOOR STYLES Rustic Rustic **Specialty Alder** Cherry Hickory Maple* Melamine Oak **Thermofoil Beckman** Alder Hickory Laminatés Availability / / 21/4 Optional Drawer Front: Flat 5-piece (DFF5PC) **Door Options** optional drawer ALF CG DPSRR MD SHMD PRMD 0.936" profile muntin profile front profile drawer Wall profile

- Shaker Style Doors
- Recessed Panel
- Slab Drawer Front

- See page 70 for 5-piece drawer front dimensions when specifying decorative hardware.
- *When a Paint or Paint with Glaze finish is specified, the door and/or drawer front center panel may be constructed of Medium Density Fiberboard (MDF), except when Heirlooming is specified. MDF provides a smoother finish when painted, and is more resistant to warping, expansion, and contraction.

Brantley		Alder	Cherry	Hickory	Maple*	Melamine	Oak	Rustic Alder	Rustic Hickory	Specialty Laminates	Thermofoil	
	Availability	_	/	_	/	_	_	_	_	_	_	l






- Miter Doors
- Solid Reverse Raised Panel Door
- 5-piece Drawer Front Mitered to Match Door
- Faux Inset Design. Recommended for use with Faux Hinges (see page 342).
- 1/4" space filler is necessary when applying faux hinge (strap or barrel) on varying depth cabinet or next to an appliance to allow for full door swing clearance.
- See page 70 for 5-piece drawer front dimensions when specifying decorative hardware.
- *When a Paint or Paint with Glaze finish is specified, the door and/or drawer front center panel may be constructed of Medium Density Fiberboard (MDF), except when Heirlooming is specified. MDF provides a smoother finish when painted, and is more resistant to warping, expansion, and contraction.

DOOR STYLES Rustic Rustic **Specialty Campbell** Alder **Hickory** Oak **Thermofoil** Cherry Maple* Melamine Alder Hickory Laminatés Availability 3" Optional Drawer Front: Slab (DFSLB) **Door Options** ALF CG DPSRR MD SHMD PRMD drawer front drawer 3/4" door profile optional Wall Base profile 10"+


- Solid Raised Panel Mitered Door
- 5-piece Drawer Front Mitered to Match Door
- Distressing Available

- See page 70 for 5-piece drawer front dimensions when specifying decorative hardware.
- *When a Paint or Paint with Glaze finish is specified, the door and/or drawer front center panel may be constructed of Medium Density Fiberboard (MDF), except when Distressing or Heirlooming are specified. MDF provides a smoother finish when painted, and is more resistant to warping, expansion, and contraction.



- Veneer Raised Panel
- Profiled Slab Drawer Front
- See page 70 for 5-piece drawer front dimensions when specifying decorative hardware.
- *When a Paint or Paint with Glaze finish is specified, the door and/or drawer front center panel may be constructed of Medium Density Fiberboard (MDF). MDF provides a smoother finish when painted, and is more resistant to warping, expansion, and contraction.

DOOR STYLES Rustic Rustic **Specialty Chanley Alder** Hickory Melamine Oak **Alder Thermofoil** Cherry Maple Hickory Laminatés Availability 15/8 21/2 21/2" Optional Drawer Front: Raised 5-piece (DFR5PC) optional **Door Options** 0.385" drawer optional drawer front profile (sides and 10"+) ALF CG DPSRR MD SHMD PRMD front 0.660" door profile 3/4" | muntin profile profile (top and drawer Wall front profile • Solid Raised Panel • Distressing Available Profiled Slab Drawer Front • See page 70 for 5-piece drawer front dimensions when specifying decorative hardware.



- Veneer Flat Panel
- 5-piece Drawer Front
- See page 70 for 5-piece drawer front dimensions when specifying decorative hardware.
- *When a Paint or Paint with Glaze finish is specified, the door and/or drawer front center panel may be constructed of Medium Density Fiberboard (MDF), except when Heirlooming is specified. MDF provides a smoother finish when painted, and is more resistant to warping, expansion, and contraction.

DOOR STYLES Rustic Rustic **Specialty** Alder **Hickory Thermofoil** Cherry Maple Melamine Oak Alder Hickory Laminatés Derazi Availability /

Slab Wall

Door Options ALF CG DPSRR MD SHMD PRMD

Finishes Cabinet Box Color Options Black[†] Cloud Dover Storm* Obsidian




- Slab Base
- Slab Door and Drawer Front with Matching Edgebanding
- Horizontal Grain Pattern for Contemporary Styling
- Arctic and Obsidian feature a textured surface.
- Doors, drawer fronts, overlay fillers, and selected premium trim items will be in the selected laminate. All other cabinet components and trim items will be in the selected cabinet box color.
- Doors and overlay fillers greater than 48" high will be two pieces. Doors will be doweled together with zinc connector pins and black plastic spacers. Replacement doors will be drilled and doweled but require field assembly.
- A heat shield is required to separate Derazi doors, drawer fronts, overlay fillers, and all textured laminate products from heat producing units to be in compliance with cabinet warranty.
- For complementing Contemporary Embellishments, see page 341.
- [†]Standard construction is not available in Black, requires APC, MIP, or MSLFB upgrade.


0.660"


muntin profile

*Storm box color will have visible vertical grain matching end panels.

Edmond		Alder	Cherry	Hickory	Maple*	Melamine	Oak	Rustic Alder	Rustic Hickory	Specialty Laminates	Thermofoil
	Availability	_	1	1	1	_	1	_	_	_	_







- Solid Raised Panel
- Profiled Slab Drawer Front
- Distressing Available


*When a Paint or Paint with Glaze finish is specified, the door may be constructed of Medium Density Fiberboard (MDF), except when Distressing or Heirlooming are specified. MDF provides a smoother finish when painted, and is more resistant to warping, expansion, and contraction.


DOOR STYLES Rustic Rustic **Specialty** Alder Cherry Hickory Maple* Melamine Oak **Alder Thermofoil Elston** Hickory Laminatés Availability / 21/4 Optional Drawer Front: Flat 5-piece (DFF5PC) **Door Options** optional drawer ALF CG DPSRR MD SHMD PRMD 0.936" optional drawer 3/4" muntin profile front door profile drawer profile Wall front profile (sides and 10"+) (top and profile bottom)


- Veneer Flat Panel
- Slab Drawer Front
- See page 70 for 5-piece drawer front dimensions when specifying decorative hardware.

*When a Paint or Paint with Glaze finish is specified, the door and/or drawer front center panel may be constructed of Medium Density Fiberboard (MDF), except when Heirlooming is specified. MDF provides a smoother finish when painted, and is more resistant to warping, expansion, and contraction.

Fletcher		Alder	Cherry	Hickory	Maple*	Melamine	Oak	Rustic Alder	Rustic Hickory	Specialty Laminates	Thermofoil
	Availability	_	1	_	1	_	_	_	_	_	_
										21/2"	







- Veneer Flat Panel
- Profiled Slab Drawer Front

*When a Paint or Paint with Glaze finish is specified, the door and/or drawer front center panel may be constructed of Medium Density Fiberboard (MDF), except when Heirlooming is specified. MDF provides a smoother finish when painted, and is more resistant to warping, expansion, and contraction.


DOOR STYLES Rustic Rustic **Specialty** Alder **Hickory** Maple* Oak **Thermofoil** Galena Cherry Melamine Alder Hickory Laminatés Availability Optional Drawer Front: Flat 5-piece (DFF5PC) 0.443 ALF CG DPSRR MD SHMD PRMD optional 3/4" optional drawer front muntin profile door Wall Base profile 10"+


- Miter Doors
- Solid Raised Panel on Door and Large 5-piece Drawer Fronts
- Solid Routed Drawer Front
- 5-piece drawer fronts less than 10" high have a flat center panel, drawer fronts 10" high and taller have a raised center panel.
- Distressing Available
- See page 70 for 5-piece drawer front dimensions when specifying decorative hardware.
- *When a Paint or Paint with Glaze finish is specified, the door and/or drawer front center panel may be constructed of Medium Density Fiberboard (MDF), except when Distressing or Heirlooming are specified. MDF provides a smoother finish when painted, and is more resistant to warping, expansion, and contraction.

Gallio		Alder	Cherry	Hickory	Maple	Melamine	Oak	Rustic Alder	Rustic Hickory	Specialty Laminates	Thermofoil
	Availability	_	_		_	✓	-	_	_	✓	_
Slab Base Slab	o Wall		Door Options ALF CG DPSRR		IMD Sq		Box Color Optio		Morel Seal	•	3/4" 3/4" door front profile profile

- Slab Door and Drawer Front with Matching Edgebanding
- Vertical Grain Pattern
- Elk and Wharf feature a textured surface, Antler and Squall are non-textured.
- Doors, drawer fronts, overlay fillers, and selected premium trim items will be in the selected laminate or melamine. <u>All other</u> cabinet components and trim items will be in the selected cabinet box color.
- A heat shield is required to separate Gallio doors, drawer fronts, overlay fillers, and all laminate or melamine products from heat producing units to be in compliance with cabinet warranty.
- For complementing Contemporary Embellishments, see page 341.
- Wood Tone Stain box colors will have visible vertical grain matching end panels.


DOOR STYLES Rustic Rustic **Specialty Alder** Cherry Hickory Melamine Oak **Thermofoil** Hutton Maple* Alder Hickory Laminatés Availability





- Veneer Flat Panel
- Profiled Slab Drawer Front
- Reverse Bevel Profile, Decorative Hardware Not Required


*When a Paint or Paint with Glaze finish is specified, the door and/or drawer front center panel may be constructed of Medium Density Fiberboard (MDF), except when Heirlooming is specified. MDF provides a smoother finish when painted, and is more resistant to warping, expansion, and contraction.



- Solid Reverse Raised Panel Door
- Slab Drawer Front
- See page 70 for 5-piece drawer front dimensions when specifying decorative hardware.
- *When a Paint or Paint with Glaze finish is specified, the door and/or drawer front center panel may be constructed of Medium Density Fiberboard (MDF), except when Heirlooming is specified. MDF provides a smoother finish when painted, and is more resistant to warping, expansion, and contraction.

DOOR STYLES Rustic Rustic **Specialty Alder Thermofoil** Cherry Hickory Maple* Melamine Oak Alder Hickory Laminatés **Jarret** Availability Optional Drawer Front: Slab (DFSLB) **Door Options** 0.385" drawer ALF CG DPSRR MD SHMD PRMD 1.120 drawer muntin profile profile door optional drawer (top and bottom) profile Wall Base profile (sides and front


- Veneer Flat Panel
- 5-piece Drawer Front
- See page 70 for 5-piece drawer front dimensions when specifying decorative hardware.
- *When a Paint or Paint with Glaze finish is specified, the door and/or drawer front center panel may be constructed of Medium Density Fiberboard (MDF), except when Heirlooming is specified. MDF provides a smoother finish when painted, and is more resistant to warping, expansion, and contraction.



- Veneer Flat Panel Mitered Door
- 5-piece Drawer Front Mitered to Match Door
- See page 70 for 5-piece drawer front dimensions when specifying decorative hardware.
- *When a Paint or Paint with Glaze finish is specified, the door and/or drawer front center panel may be constructed of Medium Density Fiberboard (MDF), except when Heirlooming is specified. MDF provides a smoother finish when painted, and is more resistant to warping, expansion, and contraction.


DOOR STYLES Rustic Rustic **Specialty Alder** Hickory Maple* Melamine Oak **Thermofoil** Morgan Cherry Alder Hickory Laminatés Availability / / Optional Drawer Front: Flat 5-piece (DFF5PC) 0.334" **Door Options** optional drawer door profile ALF CG DPSRR MD SHMD PRMD 0.750" 3/4" muntin profile drawer Wall


- Veneer Flat Panel
- Profiled Slab Drawer Front
- See page 70 for 5-piece drawer front dimensions when specifying decorative hardware.
- *When a Paint or Paint with Glaze finish is specified, the door and/or drawer front center panel may be constructed of Medium Density Fiberboard (MDF), except when Heirlooming is specified. MDF provides a smoother finish when painted, and is more resistant to warping, expansion, and contraction.




- Solid Raised Panel
- Profiled Slab Drawer Front
- Distressing Available
- See page 70 for 5-piece drawer front dimensions when specifying decorative hardware.
- *When a Paint or Paint with Glaze finish is specified, the door and/or drawer front center panel may be constructed of Medium Density Fiberboard (MDF), except when Distressing or Heirlooming are specified. MDF provides a smoother finish when painted, and is more resistant to warping, expansion, and contraction.

DOOR STYLES Rustic Rustic **Specialty** Alder Cherry Hickory Maple* Melamine Oak **Thermofoil Patmore** Alder Hickory Laminatés Availability / 21/2







profile


optional

front

- Veneer Flat Panel
- Profiled Slab Drawer Front

*When a Paint or Paint with Glaze finish is specified, the door may be constructed of Medium Density Fiberboard (MDF), except when Heirlooming is specified. MDF provides a smoother finish when painted, and is more resistant to warping, expansion, and contraction.

Pleasant Hill		Alder	Cherry	Hickory	Maple*	Melamine	Oak	Rustic Alder	Rustic Hickory	Specialty Laminates	Thermofoil
	Availability	✓	1	1	1	_	1	\	1	1	_
									2	11/4"	



- Shaker Style Doors
- Veneer Flat Panel (Solid reverse raised door center panel is available as a modification, see DPSRR on page 40.)
- 5-piece Drawer Front

- See page 70 for 5-piece drawer front dimensions when specifying decorative hardware.
- *When a Paint or Paint with Glaze finish is specified, the door and/or drawer front center panel may be constructed of Medium Density Fiberboard (MDF), except when Heirlooming is specified. MDF provides a smoother finish when painted, and is more resistant to warping, expansion, and contraction.

door

profile

3/4"

drawer

DOOR STYLES Rustic Rustic **Specialty Prestley** Alder Cherry Hickory **Thermofoil** Maple Melamine Oak Alder Hickory Laminatés Availability **Door Options**

Veneer Slab Doors and Drawer Fronts

• Veneer Face and Back

Slab Base

• Wood Edging on All Edges

• Furniture Board Core


ALF CG DPSRR MD SHMD PRMD

• Grain direction is vertical on doors and horizontal on drawer fronts.


Reflection


Alder Cherry Hickory Maple Melamine Oak Rustic Hickory Laminates Thermofoil

Availability — — — — — — — — — — — —



Slab Wall





- Thermofoil MDF Raised Panel
- 1" MDF Raised Profile Drawer Front
- Thermofoil will not withstand sustained temperatures in excess of 170°F. A 3" filler or heat shield is required between any thermofoil surface and any heat source to be in compliance with cabinet warranty. Failure to use a 3" filler or heat shield will void the cabinet warranty.


DOOR STYLES Rustic Rustic **Specialty** Alder **Thermofoil** Cherry Hickory Maple* Melamine Oak Alder Hickory Laminatés Seaton Availability 21/8 21/2 Optional Drawer Front: Slab (DFSLB) 0.385" **Door Options** drawer ALF CG DPSRR MD SHMD PRMD drawer 0.660" door front profile 10"+ profile profile muntin profile optional Wall Base front

- Miter Doors
- Veneer Flat Panel
- 5-piece Drawer Front Mitered to Match Door

a vertical cross rail with two center panels.

• See page 70 for 5-piece drawer front dimensions when specifying decorative hardware.

*When a Paint or Paint with Glaze finish is specified, the door and/or drawer front center panel may be constructed of Medium Density Fiberboard (MDF), except when Heirlooming is specified. MDF provides a smoother finish when painted, and is more resistant to warping, expansion, and contraction.



• When DFF5PC is selected on a 2DB48, drawer front will have • See page 70 for 5-piece drawer front dimensions when specifying decorative hardware.

		PREMIUM COLOR PALET	TE		
	OPTION NAME	DESCRIPTION/LIMITATIONS	MATCHING LAMINATE ENDS*	DISTRESSING AVAILABILITY	HEIRLOOMING AVAILABILITY
	Grizzly	A deep brown finish with gray undertones and beautiful depth.	✓	√	N/A
Stains	Kodiak	A dark brown finish with gray and yellow undertones and a deep, rich hue.	✓	✓	N/A
Š	Storm	A semi translucent stone gray finish that allows the natural tones and characteristics of the wood to show through.	Maple ✓ Cherry N/A	✓	✓
səzı	Black Forest	A two tone finish. A medium toned finish that is highlighted with a dark glaze.	✓	✓	N/A
oded Glc	Coffee	A two tone finish. Dark glaze over a warmer toner that emulates a soft, Old World look and enhances the door profiles.	✓	✓	N/A
Stains with Flooded Glazes	Palomino	A two tone finish. A light toned finish that is highlighted with a dark espresso glaze. The glaze is meant to be seen primarily in the profiled areas and has minimal affect to the overall color.	✓	✓	N/A
	Whiskey Black	A warm finish with a rich dark patina to create a true reproduction of a period style antique.	✓	✓	N/A
th	Cattail w/Whiskey Black	A dark patina penned glaze on Cattail.	✓	✓	N/A
is wi	Sahara w/Palomino	A dark espresso penned glaze on Sahara.	✓	✓	N/A
Stains with Penned Glazes	Tundra w/Black Forest	A deep brown penned glaze on Tundra.	✓	✓	N/A
	Black	True black	N/A	✓	✓
	Cloud	Medium gray	✓	✓	N/A
	Coconut	Creamy off white	✓	N/A	N/A
	Dover	White with a taupe undertone	✓	N/A	N/A
	Egret	Light taupe with gray/green undertones	✓	✓	N/A
Paints*	Icy Avalanche	Cool white with gray undertones	✓	N/A	N/A
Pai	Lambswool	Medium taupe	✓	✓	N/A
	Limestone	Light gray	✓	✓	N/A
	Maritime	Dark navy with gray/green undertones	✓	✓	1
	Moonstone	Cool dark gray	✓	✓	1
	Seaside	Turquoise blue	N/A	✓	1
	White	Bright, pure white	✓	N/A	N/A
Paints with Flooded Glazes*	Seaside w/Oasis	A two toned finish, applying a turquoise blue paint finish enhanced with a coffee colored glaze.	N/A	√	1
enned iints*	Amaretto Créme	Dark brown glaze available on Cloud, Coconut, Dover, Egret, Icy Avalanche, Lambswool, Limestone, Maritime, Moonstone, and White (Penned Glaze only).	✓	✓	/ **
Flooded and Penned Glazes for Paints*	Grey Stone	Gray glaze available on Cloud, Coconut, Dover, Egret, Icy Avalanche, Lambswool, Limestone, Maritime, and White (Penned Glaze only).	1	✓	/ **
Floode Glaze	Toasted Almond	Medium brown glaze available on Cloud, Coconut, Dover, Egret, Icy Avalanche, Lambswool, Limestone, Maritime, Moonstone, and White (Penned Glaze only).	1	✓	/ **

^{*}Standard construction is not available in Black, Seaside, Seaside with Oasis, Storm Cherry, and Unfinished. An upgrade to All-plywood Construction, MIP, or MSLFB is required on these finishes.

*On wood products, normal movement is typical due to change in climatic conditions. This will cause hairline cracks at stile, rail and panel joints. This hairline cracking is a normal characteristic of painted finishes and will not be considered a reason for product replacement. Finish agreement required, see page 366.

**Available on Maritime and Moonstone only.

		UNFINISHED		
	OPTION NAME	DESCRIPTION/LIMITATIONS	DISTRESSING AVAILABILITY	HEIRLOOMING AVAILABILITY
Standard Finish	Unfinished	Must upgrade to APC. When cabinets are finished by an outside source, finish is not covered under warranty. Interiors of cabinets will be clear coated veneer for APC. For finishable interiors, MIP must be specified.	✓	N/A

24

		FINICII TECHNIQUES
		FINISH TECHNIQUES
	OPTION NAME	DESCRIPTION
	Distressing	Provides a rustic look through the carefully crafted application of distressing characteristics such as dents, wormholes, chisel marks, and other signs of wear on solid-wood doors, drawer fronts, face frames (where applicable), and selected trim items (veneer parts will not be distressed). The distressing technique creates a finish with unique and appealing imperfections, similar to those of time-worn antiques. Distressing characteristics are more visible with glaze finishes (face frames, where applicable, and trim items without detailed profiles will not feature glaze hang-up on distressed areas). Not available to order with Coconut, Dover, Icy Avalanche, and White.
Techniques	Heirlooming	Available on select finishes. The finish will be sanded through the base coat to expose the surface of the wood. This type of sand through on the edges and profiles creates a naturally worn appearance. If a finish is chosen with a glaze, the glaze will be applied after the sanding has been done. This will enhance those areas of exposed wood to take on the darker characteristic of the applied glaze. Not available on Carmin and Prestley. Select trim pieces will feature Heirlooming characteristics. See Trim section for availability.
	Matte Sheen	Available on Stains, Stains with Flooded Glazes, and Stains with Penned Glazes.
		Replaces standard top coat with a low sheen, non-pigmented top coat on doors, drawer fronts, face frames, trim items, and veneer finished cabinet components in selected finish. Does not affect laminate or clear finished components.

							FIN	IIS	H A	\VA	\IL/	ABI	LIT	Υ													
															Λ	ΛAΡΙ	.E										\Box
		Matching Laminate Ends^	Heirlooming* 🖉	Matte Sheen	Ainsley	Asbury	Banbury	Beckman	Brantley	Campbell	Carmin	Denton	Edmond	Elston	Fletcher	Galena	Hutton	Huxley	Jarret	Kennedy	Morgan	Parker	Patmore	Pleasant Hill	Prestley	Seaton	Whittaker
	Brierwood	1		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	Buckskin	1		1	1	1	1	1	1	1	1	1	1	1	1	1	1	✓	1	1	1	1	1	1	1	1	1
	Cattail	1		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	Chocolate	1		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	Cranberry	1		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	Grizzly	1		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	Havana	1		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Į.A.	Henna	1		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Stains	Kodiak	1		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
S	Morel	1		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	Natural	1		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	Sahara	1		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	Seal	1		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	Storm	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	Thatch	1		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	Tundra	1		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	Unfinished	1			1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
es	Black Forest	1		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1		1	1
Stains with looded Glazes	Coffee	1		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	/	1	1	1		1	/
Stains Flooded (Palomino	1		/	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	/	1	1	1		1	/
ᅓ은	Whiskey Black	1		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1		1	/
l se		1		1	1	1	1	1	1	1	1		1	1	1	1	1	1		1	1	1	1	1		1	\Box
Sez Sez	Sahara w/Palomino	1		1	1	1	1	1	1	1	1		1	1	1	1	1	1		1	1	1	1	1		1	
Stains with Penned Glazes	Tundra w/Black Forest	1		1	1	1	1	1	1	1	1		1		1	1	1	1		1	1	1	1	1		1	
	Black		1		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	Cloud	1			1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	Coconut	1			1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	Dover	1			1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	Egret	1			1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
4	Icy Avalanche	1			1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Paints	Lambswool	1			1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
۵	Limestone	1			1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	Maritime	1	/		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	/
	Moonstone	1	1		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	/
	Seaside		1		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	White	1	Ť		1	1	/	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	/

^{*}Heirlooming not available on Carmin and Prestley.

*Standard construction is not available in Black, Seaside, Seaside with Oasis, Storm Cherry, and Unfinished. An upgrade to All-plywood Construction, MIP, or MSLFB is required on these finishes.

*Distressing not available on Coconut, Dover, Icy Avalanche, or White.

*Signed finish agreement required, see pages 365-368.

26

FINISH AVAILABILITY

^{*}Heirlooming not available on Carmin and Prestley.

^{*}Standard construction is not available in Black, Seaside, Seaside with Oasis, Storm Cherry, and Unfinished. An upgrade to All-plywood Construction, MIP, or MSLFB is required on these finishes. [†]Distressing not available on Coconut, Dover, Icy Avalanche, or White.

Signed finish agreement required, see pages 365-368.
 F: Available with Flooded Glaze Type only.

						1	FIN	ISF	ł A'	VA	ILA	BIL	.IT)	<u> </u>												
															CHE	RRY										\neg
		Matching Laminate Ends^	Heirlooming* Æ	Matte Sheen	Asbury	Banbury	Beckman	Brantley	Campbell	Carmin	Denton	Edmond	Elston	Fletcher	Galena	Hutton	Huxley	Jarret	Kennedy	Morgan	Parker	Patmore	Pleasant Hill	Prestley	Seaton	Whittaker
	Brierwood	1			1	1	1	1	1	✓	1	1	1	1	1	1	1	1	1	1	✓	1	1	1	1	1
	Buckskin	1		1	1	1	1	1	1	/	1	1	1	1	1	1	1	✓	✓	1	1	1	1	1	1	1
	Cattail	1		1	1	1	1	1	✓	✓	1	1	1	1	1	1	1	✓	✓	1	1	1	1	1	1	1
	Chocolate	1		1	1	1	1	1	✓	✓	1	1	1	1	1	1	1	✓	✓	1	1	1	1	1	1	1
	Cranberry	1		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	Grizzly	1		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	Havana	1		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	Henna	1		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Stains	Kodiak	1		1	1	1	1	1	1	1	1	1	1	1	1	1	1	✓	1	1	1	1	1	1	1	1
Ş	Light	1		1	1	1	1	1	1	1	1	1	1	1	1	1	1	✓	1	1	1	1	1	1	1	1
	Morel	1		1	1	1	1	1	1	1	1	1	1	1	1	1	1	✓	1	1	1	1	1	1	1	1
	Natural	1		1	1	1	1	1	1	1	1	1	1	1	1	1	1	✓	✓	1	1	1	1	1	1	1
	Sahara	1		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	Seal	1		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	✓	1	1	1	1	1	1	1
	Storm		1	1	1	1	1	1	1	/	1	1	1	1	1	1	1	✓	✓	1	1	1	1	1	1	1
	Thatch	1		1	1	1	1	1	1	/	1	1	1	1	1	1	1	✓	✓	1	1	1	1	1	1	1
	Tundra	1		1	1	1	1	1	1	/	1	1	1	1	1	1	1	✓	✓	1	1	1	1	1	1	1
	Unfinished	1			✓	1	1	1	1	/	1	1	1	1	1	1	1	✓	✓	1	1	1	1	1	1	1
Stains with looded Glazes	Black Forest	1		1	✓	1	1	1	✓	/	1	1	1	1	1	1	1	✓	✓	1	1	1	1		1	1
s wi	Coffee	1		1	✓	1	1	1	✓	/	1	1	1	1	1	1	1	✓	✓	1	1	1	1		1	1
Stains Flooded (Palomino	1		1	✓	1	1	1	1	✓	1	1	1	1	1	1	1	✓	✓	1	1	1	1		1	1
_	Whiskey Black	1		1	✓	1	1	1	1	✓	1	1	1	1	1	1	1	✓	✓	1	1	1	1		1	✓
with Glazes	Cattail w/Whiskey Black	1		1	✓	1	1	1	✓	/		1	1	1	1	1	1		✓	1	1	1	1		1	
us w	Sahara w/Palomino	1		1	1	1	1	1	1	✓		1	1	1	1	1	1		1	1	1	1	1		1	Ш
Stains with Penned Glaze	Tundra w/Black Forest	1		1	1	1	1	1	✓	✓		1	1	1	1	1	1		✓	1	1	1	1		1	
Distressing Technique	Distressing				✓				1			1			1						1					

^{*}Heirlooming not available on Carmin and Prestley.

*Standard construction is not available in Black, Seaside, Seaside with Oasis, Storm Cherry, and Unfinished. An upgrade to All-plywood Construction, MIP, or MSLFB is required on these finishes.

*D Signed finish agreement required, see pages 365-368.

Cherry laminate sides are intentionally 15-20% darker at the time of manufacture to compensate for the expected darkening of doors, drawer fronts, and other finished wood products as they are exposed to natural sunlight.

	FINISH AVAILABILITY																	
						ALDER							RUSTIC ALDER 🖾					
		Matching Laminate Ends^	Heirlooming 🐔	Matte Sheen	Beckman	Chanley	Elston	Galena	Huxley	Morgan	Pleasant Hill	Beckman	Chanley	Elston	Huxley	Morgan	Pleasant Hill	
Stains	Brierwood	1		1	1	✓	1	1	1	1	1	1	1	1	1	1	1	
	Buckskin	1		1	1	✓	1	1	✓	1	1	1	1	1	1	1	1	
	Cattail	1		1	1	1	1	1	1	1	1	1	1	1	1	1	1	
	Chocolate	1		1	1	1	1	1	1	1	1	1	1	1	1	1	1	
	Cranberry	1		<	<	✓	1	1	1	1	✓	1	1	1	1	1	✓	
	Grizzly	1		1	1	1	1	1	1	1	1	1	1	1	1	1	1	
	Havana	1		1	1	1	1	1	1	1	1	1	1	1	1	1	1	
	Kodiak	1		^	✓	✓	1	1	1	1	✓	1	1	1	1	1	✓	
	Morel	1		^	✓	✓	1	1	1	1	✓	1	1	1	1	1	✓	
	Natural	1		1	1	1	1	1	1	1	1	1	1	1	1	1	1	
	Sahara	1		1	1	1	1	1	1	1	1	1	1	1	1	1	1	
	Seal	1		1	1	1	1	1	1	1	/	1	1	1	1	1	/	
	Thatch	1		1	1	1	1	1	1	1	/	1	1	1	1	1	/	
	Tundra	1		1	1	1	1	1	1	1	/	1	1	1	1	1	/	
	Unfinished	1			1	1	1	1	1	1	/	1	1	1	1	1	/	
Stains with Flooded Glazes	Black Forest	1		1	1	1	1	1	1	1	1	1	1	1	1	1	1	
	Coffee	1		1	1	1	1	1	1	1	1	1	1	1	1	1	1	
	Palomino	1		1	1	/	1	1	1	1	/	1	1	1	1	1	1	
	Whiskey Black	1		1	1	/	1	1	1	1	1	1	1	1	1	1	1	
Distressing Technique	Distressing					1		1					1					

^{*}Standard construction is not available in Black, Seaside, Seaside with Oasis, Storm Cherry, and Unfinished. An upgrade to All-plywood Construction, MIP, or MSLFB is required on these finishes.

ZD Signed finish agreement required, see pages 365-368.

						FIN	ISH	AVA	ILAB	ILIT'	Y								
						HICK	ORY			RUST	TIC HIC	KORY	L 1				OAK		\neg
		Matching Laminate Ends^	Heirlooming* 🖾	Matte Sheen	Beckman	Edmond	Patmore	Pleasant Hill	Beckman	Chanley	Elston	Huxley	Morgan	Pleasant Hill	Beckman	Edmond	Elston	Huxley	Patmore
	Brierwood	1		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	Buckskin	1		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	Chocolate	1		1											1	1	1	1	1
	Grizzly	1		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	Havana	1		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	Kodiak	1		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Stains	Light	1		\	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Sta	Morel	1		✓	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	Natural	1		✓	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	Sahara	1		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	Seal	1		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	Thatch	1		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	Tundra	1		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	Unfinished	1			1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
h zes	Black Forest	1		1											1	1	1	1	1
¥ <u>i</u>	Coffee	1		1	1	1	1	1	1	1	1	1	1	1					
Stains with Flooded Glazes	Palomino	1		1											1	1	1	1	1
Paints	Black 🗷		1												1	1	1	1	1
Distressing Technique	Distressing					1				1						1			

^{*}Available on Oak only.

*Standard construction is not available in Black, Seaside, Seaside with Oasis, Storm Cherry, and Unfinished. An upgrade to All-plywood Construction, MIP, or MSLFB is required on these finishes.

*D Signed finish agreement required, see pages 365-368.

FINISH AVAILABILITY										
	MELA	MINE	SP	THERMOFOIL						
DOOR COLOR AVAILABILITY	Aspen	Gallio	Aspen	Derazi	Gallio	Reflection				
Antler					1					
Squall		✓								
White	✓					1				
Arctic				1						
Elk					1					
Obsidian				1						
Wharf					1					
White w/Matching Edgebanding			1							
White w/Metallic Edgebanding			1							
	Antler Squall White Arctic Elk Obsidian Wharf White w/Matching Edgebanding	DOOR COLOR AVAILABILITY Antler Squall White Arctic Elk Obsidian Wharf White w/Matching Edgebanding	MELAMINE DOOR COLOR AVAILABILITY Antler Squall White Arctic Elk Obsidian Wharf White w/Matching Edgebanding	MELAMINE SP DOOR COLOR AVAILABILITY Antler Squall White Arctic Elk Obsidian Wharf White w/Matching Edgebanding	MELAMINE SPECIALTY LAMINA DOOR COLOR AVAILABILITY Squall White Arctic Elk Obsidian Wharf White w/Matching Edgebanding	MELAMINE SPECIALTY LAMINATES DOOR COLOR AVAILABILITY Antler Squall White Arctic Elk Obsidian Wharf White w/Matching Edgebanding				

Г					D	OOR COLOR	AVAILABILIT	Υ		
	CABINET COLOR AVAILABILITY	Matching Laminate Ends^	Antler	Arctic	EIK	High Gloss White	Obsidian	Squall	Wharf	White
Г	Morel Cherry	1	✓							
	Morel Hickory	1	✓							
	Morel Maple	1	✓							
	Morel Oak	1	✓							
٦	Seal Hickory	1			✓					
Stains	Seal Maple	1			✓					
]~	Seal Oak	1			✓					
	Storm Maple	1					1			
	Thatch Hickory	1			1					
	Thatch Maple	1			1					
	Thatch Oak	1			1					
	Black						✓			
	Cloud	1	✓	✓				✓		
	Coconut	1						✓		
Paints	Dover	1	1	/				✓	✓	
Pai	Icy Avalanche	1		1				✓		
	Lambswool	1	✓						✓	
	Limestone	1	✓						✓	
	White	1	✓	✓		✓		✓	✓	✓


^{*}Standard construction is not available in Black, Seaside, Seaside with Oasis, Storm Cherry, and Unfinished. An upgrade to All-plywood Construction, MIP, or MSLFB is required on these finishes.

THINGS TO REMEMBER ABOUT FINISHED ENDS AND CABINET INTERIOR FINISHES

On cabinets with ALL-PLYWOOD CONSTRUCTION (APC) modifications, cabinet sides are plywood with an unfinished veneer exterior. You can finish the exposed ends in your kitchen with one of several decorative options, as follows:

- 1. Leave the ends UNFINISHED if the cabinets are installed against each other or against the wall.
- 2. Specify cabinets with FINISHED ENDS (FB), factory installed. Both ends of the cabinet use 5/8'' plywood veneer panel that is factory finished on the exterior to match the door and frame.
- 3. Specify Matching Specialty Laminate Furniture Board (MSLFB) for door matching specialty laminate furniture board exterior and interior (including shelves). See page 38 for details.
- 4. Order Panel Doors (PD) to cover matching laminate ends or veneer finished ends for a field installed, decorative furniture look. See pages 302-303 for details.
- 5. Order a 3/4" finished panel to be field applied to the cabinet side.
- 6. Purchase a Wall MESSAGE CENTER.
- 7. Cabinets specified with MIP have matching veneer interior and exterior.

	CONSTRUCTION FEATURES
Drawer Box and Roll Tray Construction	Four-sided clear coated hardwood. Corners are dovetailed and glued. Drawer bottom is 5.2mm laminated plywood fully captured in box sides, front and back.
Drawer and Roll Tray Guide	Double fully concealed, ball bearing, self-aligning, full extension guide with Smart Stop TM self-closing mechanism and fast clip removal system. Smart Stop engages when the drawer or roll tray is approximately 2" from closing, applying resistance to the self-closing mechanism.
	All guides have a maximum weight capacity of 90 lbs. Drawers and roll trays have a maximum weight capacity of 15 lbs. per square foot.
Hinges	Smart Stop™ self closing feature, fully concealed integrated cup hinge with Quick Release™ feature for easy removal; 6-way adjustable. Hinge features deactivation option.
	Some cabinets utilize specialized hinges. See page 354 for details.
Stretcher Rails	Front and rear full width stretcher rails doweled into end panels provide solid support and mounting surface for countertops.
Toekick	Unfinished toekick to allow application of finished toeboard materials. A variety of laminate and wood toeboard skins and baseboard mouldings available in 8' lengths; see ACCESSORIES section.
Plywood	All-plywood components meet ANSI/HPVA HP-1 standards and may contain MDF or particleboard.
Warranty	Schrock Full Access has a Limited Lifetime Warranty. For terms and conditions, please visit: https://www.schrock.com/warranty.



34

CABINET CONSTRUCTION									
	STANDARD CONSTRUCTION (SFS)*	ALL-PLYWOOD CONSTRUCTION (SFA)*†							
Cabinet Bottom and Top (Wall)	5/8" thick furniture board — Natural maple laminate interior — Natural maple laminate exterior	5/8" thick plywood — Clear coated wood veneer interior — Clear coated wood veneer exterior							
Cabinet Bottom (Base/Tall) and Top (Tall)	5/8" thick furniture board — Natural maple laminate interior — Unfinished exterior	5/8" thick plywood — Clear coated wood veneer interior — Unfinished veneer exterior							
Stretcher Rails	5/8" thick furniture board — Natural maple laminate interior — Unfinished exterior	5/8" thick plywood — Clear coated wood veneer interior — Unfinished veneer exterior							
Cabinet Sides	5/8" thick furniture board — Natural maple laminate interior — Matching laminate exterior	5/8" thick plywood — Clear coated wood veneer interior — Unfinished veneer exterior — Finished Both (FB) - Cabinet box matching finished veneer exterior (see page 38)							
Cabinet Back	5/8" thick furniture board — Natural maple laminate interior — Unfinished exterior	5/8" thick plywood — Clear coated wood veneer interior — Unfinished veneer exterior							
Adjustable Shelf	3/4" thick furniture board — Natural maple laminate with PVC edgebanding	3/4" thick plywood — Clear coated wood veneer with clear coated veneer edgebanding							
Center Mullion	5/8" thick furniture board All Styles except Aspen, Derazi, and Gallio: — Natural maple laminate interior — Matching laminate exterior Derazi and Gallio: — Door matching interior — Door matching exterior	5/8" thick All Styles except Aspen, Derazi, and Gallio (plywood): — Clear coated wood veneer interior — Cabinet box matching finished veneer exterior Derazi and Gallio (furniture board): — Door matching interior (not plywood) — Door matching exterior (not plywood)							
	Aspen High Gloss: — White interior (not high gloss) — Door matching exterior	Aspen High Gloss (furniture board): — White interior (not high gloss, not plywood) — Door matching exterior (not plywood)							
Horizontal Dividers	5/8" thick furniture board — Natural maple laminate	5/8" thick plywood — Clear coated wood veneer							
Vertical Dividers	5/8" thick furniture board (2-piece) — Natural maple laminate	5/8" thick plywood (2-piece) — Clear coated wood veneer							
Toekick	5/8" thick furniture board — Unfinished (requires field applied Toeboard moulding)	5/8" thick plywood — Unfinished (requires field applied Toeboard moulding)							
Edgebanding	On Cabinet Face of End Panels, Tops, Bottoms, Fixed Shelves, and Horizontal and Vertical Dividers: — Complementary door matching PVC**	On Cabinet Face of End Panels, Tops, Bottoms, Fixed Shelves, and Horizontal and Vertical Dividers: — Complementary door matching PVC**							
	On End Panel Tops and Bottoms (Wall): — Complementary door matching PVC**	On End Panel Tops and Bottoms (Wall): — Complementary door matching PVC**							
	On Center Mullion: — Complementary door matching PVC**	On Center Mullion: — Complementary door matching PVC**							
	*Standard construction is not available in Black, Seaside, Seaside with Oasis, Storm Cherry, and Unfinished. An upgrade to All-plywood Construction, MIP, or MSLFB is required on these finishes. **Aspen High Gloss PVC edgebanding is White High Gloss, Metallic High Gloss not available on cabinet box components.	*All-plywood components meet ANSI/HPVA HP-1 standards and may contain MDF or particleboard. **Aspen High Gloss PVC edgebanding is White High Gloss, Metallic High Gloss not available on cabinet box components. †Order acknowledgment will list APC as SFA.							

CABINET CONSTRUCTION									
	MATCHING INTERIOR PLYWOOD (MIP)*	WHITE LAMINATE INTERIOR (WLI)*							
Cabinet Bottom and Top (Wall)	5/8" thick plywood — Matching finished veneer interior — Matching finished veneer exterior	5/8" thick plywood — White laminate interior — White laminate exterior							
Cabinet Bottom (Base/Tall) and Top (Tall)	5/8" thick plywood — Matching finished veneer interior — Unfinished veneer exterior	5/8" thick plywood — White laminate interior — Unfinished veneer exterior							
Stretcher Rails	5/8" thick plywood — Matching finished veneer interior — Unfinished veneer exterior	5/8" thick plywood — White laminate interior — Unfinished veneer exterior							
Cabinet Sides	5/8" thick plywood — Matching finished veneer interior — Matching finished veneer exterior	5/8" thick plywood — White laminate interior — Unfinished veneer exterior — Finished Both (FB) - Cabinet box matching finished veneer exterior (see page 38)							
Cabinet Back	5/8" thick plywood — Matching finished veneer interior — Unfinished veneer exterior	5/8" thick plywood — White laminate interior — Unfinished veneer exterior							
Adjustable Shelf	3/4" thick plywood, full depth — Matching finished veneer with matching finished veneer edgebanding	3/4" thick plywood — White with white PVC edgebanding							
Center Mullion	5/8" thick All Styles except Aspen, Derazi, and Gallio (plywood): — Matching finished veneer interior — Matching finished veneer exterior Derazi and Gallio (furniture board): — Door matching interior (not plywood) — Door matching exterior (not plywood) Aspen High Gloss: — White interior (not high gloss, not plywood) — Door matching exterior (not plywood)	5/8" thick All Styles except Aspen (plywood): — White laminate interior — White laminate exterior Aspen High Gloss (not plywood): — White interior (not high gloss) — Door matching exterior							
Horizontal Dividers	5/8" thick plywood — Matching finished veneer	5/8" thick plywood — White laminate							
Vertical Dividers	5/8" thick plywood (2-piece) — Matching finished veneer	5/8" thick plywood (2-piece) — White laminate							
Toekick	5/8" thick plywood — Unfinished (requires field applied Toeboard moulding)	5/8" thick plywood — Unfinished (requires field applied Toeboard moulding)							
Edgebanding	On Cabinet Face of End Panels, Tops, Bottoms, Fixed Shelves, and Horizontal and Vertical Dividers: All styles except Aspen High Gloss, Derazi, and Gallio: — Matching finished veneer Aspen High Gloss, Derazi, and Gallio: — Complementary door matching PVC**	On Cabinet Face of End Panels, Tops, Bottoms, Fixed Shelves, and Horizontal and Vertical Dividers: — Complementary door matching PVC**							
	On End Panel Tops and Bottoms (Wall): — Matching finished veneer	On End Panel Tops and Bottoms (Wall): — White PVC							
	On Center Mullion: All styles except Aspen High Gloss, Derazi, and Gallio: — Matching finished veneer Aspen High Gloss, Derazi, and Gallio: — Complementary door matching PVC**	On Center Mullion: — Complementary door matching PVC**							
	*All-plywood components meet ANSI/HPVA HP-1 standards and may contain MDF or particleboard. **Aspen High Gloss PVC edgebanding is White High Gloss, Metallic High Gloss not available on cabinet box components.	*Only available on cabinets in White (painted Maple, Laminate, or Melamine) that are specified with APC. All-plywood components meet ANSI/HPVA HP-1 standards and may contain MDF or particleboard. **Aspen High Gloss PVC edgebanding is White High Gloss, Metallic High Gloss not available on cabinet box components.							

CABINET CONSTRUCTION MATCHING SPECIALTY LAMINATE FURNITURE BOARD (MSLFB) Aspen High Gloss* Derazi and Gallio **Cabinet Bottom** 5/8" thick furniture board 5/8" thick furniture board and Top (Wall) White interior (not high gloss) Door matching interior, side-to-side grain direction Door matching exterior — Door matching exterior, side-to-side grain direction 5/8" thick furniture board 5/8" thick furniture board **Cabinet Bottom** (Base/Tall) and - White interior (not high gloss) — Door matching interior, side-to-side grain direction - White exterior Top (Tall) Door matching exterior, side-to-side grain direction Stretcher Rails 5/8" thick furniture board 5/8" thick furniture board White interior (not high gloss) Door matching interior, side-to-side grain direction Door matching exterior, side-to-side grain direction White exterior **Cabinet Sides** 5/8" thick furniture board 5/8" thick furniture board - White interior (not high gloss) Door matching interior, vertical grain direction Door matching exterior — Door matching exterior, vertical grain direction 5/8" thick furniture board 5/8" thick furniture board **Cabinet Back** White interior (not high gloss) - Door matching interior, vertical grain direction White exterior Door matching exterior, vertical grain direction 3/4" thick furniture board, full depth 3/4" thick furniture board, full depth Adjustable Shelf — White with white PVC edgebanding (not high gloss) Door matching with side-to-side grain direction and matching PVC edgebanding **Center Mullion** 5/8" thick furniture board 5/8" thick furniture board — Door matching interior, vertical grain direction White interior (not high gloss) Door matching exterior — Door matching exterior, vertical grain direction **Horizontal Dividers** 5/8" thick furniture board 5/8" thick furniture board - White (not high gloss) — Door matchina **Vertical Dividers** 5/8" thick furniture board (2-piece) 5/8" thick furniture board (2-piece) White (not high gloss) — Door matching 5/8" thick furniture board 5/8" thick furniture board **Toekick** Unfinished (requires field applied Toeboard moulding) Unfinished (requires field applied Toeboard moulding) On Cabinet Face of End Panels, Tops, Bottoms, Fixed Shelves, and Horizontal **Edgebanding** On Cabinet Face of End Panels, Tops, Bottoms, Fixed Shelves, and Horizontal and Vertical Dividers: and Vertical Dividers: White high gloss Complementary door matching PVC On End Panel Tops and Bottoms (Wall): On End Panel Tops and Bottoms (Wall): White high gloss Complementary door matching PVC On Center Mullion: On Center Mullion: White high gloss Complementary door matching PVC

*Aspen High Gloss PVC edgebanding is White High Gloss, Metallic High Gloss not

available on cabinet box components.

		M	01	DIFI	CAI		N	/U	ΙP	GR	A	DE	C	ON	ΛP	AT	IBI	LI'	ΓΥ	Cl	łΑ	R1	•								
MODIFICATIO UPGRADE	DN/	APC	AIP	WLI	DFF SPC/DFR SPC	DESTR	SCPDRW	CBO	000		۵	RD	EXBKL/EXBKR	RECBTM	TVRAV/FV/VV	CMAT	DRT	æ		PIOWB	2	TOTSS/TOTSSS	ADDTK DRWTK	FTK	FTKAV/FTKFV	RECTKALL	RECTKL/RECTKR	YIK VIK	Ь	ALF	S W
Construction	APC		/	/	1.	//	//			//	1		/ /		/	//			/,		_	1	11	1	/	//	1.	/ /	1	1	//
and Finish	FB	/		/	1.	//	//	1	/ ,	//	1	/	_	/ /	/	//	11	/	/,	/ /		/	//	1	/	//	1	//	/	1	11
Upgrades (page 38)	MIP	ľ	Т		1.	//	11	1	/ ,	//	1	/	/ /	//		/ /	//		/ ,	/ /	/	/	//	1	/	//	1	//	/	1	//
4.0	WLI	1	/		1.	//	//	1	/ ,	11	1	1	/ /	/ /	/	//	11	/	✓,	/ /	/	1	11	1	/	//	1	//	1	1.	11
	MSLFB				1.	/	1	1	/ ,	//	1	1	/ /	/ /	1	11	11		✓,	/ /		1	11	1	/	//	1	//	1	1.	11
Drawer Front	DFF5PC/DFR5PC†	1	/ /	111	1	/	/ /		,	/ /	1	1	/ /	′ √	1	//	/ /	✓	✓,	/ /	1	1	1	1	/	//	1	/ /	1	1	//
Upgrades (page 39)	DFSLB†	✓ ,	/ /	′		/	/ /		,	/ /	/	✓ ,	/ /	′ √	1	/	/ /	/	✓ .	/ /	1	1	1	✓ .	/	//	/ ·	/ /	1	✓,	//
Drawer and Door Options	DPSRR† SCPDRW	_	/		1.	/	/		,	/	/		/ /	′	1	/ /			✓ ,	/ /	1	/			_		1		1		
(page 40)	SCPDRVV	′ '	/ /	111	'			_				/	/		'			✓	٠			1		/	_	//	/	//	<u></u>	L'	//
Box	СВО	1	/ /	′			1				/	/	/ /	11	1	/ /	11	1	٠	/ /	1		//	/	/	11	/	/ /	1		
Modifications (pages 41-44)	ССО		/ /	111				Ц			/	/	/ /	′ √	1								/	/	/	/ /	/	/ /	1		
(pages 11 11)	CFP	/ ,	/ /	111	' ' ' '	/ /		Ш			/		/		/	/			✓ .	_			✓	/	/	//	✓	/	1	,	/ /
	CND	-	/ /	111	' ' .	4	✓	Ш			/	/	/ /	_	/	/ /	/ /			/	✓	✓	✓	/	/	/ /	/ .	/ /	1		
	ID	/ ,	/ /	′	// •	/ /	_	/ ,	/ •	/ /		_	/ /	′ √	/	/ /			/		-	/	/		/	•		/ /	V	✓ ,	//
	RD	/ ,	/ /	/ / /	// ·	//	/ /	/ ,	/ •	/ /			/ /	/ /	√	-	/ /		/	/	_	4	/	-	/	//		/ /	V	/ ·	//
	EXBKL/EXBKR	/	√	/ / /	// ·	-	′ ✓	/		/ /	/	<u> </u>	√	/	✓	·	/ /		√ ,	_		<u> </u>	/ /	/	_			/ /	\vdash	/ ,	//
	INVFRM [*]		/ /				_		_	/	/	/	/	√		/		√	√	/		<u> </u>	/ /	/	/	/ /	/ ,	/ /		<u>'</u>	/
	RECBTM TVRAV/FV/VV	/	/ /		1	-	, ,	✓ ·		, ,	-		/ /		√			,	-	,	/		, ,	,	_	, ,	. ,	, ,	V	/ ·	\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \
Installed	CMAT	/	/ /			-	/ /	/		/	_	/	/	/				<u>/</u>	-	_		7	_		_	/ / / /	1	/ /	!	_ `	<u>/</u>
Installed	DRWPWR	_	/ /	_	_		/	/			_	1	-				1	/	_	/ /		1	<i>,</i> ,	V .	/	<i>y y</i>		/ /	\vdash	-	_
Modifications	DRT	-	/ /	_	-	+	/ ./	<u>v</u>		/ /	_		/		/		/ /	./	•		_	/	_/	1		//	_	/ /	\vdash		/
(pages 45-48)	FD	./	/	/	1.		· · /	./		/ /	_		/ /	,	/	./ ./	/ /	V			•	_/	/ /		/		/	✓ ✓	1/		v √ √
	LTI	/	/ /	_	_		· ·		_	/	-		/ /	_		/	•			/		7	/ /		-	//		/ /	-		
	PTOWB		//		1		11	/		/	Ť		/		/	,	/			Ť		Ħ	/		_	//		/ /	Ť		
	RT		_	111	-	//	//	/		/ /			_	,		,	/		/		/	/		_	_		/	_	t	١,	/
	TD	_	/ /		1.	//	/	1	_	//	_	_		_			/	_	Ì	/		1		_	_		1	_	_	_	//
	TOTSS/TOTSSS	1	//	111	1.	//	//	П		_	_	1	_	_	1	/	/	/	/	/	/		11	_	_	_	_	_	-		/
Toekick	ADDTK			111	_	1	/	1	/			1			1	/		1	_		1					11			1	1.	11
Modifications	DRWTK	1	/ /	111	1.	//	/ /	/	,	//		,	/ /	/	1	/	1	/	✓.	/ /	1	1	/							,	/
(pages 49-52)	FTK	1	/ /	111	1.	//	/ /	1	/ ,	//	1	1	/ /	/	1	/	1	/	✓.	/ /	1	1	/			/			1	,	/
	FTKAV/FTKFV	1	/ /	111	1.	/ /	/ /	1	/ ,	/ /	1	✓	•	′	1	/ /	/ /	/	✓,	/ /	1	1	/			/			1	,	/
	RECTKALL	1	/ /	111	' ' .	/ /	/ /	1	/ ,	//	1	✓	V	′	1	/	1	✓	✓,	/ /	1	1	/							,	/
	RECTKBK	/	/ /	111	1.	//	//	1	/ ,	//	1	✓	•	_	1	/	_		✓.	_	_	_	/	/	/		1			L.	/
	RECTKL/RECTKR		_	/ / /	_				/				V			/ /			_			_	/			/			1		/
	TKP		_	111	_	_	_	_	_	_	_	/	_	_	_	/ /	_		✓ .	_		-									/
a ti :	VTK	-	_	/ / /	_	_	_	_		_		_	/ /	_	-	/ /	/ /		_	/ /	✓	\neg	_		_			4	√		/
Configuration Modifications (page 53)	P	/ ·		111	,	//		'	/ ,		1	/		1	✓			✓	√			1		✓ .	√		√	✓		✓ 、	/
Specialty	ALF	1	//	111	1.	/		П	Ī		1	1	/	/		П		1	T		1		/						1		
Doors	CG	_	_	111	_	/	1	П	,	/	_	1	_			/	1	1	T	/	/	1	//	1	/	//	/	//	1		
(pages 54-58)	MD			111	1.	/	1	П	,	/	_	1	_	_	-			/	T		1	T,	/						1		
						_			_					_			_					1									

Orders for cabinets with non-compatible modifications will not be processed. Please contact customer service for more details.

Represents compatible modification(s) and upgrade(s).

**DFF5PC, DFRSPC, DFSLB, and DPSRR only available on selected door styles. See pages 9-22 for availability.

**INVFRM not compatible with RT on utility cabinets.

38

CONSTRUCTION AND FINISH UPGRADES

See page 37 for modification compatibility. Requests for non-published modifications may be treated as a Special Sales Order which will require feasibility, leadtime review and approval. Please check with your customer service representative before placing your order.

OPTION NAME	APPLICABLE CABINET GROUP	DESCRIPTION/LIMITATIONS							
All-plywood Construction	Most cabinets with sides	Replaces standard cabinet construction with plywood for 5/8" ends, top, bottom, and back, and 3/4" shelves. Exterior of cabinet ends are unfinished. Cabinet interior and exterior of top and bottom are clear coated wood veneer. See page 34 for more details.							
(APC)*		White Laminate Interior (WLI) modification available on White cabinets (painted White, Melamine, or Laminate) in APC.							
	Selected trim panels	Replaces standard panel material with plywood. Exterior side is finished. Interior side is clear coated wood veneer.							
Finished Ends (FB)	Cabinets with APC modification; both ends will be finished	Creates matching finished 5/8" veneer plywood exterior end panels.							
Matching Interior	Most cabinets	Finishes the interior and exterior of the cabinet.							
Plywood (MIP)		Cabinet construction features All-plywood Construction* with $5/8''$ plywood ends, top, bottom, and back. Shelves are upgraded to full depth $3/4''$ veneered plywood. See page 35 for more details.							
		Interior wood accessories feature a natural finish and will not match cabinet exterior.							
		When a decorative door option is chosen in 20/20, Matching Interior Plywood (MIP) is a preselected option. If MIP is not desired, it can be deselected by choosing NOTMIP.							
	Most end panels with fillers attached	Replaces standard panel material with veneer plywood finished on both sides.							
White Laminate Interior (WLI)	White cabinets with APC	Replaces clear coated wood veneer plywood interior with White laminate plywood interior. Only available on cabinets in White (painted Maple, Laminate, or Melamine) that are specified with APC. See page 35 for more details.							
		WLI only affects the cabinet box interior and shelves, interior accessories will not change.							
Matching Specialty Laminate Furniture Board (MSLFB)	Most cabinets	Replaces standard laminate cabinet components with door matching specialty laminate furniture board cabinet components. Both the exterior and interior (including shelves) of the cabinet will be constructed with a door matching specialty laminate and have matching edgebanding. Shelves are upgraded to full depth. See page 36 for more details.							
(MISLED)		Available on Aspen High Gloss White, Derazi, and Gallio.							
		Interior wood accessories feature a natural finish and will not have specialty laminate.							


^{*}All-plywood components meet ANSI/HPVA HP-1 standards and may contain MDF or particleboard.

DRAWER FRONT UPGRADES

See page 37 for modification compatibility. Requests for non-published modifications may be treated as a Special Sales Order which will require feasibility, leadtime review and approval. Please check with your customer service representative before placing your order.

OPTION NAME	APPLICABLE CABINET GROUP		DESCRIPTION/LIMITATIONS				
Drawer Front Flat 5-piece (DFF5PC)	Base, tall, and vanity cabinets on Beckman, Carmin, Elston, Galena, Huxley, Morgan, and Whittaker	on a cabinet where applicable.	a 5-piece drawer front (see images with applicable door styles). Must upgrade all drawer fronts mensions when specifying decorative hardware.				
Drawer Front Raised 5-piece (DFR5PC)	Base, tall, and vanity cabinets on Chanley and Parker	on a cabinet where applicable.	a 5-piece drawer front (see images with applicable door styles). Must upgrade all drawer fronts mensions when specifying decorative hardware.				
Drawer Front Slab (DFSLB)	Base, tall, and vanity cabinets on Ainsley, Campbell, Denton, Jarret, Kennedy, Pleasant Hill, and Seaton						

DRAWER FRONT FLAT 5-PIECE (DFF5PC)



DRAWER FRONT RAISED 5-PIECE (DFR5PC)



DRAWER FRONT SLAB (DFSLB)

Ainsley Campbell	Kennedy Pleasant Hill	Jarret


40

DRAWER AND DOOR OPTIONS

See page 37 for modification compatibility. Requests for non-published modifications may be treated as a Special Sales Order which will require feasibility, leadtime review and approval. Please check with your customer service representative before placing your order.

OPTION NAME	APPLICABLE CABINET GROUP		DESCRIPTION/LIMITATIONS
Door Panel - Solid Reverse Raised (DPSRR)	Most cabinets; available on Pleasant Hill only.	Replaces Pleasant Hill veneer flat door of Drawer fronts are not affected by this document of Center panels in Paint and Paint with Gl	·
Scooped Drawer (SCPDRW) (SCPDRWB) (SCPDRWL) (SCPDRWR)	Most base cabinets	when specified on drawer bases. On base cabinets with two top drawers, Increases clearance for cooktops from 2 at 2 5/8" deep.	1/8'' to 3 $1/2''$. Drawer box features a scooped design transitioning from 3 $3/8''$ to 2" high DB42, top drawer will utilize a 6 $3/8''$ high drawer box, clearance for the cooktop of 6 $3/4''$
			4444555

DOOR PANEL - SOLID REVERSE RAISED (DPSRR)




SCOOPED DRAWER (SCPDRW/SCPDRWB/SCPDRWL/SCPDRWR)



BOX MODIFICATIONS

See page 37 for modification compatibility. Requests for non-published modifications may be treated as a Special Sales Order which will require feasibility, leadtime review and approval. Please check with your customer service representative before placing your order.


OPTION NAME	APPLICABLE CABINET GROUP		DESCRIPTION/LIMITATIONS					
Cabinet Box Only (CBO)	Most wall, base, tall, and vanity cabinets	Removes doors, drawer fronts, and any attached to the cabinet box will be inclu components such as dividers and mullio	accessory items attached to a door or drawer front. Drawer box and any interior components ded. Cabinet will have standard drilling for applicable hinges, shelves, and drawer guides. Case ns are included.					
Cabinet Case Only (CCO)	Most wall, base, tall, and vanity cabinets	Removes doors, drawer fronts, drawer boxes, interior components, and mini touch-up kits. Cabinet will have standa hinges, shelves, and drawer guides. Case components such as dividers and mullions are included.						
Cabinet False Panel (CFP)	Most base and vanity cabinets with a top drawer	Replaces top drawer with false panel. N	ot available with deep drawers.					
Cabinet with No Door, with Drawer (CND)	Most wall, base, tall, and vanity cabinets with door(s) and drawer(s)	Removes door(s). Complete drawer(s) with drawer front(s) and interior components remain in cabinet. Cabinet will have drilling for applicable shelves and drawer guides, but will not be drilled for hinges. Case components such as dividers and mullions are included.						
		·	415					




BOX MODIFICATIONS (cont'd)


See page 37 for modification compatibility. Requests for non-published modifications may be treated as a Special Sales Order which will require feasibility, leadtime review and approval. Please check with your customer service representative before placing your order.

OPTION NAME	APPLICABLE CABINET GROUP	DESCRIPTION/LIMITATIONS					
Increased Depth (ID)	Most wall and vanity cabinets	Increases the depth of wall and vanity cabinets in 1" increments to a maximum depth of 24". Increased depth wall cabinets should be either floor mounted or stacked to maintain stability. Any specified shelving is included and is always full depth. Wall peninsula cabinets may be increased in 1" increments to 18" maximum. Depth restrictions may apply where depths are available as a standard cabinet.					
	Most base, tall, and vanity cabinets without drawers or roll trays	on tall cabi	ne depth of base, tall, and vanity cabinets without drawers or roll tr nets, the 24" deep cabinet must be modified. Any specified shelvin ictions may apply where depths are available as a standard cabinet	g is included and is always full depth.			
	Oven Cabinets	Increases the depth will r	ne depth of oven cabinets in 1″ increments to a maximum depth o not change. Any specified shelving is included and is always full dep	£ 27". When oven cabinets with drawers are increased, drawer th.			
	End panels	31″-36″ d	ne depth of end panels in 1" increments to a maximum depth of 3 epths available on plywood panels only. anels are only available in 3" increments up to a maximum depth o				
Reduced Depth (RD)	Most base, tall, and vanity cabinets with drawers or roll trays	Reduces the depth in 1" increments to a minimum depth of 12". Any specified shelving is included and is always full depth. The dimension specified as the distance from the front of the face frame to the back of the cabinet.					
	Most base, tall, and vanity cabinets without drawers or roll trays	Reduces the depth in 1" increments to a minimum depth of 6". If reduced depth to 8" or less, toekick will not be included. An shelving is included and is always full depth. The dimension is specified as the distance from the front of the face frame to the branch cabinet.					
	Most wall cabinets	Reduces the depth in 1" increments to a minimum depth of 6". Any specified shelving is included and is always full depth. The dir specified as the distance from the front of the face frame to the back of the cabinet. Wall top hinge cabinets can only be reduced to minimum.					
	End panels	Reduces th	educes the depth in 1″ increments to a minimum depth of 6″.				
	Roll tray kits	Reduces th	e depth in $1^{\prime\prime}$ increments to fit a minimum cabinet depth of $12^{\prime\prime}$.				
	Cabinet Depth		Drawer Box Depth	Clearance Behind Drawer Box			
	24		21	2 3/8			
	23		21	1 3/8			
	22		18 3 3/8				
	21		18 23/8				
	20		18 13/8				
	19 18		15 3 3/8 15 2 3/8				
17			15	2 3/8 1 3/8			
16			12	3 3/8			
	15		12	2 3/8			
	14		12	1 3/8			
	13		9	3 3/8			
	12		9 23/8				



INCREASED DEPTH (ID)






BOX MODIFICATIONS (cont'd)


See page 37 for modification compatibility. Requests for non-published modifications may be treated as a Special Sales Order which will require feasibility, leadtime review and approval. Please check with your customer service representative before placing your order.

APPLICABLE				
CABINET GROUP	DESCRIPTION/LIMITATIONS			
Most cabinets	Extends cabinet end panel back in 1" increments, available up to 6" per side. End panel will match construction selection, can be upgraded to APC with Finished Ends if end is exposed.			
	EXBKL and EXBKR are compatible with each other and can be specified with either the same dimension per side or unique dimensions if desired.			
Most cabinets with an upper and lower section	Inverts upper and lower cabinet sections. Drawer openings relocated to the bottom of a base cabinet must always be a working drawer. Opening sizes for doors and drawer fronts do not change.			
Tall Panels with Filler Attached and Authentic Ends	On talls and stacked walls, when INVFRM is ordered in conjunction with CG (cut-for-glass), top and bottom locations should be specified after sections are inverted. Glass only available on doors for 41 7/8" high or less.			
	Doors on inverted cabinets may not align with adjacent cabinet doors.			
	On Tall Panels with Filler Attached and Authentic Ends, when INVFRM is selected, doors will be inverted to align with tall cabinets with 1 modification.			
	Most cabinets Most cabinets with an upper and lower section Tall Panels with Filler Attached			


END EXTENDED BACK LEFT (EXBKL)





END EXTENDED BACK RIGHT (EXBKR)



INVERTED OPENING (INVFRM)








BOX MODIFICATIONS (cont'd)


See page 37 for modification compatibility. Requests for non-published modifications may be treated as a Special Sales Order which will require feasibility, leadtime review and approval. Please check with your customer service representative before placing your order.

OPTION NAME	APPLICABLE CABINET GROUP	DESCRIPTION/LIMITATIONS
Recessed Bottom (RECBTM)	Most wall cabinets	Creates a recessed bottom in the cabinet by moving the bottom panel and back up $19/16''$ to create a space for lighting or other under-cabinet accessories, such as a Tablet Holder (TABLETHLDR, see page 349).
(RECBTMB) (RECBTML) (RECBTMR)		Door hinge location will not change. Door height will not change and will conceal the recessed bottom when the door is closed. Back of cabinet will also be 1 9/16" shorter to align with the cabinet bottom.
		For a stand-alone cabinet (RECBTM), the bottom and back are recessed 1 9/16" and both end panels are full height.
		For Left (RECBTML), the left end panel and back are $1.9/16$ " shorter to be flush with the recessed bottom.
		For Right (RECBTMR), the right end panel and back are 1 9/16" shorter to be flush with the recessed bottom.
		For Both (RECBTMB), both end panels and back are $1.9/16$ " shorter to be flush with the recessed bottom, door will be lower than both end panels, back, and bottom.
		If lighting is used under cabinet, Light Rail Moulding (LB2 or LB2P) is recommended to conceal lighting when door is opened. Moulding can be installed flush with end panels or recessed to allow clearance for doors. Mouldings and skins sold separately.
		On doors with rails less than 2 $1/4''$ (Hutton and Morgan), when Mullion Doors or Cut-for-glass doors are used with transparent glass, the cabinet bottom may be visible when the door is closed.
Valance Top Rail (TVRAV) (TVRFV) (TVRVV)	Base Open Cabinets, Bookcases, Wall Open Cabinets	Modifies the cabinet top with an added arch, furniture, or straight valance. Cabinet top is reduced in depth behind the valance. All Styles except Aspen High Gloss, Derazi, and Gallio: Valance is matching finished veneer edgebanded plywood (horizontal grain). Aspen High Gloss: Valance is door matching high gloss, does not use plywood. Derazi: Valance is door matching (horizontal grain), does not use plywood. Gallio: Valance is door matching (vertical grain), does not use plywood. Valance on framed cabinets (Wall and Tall Bookcases) is solid wood with horizontal grain.


RECESSED BOTTOM (RECBTM/RECBTMB/RECBTML/RECBTMR)








VALANCE TOP RAIL, FURNITURE (TVRFV)




VALANCE TOP RAIL, STRAIGHT (TVRVV)




INSTALLED INTERIOR MODIFICATIONS


See page 37 for modification compatibility. Requests for non-published modifications may be treated as a Special Sales Order which will require feasibility, leadtime review and approval. Please check with your customer service representative before placing your order.

OPTION NAME	APPLICABLE CABINET GROUP	DESCRIPTION/LIMITATIONS	
CabMat™ (CMAT1) (CMAT2)	Most sink base and vanity cabinets	Installs removable CabMat [™] , size is determined by cabinet opening width and depth. CMAT2 is only available on vanity cabinets designed for double bowl applications. Not available with Reduced Depth modification. When ordered with Increased Depth modification, CabMat [™] size does not change. Vanity cabinets with cabinet openings of 24″ and 30″ will utilize CabMat [™] sized for 21″ and 27″ openings.	
Full Depth Shelf (FD)	Base cabinets with standard half depth shelves	Replaces standard shelf with full depth shelf. Available on cabinets up to 36" wide.	






FULL DEPTH SHELF (FD)





INSTALLED INTERIOR MODIFICATIONS (cont'd)

See page 37 for modification compatibility. Requests for non-published modifications may be treated as a Special Sales Order which will require feasibility, leadtime review and approval. Please check with your customer service representative before placing your order.

OPTION NAME	APPLICABLE CABINET GROUP	DESCRIPTION/LIMITATIONS
Deep Roll Tray (DRT)	Most cabinets with roll trays	Replaces standard roll trays with a 6 $3/8$ " high deep roll tray. Replaces bottom roll tray only on base cabinets and bottom 2 roll trays on utility cabinets.
Installed Roll Tray (RT)	Select base, tall, office, and vanity cabinets	Installs specified number of roll trays (1-5). Example, for two roll trays, specify 2RT. When 1RT is specified on a base cabinet, the roll tray is installed in the lowest position and one half depth adjustable shelf is included. On utility cabinets for lower section, 1RT includes three shelves, 2RT includes two shelves, and 3RT includes 1 shelf. No shelves for lower section are included with 4RT or 5RT. See page 71 for RT positions and clearances.
Light Installed Battery Strip (LTI.BS) (LTI.BSB) (LTI.BSL) (LTI.BSL)	Select base, office, and vanity cabinets	Installs a battery operated LED light inside the cabinet door opening(s). LTI.BS installs one LED light inside the cabinet door opening. LTI.BSB installs two LED lights inside both left and right cabinet door openings. On corner cabinets, installs one LED light for the top section and one LED light below fixed shelf for bottom section. LTI.BSL installs one LED light in the left door opening. LTI.BSR installs one LED light in the right door opening. Battery operated - (4) AAA batteries (not included). Motion activated. Low power usage (0.3W). Plastic aluminum finish. Dimensions: Length 11.93" (303mm), Width 0.67" (17mm), and Depth 0.55" (14mm).








Effective February 25, 2019

INSTALLED INTERIOR MODIFICATIONS (cont'd)


See page 37 for modification compatibility, Requests for non-published modifications may be treated as a Special Sales Order which will require feasibility, leadtime review and approval. Please check with your customer service representative before placing your order.

OPTION NAME	APPLICABLE CABINET GROUP	DESCRIPTION/LIMITATIONS
PowerGlide [™] Compact Drawer Outlet (DRWPWR) (DRWPWRB) (DRWPWRL) (DRWPWRR)	Most base cabinets with a top drawer	Installs PowerGlide™ Compact Drawer Outlet into the drawer box. Includes two 120V electrical plug-ins and two 2.1 amp rated USB charging ports with a total rated capacity of 15 amps. Cord has 3 ft. of length hanging freely from back mounting bracket. The cord is 14 gauge wire and features a standard 3-prong plug and is required to be plugged into an approved GFCI outlet for all applications. Outlet is ETL approved-compliant for electrical and other safety standards to U.S. and Canadian safety including UL standards.
		Outlet face plate measures 5.22" x 2.3" and will extend 3/4" into drawer box. Available on base cabinet widths of 18".36". For use in cabinet depths of 13", 15", 16", 18", 19", 21", 22", and 24". Not compatible with 14", 17", 20", and 23" depths. Only compatible with RD in 3" increments. Also available as a field installed accessory, see DRWPWR1 on page 348.
Push to Open Wastebasket (PTOWB)	Base cabinets with door mounted wastebasket pull-outs	Changes the guide mechanism on wastebasket pull-outs to a mechanical push to open guide with Smart Stop. Available on 24" deep cabinets only. Does not change other drawer guides on the cabinet.
Tilt-out Tray, Stainless Steel (TOTSS) Stainless Steel Slim (TOTSSS)	Cabinets with false panels	Installs one stainless steel tilt-out tray inside of each false panel. Available as standard depth (2" deep) or a slim version (1 11/16" deep) to be used in narrow spaces. Standard trays protrude 1 1/16" into cabinet. Slim trays protrude 3/4" into cabinet.

POWERGLIDE™ COMPACT DRAWER OUTLET (DRWPWR/DRWPWRB/DRWPWRL/DRWPWRR)



TILT-OUT TRAY, STAINLESS STEEL (TOTSS) & STAINLESS STEEL SLIM (TOTSSS)






Standard (2" deep)

Slim (1 11/16" deep)


PUSH TO OPEN WASTEBASKET (PTOWB)




INSTALLED INTERIOR MODIFICATIONS (cont'd)

See page 37 for modification compatibility. Requests for non-published modifications may be treated as a Special Sales Order which will require feasibility, leadtime review and approval. Please check with your customer service representative before placing your order.

OPTION NAME	APPLICABLE CABINET GROUP	DESCRIPTION/LIMITATIONS			
Tray Dividers (TD)	Most wall, full height base, and tall cabinets	Installs removable Tray Dividers. Plywood dividers match the interior of the cabinet. Rails for dividers are Natural Maple regardless of the color of the interior of the cabinet.			
		Number of dividers is predetermined based on cabinet width. See chart below.			
		On Stacked Walls and Tall Cabinets, only available in top section.			
		Available with Reduced Depth modification (12" minimum) and Increased Depth modification (27" maximum). When cabinet is increased to 27", tray dividers will be 24" deep set back 3" into the cabinet.			ion (12" minimum) and Increased Depth modification (27" maximum). When cabinet is 4" deep set back 3" into the cabinet.
		Not available with Peninsula modification.			n.
		Available on cabinets 18"-30" high and on equivalent Stacked Wall and Tall openings.			
			# of Dividers	Mod Name	
		9"-12" 15"-18" 21"-24" 27"-30" 33"-37"	1 2 3 4 5	1TD 2TD 3TD 4TD 5TD	
		21"-24" 27"-30"	3	4TD	



TRAY DIVIDERS (TD)



TOEKICK MODIFICATIONS

See page 37 for modification compatibility. Requests for non-published modifications may be treated as a Special Sales Order which will require feasibility, leadtime review and approval. Please check with your customer service representative before placing your order.

OPTION NAME	APPLICABLE CABINET GROUP		DESCRIPTION/LIMITATIONS
Add Toekick (ADDTK)	Most wall cabinets	Creates a 4 1/2" high and 3 3/8" de ADDTK is selected. ADDTK with reduced	eep toekick on the front of cabinet. Cabinet top changes to use stretcher rail construction when depth is available on cabinets 9" deep or larger.
		Peninsula cabinets are available with AL	DDTK 15" deep and larger. Depths of 14" and less will not have ADDTK available.
		Furniture drawers will be available with	ADDTK option down to a reduced depth of 12".
		Available with compatible toekick modif	fications. See the Modification/Upgrade Compatibility Chart on page 37 for details.
Flush Toekick (FTK) (FTK.FNT.P)	Most base, tall, and vanity cabinets, and wall cabinets with ADDTK	Creates a flush appearance with a valar standard depth with end panel. Not ava cabinets due to separate pedestal base	nce installed below the cabinet bottom, eliminating the toe space area. Cabinet bottom will be illable when either RECTKL or RECTKR modifications are used. Not available on 93" or 96" tall toekick.
(FTK.P)		When FTK is ordered with the Peninsula	modification, only the working drawer side will receive a flush toekick.
		When FTK.FNT.P is ordered with the Per	ninsula modification, both sides will receive a flush toekick.
		When FTK.P is ordered with the Peninsu	ola modification, only the peninsula side will receive a flush toekick.
		All Styles except Aspen High Gloss, Derr Standard construction: Valance is ma APC, MIP, and WLI: Valance is match Aspen High Gloss: Valance is door match Derazi: Valance is door matching (horiz Gallio: Valance is door matching (vertice	atching laminated furniture board (horizontal grain). ning finished veneer edgebanded plywood (horizontal grain). hing high gloss, does not use plywood. ontal grain), does not use plywood.
	ADD TOEKICK (AI	DDTK)	FLUSH TOEKICK (FTK)
	Wall cabinets		Base cabinets
FLUSH T	OEKICK FRONT & PEN	NSULA (FTK.FNT.P)	FLUSH TOEKICK PENINSULA (FTK.P)
Base cabinets			Base cabinets

TOEKICK MODIFICATIONS (cont'd)

See page 37 for modification compatibility. Requests for non-published modifications may be treated as a Special Sales Order which will require feasibility, leadtime review and approval. Please check with your customer service representative before placing your order.


OPTION NAME	APPLICABLE CABINET GROUP		DESCRIPTION/LIMITATIONS		
Flush Toekick Arch (FTKAV)	Most base, tall, and vanity cabinets, and wall cabinets	Creates a flush appearance with an arch be standard depth with end panel. Valai	ed valance installed below the cabinet bottom, eliminating the toe space area. Cabinet bottom will nce replaces standard toekick creating a full open area beneath cabinet floor.		
(FTKAV.P) (FTKAV.FNT.P)	with ADDTK	When FTKAV.FNT.P is ordered with the Peninsula modification, both sides will receive an arch flush toekick.			
		When FTKAV.P is ordered with the Penin	sula modification, only the peninsula side will receive an arch flush toekick.		
		Not available on 93" or 96" tall cabine	ts due to separate pedestal base toekick.		
		All Styles except Aspen High Gloss, Derc Standard construction: Valance is ma APC, MIP, and WLI: Valance is match Aspen High Gloss: Valance is door match Derazi: Valance is door matching (horizo Gallio: Valance is door matching (vertice	ntching laminated furniture board (horizontal grain). ing finished veneer edgebanded plywood (horizontal grain). ning high gloss, does not use plywood. ontal grain), does not use plywood.		
Flush Toekick Furniture	Most base, tall, and vanity cabinets, and wall cabinets	Creates a flush appearance with a furnit will be standard depth with end panel. N	ure valance installed below the cabinet bottom, eliminating the toe space area. Cabinet bottom /alance replaces standard toekick creating a full open area beneath cabinet floor.		
(FTKFV) (FTKFV.P)	with ADDTK	When FTKFV.FNT.P is ordered with the Peninsula modification, both sides will receive a furniture flush toekick.			
(FTKFV.FNT.P)		When FTKFV.P is ordered with the Penin	sula modification, only the peninsula side will receive a furniture flush toekick.		
		Not available on 93" or 96" tall cabine	ts due to separate pedestal base toekick.		
		All Styles except Aspen High Gloss, Derc Standard construction: Valance is ma APC, MIP, and WLI: Valance is match Aspen High Gloss: Valance is door match Derazi: Valance is door matching (horize Gallio: Valance is door matching (vertice	ntching laminated furniture board (horizontal grain). ing finished veneer edgebanded plywood (horizontal grain). ning high gloss, does not use plywood. ontal grain), does not use plywood.		
	FLUSH TOEKICK ARCH	I (FTKAV)	FLUSH TOEKICK FURNITURE (FTKFV)		
	Base cabinets		Base cabinets		

TOEKICK MODIFICATIONS (cont'd)

See page 37 for modification compatibility. Requests for non-published modifications may be treated as a Special Sales Order which will require feasibility, leadtime review and approval. Please check with your customer service representative before placing your order.


OPTION NAME	APPLICABLE CABINET GROUP	DESCRIPTION/LIMITATIONS
Loose Toekick (TKP)	Most tall cabinets	Available on 84", 87", and 90" tall cabinets. Removes and ships the toekick separately. Not compatible with other toekick modifications. Pedestal is designed to create a Recessed Left or Right Toekick (RECTKL or RECTKR) application during field installation, or can be centered. Pedestal width is 3 3/8" less than cabinet width. Pedestal must be covered with toeboard material on all exposed sides.
Recessed Island Toekick (RECTKALL)	Most base and vanity cabinets, and wall cabinets with ADDTK	Pedestal width is 3 3/8" less than cabinet width. Pedestal must be covered with toeboard material on all exposed sides. Creates a 3 3/8" recessed toekick on the right, left, and back of cabinet. The entire toekick area will have non-matching material and requires any exposed toekick area to be covered.
Recessed Toekick on Back or Side (RECTKBK) (RECTKL) (RECTKR)	Most base and vanity cabinets, and wall cabinets with ADDTK	Creates a 3 3/8" recessed toekick on the back (RECTKBK), left (RECTKL), or right (RECTKR). When either the RECTKR or RECTKL are used, FTK is NOT available. The entire toekick will have non-matching material and requires any exposed toekick area to be covered. 93" and 96" tall cabinets have RECTKL or RECTKR standard on loose pedestal. For recess toekick applications of both left and right, order RECTKL.R. On 9" wide cabinets, only one side can be recessed. RECTKBK only available on cabinets at least 15" deep.

LOOSE TOEKICK (TKP)




 $\label{eq:Tall cabinets} \textit{Pedestal is reduced in width for RECTKL or RECTKR during field installation}.$

RECESSED ISLAND TOEKICK (RECTKALL)




RECESSED TOEKICK - BACK (RECTKBK)




Base cabinets

RECESSED TOEKICK - LEFT (RECTKL)



RECESSED TOEKICK - RIGHT (RECTKR)




52


TOEKICK MODIFICATIONS (cont'd)


See page 37 for modification compatibility. Requests for non-published modifications may be treated as a Special Sales Order which will require feasibility, leadtime review and approval. Please check with your customer service representative before placing your order.

OPTION NAME	APPLICABLE CABINET GROUP	DESCRIPTION/LIMITATIONS			
Toekick Drawer (DRWTK)	Most cabinets with a standard toekick, and wall cabinets with ADDTK	Replaces standard toekick with a toekick drawer. Available on most 21"-24" deep cabinets in 18", 21", 24", 27", 30", 33", and 36" widths that have standard toekick construction. Front of toekick drawer is unfinished, allow enough toeboard to cover. 1" clearance below toekick drawer. Exterior dimensions of drawer are 3 3/8" tall and 15" or 18" deep. Toekick drawer uses a push to open full extension guide, does not have soft-close feature.			
Void Toekick (VTK)	Most base, tall, and vanity cabinets	Removes the toekick. Only available when the cabinet has a standard toekick (not available when flush toekick is standard or when cabinet has a separate pedestal base). When VTK is specified on cabinets to be used with a countertop, cabinets must also be supported from the floor, not just attached to the wall. Failure to properly install cabinets in this situation will void the warranty.			





TOEKICK DRAWER (DRWTK)















Base cabinets


CONFIGURATION MODIFICATIONS

See page 37 for modification compatibility. Requests for non-published modifications may be treated as a Special Sales Order which will require feasibility, leadtime review and approval. Please check with your customer service representative before placing your order.

service representative per	ore plucing your order.			
OPTION NAME	APPLICABLE CABINET GROUP	DESCRIPTION/LIMITATIONS		
Peninsula (P)	Most wall and base cabinets up to 24" wide	Creates a peninsula cabinet that is $1/4''$ deeper than the standard cabinet depth. If ID or RD is specified, cabinet will be $1/4''$ deeper than specified cabinet depth.		
		Any cabinet with a toekick must be at least 15" deep (either standard with a toekick or when ADDTK is specified).		
		Single door cabinets are hinged on the same cabinet end, for example a W1230L will feature a Left hinge on the front side and a Right hinge on the peninsula side.		
		Not available on tall cabinets (oven, utility, and pantry) or multi-drawer base cabinets.		
		Cabinets with drawers can only be reduced in 3" increments.		
		On wall cabinets, a 3" high support strip is installed between the end panels at top of cabinet.		
		PENINSULA (P)		



Base cabinets









ALFBS Aluminum Frame Door with a Brushed Stainless Steel look with Frost glass


- All aluminum doors have miter construction.
- Cabinet face frame and end panels will be matched to the finish specified.
- Aluminum and Brushed Stainless doors have an anodized finish.
- Frost glass is installed in door. Removal of glass or matching panel will void warranty.
- Door rails are 2 1/4" wide.
- Cabinet will have standard interior or can be ordered with MIP or MSLFB option.
 When a decorative door option is chosen in 20/20, Matching Interior Plywood (MIP) is a preselected option. If MIP is not desired, it can be deselected by choosing NOTMIP.

AVAILABILITY											
Cabinet Width	Cabinet Height										
	12″	15″	18″	21″	30"	36"					
W12	_	_	-	_	✓	✓					
W15	1	1	_	_	✓	1					
W18	1	1	_	_	1	1					
W21	_	_	_	_	1	1					
WTH30 & WTH3024	1	1	✓	1	_	_					
WVL30 & WVL3024	_	_	✓	1	-	_					
WTH36 & WTH3624	1	1	1	1	_	_					
WVL36 & WVL3624	_	_	1	1	-	_					

DOOR MODIFICATION/SPECIALTY DOORS


CUT-FOR-GLASS DOORS (CG)

Glass not included



Cut-for-glass

- Not available in Aspen, Derazi, Gallio, Prestley, and Reflection.
- If desired for use with Prestley, using a shaker style such as Elston, Huxley, or Pleasant Hill is recommended.
- Not available on bifold doors.
- Custom door sizes available. See pages 290-293.
- Glass clips included with door.
- For cabinet availability, please see modification grids.
- CG.TOP and CG.BTM are specified on cabinets with upper and lower doors to designate which doors should be Cut-for-glass. See Door Options grid for SKU availability.
- When a decorative door option is chosen in 20/20, Matching Interior Plywood (MIP) is a preselected option.
 If MIP is not desired, it can be deselected by choosing NOTMIP.



Mullion


- Available in all door styles except Aspen, Campbell, Derazi, Gallio, Kennedy, and Prestley.
- Custom Door Sizes not available.
- For Mullion Door availability, please see modification grids in wall section.
- Includes Mullion Door and fully tempered clear glass for safety.
- Textured glass may be ordered to replace clear glass, except Bevel.
- On acknowledgment, textured glass will be listed with MDI modification.
- MD.TOP and MD.BTM are specified on cabinets with upper and lower doors to designate which doors should be Mullion Doors. See Door Options grid for SKU availability.
- Shelves will not align with mullions.
- When a decorative door option is chosen in 20/20, Matching Interior Plywood (MIP) is a preselected option. If MIP is not desired, it can be deselected by choosing NOTMIP.

MULLION LITES GRID											
Cabinet Width	Cabinet Height										
	18″	24"	30"	33"	36"	39"	42"				
W15	G		D	D	D	Α	A				
W18	G		D	D	D	Α	A				
W21			E	E	E	В	В				
W24			E	E	E	В	В				
W24 (butt)			D	D	D	А	A				
W27 (butt)			D	D	D	Α	Α				
W30 (butt)	G	G	D	D	D	Α	A				
W33 (butt)			D	D	D	Α	А				
W36 (butt)	G	G	D	D	D	Α	A				
W42			E	E	E	В	В				
W45			E	E	E	В	В				
W48 (butt)			D	D	D	Α	A				
WC33			D	D	D	Α	Α				
WC36			D	D	D	Α	A				
WC39			D	D	D	Α	Α				
WC42			D	D	D	Α	A				
WC45			D	D	D	Α	Α				
WC48			D	D	D	Α	A				
DW30/DW30T			D								
DW33/DW33T				D							
DW36/DW36T					D						
DW39/DW39T						Α					
DW42/DW42T							А				

Mullion Door Configurations A B D E G 2 x 4 Lites 3 x 4 Lites 2 x 3 Lites 3 x 3 Lites 2 x 2 Lites

SHAKER MULLION DOORS (SHMD)


Tempered glass included




- Available in Elston, Huxley, Morgan, Pleasant Hill, and Whittaker.
- Custom Door Sizes not available.
- Shelves will not align with mullions.
- For Mullion Door availability, please see modification grids in wall section.
- Includes Mullion Door and fully tempered clear glass for safety.
- Textured glass may be ordered to replace clear glass, except Bevel.
- On acknowledgment, textured glass will be listed with SHMDI modification.
- When a decorative door option is chosen in 20/20, Matching Interior Plywood (MIP) is a preselected option.
 If MIP is not desired, it can be deselected by choosing NOTMIP.

MULLION SHAKER LITES GRID Cabinet Height Cabinet Width 18" 42" 24" 30" 33" 36" 39" W15[†] Н Н Н Н Н Н Н Н W18 Н Н Н Н W21 Н Н Н Н Н W24 Н Н Н Н Н W24 (butt) J J J J J W27 (butt) 1 1 J J J W30 (butt)[†] Н Н Н Н Н Н Н Н Н Н Н Н W33 (butt) W36 (butt) Н Н Н Н Н Н W42 Н Н Н Н Н Н Н Н Н Н W45 W48 (butt) J J J J J Н Н Н Н WC33 Н WC36 Н Н Н Н Н J Н Н Н Н WC39 WC42 J Н Н Н Н J Н Н Н Н WC45 WC48 Н Н Н Н Н DW30/DW30T Н DW33/DW33T Н DW36/DW36T Н DW39/DW39T Н DW42/DW42T Н

Shaker Mullion Door Configurations



 $^{^{\}dagger}\text{Elston}$ and Huxley will have "J Configuration" for 15" and 30" wide cabinets and all DW cabinets.




- Available in Elston, Huxley, Morgan, Pleasant Hill, and Whittaker.
- Custom Door Sizes not available.
- Shelves will not align with mullions.
- For Mullion Door availability, please see modification grids in wall section.
- Includes Mullion Door and fully tempered clear glass for safety.
- Textured glass may be ordered to replace clear glass, except Bevel.
- On acknowledgment, textured glass will be listed with PRMDI modification.
- When a decorative door option is chosen in 20/20, Matching Interior Plywood (MIP) is a preselected option.
 If MIP is not desired, it can be deselected by choosing NOTMIP.


MULLION PRAIRIE LITES GRID Cabinet Height Cabinet Width 18" 24" 30" 33" 39" 42" 36" W15[†] K K K K K K K W18 K K K K K K K K K K K K K K K W24 W24 (butt) L L L L L W27 (butt) L K K K K K K K W30 (butt)[†] K K K K K W33 (butt) K K K K K K W36 (butt) K K K K K W42 W45 K K K K K W48 (butt) L L L L WC33 K K K K K K K K K K WC36 WC39 K K K K K K WC42 L K K K K K WC45 WC48 K K K K K K DW30/DW30T DW33/DW33T DW36/DW36T K DW39/DW39T K DW42/DW42T

$^{\dagger}\text{Elston}$ and Huxley will have "L Configuration" for 15" and 30" wide cabinets and all DW cabinets.

Prairie Mullion Door Configurations




ART GLASS PANELS



- Cut-for-glass door must be ordered separately. See page 55 for door style availability.
 For glass shelf kits, see page 347.
 Door frame may reduce amount of glass shown.
 No changes or cancellations will be accepted after 24 hours from acknowledgment of order.
 Art glass will be packaged separately from applicable cabinet(s) and shipped with cabinet order for field installation.

Anson




Glass Type: A) Clear Seedy 100SDY Metal Type:

3/16" H-Ch Zinc Proglaze2 (all) Black Patina Finish


6" x 6"

1³/8"

Cambridge




Width ÷ 6



Glass Types: A) Clear Waterglass 100W B) Clear Sparkolite


Metal Type: 3/16" H-Ch Zinc Proglaze2 (all) Black Patina Finish

Avondale




Glass Types: A) ³/₁₆" Clear with ¹/₂" Bevel B) Clear Vecchio 100V

Metal Type: 3/16" H-Ch Zinc Proglaze2 (all)




Widths > 13" 4 Vertical Columns


Heights < 13" Diamond(s) Only



Widths > 10" to 13"




3 Vertical Columns




Widths > 7" to 10" 2 Vertical Columns



6" x 61/4"



Charlotte



Heights >23" 3 Horizontal Bars В



Heights >14" to 23" 2 Horizontal Bars






Heights 6" to 14" 1 Horizontal Bar

Glass Types: A) 1/8" Clear B) Frost Etch 100

Metal Types: 3/16" H-Ch Zinc Proglaze2 (all) 1/8" U-Ch Zinc (overlays)

GLASS INSERTS

Ellington



Glass Types: A) 1/8" Clear B) Frost Etch 100

Metal Type: 3/16" H-Ch Zinc Proglaze2 (all)

Heights >12" Full Design





Heights 6" to 12" 1 Center Diamond



Minimum Size 6" x 6" 1 Center Diamond

Lonsdale









Glass Type: A) Seedy Clear 100Sdy Metal Type: 3/16" H-Ch Zinc Proglaze2 (all)

Lanai









Glass Type: A) 1/8" Clear Metal Type: 3/16" H-Ch Zinc Proglaze2 (all)

Lyndhurst








Widths >11" 3 Vertical Bars Equally Spaced



Widths 6" to 11" 1 Vertical Bar Centered

Pavillion




Glass Types: A) 1/8" Clear B) 1/8" Clear Artique 100A C) 1/8" Clear Granite 100G

Metal Type:

3/16" H-Ch Round Zinc Proglaze2 (all)

Quincy



Widths >8"



3 Vertical Columns

Widths 6" to 8" 1 Vertical Column






- Glass Types: A) Clear Waterglass 100W
- B) 3/16" Clear with 1/2" Bevel C) Clear Faceted Jewel

Metal Type:

3/16" H-Ch Zinc Proglaze2 (all)

Minimum Size 6" x 10"


Portico



A) 1/8" Clear B) 3/16" Clear with 1/2" Bevel


Metal Type: 3/16" H-Ch Zinc Proglaze2 (all) Black Patina Finish

Minimum Size 6" x 12"



- Width -

Widths > 11" 2 Columns 2 Stars



 $Y = Width \times 0.185$

Widths 6" to 11" 1 Column




Waterbury



Glass Type: A) Clear Waterglass 100W Metal Type: 3/16" H-Ch Zinc Proglaze2 (all)

Black Patina Finish



Heights >14" to 20" 2 Center Squares 17 Lite Configuration

Heights 6" to 14" 1 Center Square 12 Lite Configuration


Center Square Shape is Determined upon Height and Width of Unit

Heights >20" 3 Center Squares 22 Lite Full Design






Wickford



Glass Types: A) Clear Artique 100A B) Clear Granite 100G

Metal Type: 3/16" H-Ch Round Zinc Proglaze2 (all)



- Textured glass panels available in Reflection only when Mullion Door is ordered because Cut-for-glass Door is not available.
 Cut-for-glass door must be ordered separately. See page 55.
 For glass shelf kits, see page 347.
 On order acknowledgment, decorative glass selection will be shown with selected CG modification.
 When textured glass is ordered for use in wall top hinge (WTH) or wall vertical-lift (WVL) cabinets, glass design will be turned horizontally and may not match desired pattern.
- All glass is fully tempered or has a safety lamination.
 Textured glass panels will be factory installed when ordered with a CG door.
- Door frame may reduce amount of glass shown.
 No changes or cancellations will be accepted after 24 hours from acknowledgment of order.

INSTALLED TEXTURED GLASS PANELS

Antique



- Glass type: Antique Panel thickness: 1/8"

Centurian







- Glass type: Frost EtchPanel thickness: 1/8"

Bevel



- Glass type: Clear
 Panel thickness: 1/4"
 Not compatible with Mullion Doors.

Clear




- Glass type: Clear Panel thickness: 1/8"

Cocoa Rice Paper



- Glass type: Cocoa Rice PaperPanel thickness: 9/32"



Cross Reeded

- Glass type: Cross ReededPanel thickness: 5/32"

Morisco




- Glass type: Morisco Panel thickness: 1/8"

Frost



- Glass type: FrostPanel thickness: 5/32"

Rain



- Glass type: RainPanel thickness: 5/32"

Hammered



- Glass type: HammeredPanel thickness: 5/32"

Reeded



- Glass type: Reeded Panel thickness: 5/32"


INSTALLED TEXTURED GLASS PANELS

Rice Paper



- Glass type: Rice PaperPanel thickness: 9/32"

Silhouette



Minimum Size 6" x 81/2"


Glass type: Frost EtchPanel thickness: 1/8"

Seeded



• Glass type: Seeded • Panel thickness: 9/32"

Strelli



Glass type: StrelliPanel thickness: 5/32"

STASS INSERT


ART GLASS PANELS

STYLE	PANEL THICKNESS	CAMING MATERIAL
Anson	1/4"	Zinc Black Patina
Avondale	1/4"	Zinc
Cambridge	1/4"	Zinc Black Patina
Charlotte	1/4"	Zinc
Ellington	1/4"	Zinc
Lanai	1/4"	Zinc
Lonsdale	1/4"	Zinc
Lyndhurst	1/4"	Zinc Black Patina
Pavillion	1/4"	Zinc
Portico	1/4"	Zinc Black Patina
Quincy	1/4"	Zinc
Waterbury	1/4"	Zinc Black Patina
Wickford	1/4"	Zinc

TEXTURED GLASS PANELS

STYLE	PANEL THICKNESS
JIILL	MICKINESS
Antique	1/8″
Bevel	1/4″
Centurian	1/8"
Clear	1/8"
Cocoa Rice Paper	9/32"
Cross Reeded	5/32"
Frost	5/32"
Hammered	5/32"
Morisco	1/8"
Rain	5/32"
Reeded	5/32"
Rice Paper	9/32"
Seeded	9/32"
Silhouette	1/8"
Strelli	5/32"

CABINET DIMENSIONS




Wall Cabinet	Door
Height	Height
12"	11 3/4"
15"	14 3/4"
18"	17 3/4"
21"	20 3/4"
24"	23 3/4"
27"	26 3/4"
30"	29 3/4"
33″	32 3/4"
36"	35 3/4"
39″	38 3/4"
42"	41 3/4"

Utility Cabinet	Upper Door
Height	Height
84"	17 3/4"
87"	20 3/4"
90″	23 3/4"
93″	26 3/4"
96"	29 3/4"

Cabinet Type	Adjustable Shelves Depth
Wall Cabinets - Standard 12" Deep	10 7/32" (9"-36" wide cabinets) 10 15/32" (39"-48" wide cabinets)
Base Cabinets - Standard 24" Deep	15"
Base Cabinets w/Full Depth Shelves	22 1/2"
Base Cabinets w/Vertical Divider and Full Depth Shelves	19 7/32"
Tall Cabinets - 24" Deep	22 1/2"

FULL ACCESS REVEAL SPECIFICATIONS




One double door cabinet has the same reveal as two single door cabinets.


5-PIECE DRAWER FRONT DIMENSIONS CHART

5-PIECE DRAWER FRONTS	DRAWER FRONT WIDTH	DRAWER FRONT HEIGHT	PANEL FLAT WIDTH	PANEL FLAT HEIGHT
Ainsley	8 7/8"	6 1/4"	4"	1 3/8"
Asbury	87/8"	6 1/4"	3 7/8"	1 1/4"
Banbury	8 7/8"	6 1/4"	3 7/8"	1 1/4"
Beckman DFF5PC	8 7/8"	6 1/4"	4 3/8"	1 3/4"
Brantley	8 7/8"	6 1/4"	3 7/8"	1 1/4"
Campbell	8 7/8"	6 1/4"	3 7/8"	1 1/4"
Carmin DFF5PC	8 7/8"	61/4"	3 7/8"	1 1/4"
Chanley DFR5PC	8 7/8"	6 1/4"	2"	1 1/8"
Denton	8 7/8"	6 1/4"	2 7/8"	1 3/4"
Jarret	8 7/8"	6 1/4"	2 7/8"	1 3/4"
Elston DFF5PC	8 7/8"	6 1/4"	2 7/8"	1 3/4"
Galena DFF5PC	8 7/8"	6 1/4"	3 7/8"	1 1/4"
Huxley DFF5PC	8 7/8"	6 1/4"	27/8"	1 3/4"
Kennedy	8 7/8"	6 1/4"	3 7/8"	1 1/4"
Morgan DFF5PC	8 7/8"	6 1/4"	2 1/2"	2 1/8"
Parker DFR5PC	8 7/8"	6 1/4"	1 5/8″	1"
Pleasant Hill	8 7/8"	6 1/4"	4 3/8"	3 1/4"
Seaton	8 7/8"	6 1/4"	4 5/8"	2"
Whittaker DFF5PC	8 7/8"	61/4"	4 3/8"	3 1/4"


Drawer sizes are representative of a 9" wide base cabinet.


ROLL TRAY POSITIONS







FULL HEIGHT BASE CABINETS AND 34 1/2" HIGH VANITY CABINETS







32" HIGH VANITY CABINETS




FULL HEIGHT 32" HIGH VANITY CABINETS

PRINTER BASE CABINETS


DESK DOOR DRAWER BASE CABINETS

DIMENSIONS FOR CORNER INSTALLATIONS (45° DIAGONAL)

12" DEEP CABINETS Distance from Corner + 2-1/8" 20-1/2 Cab. Depth 24-3/4 26-7/8 29" 33-1/4 35-3/81 37-1/2 For dimensions more than noted, add 2 1/8" to wall dimensions for every 3" increment of cabinet front. + 2-1/8" Example: 39" cabinet front would be 37 1/2" + 21/8'' = 395/8''. Cab.



INSTALLATION HEIGHT REQUIREMENTS





Height of ceiling needs to be considered for installation of tall cabinets. Cabinet height below includes toekick area:


	Minimum Installation Height for Cabinet Depth											
Cabinet Height	12"	15″	18"	21"	24"	27"						
84"	84 7/8"	85 11/32"	85 15/16"	86 19/32"	87 3/8"	88 1/4"						
87"	87 27/32"	88 5/16"	88 27/32"	89 1/2"	90 1/4"	91 3/32"						
90″	90 13/16"	91 1/4"	91 13/16"	92 7/16"	93 5/32"	93 31/32"						
93" *	89 5/16"	89 25/32"	90 5/16"	90 31/32"	91 23/32"	92 17/32"						
96" *	92 5/16"	92 3/4"	93 9/32"	93 29/32"	94 5/8"	95 13/32"						


^{*}Separate pedestal base included with cabinet to be installed after cabinet is in an upright position.

APPLIANCE CABINET TRIM PANELS











- All appliance cabinet trim panels are 3/4" thick.
 Edgebanding on Aspen, Derazi, and Gallio will match door edgebanding.
 Trim panel is attached to the front of cabinet end panels with clips, panel can be removed for field cut-out and appliance installation. Cut-out dimensions in charts allow width for clips on back of trim panel.
 Trim panel is installed onto the front of the cabinet face, adding 3/4" to installation cut-out depth.
- Panel depth will be slightly inset from the cabinet door and drawer front depth due to the bumper thickness.

Outside Profiles of Solid-wood Frames



COUNTRY SINK BASE AND DROP-IN RANGE CUT-OUT PANELS



- Front cut-out panel is doweled into the cabinet end panels becoming flush with the cabinet face. Does not add 3/4" depth to the cabinet.
 All Styles except Aspen High Gloss, Derazi, and Gallio:

 Standard construction: Panel is matching finished veneer edgebanded plywood (horizontal grain).

 APC, MIP, and WLI: Panel is matching finished veneer edgebanded plywood (horizontal grain).

Aspen High Gloss: Panel is door matching high gloss, does not use plywood.

Derazi: Panel is door matching (horizontal grain), does not use plywood.

Gallio: Panel is door matching (vertical grain), does not use plywood.

Effective February 25, 2019

ESIGN CHECKLIST

SCHROCK CABINETRY'S DESIGN CHECKLIST

CONSTRUCTION OPTIONS	VARYING HEIGHTS AND DEPTHS
Consider exposed end options: Modify exposed cabinet ends to APC. Adding a veneer finished end (FB) will age uniformly with the rest of the kitchen. WOOD AND FINISH CHARACTERISTICS	 Also increase the depth of a wall cabinet run when you increase the height (so moulding on adjacent cabinet will return into the side of the taller cabinet). Add increased depth on tall end panels for a built-in look for deep refrigerators. Account for the additional support needed for wall cabinets with a depth of 18" or
Review specific details with the customer:	greater. This can be achieved by installing a soffit or end panels.
Mineral Streaks, Birdseye Dots, Grain Variations (especially Hickory and Rustic Alder).	MATCHING INTERIOR CABINETS/GLASS OPTIONS
Color Variations/Darkening (especially Natural/Light Cherry). Finish Variations (Glazes are "consistently inconsistent"), hairline cracks may develop at joints. Underside of cabinets are Natural Maple. Use light rail or cabinet panel edge and skin to hide, especially when designing with peninsula wall cabinets.	 Verify cut-for-glass or mullion door option is available on desired cabinet size. (See pages 55-58 for available cut-for-glass/mullion door sizes.) Verify glass insert option is available for desired cut-for-glass door size chosen. Verify matching interior option has been selected for all open or glass cabinets. Verify mullion door lite grid matches customer expectations.
SMART SOLUTIONS™	MOULDINGS
Review storage and usage needs with Customer. See chart on pages 77-78 for more Smart Solutions™. Cooking Solutions: • Wall Spice Rack Cabinet Storage Solutions:	Order rosettes and plinths in beaded or fluted styles to match fillers. Verify correct amount of crown moulding has been ordered. Order toekick caps. Order extra scribe.
 SuperCabinetTM 	ISLANDS AND PENINSULAS
 Base Rotating Deep Bin Pegged Dish Organizer Wall Message Center Clean-up Center: Base Wastebasket 	 Consider standard height bars are 34 1/2" tall and require 19" knee space. Raised bars are 42" tall. Consider base peninsula cabinets (P) are 24 1/4" deep and require 12" of knee space. Use back panels/doors to flush non-P cabinets with P cabinets. Use recess toe on sides and back or BBM8 when using multiple base cabinets to
CLEARANCES	create an island. Use outside corner moulding if a skin is exposed on the back of the island.
Add fillers between end cabinets and walls when hardware may interfere with door opening fully.	
Allow space between door/window trim and end cabinets for countertop and top moulding overhang. Include refrigerator door hinges in overall refrigerator height when placing cabinets above it.	APPLIANCES Note for all consumers, appliances are not included with any cabinetry product. Do not place dishwashers next to diagonal front cabinet (interference) or next to a range (no countertop support). Verify refrigerator door has enough clearance to open beyond 90° so refrigerator
Maintain a minimum clearance of 3" by pulling blind corners according to chart dimensions provided: Allow sufficient clearance (3") on each side of accessory cabinets (such as roll-out trays, swing-out units, etc.). Doors on these cabinets must open fully for accessories to be functional.	drawers can be utilized. Refer to appliance manufacturer's specs. Verify clearances meet the installation requirements by the appliance manufacturers. Add TF696FH, as it may be required to frame around built-in microwave ovens and other built-in items. Refer to appliance manufacturer's specs. Order appliance panels.
Qualify customer carefully on upper cabinet/microwave advantages/disadvantages as follows:	SPECIAL CONSIDERATIONS
Minimum of 18" from cooktop to upper cabinet/above the range microwave which allows for easy access to either, but less room over back burner. Minimum of 21" from cooktop to upper cabinet/microwave which allows for	Consider V-groove skins and/or decorative doors on exposed cabinet sides in glazed kitchen.
access to large pots on back burner of cooktop, but longer reach to microwave.	MISCELLANEOUS
FILLERS	Order full size touch-up kit (mini touch-up kit included with standard sink base).
Place fillers toward end of run where least conspicuous if needed. Attach overlay fillers on top of the base, wall, or tall fillers to maintain a consistent reveal. Don't forget to include blind corner fillers. Add a filler at least 6" wide to accommodate a decorative onlay when the filler is used as valance. When installing framed cabinets adjacent to full access cabinets, the framed cabinet requires a space filler, 1/4" skin, or FPEB modification to maintain proper alignment between cabinets.	TIPS TO THE INSTALLER #10 x 2 1/2" installation screws are furnished and packaged inside all cabinets. Proper wall stud or ceiling joist installation is essential for Wall and Peninsula cabinets to support weight. Whenever possible, cabinets should be attached to each other for additional strength using connection bolts (CONBOLTCH10, see page 355) to hold cabinet end panels together. Excessive weight should not be put on cabinets hung by themselves. Shimming may be required to ensure proper alignment. Wallboard alone is not strong enough to support the cabinets.
	Our Warranty does not cover damage caused by improper installation. Please be sure to install cabinets properly. If you have questions, please contact your representative or customer

service.

NKBA GUIDELINES

kitchen planning guidelines

DOOR/ENTRY

Door opening should be at least 32" wide, requiring a minimum 2' 10" wide door.

DOOR INTERFERENCE

• Entry door should not interfere with safe appliance operation or appliance doors.

DISTANCE BETWEEN WORK CENTERS

- With three work centers, the total distance traveled should not be more than 26' with no single leg of the triangle less than 4' or more than 9'.
- With more than three work centers, each additional travel distance to another work center should be no less than 4' or more than 9'. Each leg is measured from the center-front of the appliance/sink. No work triangle leg should intersect an island/peninsula by more than 12".

SEPARATING WORK CENTERS

 A tall obstacle should not separate two primary work centers. A properly recessed tall corner unit is acceptable.

WORK TRIANGLE TRAFFIC

• Major traffic patterns should not cross through the basic work triangle.

WORK AISLE

 The work aisle should be at least 42" for one cook and at least 48" for multiple cooks.

WALKWAY

• The walkway width should be at least 36".

TRAFFIC CLEARANCE AT SEATING

 Allow 32" of clearance from the table to wall/obstacle if no traffic passes behind a seated diner. If traffic passes behind the diner, allow at least 36" to edge past or 44" to walk past.

SEATING CLEARANCE

- 30" high tables/counters should allow a 24" wide by 18" deep space for each seated diner and at least 18" knee space.
- 36" high counters should allow a 24" wide by 15" deep space for each seated diner and at least 15" kneespace.
- 42" high counters should allow a 24" wide by 12" deep space for each seated diner and at least 12" kneespace.

CLEAN-UP/PREP SINK PLACEMENT

 With only one sink, locate it adjacent to or across from the cooking surface and refrigerator.

CLEAN-UP/PREP SINK LANDING AREA

- Include at least a 24" wide landing space on one side of the sink and 18" on the
- If all the countertop at the sink is not the same height, plan a 24" landing space on one side of the sink and 3" of countertop frontage on the other, both at the same height of the sink.

PREPARATION/WORK AREA

 Include a section of countertop at least 36" wide x 24" deep next to the sink for a work area.

DISHWASHER PLACEMENT

Nearest edge of dishwasher should be within 36" of nearest edge of sink. Provide
at least 21" of standing space between the edge of the dishwasher and countertop
frontage/appliances/cabinets which are placed at a right angle to the dishwasher.

WASTE RECEPTACLES

 Include at least 2 waste receptacles, one near the sink and the other nearby for recycling

AUXILIARY SINK

 Provide at least 3" of countertop frontage on one side of the auxiliary sink and 18" on the other side, both at the same height as the sink.

REFRIGERATOR LANDING AREA

Include at least 15" of landing area on the handle side of the refrigerator, 15" on
either side of a side-by-side refrigerator, 15" of landing space which is no more than
48" across from the front of the refrigerator, and 15" above or adjacent to any
under-counter style refrigerator.

COOKING SURFACE LANDING AREA

- Include a minimum of 12" of landing area on one side of the cooking surface and 15" on the other.
- If cooking surface is at a different countertop height than the rest of the kitchen, then the 12" and 15" landing areas must be the same height as the cooking surface.
- For safety reasons, in an island or peninsula situation, the countertop should extend a minimum of 9" behind the cooking surface if the counter height is the same height as the cooking surface.

COOKING SURFACE CLEARANCE

- Allow 24" between the cooking surface and a protected noncombustible surface above it.
- At least 30" of clearance is required between the cooking surface and an unprotected/combustible surface above it.
- If a microwave/hood combination is used, then the manufacturer's specifications should be followed.

COOKING SURFACE VENTILATION

- A correctly sized, ducted ventilation system is recommended for all cooking surface appliances. The recommended minimum is 150 CFM.
- Code requires that the manufacturer's specifications be followed. Minimum exhaust rate for a ducted hood is 100 CFM and must be ducted to the outside.
- · Make-up air may need to be provided. Refer to local codes.

COOKING SURFACE SAFETY

- Do not locate cooking surface under an operable window.
- Window treatments above cooking surface should not use flammable materials.
- Place a fire extinguisher near the kitchen exit away from cooking equipment.

MICROWAVE OVEN PLACEMENT

 The ideal location for the bottom of the microwave is 3" below the principle user's shoulder, but no more than 54" above the floor.

MICROWAVE LANDING AREA

 Provide at least 15" above, below, or adjacent to the handle side of a microwave oven.

OVEN LANDING AREA

- Include at least 15" next to or above the oven.
- A 15" landing area that is not more than 48" away is also acceptable as long as the oven does not open into a walkway.

COMBINING LANDING AREAS

 If two landing areas are adjacent to one another, determine a new minimum for the two by taking the longer of the two and adding 12".

continued

kitchen planning guidelines (continued)

COUNTERTOP SPACE

 A total of 158" of countertop frontage, 24" deep, with at least 15" clearance above is needed to accommodate all landing, preparation, work, and storage areas.

COUNTERTOP EDGES

• Clipped or round corners, rather than sharp edges, are recommended on all counters.

STORAGE

The recommended total shelf/drawer frontage for a small kitchen (less than 150 square feet) is 1400", for a medium kitchen (151 to 350 square feet) is 1700", and for a large kitchen (greater than 350 square feet) is 2000".

Sizes:	S	M	L
Wall	300"	360"	360"
Base	520"	615"	660"
Drawer	360"	400"	525"
Pantry	180"	230"	310"
Misc.	40"	95"	145"

 The totals for wall, base, drawer, and pantry shelf/drawer frontage can be adjusted upward or downward as long as the recommended total stays the same.

STORAGE AT CLEAN-UP/PREP SINK

 The recommended total for a small kitchen is 400", a medium kitchen is 480", a large kitchen is 560", and should be located within 72" of the centerline of the main clean-up/prep sink.

CORNER CABINET STORAGE

At least one corner cabinet should include a functional storage device.

ELECTRICAL RECEPTACLES

 GFCI (Ground-Fault-Circuit-Interrupter) protection is required on all receptacles servicing countertop surfaces within the kitchen.

LIGHTING

- Every work surface should be well illuminated. At least one wall switch-controlled light must be placed at the entrance.
- Window/skylight area, equal to at least 8% of the total square footage of the kitchen, or a total living space which includes a kitchen, is required.

bathroom planning guidelines

DOOR/ENTRY

Doorway opening should be at least 32", requiring a minimum 2' 10" wide door.

DOOR INTERFERENCE

The door area should include clear floor space for maneuvering which varies
according to the type of door and the direction of the approach.

CEILING HEIGHT

 Bathroom floor to ceiling minimum height is 80". A shower or tub with a shower head shall have a minimum floor to ceiling height of 80" above a minimum area 30" x 30" at the shower head.

CLEAR SPACE

- Plan a clear space of 30" from the front edge of all fixtures to any opposite bath fixture, wall, or obstacle.
- A minimum space of at least 21" is required in front of a lavatory, toilet, bidet, and tub, with a 24" minimum space in front of a shower entry.

SINGLE LAVATORY PLACEMENT

- The distance from the centerline of the lavatory to the sidewall/tall obstacle should be at least 20".
- The minimum distance required is 15". The minimum distance required between a
 wall and the edge of a lavatory is 4".

DOUBLE LAVATORY PLACEMENT

- The distance between the centerlines of two lavatories should be at least 36".
- The minimum distance required is 30".
- The minimum distance required between the edges of two lavatories is 4".

LAVATORY/VANITY HEIGHT

The height for a lavatory varies from 32" to 43" to fit the user.

COUNTERTOP EDGES

 Clipped or round corners, rather than sharp edges, are recommended on all counters.

SHOWER SIZE

 The interior shower size should be at least 36" x 36". The minimum interior shower size required is 30" x 30".

STORAGE

- Provide adequate, accessible storage for toiletries, bath linens, grooming and general bathroom supplies.
- Storage of frequently used items should be 15" to 48" above floor.

ELECTRICAL RECEPTACLES

All GFCI receptacles should be located at electrical appliance points of use.

Load bearing floors and shelves meet KCMA standards of 15 lbs. per square foot. Warranty does not cover overloading beyond this point.

To view a complete and updated list of the NKBA Guidelines, visit http://www.nkba.org/guidelines/default.aspx

© Copyright 2010 National Kitchen & Bath Association

SMART SOLUTIONS™ REFERENCE CHART

	JIMANI JULUIIU	113							411									
Wall Cabinets	Description	3″	6"	9″	12"	15″	18″	21″	24"	27″	30″	33″	36″	39″	42"	45"	48″	Page
W18SPD	Wall Spice Pull-down						•											133
W36SHLFPD	Wall Shelf Pull-down												•					134
WBCPO, OL	Wall Box Column Pull-outs (Plain, Overlay)	•	•															129
WBCPOKCUP3, OL	Wall Box Column Pull-outs w/K-Cup (Plain, Overlay)	•																131, 132
WEAS	Wall Easy Access Storage Cabinets			\top	\Box	•	•				•		•			\Box		97
WMC	Wall Message Center	•		$\overline{}$	\Box												\Box	140
WSC	Wine Storage Cabinet	_		\top	•	•	•	•	•								\Box	137
WSP	Wall Spice Pull-outs	_	\vdash	•	•											\vdash	\Box	133
WSR	Wall Spice Rack Cabinets	+-	_	+-	\vdash		•	•								\vdash	\vdash	134
Hearths	Trui Spice rack cubiners		_	_	ш											_		101
HPP921	Hearth Pier w/Pull-out	$\overline{}$	Т	T •		Г	Ι	Г		Г		Ι	Π	Ι	Ι			154
Base Cabinets	Treatminier w/ Forroot			1	ш													1,74
	Tue Drawer Dasse w /Dell Tray		_	_	_	_	•	•	•	•	•		•	Γ	Π	_	$\overline{}$	101
2DBRT	Two Drawer Bases w/Roll Tray	+-	—	\vdash	\vdash	_	•	•	•	•	•	•	•	-		—	\vdash	191
2DB36PD0	Two Drawer Base w/Pegged Dish Organizer	$+\!-$	₩	┼	\vdash								-			₩	\vdash	190
2DB36RTPDO	Two Drawer Base w/Roll Tray & Pegged Dish Organizer		—	₩	\vdash	_				_			•	_		—	\sqcup	191
3DBWTCD	Three Drawer Bases w/Wood Tiered Cutlery Divider Drawer	—	<u> </u>	↓	\perp	•	•	•	•							ـــــ		192
3DB18KCUP	Three Drawer Base w/Wood Tiered K-Cup Drawer		<u> </u>	₩			•									<u> </u>		193
3DBBDD	Three Drawer Base Buffet w/Deep Drawer			\perp							•	•	•			<u> </u>		193
3DBDD	Three Drawer Bases w/Deep Drawer								•		•	•	•			L		193
4DBCIW	Four Drawer Bases w/Cutlery Insert Wood Organizer					•	•	•	•									194
4DBWTCD	Four Drawer Bases w/Wood Tiered Cutlery Divider Drawer					•	•	•	•									195
4DB18KCUP	Four Drawer Base w/Wood Tiered K-Cup Drawer	\top					•											195
BCIW	Bases w/Cutlery Insert Wood Organizer	\neg		†	\vdash	•	•	•	•									159
BFHMIXSC	Base Cabinets w/Mixer Shelf	_	_	+-	\vdash		•	•	•							\vdash	\vdash	172
BFHRTLO	Bases w/Lid Organizer & Roll Tray	_	_	+-	\vdash						•		•			\vdash	\vdash	170
BFSCO	Base w/Food Storage Container Organizer	+-	\vdash	+-	\vdash		•		•		_	-	-			\vdash	\vdash	171
BPS	Pots & Pans Organizer Bases w/Drawer	$+\!-$	₩	+-	\vdash		Ť		•		•		•			₩	\vdash	171
	,		├	+-	₩	_		-			<u> </u>		Ť			├	\vdash	
BRTCIW	Bases w/Cutlery Insert Wood Organizer & Roll Tray	-	├	—	₩	•	•	•	•							—	\vdash	168
BRTLO	Bases w/Drawer & Lid Organizer & Roll Tray	—	<u> </u>	↓	\perp						•	•	•			<u> </u>		169
BRTWTCD	Bases w/Wood Tiered Cutlery Divider Drawer & Roll Tray		—	↓_	Ш	•	•	•	•							↓	Ш	169
BTDRO	Bases with Roll-out Tray Divider				•	•												171
BWTCD	Bases w/Wood Tiered Cutlery Divider Drawer					•	•	•	•									160
B18KCUP	Base w/Wood Tiered K-Cup Drawer						•											160
B18KCUPRT	Base w/Wood Tiered K-Cup Drawer and Roll Trays						•											169
BBCPO_, OL	Base Box Column Pull-outs (Plain, Overlay)	•	•															201
BBTP24	Base Bin Tray Pull-out				\Box				•									197
BBTP24FH	Base Bin Tray Pull-out Full Height			\top					•									197
BCFW48CPO	Base Corner Full Width w/Curved Pull-out			+-	\vdash												•	184
BCOPP12	Base Container Organizer Pantry Pull-out	_		+-													\vdash	199
BEAS	Base Easy Access Storage Cabinets	_	_	_	H	•	•									_	\vdash	163
BMC24	Base Message Center	•	\vdash	+-	\vdash	Ť	Ť									\vdash	\vdash	201
	•	Ť	-	+-	+											-	\vdash	
BPP	Base Pantry Pull-outs	-	├	•	•											₩	\vdash	199
BPPP	Base Pots & Pans Pull-outs	—		₩	1				•		•					<u> </u>	\vdash	170
BPTWBFH	Base Paper Towel Cabinet w/Wastebasket Full Height		₩	₩	$\perp \!\!\!\! \perp$	•	•									₩	\square	197
BRDB36	Base Rotating Deep Bin	\bot	Ь	↓	igsquare								•			—	Ш	189
BSC30PR, R, RP, RS, SR	SuperCabinet™										•					<u> </u>		164
BSC36PRP, PRS, SRP, SRS	SuperCabinet™												•					165
BUPP	Base Utensil Pantry Pull-out			•	•													200
BUPPKB	Base Utensil Pantry Pull-out w/Knife Block				•	•												200
BV2SC3OPR, RP, RS, SR	SuperCabinet™ Version 2										•							164
BV2SC36PRP, PRS, SRP, SRS	SuperCabinet™ Version 2												•					165
BWB	Base Wastebaskets			1	\Box	•	•	•										195
BWBFH	Base Wastebaskets Full Height			$\overline{}$	\Box	•	•	•									\Box	196
CNTYSBCM	Country Sink Base w/CabMat™	_		+	\vdash						•	•	•				\Box	180
LSP36	Lazy Susan Pull-out	+		+	\vdash								•				\vdash	189
	,	-		+	\vdash								Ė			-	\vdash	
SBCM, SCM, STCM, STSCM	Sink Base w/CabMat™										•	•	•					173, 175, 177, 178
SBD	Sink Bases w/Drawers Below			T	\Box				•	•	•	•	•	•	•	•	•	179
SBS	Sink Base SuperCabinet™	+		T	\Box			t			•	•	•				\Box	177
SBSTS	Sink Base SuperCabinet™ w/Tilt-out Trays	+	\vdash	+	\vdash						•	•	•			<u> </u>	\vdash	178
SB36CDY	Sink Base w/Caddy	+-	\vdash	+	+	\vdash							•		\vdash	\vdash	\vdash	174
SB36SCDY	Sink Base SuperCabinet™ w/Caddy	+-	\vdash	+-	\vdash					\vdash			•		\vdash	\vdash	\vdash	174
		+	_	+-	+-					-						+	\vdash	
SB36STCDY	Sink Base w/Tilt-out Trays & Caddy	$+\!-$		+	\vdash	-		-		_			•			₩	$\vdash \vdash$	176
CDO/CTCCDV							1	1	1	1	ı	I	•	i .	1	1	1 /	179
SB36STSCDY	Sink Base SuperCabinet™ w/Tilt-out Trays & Caddy		<u> </u>	₩	\vdash			-			_	_		1			\vdash	
SLSCR	Super Lazy Susans w/Chrome Rail			\perp								•	٠					187
SLSCR SLSCR	Super Lazy Susans w/Chrome Rail Asymmetrical Super Lazy Susans w/Chrome Rail											•	•					187 188
SLSCR	Super Lazy Susans w/Chrome Rail												-					187

SMART SOLUTIONSTM REFERENCE CHART

SMART SOLUTIONS™ REFERENCE CHART

ntry Top Units ntry Top Units w/Pull-out																	
-t T II-'t /D.IIt					•	•	•	•		•		•					227
niry top units w/ rull-out					•	•											227
ll Pantry Pull-outs			•	•	•	•											228, 229
ility Easy Access					•	•				•		•					219-222
ility Organizer Cabinet		•															223
ility Organizer Drop Zone Cabinet								•									224
nen Closet						•											275
nen Closet w/Removable Hamper						•											275
nity Hamper w/Drawer						•											275
nity Base Wastebasket					•												264
nity Grooming Pull-out				•													265
nity Hamper						•											275
nity Mirror w/Side Pull-outs								•		•							278
nity Pull-out			•														265
nity Sink Bases w/Wastebasket								•		•							257
nity Sink Bases w/U-shaped Roll-out Tray										•							257
nity Sink Base SuperCabinet™ w/Tilt-out Trays										•	•	•					258
nity Sink Base SuperCabinet™ w/Tilt-out Trays and Wastebasket										•	•	•					258
nity Wastebasket Full Height					•												265
nity Wastebasket Full Height w/Roll Tray					•												265
nity Wall Hung Double Door w/U-shaped Pull-outs										•		•					277
bMat™										•	•	•					45
bMat™								•	•	•	•	•					45
ekick Drawer						•	•	•	•	•	•	•					52
III ilii ilii ilii ilii ilii ilii ilii	Pontry Pull-outs inty Easy Access inty Organizer Cobinet inty Organizer Drop Zone Cobinet en Closet en Closet w/Removable Hamper inty Hamper w/Drawer ity Base Wastebasket ity Grooming Pull-out ity Hamper ity Mirror w/Side Pull-outs ity Pull-out ity Sink Bases w/Wastebasket ity Sink Bases w/Wastebasket ity Sink Bases w/U-shaped Roll-out Tray ity Sink Base SuperCobinet™ w/Till-out Trays ity Sink Base SuperCobinet™ w/Till-out Trays ity Sink Base SuperCobinet™ w/Till-out Trays and Wastebasket ity Wastebasket Full Height ity Wastebasket Full Height ity Wastebasket Full Height w/Roll Tray ity Wall Hung Double Door w/U-shaped Pull-outs Mat™ Mat™ Mat™	Pontry Pull-outs inty Easy Access inty Organizer Cabinet inty Organizer Drop Zone Cabinet en Closet en Closet w/Removable Hamper inty Hamper w/Drawer irty Hamper w/Drawer irty Base Wastebasket irty Grooming Pull-out irty Hamper irty Mirror w/Side Pull-outs irty Pull-out irty Sink Bases w/Wastebasket irty Sink Bases w/Wastebasket irty Sink Bases w/U-shaped Roll-out Tray irty Sink Base SuperCabinet™ w/Tilt-out Trays irty Sink Base SuperCabinet™ w/Tilt-out Trays irty Sink Base SuperCabinet™ w/Tilt-out Trays and Wastebasket irty Wastebasket Full Height irty Wastebasket Full Height w/Roll Tray irty Wall Hung Double Door w/U-shaped Pull-outs Mat™ Mat™ Mat™	Pontry Pull-outs inty Easy Access inty Organizer Cabinet inty Organizer Cabinet inty Organizer Drop Zone Cabinet inty Organizer Drop Zone Cabinet inty Organizer Drop Zone Cabinet inty Closet w/Removable Hamper inty Hamper w/Drawer inty Base Wastebasket inty Grooming Pull-out inty Hamper inty Mirror w/Side Pull-outs inty Pull-out inty Sink Bases w/Wastebasket inty Sink Bases w/Wastebasket inty Sink Bases w/U-shaped Roll-out Tray inty Sink Base SuperCabinet™ w/Tilt-out Trays inty Sink Base SuperCabinet™ w/Tilt-out Trays inty Sink Base SuperCabinet™ w/Tilt-out Trays and Wastebasket inty Wastebasket Full Height inty Wastebasket inty Wastebas	Pontry Pull-outs in Fasy Access in Organizer Cobinet in Organizer Drop Zone Cabinet en Closet en Closet w/Removable Hamper ith Hamper w/Drawer ith Base Wastebasket ith Grooming Pull-out ith Hamper ith Hamper ith Hamper ith Hamper ith Mirror w/Side Pull-outs ith Sink Bases w/Wastebasket ith Sink Bases w/U-shaped Roll-out Tray ith Sink Base SuperCabinet™ w/Tilh-out Trays ith Wastebasket Full Height ith Wastebasket Full Height w/Roll Tray	Pontry Pull-outs in Easy Access in Organizer Cabinet in Organizer Drop Zone Cabinet en Closet en Closet w/Removable Hamper inty Hamper w/Drawer ity Hamper w/Drawer ity Base Wastebasket ity Grooming Pull-out ity Hamper ity Hamper ity Hamper ity Mirror w/Side Pull-outs ity Pull-out ity Sink Bases w/Wastebasket ity Sink Bases w/Wastebasket ity Sink Base SuperCabinet™ w/Tilt-out Trays and Wastebasket ity Wastebasket Full Height w/Roll Tray ity Wall Hung Double Door w/U-shaped Pull-outs	Pontry Pull-outs in Easy Access in Organizer Cobinet in Organizer Drop Zone Cabinet en Closet en Closet w/Removable Hamper inty Hamper w/Drawer ity Hamper w/Drawer ity Base Wastebasket ity Grooming Pull-out ity Hamper ity Hamper ity Mirror w/Side Pull-outs ity Pull-out ity Sink Bases w/Wastebasket ity Sink Bases w/U-shaped Roll-out Tray ity Sink Base SuperCabinet™ w/Tilh-out Trays ity Sink Base SuperCabinet™ w/Tilh-out Trays and Wastebasket ity Wastebasket Full Height w/Roll Tray ity Wall Hung Double Door w/U-shaped Pull-outs	Pontry Pull-outs in Easy Access in Organizer Cabinet in Organizer Drop Zone Cabinet en Closet en Closet w/Removable Hamper inty Hamper w/Drawer ity Hamper w/Drawer ity Base Wastebasket ity Grooming Pull-out ity Hamper ity Hamper ity Hamper ity Mirror w/Side Pull-outs ity Pull-out ity Sink Bases w/Wastebasket ity Sink Bases w/Wastebasket ity Sink Bases w/U-shaped Roll-out Tray ity Sink Base SuperCabinet™ w/Tilt-out Trays and Wastebasket ity Wastebasket Full Height	Pontry Pull-outs in Easy Access in Organizer Cobinet in Organizer Drop Zone Cobinet en Closet en Closet w/Removable Hamper inty Hamper w/Drawer ity Base Wastebasket ity Grooming Pull-out ity Hamper ity Hamper ity Hamper ity Hamper ity Mirror w/Side Pull-outs ity Sink Bases w/Wastebasket ity Sink Bases w/U-shaped Roll-out Tray ity Sink Base SuperCabinet™ w/Till-out Trays and Wastebasket ity Wastebasket Full Height w/Roll Tray ity Wall Hung Double Door w/U-shaped Pull-outs	Pontry Pull-outs in Fosy Access in Organizer Cobinet in Organizer Drop Zone Cobinet en Closet en Closet w/Removable Hamper inty Hamper w/Drawer inty Base Wastebasket inty Grooming Pull-out inty Hamper inty Hamper inty Hamper inty Hamper inty Hamper inty Mirror w/Side Pull-outs inty Sink Bases w/Wastebasket inty Grooming Pull-out inty Sink Bases w/Wastebasket inty Grooming Pull-out inty Sink Bases w/Wastebasket inty Sink Bases w/Wastebasket inty Sink Bases w/Wastebasket inty Sink Base SuperCabinet™ w/Til-out Trays inty Wastebasket Full Height inty Wastebasket Full Height inty Wastebasket Full Height w/Roll Tray inty Wastebasket Wastebaske	Pontry Pull-outs iny Easy Access iny Organizer Cabinet iny Organizer Drop Zone Cabinet en Closet en Closet w/Removable Hamper inty Hamper w/Drawer inty Base Wastebasket inty Grooming Pull-out inty Hamper inty Hamper inty Hamper inty Hamper inty Hamper inty Base Wastebasket inty Grooming Pull-out inty Hamper inty Mirror w/Side Pull-outs inty Pull-out inty Sink Bases w/Wastebasket inty Sink Bases w/Wastebasket inty Sink Bases w/U-shaped Roll-out Tray inty Sink Base Super Cabinet™ w/Tilt-out Trays inty Sink Base Super Cabinet™ w/Tilt-out Trays and Wastebasket inty Wastebasket Full Height w/Roll Tray inty Wall Hung Double Door w/U-shaped Pull-outs Mar™ Mar™ Mar™ Mar™	Pontry Pull-outs in Fosy Access in Organizer Cobinet in Organizer Drop Zone Cabinet in Organizer Drop Zone Cabinet in Closet in Closet w/Removable Hamper in Closet w/Removable Hamper in Hamper w/Drawer ity Base Wastebasket ity Grooming Pull-out ity Hamper ity Hamper ity Mirror w/Side Pull-outs ity Sink Bases w/Wastebasket ity Sink Bases w/U-shaped Roll-out Tray ity Sink Base SuperCabinet™ w/Tilh-out Trays and Wastebasket ity Wastebasket Full Height	Pontry Pull-outs iny Easy Access iny Organizer Cabinet iny Organizer Drop Zone Cabinet en Closet en Closet w/Removable Hamper inty Hamper w/Drawer inty Base Wastebasket inty Grooming Pull-out inty Hamper inty Hamper inty Hamper inty Hamper inty Hamper inty Base Wastebasket inty Grooming Pull-out inty Hamper inty Mirror w/Side Pull-outs inty Pull-out inty Sink Bases w/Wastebasket inty Grooming Pull-out inty Sink Bases w/Wastebasket inty Sink Bases w/U-shaped Roll-out Tray inty Sink Base Super Cabinet™ w/Tilt-out Trays inty Sink Base Super Cabinet™ w/Tilt-out Trays and Wastebasket inty Wastebasket Full Height inty Wastebasket inty Wa	Pontry Pull-outs iny Easy Access iny Organizer Cobinet iny Organizer Drop Zone Cobinet iny Organizer Drop Zone Cobinet in Closet in Closet w/Removable Hamper in Closet w/Removable Hamper inty Hamper w/Drawer inty Base Wastebasket inty Grooming Pull-out inty Hamper inty Hamper inty Mirror w/Side Pull-outs inty Pull-out inty Sink Bases w/Wastebasket inty Grooming Pull-out inty Sink Bases w/Wastebasket inty Grooming Pull-out inty Sink Bases w/Wastebasket inty Sink Bases w/Wastebasket inty Sink Bases w/Wastebasket inty Sink Base SuperCabinet™ w/Till-out Trays inty Sink Base SuperCabinet™ w/Till-out Trays and Wastebasket inty Wastebasket Full Height inty Wastebasket inty Wasteb	Pontry Pull-outs in Fosy Access in Organizer Cobinet in Organizer Drop Zone Cobinet In Closet I	Pontry Pull-outs ity Easy Access ity Organizer Cabinet ity Organizer Drop Zone Cabinet ity Org	Pontry Pull-outs ity Easy Access ity Organizer Cabinet ity Organizer Drop Zone Cabinet ity Grown Closet in Closet in Closet w/Removable Hamper ity Hamper w/Drower ity Base Wastebasket ity Growning Pull-out ity Growning Pull-out ity Hamper ity Hamper ity Hamper ity Hamper ity Mirror w/Side Pull-outs ity Foll-out ity Sink Bases w/Wastebasket ity Sink Bases w/Wastebasket ity Sink Bases w/Wastebasket ity Sink Bases w/U-shaped Roll-out Tray ity Sink Bases SuperCabinet™ w/Tilt-out Trays and Wastebasket ity Sink Base SuperCabinet™ w/Tilt-out Trays and Wastebasket ity Wastebasket Full Height w/Roll Tray	Pontry Pull-outs ity Easy Access ity Organizer Cabinet ity Organizer Drop Zone Cabinet ity Organizer Drop Zone Cabinet in Closet in Closet w/Removable Hamper ity Hamper w/Drower ity Sase Wastebasket ity Foronning Pull-out ity Hamper w/Drower ity Sink Bases w/Wastebasket ity Full-out ity Sink Bases w/Wastebasket ity Sink Bases SuperCabinet** w/Tith-out Trays ity Sink Base SuperCabinet** w/Tith-out Trays or ity Wastebasket leight w/Roll Tray ity Wastebasket Full Height w/Roll Tray ity Wastebasket Full H

[•] Available widths



WALL CABINET NOMENCLATURE

All Wall Cabinets are 12" deep unless otherwise noted.

W361824 Cabinet Type Cabinet Depth Cabinet Width Cabinet Height

NOTE:

A fixed shelf separates upper and lower sections, all fixed and adjustable shelves in wall cabinets are shown with dotted lines. Number of adjustable shelves vary based on cabinet height (see drawings and notes for details).

MUD	IFICAI	IIUN2	GKID	K

Available STD Standard on these cabinets

 $Smart\ Solutions^{^{\text{\tiny{TM}}}}\ Organization\ Cabinet$



5 Day Express Response Item

	CUSTOM MODIFICATIONS							
Mod.	Description	Mod.	Description					
ADDTK*	Add Toekick	INVFRM	Inverted Opening					
CBO	Cabinet Box Only	P	Peninsula					
CCO	Cabinet Case Only	RD	Reduced Depth					
CND	Cabinet with No Door, with Drawer	RECBTM	Recessed Bottom					
EXBK	End Extended Back	TD	Tray Dividers					
ID	Increased Depth	TVR_V	Valance Top Rail					

CUSTOM MODIFICATIONS						
Mod.	Description	Mod.	Description			
ADDTK*	Add Toekick	INVFRM	Inverted Opening			
CBO	Cabinet Box Only	P	Peninsula			
CCO	Cabinet Case Only	RD	Reduced Depth			
CND	Cabinet with No Door, with Drawer	RECBTM	Recessed Bottom			
EXBK	End Extended Back	TD	Tray Dividers			
ID	Increased Depth	TVR_V	Valance Top Rail			
	·					

*ADDTK available with compatible toekick modifications.
See the Modification/Upgrade Compatibility Chart on page 37 for details.

	CONSTRUCTION AND FINISH UPGRADES
Mod.	Description
APC FB MIP MSLFB WLI	All-plywood Construction Finished Ends Matching Interior Plywood Matching Specialty Laminate Furniture Board White Laminate Interior

	DOOR OPTIONS
Mod.	Description
ALF CG, CG.BTM, CG.TOP DPSRR MD, MD.BTM, MD.TOP	Aluminum Frame Doors Cut-for-glass Doors Door Panel - Solid Reverse Raised Mullion Doors

WALL SINGLE DOOR, 12" HIGH



Model	Cubic Feet	
W1212 L or R	1.5	Г
W1512 L or R	1.9	
W1812 L or R	2.2	

Custom Modifications

ADDTK	CBO	CCO	CND	EXBK	ID	INVFRM	Р	RD	RECBTM	TD	TVR_V
•		•		•	•		•	•	•		

Construction and Finish Upgrades								
APC	FB	MIP	MSLFB	WLI				
	_			•				

Door 0	ptions						
ALF	CG	CG.BTM	CG.TOP	DPSRR	MD	MD.BTM	MD.TOP
•*	•			•			

^{*}Not available on 12" wide

80



W4212-W4812 Vertical divider

Model	Cubic Feet
W2112	2.6
W2412	3.0
W2712	3.3
W3012	3.7
W3312	4.1
W3412	4.0
W3612	4.4
W3712	4.4
W3912	4.8
W4212	5.1
W4512	5.3
W4812	5.7

Custom Modifications


400.0											
ADDTK	CBO	CCO	CND	EXBK	ID	INVFRM	Р	RD	RECBTM	TD	TVR_V
•		•		•	•		•*	•	•		

^{*}Available only on 21" and 24" wide

Construction and Finish Upgrades FB MSLFB WLI

Door O	ptions						
ALF	CG	CG.BTM	CG.TOP	DPSRR	MD	MD.BTM	MD.TOP
	•			•			

WALL TOP HINGE, 12" HIGH



WTH3012	3.7		
WTH3612	4.4		

- Utilizes doors from 30" and 36" high wall cabinets. Grain on center panels and slab doors will run horizontally and door rail configuration on non-miter doors will be unique from adjacent cabinet doors. Gallio will have standard vertical grain pattern. Derazi will have standard horizontal grain pattern.
- Not available on Whittaker.
- Art Glass not available.
- Cabinet may utilize one or two lift mechanisms depending on door size and weight. Door lift mechanism tension can be field adjusted.
- Depth can be reduced to a minimum of 9".
- Door will open a maximum of 107° due to hinges. For applications close to a ceiling, door angle can be restricted to 86° with a Hinge Angle Restriction Clip (HINGERESCLIP, see page 354).
- Lift mechanisms and mounting brackets will be visible if used with transparent textured glass.
- Lift mechanism not available for order for field installation, only available factory installed.


Custom Modifications

ADDTK	CBO	CCO	CND	EXBK	ID	INVFRM	P	RD	RECBTM	TD	TVR_V
		•		•	•			•	•		


			10	
APC	FB	MIP	MSLFB	WLI
•	•	•	•	•

DOOL O	prions						
ALF	CG	CG.BTM	CG.TOP	DPSRR	MD	MD.BTM	MD.TOF

WALL REFRIGERATOR DOUBLE DOOR, 12" HIGH, 24" DEEP



W241224-W371224 Butt doors W391224 Center mullion



Model	Cubic Feet
W241224	5.5
W271224	5.9
W301224	6.8
W331224	7.4
W341224	7.3
W361224	8.1
W371224	8.0
W391224	8.7
W421224	9.4
W451224	9.9
W481224	10.5

- 24" deep cabinets must be fully supported by screws installed in a structural member in the ceiling or soffit, and into adjacent cabinets.
- Load limit is 15 lbs. per square foot of load bearing surface.
- 42" or wider will feature four doors.


Custom Modifications

ADDTK	CBO	CCO	CND	EXBK	ID	INVFRM	Р	RD	RECBTM	TD	TVR_V
•		•		•				•	•		

Construction and Finish Upgrades										
APC	FB	MIP	MSLFB	WLI						
•	•	•	•	•						

Door O	ptions						
ALF	CG	CG.BTM	CG.TOP	DPSRR	MD	MD.BTM	MD.TOP
	•			•			

WALL TOP HINGE REFRIGERATOR, 12" HIGH, 24" DEEP



WTH301224	6.8
WTH361224	8.1

- Utilizes doors from 30" and 36" high wall cabinets. Grain on center panels and slab doors will run horizontally and door rail configuration on non-miter
 doors will be unique from adjacent cabinet doors. Gallio will have standard vertical grain pattern. Derazi will have standard horizontal grain pattern.
- Not available on Whittaker.
- 24" deep cabinets must be fully supported by screws installed in a structural member in the ceiling or soffit, and into adjacent cabinets.
- Load limit is 15 lbs. per square foot of load bearing surface.
- Art Glass not available.
- Cabinet may utilize one or two lift mechanisms depending on door size and weight. Door lift mechanism tension can be field adjusted.
- Depth can be reduced to a minimum of 9".
- Door will open a maximum of 107° due to hinges. For applications close to a ceiling, door angle can be restricted to 86° with a Hinge Angle Restriction
 Clip (HINGERESCLIP, see page 354).
- · Lift mechanisms and mounting brackets will be visible if used with transparent textured glass.
- Lift mechanism not available for order for field installation, only available factory installed.

Custom Modifications

ADD	K	CBO	CCO	CND	EXBK	ID	INVFRM	Р	RD	RECBTM	TD	TVR_V
			•		•				•	•		

Construction	and	Finish	Unarades

APC	FB	MIP	MSLFB	WLI
•	•	•	•	•

Door 0	ptions						
ALF	CG	CG.BTM	CG.TOP	DPSRR	MD	MD.BTM	MD.TO
•	•			•			

WALL SINGLE DOOR, 15" HIGH



W1215 L or R	1.8
W1515 L or R	2.3
W1815 L or R	2.7

Custom Modifications

ADDTK	CBO	CCO	CND	EXBK	ID	INVFRM	P	RD	RECBTM	TD	TVR_V
•		•		•	•		•	•	•		

Constru	ction an	d Finish Upgrades				
APC	FB	MIP	MSLFB	WLI		
•	•	•	•	•		


Door Options												
ALF	CG	CG.BTM	CG.TOP	DPSRR	MD	MD.BTM	MD.TOP					
•*	•			•								

^{*}Not available on $12^{\prime\prime}$ wide

Schrock^a

W2115-W3715 Butt doors W3915 Center mullion

82



Model	Cubic Feet
W2115	3.2
W2415	3.6
W2715	4.0
W3015	4.5
W3315	4.9
W3415	4.9
W3615	5.4
W3715	5.3
W3915	5.8
W4215	6.1
W4515	6.5
W4815	6.9

Custom Modifications

400.0											
ADDTK	CBO	CCO	CND	EXBK	ID	INVFRM	Р	RD	RECBTM	TD	TVR_V
•		•		•	•		•*	•	•		


^{*}Available only on 21" and 24" wide

Construction and Finish Upgrades

40	renon and runon opgrados								
APC	FB	MIP	MSLFB	WLI					
•	•	•	•	•					

Door O	ptions						
ALF	CG	CG.BTM	CG.TOP	DPSRR	MD	MD.BTM	MD.T

WALL TOP HINGE, 15" HIGH



WTH3015	4.5
WTH3615	5.4

- Utilizes doors from 30" and 36" high wall cabinets. Grain on center panels and slab doors will run horizontally and door rail configuration on non-miter
 doors will be unique from adjacent cabinet doors. Gallio will have standard vertical grain pattern. Derazi will have standard horizontal grain pattern.
- Not available on Whittaker.
- Art Glass not available.
- Cabinet may utilize one or two lift mechanisms depending on door size and weight. Door lift mechanism tension can be field adjusted.
- Depth can be reduced to a minimum of 9".
- Door will open a maximum of 107° due to hinges. For applications close to a ceiling, door angle can be restricted to 86° with a Hinge Angle Restriction Clip (HINGERESCLIP, see page 354).
- Lift mechanisms and mounting brackets will be visible if used with transparent textured glass.
- Lift mechanism not available for order for field installation, only available factory installed.


Custom Modifications

ADDTK	CBO	CCO	CND	EXBK	ID	INVFRM	P	RD	RECBTM	TD	TVR_V
		•		•	•			•	•		


40											
APC	FB	MIP	MSLFB	WLI							
•	•	•	•	•							

Door Options										
ALF	CG	CG.BTM	CG.TOP	DPSRR	MD	MD.BTM	MD.TOF			

WALL REFRIGERATOR DOUBLE DOOR, 15" HIGH, 24" DEEP



W241524-W371524 Butt doors W391524 Center mullion



Model	Cubic Feet
W241524	6.7
W271524	7.2
W301524	8.3
W331524	9.1
W341524	9.0
W361524	9.8
W371524	9.7
W391524	10.6
W421524	11.3
W451524	12.0
W481524	12.8

- 24" deep cabinets must be fully supported by screws installed in a structural member in the ceiling or soffit, and into adjacent cabinets.
- Load limit is 15 lbs. per square foot of load bearing surface.
- 42" or wider will feature four doors.


Custom Modifications

ADDTK	CBO	CCO	CND	EXBK	ID	INVFRM	Р	RD	RECBTM	TD	TVR_V
•		•		•				•	•		

Construction and Finish Upgrades									
APC	FB	MIP	MSLFB	WLI					
•	•	•	•	•					

Door Options												
ALF	CG	CG.BTM	CG.TOP	DPSRR	MD	MD.BTM	MD.TOF					
	•			•								

WALL TOP HINGE REFRIGERATOR, 15" HIGH, 24" DEEP



WTH301524	8.3
WTH361524	9.8

- Unlitzes doors from 30" and 36" high wall cabinets. Grain on center panels and slab doors will run horizontally and door rail configuration on non-miter
 doors will be unique from adjacent cabinet doors. Gallio will have standard vertical grain pattern. Derazi will have standard horizontal grain pattern.
- Not available on Whittaker.
- 24" deep cabinets must be fully supported by screws installed in a structural member in the ceiling or soffit, and into adjacent cabinets.
- Load limit is 15 lbs. per square foot of load bearing surface.
- Art Glass not available.
- Cabinet may utilize one or two lift mechanisms depending on door size and weight. Door lift mechanism tension can be field adjusted.
- Depth can be reduced to a minimum of 9"
- Door will open a maximum of 107° due to hinges. For applications close to a ceiling, door angle can be restricted to 86° with a Hinge Angle Restriction
 Clip (HINGERESCLIP, see page 354).
- Lift mechanisms and mounting brackets will be visible if used with transparent textured glass.
- Lift mechanism not available for order for field installation, only available factory installed.

Custom Modifications

4031011	· ·····	cuitons									
ADDTK	CBO	CCO	CND	EXBK	ID	INVFRM	Р	RD	RECBTM	TD	TVR_V
		•		•				•	•		

Constru	ction an	d Finish l	Jpgrades	i
APC FB		MIP	MSLFB	WLI

	Door Options										
1	ALF	CG	CG.BTM	CG.TOP	DPSRR	MD	MD.BTM	MD.TO			
1	•	•			•						

WALL SINGLE DOOR, 18" HIGH



W1218 L or R	2.2
W1518 L or R	2.7
W1818 L or R	3.2
W2118 L or R	3.8
W2418 L or R	4.3

Custom Modifications

ADDTK	CBO	CCO	CND	EXBK	ID	INVFRM	P	RD	RECBTM	TD	TVR_V
•		•		•	•		•	•	•	•	


APC FB MIP MSLFB WLI	•	•	•	•	•
	APC	FB	MIP	MSLFB	WLI

Door O	prions						
ALF	CG	CG.BTM	CG.TOP	DPSRR	MD	MD.BTM	MD.TOP
	•			•	•*		

^{*}Not available on 12", 21", and 24" wide

W2418-W3718 Butt doors W3918-W4818CS Center mullion

84



Model	Cubic Feet
W2418	4.3
W2718	4.8
W3018	5.3
W3318	5.4
W3418	5.8
W3618	6.3
W3718	6.3
W3918	6.8
W4218	7.3
W4518	7.6
W4818CS	8.3
W4818	8.3

Custom Modifications


400.0											
ADDTK	CBO	CCO	CND	EXBK	ID	INVFRM	Р	RD	RECBTM	TD	TVR_V
•		•		•	•		•*	•	•	•+	

APC FB MIP MSLFB WLI • • • • • •

Door O	ptions						
ALF	CG	CG.BTM	CG.TOP	DPSRR	MD	MD.BTM	MD.TOP
	•			•	•*		

▲Available only on 30" and 36" wide

WALL TOP HINGE, 18" HIGH



WTH3018	5.3
WTH3618	6.3

- Utilizes doors from 30" and 36" high wall cabinets. Grain on center panels and slab doors will run horizontally and door rail configuration on non-miter
 doors will be unique from adjacent cabinet doors. Gallio will have standard vertical grain pattern. Derazi will have standard horizontal grain pattern.
- Not available on Whittaker.
- Art Glass not available.
- Cabinet may utilize one or two lift mechanisms depending on door size and weight. Door lift mechanism tension can be field adjusted.
- Depth can be reduced to a minimum of 9".
- Door will open a maximum of 107° due to hinges. For applications close to a ceiling, door angle can be restricted to 86° with a Hinge Angle Restriction Clip (HINGERESCLIP, see page 354).
- Lift mechanisms and mounting brackets will be visible if used with transparent textured glass.
- Lift mechanism not available for order for field installation, only available factory installed.


Custom Modifications

Al	DDTK	CBO	CCO	CND	EXBK	ID	INVFRM	Р	RD	RECBTM	TD	TVR_V
			•		•	•			•	•	•	

APC	FB	MIP	MSLFB	WLI
•	•	•	•	•

DOOL C	prions						
ALF	CG	CG.BTM	CG.TOP	DPSRR	MD	MD.BTM	MD.TOP
•	•			•			

WALL VERTICAL-LIFT, 18" HIGH, 12" DEEP



Model	Cubic Feet
WVL3018	5.2
WVL3618	6.1

- Utilizes doors from 30" and 36" high wall cabinets. Grain on center panels and slab doors will run horizontally and door rail configuration on non-miter
 doors will be unique from adjacent cabinet doors. Gallio will have standard vertical grain pattern. Derazi will have standard horizontal grain pattern.
- · Decorative hardware required.
- See side view drawing for required clearances.
- Lift mechanism features a single motion for up and out movement with Smart Stop, tension can be field adjusted.
- Lift mechanisms and mounting brackets will be visible if used with transparent textured glass.
- Lift mechanism not available for order for field installation, only available factory installed.
- Hardware extends 1" into opening on each side.
- Art Glass not available.
- Not available on Whittaker.


Custom Modifications

4031011	· mouni	cumons									
ADDTK	CBO	CCO	CND	EXBK	ID	INVFRM	P	RD	RECBTM	TD	TVR_V
		•		•	•				•		


Construction and Finish Upgrades							
APC	FB	MIP	MSLFB	WLI			
•	•	•	•	•			

Door O	ptions						
ALF	CG	CG.BTM	CG.TOP	DPSRR	MD	MD.BTM	MD.TO
•	•			•			

WALL REFRIGERATOR SINGLE or DOUBLE DOOR, 18" HIGH, 24" DEEP



W241	824-W371824	Butt doors
W391	824-W481824	CS Center mullion



W241824 L or R	7.8
W041004	7.0
W241824	7.8
W271824	8.5
W301824	9.7
W331824	10.6
W341824	10.6
W361824	11.6
W371824	11.5
W391824	12.6
W421824	13.4
W451824	14.1
W481824CS	15.2
W481824	15.2

- 24" deep cabinets must be fully supported by screws installed in a structural member in the ceiling or soffit, and into adjacent cabinets.
- Load limit is 15 lbs. per square foot of load bearing surface.

Custom Modifications

ADDTK	CBO	CCO	CND	EXBK	ID	INVFRM	Р	RD	RECBTM	TD	TVR_V
•		•		•				•	•	•*	

^{*}Not available on 39", 42", 45", and 48" wide

Construction and rinish opgrades										
APC	FB	MIP	MSLFB	WLI						
•	• •		•	•						

Door 0	ptions						
ALF	CG	CG.BTM	CG.TOP	DPSRR	MD	MD.BTM	MD.TOP
	•			•	•+		

⁺Available only on 30" and 36" wide



Model	Cubic Feet
WTH301824	9.7
WTH361824	10.6

- Utilizes doors from 30" and 36" high wall cabinets. Grain on center panels and slab doors will run horizontally and door rail configuration on non-miter
 doors will be unique from adjacent cabinet doors. Gallio will have standard vertical grain pattern. Derazi will have standard horizontal grain pattern.
- Not available on Whittake
- 24" deep cabinets must be fully supported by screws installed in a structural member in the ceiling or soffit, and into adjacent cabinets.
- Load limit is 15 lbs. per square foot of load bearing surface.
- Art Glass not available.
- Cabinet may utilize one or two lift mechanisms depending on door size and weight. Door lift mechanism tension can be field adjusted.
- Depth can be reduced to a minimum of 9".
- Door will open a maximum of 107° due to hinges. For applications close to a ceiling, door angle can be restricted to 86° with a Hinge Angle Restriction
 Clip (HINGERESCLIP, see page 354).
- Lift mechanisms and mounting brackets will be visible if used with transparent textured glass.
- \bullet Lift mechanism not available for order for field installation, only available factory installed.

Custom Modifications

ADDTK	CBO	CCO	CND	EXBK	ID	INVFRM	Р	RD	RECBTM	TD	TVR_V
		•		•				•	•	•	


Construction	and	Finish	Upgrade	S
				т

APC	FB	MIP	MSLFB	WLI
•	•	•	•	•

Door Options

	P						
ALF	CG	CG.BTM	CG.TOP	DPSRR	MD	MD.BTM	MD.TOP
•	•			•			

WALL REFRIGERATOR VERTICAL-LIFT, 18" HIGH, 24" DEEP



WVL301824	9.4
WVL361824	11.2

- Utilizes doors from 30" and 36" high wall cabinets. Grain on center panels and slab doors will run horizontally and door rail configuration on non-miter
 doors will be unique from adjacent cabinet doors. Gallio will have standard vertical grain pattern. Derazi will have standard horizontal grain pattern.
- Decorative hardware required.
- See side view drawing for required clearances.
- Lift mechanism features a single motion for up and out movement with Smart Stop, tension can be field adjusted.
- Lift mechanisms and mounting brackets will be visible if used with transparent textured glass.
- Lift mechanism not available for order for field installation, only available factory installed.
- Hardware extends 1" into opening on each side.
- Art Glass not available.
- Not available on Whittaker.
- Depth can be reduced to a minimum of 12".

Custom Modifications

			·								
ADDTK	CBO	CCO	CND	EXBK	ID	INVFRM	P	RD	RECBTM	TD	TVR_V
		•		•				•	•		


Construction and Finish Upgrades

Construction and riman oppidacs									
APC	FB	MIP	MSLFB	WLI					
•	•	•	•	•					

Door Options

	P						
ALF	CG	CG.BTM	CG.TOP	DPSRR	MD	MD.BTM	MD.TO
•	•			•			

WALL REFRIGERATOR PULL-OUT, 18" HIGH, 24" DEEP



Model	Cubic Feet			
W361824PO L or R	11.2			
W371824PO L or R	11.5			
W361824P0	11.2			
W371824PO	11.5			
W391824PO L or R	12.6			
W391824P0	12.6			

- Door-mounted pull-out with a chrome wire rack that extends fully to the front of the cabinet then opens to the side for easy accessibility to contents.
 Designed for use above refrigerators or other high applications. Smart Stop not included.
- Available installed in either the left side, right side, or both sides.
- For sufficient pull-out clearance, $13 \frac{1}{8}$ of adjacent space is required for door to open fully when installed near a wall or corner.
- Chrome rack is 10" wide and 20 13/16" deep.
- 24" deep cabinets must be fully supported by screws installed in a structural member in the ceiling or soffit, and into adjacent cabinets.
- Load limit is 15 lbs. per square foot of load bearing surface.


Custom Modifications

ADDTI	CBO	CCO	CND	EXBK	ID	INVFRM	Р	RD	RECBTM	TD	TVR_V
•	•			•							

Construction and Finish Upgrades									
APC	FB	MIP	MSLFB	WLI					
•	•	•	•	•					

Door O	ptions						
ALF	CG	CG.BTM	CG.TOP	DPSRR	MD	MD.BTM	MD.TOP
				•			

WALL SINGLE DOOR, 21" HIGH



W1221 L or R	2.7
W1521 L or R	3.3
W1821 L or R	3.8
W2121 L or R	4.4
W2421 L or R	5.0

Custom Modifications

ADDTK	CBO	CCO	CND	EXBK	ID	INVFRM	Р	RD	RECBTM	TD	TVR_V
•		•		•	•		•	•	•	•	

Construction and Finish Upgrades							
ĺ	APC	FB	MIP	MSLFB	WLI		
	•	•	•	•	•		

Door 0	ptions						
ALF	CG	CG.BTM	CG.TOP	DPSRR	MD	MD.BTM	MD.TOP
	•			•			

88



Model	Cubic Feet
W2421	5.0
W2721	5.6
W3021	5.6
W3321	6.7
W3421	6.7
W3621	7.2
W3721	7.3
W3921	7.8
W4221	8.5
W4521	8.8
W4821CS	9.7
W4821	9.7


Custom Modifications

400.0											
ADDTK	CBO	CCO	CND	EXBK	ID	INVFRM	Р	RD	RECBTM	TD	TVR_V
•		•		•	•		•*	•	•	•+	

Construction and Finish Upgrades APC FB MIP MSLFB WLI

Door O	ptions						
ALF	CG	CG.BTM	CG.TOP	DPSRR	MD	MD.BTM	MD.TOP
	•			•			

WALL TOP HINGE, 21" HIGH



WTH3021	5.6
WTH3621	7.2

- Utilizes doors from 30" and 36" high wall cabinets. Grain on center panels and slab doors will run horizontally and door rail configuration on non-mitter
 doors will be unique from adjacent cabinet doors. Gallio will have standard vertical grain pattern. Derazi will have standard horizontal grain pattern.
- Not available on Whittaker.
- Art Glass not available.
- Cabinet may utilize one or two lift mechanisms depending on door size and weight. Door lift mechanism tension can be field adjusted.
- Depth can be reduced to a minimum of 9".
- Door will open a maximum of 107° due to hinges. For applications close to a ceiling, door angle can be restricted to 86° with a Hinge Angle Restriction Clip (HINGERESCLIP, see page 354).
- Lift mechanisms and mounting brackets will be visible if used with transparent textured glass.
- Lift mechanism not available for order for field installation, only available factory installed.


Custom Modifications

ADDTK	CBO	CCO	CND	EXBK	ID	INVFRM	Р	RD	RECBTM	TD	TVR_V
		•		•	•			•	•	•	

Constru	ction an	d Finish (Upgrades	;
APC	FB	MIP	MSLFB	WLI

ט וטטע	hiionz						
ALF	CG	CG.BTM	CG.TOP	DPSRR	MD	MD.BTM	MD.TOP
•	•			•			

WALL VERTICAL-LIFT, 21" HIGH, 12" DEEP



WVL3021	5.9
WVL3621	7.1

- Utilizes doors from 30" and 36" high wall cabinets. Grain on center panels and slab doors will run horizontally and door rail configuration on non-miter
 doors will be unique from adjacent cabinet doors. Gallio will have standard vertical grain pattern. Derazi will have standard horizontal grain pattern.
- Decorative hardware required.
- See side view drawing for required clearances.
- Lift mechanism features a single motion for up and out movement with Smart Stop, tension can be field adjusted.
- Lift mechanisms and mounting brackets will be visible if used with transparent textured glass.
- Lift mechanism not available for order for field installation, only available factory installed.
- Hardware extends 1" into opening on each side.
- Art Glass not available.
- Not available on Whittaker.

Custom Modifications

ADDTK	CBO	CCO	CND	EXBK	ID	INVFRM	Р	RD	RECBTM	TD	TVR_V
		•		•	•				•		


Construction and Finish Upgrades


APC	FB	MIP	MSLFB	WLI
•	•	•	•	•

Door Options										
ALF	CG	CG.BTM	CG.TOP	DPSRR	MD	MD.BTM	MD.TO			
•	•			•						

Schrock

WALL REFRIGERATOR SINGLE or DOUBLE DOOR, 21" HIGH, 24" DEEP





W482124 Vertical divider

Model	Cubic Feet
W242124 L or R	9.0
W242124	9.0
W272124	9.8
W302124	11.1
W332124	12.2
W342124	12.2
W362124	13.3
W372124	13.3
W392124	14.3
W422124	15.2
W452124	16.3
W482124CS	17.3
	•
W482124	17.3

- 24" deep cabinets must be fully supported by screws installed in a structural member in the ceiling or soffit, and into adjacent cabinets.
- Load limit is 15 lbs. per square foot of load bearing surface.

Custom Modifications

ADDTK	CBO	CCO	CND	EXBK	ID	INVFRM	P	RD	RECBTM	TD	TVR_V
•		•		•				•	•	•*	


*Not available on 39", 42", 45", and 48" wide

Construction and Finish Upgrades

APC	FB	MIP	MSLFB	WLI
•	•	•	•	•

Door Options									
ALF	CG	CG.BTM	CG.TOP	DPSRR	MD	MD.BTM	MD.TOP		
	•			•					

WALL TOP HINGE REFRIGERATOR, 21" HIGH, 24" DEEP



WTH302124	11.1
WTH362124	13.3

- Utilizes doors from 30" and 36" high wall cabinets. Grain on center panels and slab doors will run horizontally and door rail configuration on non-miter
 doors will be unique from adjacent cabinet doors. Gallio will have standard vertical grain pattern. Derazi will have standard horizontal grain pattern.
- Not available on Whittaker.
- 24" deep cabinets must be fully supported by screws installed in a structural member in the ceiling or soffit, and into adjacent cabinets.
- $\bullet\,$ Load limit is 15 lbs. per square foot of load bearing surface.
- Art Glass not available.
- Cabinet may utilize one or two lift mechanisms depending on door size and weight. Door lift mechanism tension can be field adjusted.
- $\bullet\,$ Depth can be reduced to a minimum of 9".
- Door will open a maximum of 107° due to hinges. For applications close to a ceiling, door angle can be restricted to 86° with a Hinge Angle Restriction
 Clip (HINGERESCLIP, see page 354).
- Lift mechanisms and mounting brackets will be visible if used with transparent textured glass.
- Lift mechanism not available for order for field installation, only available factory installed.

Custom Modifications

ADDTK	CBO	CCO	CND	EXBK	ID	INVFRM	P	RD	RECBTM	TD	TVR_V
		•		•				•	•	•	


Constru	ction	and	Finish	Upgrades	5

	19									
APC	FB	MIP	MSLFB	WLI						
•	•	•	•	•						

Door U	ptions						
ALF	CG	CG.BTM	CG.TOP	DPSRR	MD	MD.BTM	MD.TOP
•	•			•			

WALL CARINETS

WALL REFRIGERATOR VERTICAL-LIFT, 21" HIGH, 24" DEEP



Model	Cubic Feet
WVL302124	10.9
WVL362124	12.9

- Utilizes doors from 30" and 36" high wall cabinets. Grain on center panels and slab doors will run horizontally and door rail configuration on non-miter
 doors will be unique from adjacent cabinet doors. Gallio will have standard vertical grain pattern. Derazi will have standard horizontal grain pattern.
- Decorative hardware required.
- See side view drawing for required clearances.
- Lift mechanism features a single motion for up and out movement with Smart Stop, tension can be field adjusted.
- Lift mechanisms and mounting brackets will be visible if used with transparent textured glass.
- Lift mechanism not available for order for field installation, only available factory installed.
- Hardware extends 1" into opening on each side.
- Art Glass not available.
- Not available on Whittaker.
- Depth can be reduced to a minimum of 12".

Custom Modifications

ADDTK	CBO	CCO	CND	EXBK	ID	INVFRM	Р	RD	RECBTM	TD	TVR_V
		•		•	•			•	•		


Construction and Finish Upgrades

40113110	construction and rimsir opgradus										
APC	FB	MIP	MSLFB	WLI							
•	•	•	•	•							

Door Options

	P						
ALF	CG	CG.BTM	CG.TOP	DPSRR	MD	MD.BTM	MD.TOP
•	•			•			

WALL REFRIGERATOR PULL-OUT, 21" HIGH, 24" DEEP



Right (POR)

W362124PO L or R	13.3
W372124PO L or R	13.3
W362124PO	13.3
W372124P0	13.3

W392124PO L or R	14.3
W392124PO	14.3

- Door-mounted pull-out with a chrome wire rack that extends fully to the front of the cabinet then opens to the side for easy accessibility to contents.
 Designed for use above refrigerators or other high applications. Smart Stop not included.
- Available installed in either the left side, right side, or both sides.
- For sufficient pull-out clearance, 13 1/8" of adjacent space is required for door to open fully when installed near a wall or corner.
- Chrome rack is 10" wide and 20 13/16" deep.
- 24" deep cabinets must be fully supported by screws installed in a structural member in the ceiling or soffit, and into adjacent cabinets.
- \bullet Load limit is 15 lbs. per square foot of load bearing surface.

Custom Modifications

ADDTK	CBO	CCO	CND	EXBK	ID	INVFRM	Р	RD	RECBTM	TD	TVR_V
•		•		•							

Construction	and	Finish	Upgrades	


COIISITO	Construction and rinish opgrades									
APC	FB	MIP	MSLFB	WLI						
•	•	•	•	•						

		P						
I	ALF	CG	CG.BTM	CG.TOP	DPSRR	MD	MD.BTM	MD.TOP
					•			

WALL SINGLE DOOR, 24" HIGH

Both (PO) **Top View**

Left (POL)



W1224 L or R	3.0
W1524 L or R	3.6
W1824 L or R	4.2
W2124 L or R	4.3
W2424 L or R	5.5

Custom Modifications

ADDIK	CDO	•	CIVD	LADIC	10	IIIIII		ND.	KECDIM	10	1411_4
ADDTK	CBO	CCO	CND	EXBK	ID	INVFRM	Р	RU	RECBTM	TD	TVR V

Construction and Finish Upgrades


			13	
APC	FB	MIP	MSLFB	WLI
•	•	•	•	•

Door	Option	,
וטטע	OBITOR	Ç

ALF	CG	CG.BTM	CG.TOP	DPSRR	MD	MD.BTM	MD.TOP
	•			•			

Schrock[®]

WALL DOUBLE DOOR, 24" HIGH



W2424-W3724 Butt doors W3924-W4824CS Center mullion

Model	Cubic Feet			
W2424	5.5			
W2724	6.1			
W3024	6.8			
W3324	7.4			
W3424	7.6			
W3624	8.0			
W3724	8.2			
W3924	8.6			
W4224	9.3			
W4524	9.9			
W4824CS	10.5			

Custom Modifications

ADDTK	CBO	CCO	CND	EXBK	ID	INVFRM	Р	RD	RECBTM	TD	TVR_V
•	•	•		•	•		•*	•	•	•+	


Construction and Finish Upgrades

Construction and rimsii opgrades								
APC	FB	MIP	MSLFB	WLI				
•	•	•	•	•				

Door O	ptions						
ALF	CG	CG.BTM	CG.TOP	DPSRR	MD	MD.BTM	MD.TOP
	•			•	•4		

▲Available only on 30" and 36" wide

WALL REFRIGERATOR SINGLE or DOUBLE DOOR, 24" HIGH, 24" DEEP



W242424 L or R	10.5
W242424	10.5
W272424	10.9
W302424	12.4
W332424	13.6
W342424	13.9
W362424	14.7
W372424	15.1
W392424	15.9
W422424	17.1
W452424	18.4
W482424CS	19.6

- 24" deep cabinets must be fully supported by screws installed in a structural member in the ceiling or soffit, and into adjacent cabinets.
- Load limit is 15 lbs. per square foot of load bearing surface.

Custom Modifications

ADDTK	CBO	CCO	CND	EXBK	ID	INVFRM	P	RD	RECBTM	TD	TVR_V
•	•	•		•				•	•	•*	

*Not available on 39", 42", 45", and 48" wide


Construction and Finish Upgrades							
APC	FB	MIP	MSLFB	WLI			
•	•	•	•	•			

Door C	ptions						
ALF	CG	CG.BTM	CG.TOP	DPSRR	MD	MD.BTM	MD.TOP
	•			•	•+		

^{*}Available only on 30" and 36" wide

WALL CABINETS

WALL REFRIGERATOR PULL-OUT, 24" HIGH, 24" DEEP



Right (POR)

Model	Cubic Feet
W362424PO L or R	14.7
W372424PO L or R	15.1
W362424PO	14.7
W372424PO	15.1
W392424PO L or R	15.9
W392424PO	15.9

- Door-mounted pull-out with a chrome wire rack that extends fully to the front of the cabinet then opens to the side for easy accessibility to contents. Designed for use above refrigerators or other high applications. Smart Stop not included.
- Available installed in either the left side, right side, or both sides.
- For sufficient pull-out clearance, 13 1/8" of adjacent space is required for door to open fully when installed near a wall or corner.
- Chrome rack is 10" wide and 20 13/16" deep.
- 24" deep cabinets must be fully supported by screws installed in a structural member in the ceiling or soffit, and into adjacent cabinets.
- Load limit is 15 lbs. per square foot of load bearing surface.

Custom Modifications

COSTONI INCUMENTATIONS												
	ADDTK	CBO	CCO	CND	EXBK	ID	INVFRM	P	RD	RECBTM	TD	TVR_V
	•		•		•							

Constru	ction an	d Finish	Upgrades
100			110150


CONSTITU	Construction and runsii opgrades									
APC	FB	MIP	MSLFB	WLI						
•	•	•	•	•						

Door	Op	tion
------	----	------

	P						
ALF	CG	CG.BTM	CG.TOP	DPSRR	MD	MD.BTM	MD.TOP
				•			

WALL SINGLE DOOR, 27" HIGH

Both (PO) **Top View**



Left (POL)

W1227 L or R	3.4
W1527 L or R	4.1
W1827 L or R	4.9
W2127 L or R	5.6
W2427 L or R	6.3

Custom Modifications

ADDTK	CBO	CCO	CND	EXBK	ID	INVFRM	Р	RD	RECBTM	TD	TVR_V
•	•	•		•	•		•	•	•	•	


Construction and Finish Unarades

COIIZIIO	CHOII and	a riiiisii u	Jpgraae:)
APC	FB	MIP	MSLFB	WLI
•	•	•	•	•

Door Options

D001 0	hiioiia						
ALF	CG	CG.BTM	CG.TOP	DPSRR	MD	MD.BTM	MD.TOP
	•			•			

WALL DOUBLE DOOR, 27" HIGH



W2427-W3727 Butt doors W3927-W4827CS Center mullion

Model	Cubic Feet
W2427	6.3
W2727	7.1
W3027	7.8
W3327	8.5
W3427	8.5
W3627	9.3
W3727	9.2
W3927	10.0
W4227	10.7
W4527	11.0
W4827CS	12.2

Custom Modifications


ADDTK	CBO	CCO	CND	EXBK	ID	INVFRM	Р	RD	RECBTM	TD	TVR_V
•	•	•		•	•		•*	•	•	•+	

Construction and Finish Upgrades

APC	FB	MIP	MSLFB	WLI	
•	•	•	•	•	

Door O	ptions						
ALF	CG	CG.BTM	CG.TOP	DPSRR	MD	MD.BTM	MD.TOP
	•			•			

WALL REFRIGERATOR SINGLE or DOUBLE DOOR, 27" HIGH, 24" DEEP



W242724 L or R	11.3				
W242724	11.3				
W272724	12.7				
W302724	14.4				
W332724	15.7				
W342724	15.5				
W362724	17.0				
W372724	16.8				
W392724	18.4				
W422724	19.2				
W452724	21.3				
W482724CS	22.6				

- $\bullet \ \ 24'' \ deep \ cabinets \ must \ be \ fully \ supported \ by \ screws \ installed \ in \ a \ structural \ member \ in \ the \ ceiling \ or \ soffit, \ and \ into \ adjacent \ cabinets.$
- Load limit is 15 lbs. per square foot of load bearing surface.

Custom Modifications

ADDTK	CBO	CCO	CND	EXBK	ID	INVFRM	Р	RD	RECBTM	TD	TVR_V
•	•	•		•				•	•	•*	

*Not available on 39", 42", 45", and 48" wide


Construction and Finish Upgrades

CONSTITU	Construction and riman opgrades									
APC	FB	MIP	MSLFB	WLI						
•	•	•	•	•						

Door O)ptions						
ALF	CG	CG.BTM	CG.TOP	DPSRR	MD	MD.BTM	MD.TOP
	•			•			

WALL CABINETS

WALL SINGLE DOOR, 30" HIGH



Model	Cubic Feet
W930 L or R	2.9
W1230 L or R	3.7
W1530 L or R	4.5
W1830 L or R	5.3
W2130 L or R	6.1
W2430 L or R	6.9

Custom Modifications


ADDTK	CBO	CCO	CND	EXBK	ID	INVFRM	Р	RD	RECBTM	TD	TVR_V
•	•	•		•	•		•	•	•	•	

Construction and Finish Upgrades APC FB MIP MSLFB WLI

Door Options							
ALF	CG	CG.BTM	CG.TOP	DPSRR	MD	MD.BTM	MD.TO
•*	•			•	•+		

*Not available on 9" and 24" wide $\,\,$ *Not available on 9" and 12" wide

WALL DOUBLE DOOR, 30" HIGH



W2430-W3630 Butt doors W3930-W4830CS Center mullion

W2430	6.9
W2730	7.7
W3030	8.5
W3330	9.3
W3630	10.0
W3930	10.8

W3930	10.8
W4230	11.6
W4530	12.2
W4830CS	13.2

Custom Modifications

ADD	K CBO	CCO	CND	EXBK	ID	INVFRM	P	RD	RECBTM	TD	TVR_V
•	•	•		•	•		•*	•	•	•+	


*Available only on 24" wide $\,\,$ *Not available on 39", 42", 45", and 48" wide

COLIZITO	ciion an	ina riilisii opgraaes						
APC	FB	MIP	MSLFB	WLI				
•	•	•	•	•				

Door C	ptions						
ALF	CG	CG.BTM	CG.TOP	DPSRR	MD	MD.BTM	MD.TOP
	•			•	•4		

▲Not available on 39" wide

WALL SINGLE DOOR, 33" HIGH



W933 L or R	3.2
W1233 L or R	4.1
W1533 L or R	5.0
W1833 L or R	5.9
W2133 L or R	6.7
W2433 L or R	7.6

Custom Modifications

ADDTK	CBO	CCO	CND	EXBK	ID	INVFRM	Р	RD	RECBTM	TD	TVR_V
•	•	•		•	•		•	•	•		

Construction and Finish Upgrades

40113110	ciion aii		pg. aac.	,
APC	FB	MIP	MSLFB	WLI
•	•	•	•	•


Door	0	pi	ic	n

	P						
ALF	CG	CG.BTM	CG.TOP	DPSRR	MD	MD.BTM	MD.TOP
	•			•	•*		

*Not available on $9^{\prime\prime}$ and $12^{\prime\prime}$ wide

WALL CABINETS

WALL DOUBLE DOOR, 33" HIGH



W2433-W3633 Butt doors W3933-W4833CS Center mullion

Model	Cubic Feet
W2433	7.6
W2733	8.5
W3033	9.4
W3333	10.3
W3633	11.2
W3933	12.1
W4233	13.0
W4533	13.3
W4833CS	14.8

Custom Modifications

ADDTK	CBO	CCO	CND	EXBK	ID	INVFRM	Р	RD	RECBTM	TD	TVR_V
•	•	•		•	•		•*	•	•		


^{*}Available only on 24" wide

Construction and Finish Upgrades									
APC	FB	MIP	MSLFB	WLI					
•	•	•	•	•					

Door Options										
ALF	CG	CG.BTM	CG.TOP	DPSRR	MD	MD.BTM	MD.TOP			
	•			•	•+					

 $^{^+}$ Not available on 39" wide

WALL SINGLE DOOR, 36" HIGH



W936 L or R	3.5
W1236 L or R	4.4
W1536 L or R	5.3
W1836 L or R	6.3
W2136 L or R	7.2
W2436 L or R	8.2

Custom Modifications


ADDTK	CBO	CCO	CND	EXBK	ID	INVFRM	Р	RD	RECBTM	TD	TVR_V
•	•	•		•	•		•	•	•		

	;				
	APC	FB	MIP	MSLFB	WLI
	•	•	•	•	•

Door 0	ptions						
ALF	CG	CG.BTM	CG.TOP	DPSRR	MD	MD.BTM	MD.TOP
•*	•			•	• ⁺		

^{*}Not available on 9" and 24" wide *Not available on 9" and 12" wide

WALL DOUBLE DOOR, 36" HIGH



W2436-W3636 Butt doors W3936-W4836CS Center mullion

W2436	8.2
W2736	9.1
W3036	10.0
W3336	11.0
W3636	11.8
W3936	11.8
W4236	13.8
W4536	14.5
W4836CS	14.5

Custom Modifications

ADDTK	CBO	CCO	CND	EXBK	ID	INVFRM	Р	RD	RECBTM	TD	TVR_V
•	•	•		•	•		•*	•	•		


^{*}Available only on 24" wide

Constru	Construction and Finish Upgrades										
APC	FB	MIP	MSLFB	WLI							
•	•	•	•	•							

Door 0	ptions						
ALF	CG	CG.BTM	CG.TOP	DPSRR	MD	MD.BTM	MD.TOP
	•			•	•+		

 $^{^+\}mathrm{Not}$ available on 39" wide

WALL SINGLE DOOR, 39" HIGH



Model	Cubic Feet
W939 L or R	3.7
W1239 L or R	4.7
W1539 L or R	5.7
W1839 L or R	6.8
W2139 L or R	7.8
W2439 L or R	8.8

Custom Modifications


ADDTK	CBO	CCO	CND	EXBK	ID	INVFRM	P	RD	RECBTM	TD	TVR_V
•	•	•		•	•		•	•	•		

Construction and Finish Upgrades MIP MSLFB WLI APC FB

	Door 0	ptions						
	ALF	CG	CG.BTM	CG.TOP	DPSRR	MD	MD.BTM	MD.TO
		•			•	•*		

*Not available on $9^{\prime\prime}$ and $12^{\prime\prime}$ wide

WALL DOUBLE DOOR, 39" HIGH



W2439-W3639 Butt doors W3939-W4839CS Center mullion

W2439	8.2
W2739	9.1
W3039	10.0
W3339	11.0
W3639	11.9

W3939	11.8
W4239	13.8
W4539	15.6
W4839CS	16.9

Custom Modifications

ADDTK	CBO	CCO	CND	EXBK	ID	INVFRM	Р	RD	RECBTM	TD	TVR_V
•	•	•		•	•		•*	•	•		

^{*}Available only on 24" wide


Constru	ction and	d Finish	Upgra
APC	FB	MIP	MSLI

Constru	ction an	a rinish u	Jpgraaes	i
APC	FB	MIP	MSLFB	WLI
•	•	•	•	•

Door U	ptions						
ALF	CG	CG.BTM	CG.TOP	DPSRR	MD	MD.BTM	MD.TOP
	•			•	•+		

^{*}Not available on 39" wide

WALL SINGLE DOOR, 42" HIGH



W942 L or R	4.0
W1242 L or R	5.1
W1542 L or R	6.2
W1842 L or R	7.3
W2142 L or R	8.3
W2442 L or R	9.4

Custom Modifications

ADDTK	CBO	CCO	CND	EXBK	ID	INVFRM	Р	RD	RECBTM	TD	TVR_V
•	•	•		•	•		•	•	•		


Construction and rinish oppidacs								
APC	FB	MIP	MSLFB	WLI				
•	•	•	•	•				

Door	r 0)p	tic	on	S

	P						
ALF	CG	CG.BTM	CG.TOP	DPSRR	MD	MD.BTM	MD.TOP
	•			•	•*		

^{*}Not available on $9^{\prime\prime}$ and $12^{\prime\prime}$ wide

WALL DOUBLE DOOR, 42" HIGH



W2442-W3642 Butt doors W3942-W4842CS Center mullion

Model	Cubic Feet
W2442	9.4
W2742	10.4
W3042	11.5
W3342	12.6
W3642	13.7
W3942	14.8
W4242	15.9
W4542	17.0
W4842CS	18.1

Custom Modifications

ADDTK	CBO	CCO	CND	EXBK	ID	INVFRM	Р	RD	RECBTM	TD	TVR_V
•	•	•		•	•		•*	•	•		

*Available only on 24" wide


S


Construction and Finish Upgrades								
APC	FB	MIP	MSLFB	WLI				
•	•	•	•	•				

Door O	ptions						
ALF	CG	CG.BTM	CG.TOP	DPSRR	MD	MD.BTM	MD.TOP
	•			•	•+		

 $^+$ Not available on 39" wide

WALL EASY ACCESS STORAGE, 30" HIGH





WEAS1530 L or R	4.5
WEAS1830 L or R	5.3
WEAS3030	8.5
WEAS3630	10.0

- Adjustable shelves are 7 1/2" deep.
- Each door features a chrome and wood three-tiered rack.
- $\bullet\,$ Door rack width is 9 3/8" on 15" and 30" wide cabinets.
- Door rack width is 12 3/8" on 18" and 36" wide cabinets.
- Door rack depth is 3 1/2".

Custom Modifications

ADDTK	CBO	CCO	CND	EXBK	ID	INVFRM	Р	RD	RECBTM	TD	TVR_V
•	•	•		•					•		


Construction	and	Finish	Upgrades


APC	FB	MIP	MSLFB WLI			
•	•	•	•	•		

Door 0	ptions						
ALF	CG	CG.BTM	CG.TOP	DPSRR	MD	MD.BTM	MD.TOP
				•			

WALL CABINETS

WALL TWO DRAWER SINGLE DOOR, 48", 51", 54", 57", or 60" HIGH, 12" DEEP





Model	Cubic Feet
W2D1548 L or R	6.5
W2D1848 L or R	7.8
W2D2448 L or R	10.4
W2D1551 L or R	7.5
W2D1851 L or R	8.9
W2D2451 L or R	11.6
W2D1554 L or R	7.2
W2D1854 L or R	8.5
W2D2454 L or R	11.1
W2D1557 L or R	7.5
W2D1857 L or R	8.9
W2D2457 L or R	11.7
W2D1560 L or R	7.9
W2D1860 L or R	9.4
W2D2460 L or R	12.3

• Reveal between door and drawer front is 1/8", door will align with adjacent cabinets in equivalent height.

Cabinet	Door	Drawer Fronts	Drawer Boxes
Height	Height	Height	Height
48"	29 3/4"	8 7/8"	3 3/8"
51"	32 3/4"	8 7/8"	3 3/8"
54"	35 3/4"	8 7/8"	3 3/8"
57"	38 3/4"	87/8"	3 3/8"
60"	41 3/4"	8 7/8"	3 3/8"

Custom Modifications


400.0													
ADDTK	CBO	CCO	CND	EXBK	ID	INVFRM	P	RD	RECBTM	TD	TVR_V		
•	•	•	•	•	•								

Construction and rinish upgrades										
APC	APC FB MIP MSLFB									
•	•	•	•	•						

Door Options

	P						
ALF	CG	CG.BTM	CG.TOP	DPSRR	MD	MD.BTM	MD.TOP
	•			•	•		

WALL TWO DRAWER DOUBLE DOOR, 48", 51", 54", 57", or 60" HIGH, 12" DEEP



Model	Cubic Feet
W2D2448	10.4
W2D2748	11.8
W2D3048	13.1
W2D3348	14.3
W2D3648	15.6
W2D2451	11.6
W2D2751	12.6
W2D3051	13.9
W2D3351	15.2
W2D3651	16.5
W2D2454	11.1
W2D2754	13.3
W2D3054	14.7
W2D3354	16.1
W2D3654	17.5
W2D2457	11.7
W2D2757	14.0
W2D3057	15.5
W2D3357	16.9
W2D3657	18.4
W2D2460	12.3
W2D2760	14.7
W2D3060	16.3
W2D3360	17.8
W2D3660	19.4

ullet Reveal between door and drawer front is 1/8'', door will align with adjacent cabinets in equivalent height.

	Cabinet	Door	Drawer Fronts	Drawer Boxes
1	Height	Height	Height	Height
	48"	29 3/4"	8 7/8"	3 3/8"
	51″	32 3/4"	8 7/8"	3 3/8"
	54"	35 3/4"	8 7/8"	3 3/8"
	57"	38 3/4"	8 7/8"	3 3/8"
	60″	41 3/4"	87/8"	3 3/8"

Custom Modifications

•	•	•	•	•	•						_
ADDTK	CBO	CCO	CND	EXBK	ID	INVFRM	Р	RD	RECBTM	TD	TVR V

Constru	ction an	d Finish	Upgrades	;
ADC	ED.	IIID	HCLED	14/11


APC	FB	MIP	MSLFB	WLI						
•	•	•	•	•						

Door	0	ptions

ALF	CG	CG.BTM	CG.TOP	DPSRR	MD	MD.BTM	MD.TOP
	•			•	•		

ALL CABINETS

WALL THREE DRAWER SINGLE DOOR, 48", 51", 54", 57", or 60" HIGH



Model	Cubic Feet
W3D1548 L or R	6.5
W3D1848 L or R	7.8
W3D2448 L or R	10.4
W3D1551 L or R	7.5
W3D1851 L or R	8.9
W3D2451 L or R	11.6
W3D1554 L or R	7.2
W3D1854 L or R	8.5
W3D2454 L or R	11.1
W3D1557 L or R	8.3
W3D1857 L or R	9.7
W3D2457 L or R	12.7
W3D1560 L or R	7.9
W3D1860 L or R	9.4
W3D2460 L or R	12.3

- Top drawer will be slab drawer front for all 5-piece drawer front applications.
- ullet Reveal between door and drawer front is 1/8'', door will align with adjacent cabinets in equivalent height.

Cabinet	Door	Upper Drawer Front	Upper Drawer Box	Lower Drawer Fronts	Lower Drawer Boxes
Height	Height	Height	Height	Height	Height
48"	29 3/4"	5 1/8"	2"	6 1/4"	3 3/8"
51"	32 3/4"	5 1/8"	2"	6 1/4"	3 3/8"
54"	35 3/4"	5 1/8"	2"	61/4"	3 3/8"
57"	38 3/4"	5 1/8"	2"	6 1/4"	3 3/8"
60″	41 3/4"	5 1/8"	2"	6 1/4"	3 3/8"

Custom Modifications

TOTAL MARKET MAR											
ADDTK	CBO	CCO	CND	EXBK	ID	INVFRM	Р	RD	RECBTM	TD	TVR_V
•	•	•	•	•	•						


Construction and Finish Upgrades

construction and runsii opgiados								
APC	FB	MIP	MSLFB	WLI				
•	•	•	•	•				

Door Options

D00. 0	ha						
ALF	CG	CG.BTM	CG.TOP	DPSRR	MD	MD.BTM	MD.TOP
	•			•	•		

WALL THREE DRAWER DOUBLE DOOR, $48^{\prime\prime},\,51^{\prime\prime},\,54^{\prime\prime},\,57^{\prime\prime},\,$ or $60^{\prime\prime}$ HIGH



Model	Cubic Feet
W3D2448	10.4
W3D2451	11.6
W3D2454	11.1
W3D2457	12.7
W3D2460	12.3


- Top drawer will be slab drawer front for all 5-piece drawer front applications.
 Reveal between door and drawer front is 1/8", door will align with adjacent cabinets in equivalent height.

Cabinet	Door	Upper Drawer Front	Upper Drawer Box	Lower Drawer Fronts	Lower Drawer Boxes
Height	Height	Height	Height	Height	Height
48"	29 3/4"	5 1/8″	2"	6 1/4"	3 3/8"
51"	32 3/4"	5 1/8"	2"	6 1/4"	3 3/8"
54"	35 3/4"	5 1/8"	2"	6 1/4"	3 3/8"
57"	38 3/4"	5 1/8″	2"	6 1/4"	3 3/8"
60"	41 3/4"	5 1/8"	2"	6 1/4"	3 3/8"

ADDTK	CBO	CCO	CND	EXBK	ID	INVFRM	Р	RD	RECBTM	TD	TVR_V
•	•	•	•	•	•						

Constru	ction and	d Finish l	Upgrades	i
APC	FB	MIP	MSLFB	WL
•	•	•	•	•

Door 0	ptions						
ALF	CG	CG.BTM	CG.TOP	DPSRR	MD	MD.BTM	MD.TOP
	•			•	•		



Model	Cubic Feet
STWDAG1248 L or R	5.8
STWDAG1548 L or R	7.0
STWDAG1848 L or R	8.3
STWDAG2148 L or R	9.5
STWDAG2448 L or R	10.7
STWDAG1251 L or R	6.2
STWDAG1551 L or R	7.5
STWDAG1851 L or R	8.9
STWDAG2151 L or R	10.2
STWDAG2451 L or R	11.6
STWDAG1254 L or R	6.5
STWDAG1554 L or R	7.9
STWDAG1854 L or R	9.3
STWDAG2154 L or R	10.6
STWDAG2454 L or R	12.0
STWDAG1257 L or R	6.8
STWDAG1557 L or R	8.3
STWDAG1857 L or R	9.4
STWDAG2157 L or R	11.2
STWDAG2457 L or R	12.7
STWDAG1260 L or R	7.2
STWDAG1560 L or R	8.7
STWDAG1860 L or R	10.2
STWDAG2160 L or R	11.8
STWDAG2460 L or R	13.3

- Lower section of cabinet does not have a bottom.
- Upper door aligns with doors on adjacent cabinets with equivalent heights (i.e., upper door on STWDA62448 L/R aligns with a 30" high wall
 cabinet). Upper edge of lower door will not align with an adjacent 18" high wall cabinet. Reveal between upper and lower doors is 1/8".

Cabinet	Upper Door	Lower Door
Height	Height	Height
48"	29 3/4"	17 7/8"
51″	32 3/4"	17 7/8"
54"	35 3/4"	17 7/8"
57"	38 3/4"	17 7/8"
60″	41 3/4"	17 7/8"

Custom Modifications


ADDTK	CBO	CCO	CND	EXBK	ID	INVFRM	Р	RD	RECBTM	TD	TVR_V
	•	•		•	•			•			

APC	FB	MIP	MSLFB	WLI
•	•	•	•	•

Door O	ptions						
ALF	CG	CG.BTM	CG.TOP	DPSRR	MD	MD.BTM	MD.TO
			,	_		-*	-*

^{*}Not available on 12" wide

STACKED WALL APPLIANCE GARAGE, DOUBLE DOOR, $48^{\prime\prime}$, $51^{\prime\prime}$, $54^{\prime\prime}$, $57^{\prime\prime}$, or $60^{\prime\prime}$ HIGH



Model	Cubic Feet
STWDAG2448	10.7
STWDAG2451	11.6
STWDAG2454	12.0
STWDAG2457	12.7
STWDAG2460	13.3

- Lower section of cabinet does not have a bottom.

 Upper door aligns with doors on adjacent cabinets with equivalent heights (i.e., upper door on STWDAG2448 aligns with a 30" high wall cabinet).

 Upper edge of lower door will not align with an adjacent 18" high wall cabinet. Reveal between upper and lower doors is 1/8".

Cabinet	Upper Door	Lower Door
Height	Height	Height
48"	29 3/4"	17 7/8"
51″	32 3/4"	17 7/8"
54"	35 3/4"	17 7/8"
57"	38 3/4"	17 7/8"
60"	41 3/4"	17 7/8"


ADDTK	CBO	CCO	CND	EXBK	ID	INVFRM	P	RD	RECBTM	TD	TVR_V
	•	•		•	•			•			

Construction and Finish Upgrades						
APC	FB	MIP	MSLFB	WLI		
•	•	•	•	•		

Door 0	ptions						
ALF	CG	CG.BTM	CG.TOP	DPSRR	MD	MD.BTM	MD.TOP
		•	•	•		•	•

ALL CABINETS

STACKED WALL APPLIANCE GARAGE VERTICAL-LIFT, SINGLE DOOR, 48", 51", 54", 57", or 60" HIGH



Model	Cubic Feet
STWVLDAG1548 L or R	7.0
STWVLDAG1848 L or R	8.3
STWVLDAG2148 L or R	9.5
STWVLDAG2448 L or R	10.7
STWVLDAG1551 L or R	7.5
STWVLDAG1851 L or R	8.9
STWVLDAG2151 L or R	10.2
STWVLDAG2451 L or R	11.6
STWVLDAG1554 L or R	7.9
STWVLDAG1854 L or R	9.3
STWVLDAG2154 L or R	10.6
STWVLDAG2454 L or R	12.0
STWVLDAG1557 L or R	8.3
STWVLDAG1857 L or R	9.4
STWVLDAG2157 L or R	11.2
STWVLDAG2457 L or R	12.7
STWVLDAG1560 L or R	8.7
STWVLDAG1860 L or R	10.2
STWVLDAG2160 L or R	11.8
STWVLDAG2460 L or R	13.3

- Lower section of cabinet does not have a bottom.
- Utilizes standard doors with vertical grain on center panel and standard door configuration. Gallio will have standard vertical grain pattern. Derazi will
 have standard horizontal grain pattern.
- Decorative hardware required.
- See side view drawing for required clearances.
- Lift mechanism features a single motion for up and out movement with Smart Stop, tension can be field adjusted.
- Lift mechanisms and mounting brackets will be visible if used with transparent textured glass.
- Lift mechanism not available for order for field installation, only available factory installed.
- Hardware extends 1" into opening on each side.
- Upper door aligns with doors on adjacent cabinets with equivalent heights (i.e., upper door on STWVLDAG2448 L/R aligns with a 30" high wall
 cabinet). Upper edge of lower door will not align with an adjacent 18" high wall cabinet. Reveal between upper and lower doors is 1/8".

Cabinet Height	Upper Door Height	Lower Door Height
48"	29 3/4"	17 7/8"
51″	32 3/4"	17 7/8"
54"	35 3/4"	17 7/8"
57"	38 3/4"	17 7/8"
60"	41 3/4"	17 7/8"


Custom Modifications


ADDTK	CBO	CCO	CND	EXBK	ID	INVFRM	P	RD	RECBTM	TD	TVR_V
	•	•		•	•			•			

•	•	•	•	•
APC	FB	MIP	MSLFB	WLI

ט וטטע	hiiniis						
ALF	CG	CG.BTM	CG.TOP	DPSRR	MD	MD.BTM	MD.TOP
		•	•	•		•	•

STACKED WALL APPLIANCE GARAGE VERTICAL-LIFT, DOUBLE DOOR, 48", 51", 54", 57", or 60" HIGH





Model	Cubic Feet
STWVLDAG2448	10.7
STWVLDAG2451	11.6
STWVLDAG2454	12.0
STWVLDAG2457	12.7
STWVLDAG2460	13.3

- Lower section of cabinet does not have a bottom.
- Utilizes standard doors with vertical grain on center panel and standard door configuration. Gallio will have standard vertical grain pattern. Derazi will have standard horizontal grain pattern.
- Decorative hardware required.
- See side view drawing for required clearances.
- Lift mechanism features a single motion for up and out movement with Smart Stop, tension can be field adjusted.
- Lift mechanisms and mounting brackets will be visible if used with transparent textured glass.
- Lift mechanism not available for order for field installation, only available factory installed.
- Hardware extends 1" into opening on each side.
- Upper door aligns with doors on adjacent cabinets with equivalent heights (i.e., upper door on STWVLDAG2448 aligns with a 30" high wall cabinet).
 Upper edge of lower door will not align with an adjacent 18" high wall cabinet. Reveal between upper and lower doors is 1/8".

Cabinet	Upper Door	Lower Door
Height	Height	Height
48"	29 3/4"	17 7/8"
51"	32 3/4"	17 7/8"
54"	35 3/4"	17 7/8"
57"	38 3/4"	17 7/8"
60"	41 3/4"	17 7/8"


ADDTK	CBO	CCO	CND	EXBK	ID	INVFRM	Р	RD	RECBTM	TD	TVR_V
	•	•		•	•			•			

Construction and Finish Upgrade:

APC	FB	MIP	MSLFB	WLI
•	•	•	•	•

Door Options											
ALF	CG	CG.BTM	CG.TOP	DPSRR	MD	MD.BTM	MD.TOP				

STACKED WALL SINGLE DOOR, 48", 51", 54", 57", or 60" HIGH



Model	Cubic Feet
STW1248 L or R	5.8
STW1548 L or R	7.0
STW1848 L or R	8.3
STW2148 L or R	9.5
STW2448 L or R	10.7
STW1251 L or R	6.2
STW1551 L or R	7.5
STW1851 L or R	8.9
STW2151 L or R	10.2
STW2451 L or R	11.6
STW1254 L or R	6.5
STW1554 L or R	7.9
STW1854 L or R	9.3
STW2154 L or R	10.6
STW2454 L or R	12.0
STW1257 L or R	6.8
STW1557 L or R	8.3
STW1857 L or R	9.4
STW2157 L or R	11.2
STW2457 L or R	12.7
STW1260 L or R	7.2
STW1560 L or R	8.7
STW1860 L or R	10.2
STW2160 L or R	11.8
STW2460 L or R	13.3

• Lower door aligns with doors on adjacent cabinets with equivalent heights (i.e., lower door on STW2448 L/R aligns with a 30" high wall cabinet). Bottom edge of upper door will not align with an adjacent 18" high cabinet. Reveal between upper and lower doors is 1/8".

Cabinet Height	Upper Door Height	Lower Door Height
48"	17 7/8"	29 3/4"
51″	17 7/8"	32 3/4"
54"	17 7/8"	35 3/4"
57"	17 7/8"	38 3/4"
60″	17 7/8"	41 3/4"

Custom Modifications


ADDTK	CBO	CCO	CND	EXBK	ID	INVFRM	Р	RD	RECBTM	TD	TVR_V
•	•	•		•	•	•	•	•		•	

Construction and rimon oppraces												
APC	FB	MIP	MSLFB	WLI								
•	•	•	•	•								

Door O	ptions						
ALF	CG	CG.BTM	CG.TOP	DPSRR	MD	MD.BTM	MD.TO
						-	- 4

^{*}Not available on 12", 21", and 24" wide

STACKED WALL DOUBLE DOOR, 48", 51", 54", 57", or 60" HIGH



STW24_ _-STW36_ _ Butt doors STW39_ _-STW48_ _CS Center mullion

Model	Cubic Feet
STW2448	10.7
STW2748	12.0
STW3048	13.2
STW3348	14.4
STW3648	15.7
STW3948	16.9
STW4248	18.1
STW4548	19.0
STW4848CS	20.6
STW2451	11.6
STW2751	12.9
STW3051	14.3
STW3351	15.6
STW3651	17.0
STW3951	18.3
STW4251	19.7
STW4551	20.2
STW4851CS	22.4
STW2454	12.0
STW2754	13.4
STW3054	14.8
STW3354	16.2
STW3654	17.5
STW3954	18.9
STW4254	20.4
STW4554	21.3
STW4854CS	25.9

• Lower door aligns with doors on adjacent cabinets with equivalent heights (i.e., lower door on STW2448 aligns with a 30" high wall cabinet). Bottom edge of upper door will not align with an adjacent 18" high cabinet. Reveal between upper and lower doors is 1/8".

Cabinet	Upper Door	Lower Door
Height	Height	Height
48″	17 7/8"	29 3/4"
51"	17 7/8"	32 3/4"
54"	17 7/8"	35 3/4"
57"	17 7/8"	38 3/4"
60"	17 7/8"	41 3/4"

Custom Modifications

ADDTK	CBO	CCO	CND	EXBK	ID	INVFRM	Р	RD	RECBTM	TD	TVR_V
•	•	•		•	•	•	•*	•		•+	


*Available only on 24" wide $\,\,$ *Not available on 39", 42", 45", and 48" wide

Construction and Finish Upgrades										
APC	FB	MIP	MSLFB	WLI						
•	•	•	•	•						

Door O	ptions						
ALF	CG	CG.BTM	CG.TOP	DPSRR	MD	MD.BTM	MD.TOP
		•	•	•		•4	•▲

[▲]Available only on 30" and 36" wide

STACKED WALL DOUBLE DOOR, 48", 51", 54", 57", or 60" HIGH (cont'd)



	12"	
		Butt doors
STW39_	STW48_	_CS Center mullic

Model	Cubic Feet
STW2457	12.7
STW2757	14.2
STW3057	15.6
STW3357	17.1
STW3657	18.5
STW3957	20.0
STW4257	21.4
STW4557	22.5
STW4857CS	24.3
STW2460	13.3
STW2760	14.9
STW3060	16.4
STW3360	17.9
STW3660	19.4
STW3960	21.0
STW4260	22.5
STW4560	23.6
STW4860CS	31.7

• Lower door aligns with doors on adjacent cabinets with equivalent heights (i.e., lower door on STW2460 aligns with a 42" high wall cabinet). Bottom edge of upper door will not align with an adjacent $18^{\prime\prime}$ high cabinet. Reveal between upper and lower doors is $1/8^{\prime\prime}$.

Cabinet	Upper Door	Lower Door
Height	Height	Height
48"	17 7/8"	29 3/4"
51"	17 7/8"	32 3/4"
54"	17 7/8"	35 3/4"
57"	17 7/8"	38 3/4"
60"	17 7/8"	41 3/4"

ADDTK	CBO	CCO	CND	EXBK	ID	INVFRM	Р	RD	RECBTM	TD	TVR_V
•	•	•		•	•	•	•*	•		•+	

^{*}Available only on 24" wide Thot available on 39", 42", 45", and 48" wide


Construction and rinish opgrades										
APC	FB	MIP	MSLFB	WLI						
•	•	•	•	•						

Door O	ptions						
ALF	CG	CG.BTM	CG.TOP	DPSRR	MD	MD.BTM	MD.TO

[▲]Available only on 30" and 36" wide

Wall Corner Cabinets


- Wall corner cabinets may be installed flush to the wall (left) or pulled up to 3" away from wall (right) to accommodate odd dimensions in a kitchen design. In either case, the adjoining run of 12" wall cabinets plus a 3" filler will butt against the solid-wood panel.
- When a cabinet is "pulled" it will use proportionally more wall space, for example, a 30" wide WC pulled 2" will use 32" of space.
 The Lor R in the cabinet's nomenclature indicates the leasting of cabinaturial.
- the location of cabinet void.
- Blind side of wall corner cabinets cannot be installed next to a range hood or microwave shelf unit due to door interference.



	A Min.	B Max.	C Max.	D Cabinet	E Clear	* ance	F Actual
Model	Space	Pull*	Space	Opening	At Min.	At Max.	Cabinet
WC24	24"	5 1/8″	29 1/8"	9 1/4"	1 5/8"	6 3/4"	24"
WC27	27"	4 5/8"	31 5/8"	10 3/4"	3 1/8"	7 3/4"	27″
WC30	30″	5 1/8″	35 1/8"	15 1/4"	1 5/8″	6 3/4"	30″
WC33	33″	4 5/8"	37 5/8"	16 3/4"	3 1/8"	7 3/4"	33″
WC36	36″	5 1/8″	41 1/8"	21 1/4"	1 5/8″	6 3/4"	36″
WC39	39″	4 5/8"	43 5/8"	22 3/4"	3 1/16"	7 11/16"	39″
WC42	42"	4 5/8"	46 5/8"	25 3/4"	3 1/16"	7 11/16"	42″
WC45	45"	4 5/8"	49 5/8"	28 3/4"	3 1/16"	7 11/16"	45″
WC48	48″	4 5/8"	52 5/8″	31 3/4"	3 1/16"	7 11/16"	48″

^{*}Minimum/maximum space between inside edge of door and face of filler/adjoining cabinet. Dimensions provided allow for proper filler attachment and do not require cleating.

WALL CORNER SINGLE DOOR, 24" HIGH



Model	Cubic Feet
WC2424 L or R	5.5
WC2724 L or R	6.1
WC3024 L or R	6.8

- Includes one 3" filler, shipped unattached.
- L or R indicates void. R (right) void shown.
- Door will attach to front panel using a hinge plate.
- Aspen High Gloss, Derazi, and Gallio use door matching furniture board blind panels and fillers on standard and APC construction.


ADDTK	CBO	CCO	CND	EXBK	ID	INVFRM	P	RD	RECBTM	TD	TVR_V
•	•	•		•	•		•*	•	•		

^{*}Available only on 24" wide

Construction and Finish Upgrades								
APC	FB	MIP	MSLFB	WLI				
•	•	•	•	•				

Door O	ptions						
ALF	CG	CG.BTM	CG.TOP	DPSRR	MD	MD.BTM	MD.TOP

WALL CORNER SINGLE DOOR, 30", 33", or 36" HIGH



Model	Cubic Feet
WC2430 L or R	6.9
WC2730 L or R	7.7
WC3030 L or R	8.5
WC3330 L or R	9.5
WC3630 L or R	10.0
WC2433 L or R	7.6
WC2733 L or R	8.5
WC3033 L or R	9.4
WC3333 L or R	10.3
WC3633 L or R	11.2
WC2436 L or R	8.2
WC2736 L or R	9.1
WC3036 L or R	10.0
WC3336 L or R	11.1
WC3636 L or R	11.9

- Includes one 3" filler, shipped unattached.
- L or R indicates void. R (right) void shown.
 Door will attach to front panel using a hinge plate.
- Aspen High Gloss, Derazi, and Gallio use door matching furniture board blind panels and fillers on standard and APC construction.

Custom Modifications

ADDTK	CBO	CCO	CND	EXBK	ID	INVFRM	Р	RD	RECBTM	TD	TVR_V
•	•	•		•	•		•*	•	•		

^{*}Available only on 24" wide


Constru	ction and	l Finish l	Finish Upgrades					
APC	FB	MIP	MSLFB	WLI				

Door O	ptions						
ALF	CG	CG.BTM	CG.TOP	DPSRR	MD	MD.BTM	MD.TOP
	•			•	•+		

 $^{\scriptscriptstyle +}\text{Available}$ only on 33" and 36" wide

111

WALL CORNER DOUBLE DOOR, 30", 33", or 36" HIGH



WC3930 L or R 10.3 WC4230 L or R 11.6 WC4530 L or R 12.2 WC4830 L or R 13.2 WC3933 L or R 11.7 WC4233 L or R 12.6 WC4533 L or R 13.5 WC4833 L or R 14.3
WC4530 L or R 12.2 WC4830 L or R 13.2 WC3933 L or R 11.7 WC4233 L or R 12.6 WC4533 L or R 13.5
WC4830 L or R 13.2 WC3933 L or R 11.7 WC4233 L or R 12.6 WC4533 L or R 13.5
WC3933 L or R 11.7 WC4233 L or R 12.6 WC4533 L or R 13.5
WC4233 L or R 12.6 WC4533 L or R 13.5
WC4233 L or R 12.6 WC4533 L or R 13.5
WC4533 L or R 13.5
WC4833 L or R 14.3
WC3936 L or R 12.7
WC4236 L or R 13.7
WC4536 L or R 14.6
WC4836 L or R 15.6

- Includes one 3" filler, shipped unattached.
- L or R indicates void. R (right) void shown.
- On 39" wide cabinets, Peninsula and Mullion Door options cannot be ordered together due to the unavailability of Mullion Doors for the Peninsula side
- Door on blind side will attach to front panel using a hinge plate.
- Aspen High Gloss, Derazi, and Gallio use door matching furniture board blind panels and fillers on standard and APC construction.


Custom Modifications

ADDTK	CBO	CCO	CND	EXBK	ID	INVFRM	Р	RD	RECBTM	TD	TVR_V
•	•	•		•	•			•	•		

Constru	Construction and Finish Upgrades											
APC	FB	MIP	MSLFB	WLI								
•	•	•	•	•								

Door O	ptions						
ALF	CG	CG.BTM	CG.TOP	DPSRR	MD	MD.BTM	MD.TOP
	•			•	•		

WALL CORNER SINGLE DOOR, 39" or 42" HIGH



WC2439 L or R	8.8
WC2739 L or R	9.8
WC3039 L or R	10.8
WC3339 L or R	11.8
WC3639 L or R	12.5
WC2442 L or R	9.4
WC2742 L or R	10.5
WC3042 L or R	11.6
WC3342 L or R	12.7
WC3642 L or R	13.8
	•

- Includes one 3" filler, shipped unattached.
- L or R indicates void. R (right) void shown.
- Door will attach to front panel using a hinge plate.
- Aspen High Gloss, Derazi, and Gallio use door matching furniture board blind panels and fillers on standard and APC construction.

Custom Modifications

ADDTK	CBO	CCO	CND	EXBK	ID	INVFRM	Р	RD	RECBTM	TD	TVR_V
•	•	•		•	•		•*	•	•		


*Available only on 24" wide

APC FB MIP MSLFB WLI

Door C	ptions						
ALF	CG	CG.BTM	CG.TOP	DPSRR	MD	MD.BTM	MD.TOP
	•			•	•+		

^{*}Available only on 33" and 36" wide

WALL CORNER DOUBLE DOOR, $39^{\prime\prime}$ or $42^{\prime\prime}$ HIGH



Model	Cubic Feet
WC3939 L or R	13.8
WC4239 L or R	14.8
WC4539 L or R	15.8
WC4839 L or R	16.8
WC3942 L or R	14.8
WC4242 L or R	15.9
WC4542 L or R	17.0
WC4842 L or R	18.1

- Includes one 3" filler, shipped unattached.
- L or R indicates void. R (right) void shown.
- On 39" wide cabinets, Peninsula and Mullion Door options cannot be ordered together due to the unavailability of Mullion Doors for the Peninsula
- Door on blind side will attach to front panel using a hinge plate.
 Aspen High Gloss, Derazi, and Gallio use door matching furniture board blind panels and fillers on standard and APC construction.

Custom Modifications

ADDTK	CBO	CCO	CND	EXBK	ID	INVFRM	Р	RD	RECBTM	TD	TVR_V
•	•	•		•	•			•	•		

			10	
APC	FB	MIP	MSLFB	WLI
•	•	•	•	•

Door	0	рt	ÌC	n	


	P						
ALF	CG	CG.BTM	CG.TOP	DPSRR	MD	MD.BTM	MD.TOP
	•			•	•		

Diagonal Wall Cabinets with Increased or Reduced Depth

		RD9	RD10	RD11	STD	ID13	ID14	ID15*	ID16	ID17	ID18	ID19	ID20	ID21	ID22	ID23	ID24
Cabinet Depth (DW2424)	Α	9"	10"	11"	12"	13"	14"	15"	16"	17"	18"	19"	20"	21"	22"	23"	24"
Wall Space (DW2424)	В	21"	22"	23"	24"	25"	26"	27"	28"	29"	30"	31"	32"	33"	34"	35"	36"

^{*}ID15 dimensions are standard on DW__2727

DIAGONAL WALL, 12", 15", or 18" HIGH, 24" x 24"



Model	Cubic Feet
DW122424 L or R	5.5
DW152424 L or R	6.7
DW182424 L or R	7.8

• Cabinets require 24" x 24" of corner wall space.


Custom Modifications

COSTON	i mouii	culions									
ADDTK	CBO	CCO	CND	EXBK	ID	INVFRM	Р	RD	RECBTM	TD	TVR_V
		•			•			•	•		

Constru	ction and	d Finish l	Jpgrades	i
APC	FB	MIP	MSLFB	WLI
•	•	•	•	•

Door O	ptions						
ALF	CG	CG.BTM	CG.TOP	DPSRR	MD	MD.BTM	MD.TOF
	•			•			

DIAGONAL WALL, 24" or 27" HIGH, 24" x 24"



DW242424 L or R	10.2
DW272424 L or R	11.3

- Cabinets require 24" x 24" of corner wall space.
- Adjustable shelf cannot be removed/retrofitted.


Custom Modifications

ADDIK	CBO	CCO	CND	EXBK	ID	INVFRM	ľ	RD	RECBTM	TD	TVR_V
	•	•			•			•	•		

Constru	ction an	d Finish l	5	
APC	FB	MIP	MSLFB	WLI
•	•	•	•	•

Door O	ptions						
ALF	CG	CG.BTM	CG.TOP	DPSRR	MD	MD.BTM	MD.TO
	•			•			

DIAGONAL WALL, 30", 33", 36", 39", or 42" HIGH, 24" x 24"



DW302424 L or R	12.5
DW332424 L or R	13.9
DW362424 L or R	14.9
DUIGOCACA I D	1/0

DW392424 L or R	16.0
DW422424 L or R	17.2


- Cabinets require 24" x 24" of corner wall space.
- Adjustable shelves.

ADDTK	CBO	CCO	CND	EXBK	ID	INVFRM	Р	RD	RECBTM	TD	TVR_V
	•	•			•			•	•		

Constru	ction and	l Finish	Upgrades	;
ΛPC	FR	MIP	MSIER	WH

Construction and rimsn opgrades									
APC	FB	MIP	MSLFB	WLI					
•	• •		•	•					

Door 0	ptions						
ALF	CG	CG.BTM	CG.TOP	DPSRR	MD	MD.BTM	MD.TOP
	•			•	•		



114

 Model
 Cubic Feet

 DW122727 L or R
 6.8

 DW152727 L or R
 8.3

 DW182727 L or R
 9.7

• Cabinets require 27" x 27" of corner wall space.


Custom Modifications

TOTAL MARKET MAR												
	ADDTK	CBO	CCO	CND	EXBK	ID	INVFRM	P	RD	RECBTM	TD	TVR_V
			•			•			•	•		

Construction and Finish Upgrades									
APC	FB	MIP	MSLFB	WLI					
•	•	•	•	•					

Door C)ptions						
ALF	CG	CG.BTM	CG.TOP	DPSRR	MD	MD.BTM	MD.TO
	•			•			

DIAGONAL WALL, 24" or 27" HIGH, 27" x 27"



DW242727 L or R	12.7
DW272727 L or R	14.1

- Cabinets require 27" x 27" of corner wall space.
- Adjustable shelf cannot be removed/retrofitted.


Custom Modifications

ADDTK	CBO	CCO	CND	EXBK	ID	INVFRM	Р	RD	RECBTM	TD	TVR_V
	•	•			•			•	•		

Construction and Finish Upgrades									
APC	FB	MIP	MSLFB	WLI					
•	•	•	•	•					

Door O	ptions						
ALF	CG	CG.BTM	CG.TOP	DPSRR	MD	MD.BTM	MD.TO
	•			•			

DIAGONAL WALL, 30", 33", 36", 39", or 42" HIGH, 27" x 27"



_
_
_

• Cabinets require 27" x 27" of corner wall space.

Custom Modifications

ADDTK	CBO	CCO	CND	EXBK	ID	INVFRM	Р	RD	RECBTM	TD	TVR_V
	•	•			•			•	•		


(onstruction	and	Finish	Upgrad	es

APC	FB	MIP	MSLFB	WLI
•	•	•	•	•

Door	Options

	P						
ALF	CG	CG.BTM	CG.TOP	DPSRR	MD	MD.BTM	MD.TOP
	•			•	•		

DIAGONAL WALL with LAZY SUSAN, 30", 33", 36", 39", or 42" HIGH, 24" x 24"



DW302424S L or R	12.5
DW332424S L or R	13.9
DW362424S L or R	14.9
DW392424S L or R	16.0

DW392424S L or R	16.0
DW422424S L or R	17.2

- Cabinets require 24" x 24" of corner wall space.
- Plywood shelves are 18" in overall diameter with a 17" interior diameter and 1" high lip.
- Shelves rotate independently.

Custom Modifications

ADDTK	CBO	CCO	CND	EXBK	ID	INVFRM	P	RD	RECBTM	TD	TVR_V
	•	•							•		

Constru	ction and	d Finish l	Jpgrades	i
APC	FB	MIP	MSLFB	WLI


Door 0	ptions					
ALF	CG	CG.BTM	CG.TOP	DPSRR	MD	Ī

VALL CABINETS

MD.BTM MD.TOP

115

DIAGONAL WALL with LOWER DOOR, 48", 51", 54", 57", or 60" HIGH, 24" x 24"



Model	Cubic Feet
DW302424D L or R	19.6
DW332424D L or R	21.0
DW362424D L or R	21.9
DW392424D L or R	23.9
DW422424D L or R	24.3

- Lower section of cabinet does not have a bottom.
- Cabinets require 24" x 24" of corner wall space.
- Bottom section does not have floor.
- Mullion Doors not available on bottom door.
- Upper door aligns with doors on adjacent cabinets with equivalent heights (i.e., upper door on DW302424D L/R aligns with a 30" high wall cabinet).
 Upper edge of lower door will not align with an adjacent 18" high wall cabinet. Reveal between upper and lower doors is 1/8".

Cabinet Height	Upper Door Height	Lower Door Height
48"	29 3/4"	17 7/8"
51"	32 3/4"	17 7/8"
54"	35 3/4"	17 7/8"
57"	38 3/4"	17 7/8"
60"	41 3/4"	17 7/8"


Custom Modifications

C031011	ii iiiouiii	culions									
ADDTK	CBO	CCO	CND	EXBK	ID	INVFRM	P	RD	RECBTM	TD	TVR_V
	•	•			•			•			

Constru	ction and	d Finish l	Jpgrades	i
APC	FB	MIP	MSLFB	WLI
•	•	•	•	•

Door O	ptions						
ALF	CG	CG.BTM	CG.TOP	DPSRR	MD	MD.BTM	MD.TO
		•	•	•			•

DIAGONAL WALL with LOWER DOOR, 48", 51", 54", 57", or 60" HIGH, 27" x 27"



DW332727D L or R 23.1	
DW362727D L or R 24.9	

DW392727D L or R	25.7
DW422727D L or R	27.7

- $\bullet\,$ Lower section of cabinet does not have a bottom.
- $\bullet\,$ Cabinets require 27" x 27" of corner wall space.
- Bottom section does not have floor.
- Mullion Doors not available on bottom door.
- Upper door aligns with doors on adjacent cabinets with equivalent heights (i.e., upper door on DW302727D L/R aligns with a 30" high wall cabinet).
 Upper edge of lower door will not align with an adjacent 18" high wall cabinet. Reveal between upper and lower doors is 1/8".


Cabinet	Upper Door	Lower Door
Height	Height	Height
48"	29 3/4"	17 7/8"
51″	32 3/4"	17 7/8"
54"	35 3/4"	17 7/8"
57"	38 3/4"	17 7/8"
60"	41 3/4"	17 7/8"

Custom Modifications

ADDTK	CBO	CCO	CND	EXBK	ID	INVFRM	Р	RD	RECBTM	TD	TVR_V
	•	•			•			•			

APC	FB	MIP	MSLFB	WLI
•	•	•	•	•

ט וטטע	piions						
ALF	CG	CG.BTM	CG.TOP	DPSRR	MD	MD.BTM	MD.TOP
				_			



Model	Cubic Feet
DW302424DS L or R	19.6
DW332424DS L or R	21.0
DW362424DS L or R	21.9
DW392424DS L or R	23.9
DW422424DS L or R	24.3

- Lower section of cabinet does not have a bottom.
- Cabinets require 24" x 24" of corner wall space.
- Bottom section does not have floor.
- Mullion Doors not available on bottom door.
- Plywood shelves are 18" in overall diameter with a 17" interior diameter and 1" high lip.
- Shelves rotate independently.
- Upper door aligns with doors on adjacent cabinets with equivalent heights (i.e., upper door on DW302424DS L/R aligns with a 30" high wall
 cabinet). Upper edge of lower door will not align with an adjacent 18" high wall cabinet. Reveal between upper and lower doors is 1/8".

Cabinet Height	Upper Door Height	Lower Door Height
48"	29 3/4"	17 7/8"
51″	32 3/4"	17 7/8"
54"	35 3/4"	17 7/8"
57"	38 3/4"	17 7/8"
60"	41 3/4"	177/8"

Custom Modifications

ADDTK	CBO	CCO	CND	EXBK	ID	INVFRM	Р	RD	RECBTM	TD	TVR_V
	•	•									


Construction and Finish Upgrades

APC	FB	MIP	MSLFB	WLI
•	•	•	•	•

Door Options

ALF	CG	CG.BTM	CG.TOP	DPSRR	MD	MD.BTM	MD.TOP
		•	•	•			•

STACKED DIAGONAL WALL, 48", 51", 54", 57", or 60" HIGH, 24" x 24"



STDW482424 L or R	19.6
STDW512424 L or R	21.0
STDW542424 L or R	21.6

STDW572424 L or R	21.9
STDW602424 L or R	24.3

- Cabinet requires 24" x 24" of corner wall space.
- Lower door aligns with doors on adjacent cabinets with equivalent heights (i.e., lower door on STDW482424 L/R aligns with a 30" high wall
 cabinet). Bottom edge of upper door will not align with an adjacent 18" high cabinet. Reveal between upper and lower doors is 1/8".

Cabinet	Upper Door	Lower Door
Height	Height	Height
48"	17 7/8"	29 3/4"
51″	17 7/8"	32 3/4"
54"	17 7/8"	35 3/4"
57"	17 7/8"	38 3/4"
60"	17 7/8"	41 3/4"

Custom Modifications

ADDTK	CBO	CCO	CND	EXBK	ID	INVFRM	Р	RD	RECBTM	TD	TVR_V
	•	•			•	•		•			


Construction and Finish Upgrades

administration and chinesi opgitudes							
APC	FB	MIP	MSLFB	WLI			
•	•	•	•	•			

Door Options

	P						
ALF	CG	CG.BTM	CG.TOP	DPSRR	MD	MD.BTM	MD.TOP
		•	•	•			

STACKED DIAGONAL WALL, 48'', 51'', 54'', 57'', or 60'' High, $27'' \times 27''$



Model	Cubic Feet
STDW482727 L or R	23.4
STDW512727 L or R	26.1
STDW542727 L or R	24.1
STDW572727 L or R	26.4
STDW602727 L or R	29.3

- Cabinet requires 27" x 27" of corner wall space.


 Lower door aligns with doors on adjacent cabinets with equivalent heights (i.e., lower door on STDW482727 L/R aligns with a 30" high wall cabinet). Bottom edge of upper door will not align with an adjacent 18" high cabinet. Reveal between upper and lower doors is 1/8".

Cabinet	Upper Door	Lower Door
Height	Height	Height
48"	17 7/8"	29 3/4"
51"	17 7/8"	32 3/4"
54"	17 7/8"	35 3/4"
57"	17 7/8"	38 3/4"
60"	17 7/8"	41 3/4"

ADDTK	CBO	CCO	CND	EXBK	ID	INVFRM	Р	RD	RECBTM	TD	TVR_V
	•	•			•	•		•			

Construction and Finish Upgrades									
APC	FB	MIP	MSLFB	WLI					
•	•	•	•	•					

Door 0	ptions						
ALF	CG	CG.BTM	CG.TOP	DPSRR	MD	MD.BTM	MD.TOP
		•	•	•			




Easy Reach Wall Corner Cabinets with Increased or Reduced Depth

	Γ	RD9	RD10	RD11	STD	ID13	ID14	ID15	ID16	ID17	ID18	ID19	ID20	ID21	ID22	ID23	ID24
Cabinet Depth (ER2424)	A	9"	10"	11"	12"	13"	14"	15"	16"	17"	18"	19"	20"	21"	22"	23"	24"
Wall Space (ER2424)	В	21"	22"	23"	24"	25"	26"	27"	28"	29"	30"	31"	32"	33"	34"	35"	36"
Cabinet Depth (ER2121)	A	9"	10"	11"	12"	13"	14"	15"	16"	17"	18"	19"	20"	21"	22"	23"	24"
Wall Space (ER2121)	В	18"	19"	20"	21"	22"	23"	24"	25"	26"	27"	28"	29"	30"	31"	32"	33"

118

EASY REACH WALL CORNER, 30", 33", 36", 39", or 42" HIGH, 21" x 21"



Model	Cubic Feet
ER302121 L or R	9.9
ER332121 L or R	10.3
ER362121 L or R	11.8

ER392121 L or R	12.7
ER422121 L or R	13.7

- Requires 21" x 21" of corner wall space.
- Decorative hardware screws must be countersunk to prevent scratching of adjacent cabinets.
- Adjustable shelves.
- Hinged door opens 170°.
- Integrated soft-close hinge not included.


Custom Modifications

ADDTK	CBO	CCO	CND	EXBK	ID	INVFRM	P	RD	RECBTM	TD	TVR_V
	•	•			•			•	•		

Constru	ction an	d Finish l	Jpgrades	i
APC	FB	MIP	MSLFB	WLI

Door O	ptions						
ALF	CG	CG.BTM	CG.TOP	DPSRR	MD	MD.BTM	MD.TOP
				•			

EASY REACH WALL CORNER, 30", 33", 36", 39", or 42" HIGH, 24" x 24"



ER30 L or R	12.5
ER33 L or R	13.9
ER36 L or R	14.9

ER39 L or R	16.0
ER42 L or R	17.2

- Requires 24" x 24" of corner wall space.
- Decorative hardware screws must be countersunk to prevent scratching of adjacent cabinets.
- Adjustable shelves.
- Hinged door opens 170°.
- Integrated soft-close hinge not included.


COSTON	Mouli	culions									
ADDTK	CBO	CCO	CND	EXBK	ID	INVFRM	P	RD	RECBTM	TD	TVR_V
	•	•			•			•	•		

Construction		Einich	Hannadae
COUZILOCIION	ana	LIIIIZII	oparages

401131110	ciion aii	4 1 11111 311 4	pg. uuo.	<u>'</u>
APC	FB	MIP	MSLFB	WLI
•	•	•	•	•

Door O	Door Options										
ALF	CG	CG.BTM	CG.TOP	DPSRR	MD	MD.BTM	MD.TOP				
				•							

ASYMMETRICAL EASY REACH WALL CORNER, 30", 33", 36", 39", or 42" HIGH



Model	Cubic Feet
ER302124 L or R	12.5
ER302421 L or R	12.5
ER332124 L or R	13.3
ER332421 L or R	13.3
ER362124 L or R	14.9
ER362421 L or R	14.9
ER392124 L or R	16.0
ER392421 L or R	16.0
ER422124 L or R	17.2
ER422421 L or R	17.2

- \bullet Hinged door opens to 170°.
- · Adjustable shelves.
- Legs at the front frames are 9" on 21" leg and 12" on 24" leg.
- Nomenclature for asymmetrical cabinets reads as follows:

First set of numbers = height

Second set of numbers = left side

Third set of numbers = right side

- Decorative hardware screws must be countersunk to prevent scratching of adjacent cabinets.
- ER_ _2124L shown.
- Integrated soft-close hinge not included.


Custom Modifications

	•	•			•			•	•		
ADDTK	CBO	CCO	CND	EXBK	ID	INVFRM	P	RD	RECBTM	TD	TVR_V

Constru	ction and	l Finish l	Jpgrades	i
APC	FB	MIP	MSLFB	WLI
•	•	•	•	•

Door O)ptions						
ALF	CG	CG.BTM	CG.TOP	DPSRR	MD	MD.BTM	MD.TOF
				•			

WALL END CABINET SINGLE DOOR, 30", 33", 36", 39", or 42" HIGH, 12" x 12"



WEC1230 L or R	3.7
WEC1233 L or R	4.1
WEC1236 L or R	4.4
WEC1920 L D*	4.7

WEC1239 L or R*	4.7
WEC1242 L or R*	4.9

- Width at wall: 12" x 12".
- Cabinet features two unfinished back panels. Must be installed with one back panel adjacent to a cabinet of equal height with the other back panel attached to the wall.
- *When ordered with MD, shelves will not align with mullions.

Custom Modifications


4031011	. moun	cuitons									
ADDTK	CBO	CCO	CND	EXBK	ID	INVFRM	P	RD	RECBTM	TD	TVR_V
	•	•							•		

Constru	Construction and Finish Upgrades								
APC	FB	MIP	MSLFB	WLI					
			•						

Door O	Door Options										
ALF	CG	CG.BTM	CG.TOP	DPSRR	MD	MD.BTM	MD.TOP				
	•			•	•						

Schrock^a

STACKED WALL END CABINET SINGLE DOOR, 48", 51", 54", 57", or 60" HIGH, 12" x 12"



Model	Cubic Feet
STWEC1248 L or R	5.7
STWEC1251 L or R	6.0
STWEC1254 L or R	6.4
STWEC1257 L or R	6.7
STWEC1260 L or R	7.0

- Width at wall: 12" x 12".
- Cabinet features two unfinished back panels. Must be installed with one back panel adjacent to a cabinet of equal height with the other back panel attached to the wall.
- Lower door aligns with doors on adjacent cabinets with equivalent heights (i.e., lower door on STWEC1248 L/R aligns with a 30" high wall cabinet). Bottom edge of upper door will not align with an adjacent 18" high cabinet. Reveal between upper and lower doors is 1/8".

Cabinet	Upper Door	Lower Door
Height	Height	Height
48"	17 7/8"	29 3/4"
51″	17 7/8"	32 3/4"
54"	17 7/8"	35 3/4"
57"	17 7/8"	38 3/4"
60"	177/8"	41 3/4"


Custom Modifications

ADDTK	CBO	CCO	CND	EXBK	ID	INVFRM	Р	RD	RECBTM	TD	TVR_V
	•	•				•					

Constru	ction an	d Finish l	Jpgrades	i
APC	FB	MIP	MSLFB	WLI
•	STD	•	•	•

	Door U	ptions						
I	ALF	CG	CG.BTM	CG.TOP	DPSRR	MD	MD.BTM	MD.TOP
			•	•	•			

WALL END CABINET DOUBLE DOOR, 30", 33", 36", 39", or 42" HIGH, 12" x 12"



3.7			
4.1			
4.4			
4.7			
4.9			

- Width at wall: 12" x 12".
- Cabinet features two unfinished back panels. Must be installed with one back panel adjacent to a cabinet of equal height with the other back panel attached to the wall.
- Decorative glass inserts are not available.
- Reveal between upper and lower doors is 1/8".


Custom Modifications

ADDTK	CBO	CCO	CND	EXBK	ID	INVFRM	Р	RD	RECBTM	TD	TVR_V
	•	•							•		

CONSTITU	construction and rimsii opgrades								
APC	FB	MIP	MSLFB	WLI					
•		•	•	•					

Door O	ptions						
ALF	CG	CG.BTM	CG.TOP	DPSRR	MD	MD.BTM	MD.TOP
	•			•			

STACKED WALL END CABINET DOUBLE DOOR, 48'', 51'', 54'', 57'', or 60'' HIGH, 12'' x 12''



Model	Cubic Feet
STWEC1248D	5.7
STWEC1251D	6.0
STWEC1254D	6.4
STWEC1257D	6.7
STWEC1260D	7.0

- Width at wall: 12" x 12".
- Cabinet features two unfinished back panels. Must be installed with one back panel adjacent to a cabinet of equal height with the other back panel attached to the wall.
- Decorative glass inserts are not available.
- Lower door aligns with doors on adjacent cabinets with equivalent heights (i.e., lower door on STWEC1248D aligns with a 30" high wall cabinet).
 Bottom edge of upper door will not align with an adjacent 18" high cabinet. Reveal between upper and lower doors is 1/8".

Cabinet Height	Upper Door Height	Lower Door Height
48"	17 7/8"	29 3/4"
51"	17 7/8"	32 3/4"
54"	17 7/8"	35 3/4"
57"	17 7/8"	38 3/4"
60"	17 7/8"	41 3/4"

ADDTK	CBO	CCO	CND	EXBK	ID	INVFRM	Р	RD	RECBTM	TD	TVR_V
	•	•				•					

Construction and Finish Upgrades					
APC	FB	MIP	MSLFB	WLI	
•	STD	•	•	•	


Door Options							
ALF	CG	CG.BTM	CG.TOP	DPSRR	MD	MD.BTM	MD.TOP
		•	•	•			


ALL CABINETS


WALL QUARTER ROUND END SHELF, 30", 33", 36", 39", or 42" HIGH


Radius Top and Bottom Panels
















Square Top and Radius Bottom Panels



Square Top and Bottom Panels



Model	Cubic Feet
WQRES630RT	1.8
WQRES633RT	1.9
WQRES636RT	2.2
WQRES639RT	2.5
WQRES642RT	2.9

- Units are reversible.
- 12" deep x 5" wide, 4" shelf radius.
- Radius moulding is not available for WQRES636RT.
- Veneer on 3/4" furniture board core.
- Matching interior.
- If ordered with Heirlooming Technique, will not feature sand-through characteristics.
- Cabinet features two unfinished back panels. Must be installed with one back panel adjacent to a cabinet of equal height with the other back panel attached to the wall.

WQRES630ST L or R	1.8
WQRES633ST L or R	2.3
WQRES636ST L or R	2.5
WQRES639ST L or R	2.5
WQRES642ST L or R	2.9


- Specify left or right. Only top panel is square. Right shown.
- Veneer on 3/4" furniture board core.
- Matching interior.
- If ordered with Heirlooming Technique, will not feature sand-through characteristics.
- Cabinet features two unfinished back panels. Must be installed with one back panel adjacent to a cabinet of equal height with the other back panel attached to the wall.

WQRES630STSB	1.8
WQRES633STSB	1.9
WQRES636STSB	2.2
WQRES639STSB	2.5
WQRES642STSB	2.9

- Units are reversible.
- Veneer on 3/4" furniture board core.
- Matching interior.
- If ordered with Heirlooming Technique, will not feature sand-through characteristics.
- Cabinet features two unfinished back panels. Must be installed with one back panel adjacent to a cabinet of equal height with the other back panel attached to the wall.


MODIFICATIONS
No modifications available for these products

APC	FB	MIP	MSLFB	WLI
•				




WALL QUARTER ROUND END SHELF, 12" RADIUS, 30", 33", 36", 39", or 42" HIGH

Radius Top and Bottom Panels



Square Top and Radius Bottom Panels



Model	Cubic Feet
WQRES1230RT	3.7
WQRES1233RT	4.0
WQRES1236RT	4.4
WQRES1239RT	4.7
WQRES1242RT	5.1

- Veneer on 3/4" furniture board core.
- · Matching interior.
- If ordered with Heirlooming Technique, will not feature sand-through characteristics.
- Cabinet features two unfinished back panels. Must be installed with one back panel adjacent to a cabinet of equal height with the other back panel attached to the wall.

WQRES1230STRB	3.7
WQRES1233STRB	4.0
WQRES1236STRB	4.4
WQRES1239STRB	4.7
WQRES1242STRB	5.1

- Veneer on 3/4" furniture board core.
- Matching interior.
- If ordered with Heirlooming Technique, will not feature sand-through characteristics.
- Cabinet features two unfinished back panels. Must be installed with one back panel adjacent to a cabinet of equal height with the other back panel attached to the

WQRES1230STSB	3.7
WQRES1233STSB	4.0
WQRES1236STSB	4.4
WQRES1239STSB	4.7
WQRES1242STSB	5.1


- Veneer on 3/4" furniture board core.
- Matching interior
- If ordered with Heirlooming Technique, will not feature sand-through characteristics.
- Cabinet features two unfinished back panels. Must be installed with one back panel adjacent to a cabinet of equal height with the other back panel attached to the wall.


MODIFICATIONS	
No modifications available for	
these products.	


Construction and Finish Upgrades


construction and riman opgradus							
APC	FB	MIP	MSLFB	WLI			
•							


Square Top and Bottom Panels














Schrock^a

WALL TRANSITION CABINET, 30", 33", 36", 39", or 42" HIGH







Model	Cubic Feet
WTC1230RL	6.9
WTC1230LR	6.9
WTC1233RL	7.6
WTC1233LR	7.6
WTC1236RL	8.1
WTC1236LR	8.1
WTC1239RL	8.7
WTC1239LR	8.7
WTC1242RL	9.4
WTC1242LR	9.4

- Door is always hinged on short side.
- Depth can be reduced to a minimum of 18".
- Cabinet width is 13 1/4".


Custom Modifications


ADDTK	CBO	CCO	CND	EXBK	ID	INVFRM	Р	RD	RECBTM	TD	TVR_V
	•	•						•	•		


Constru	ction and	d Finish l	Jpgrades	i
APC	FB	MIP	MSLFB	WLI

Door Options													
	ALF	CG	CG.BTM	CG.TOP	DPSRR	MD	MD.BTM	MD.TOP					
		•			•	•							

STACKED WALL TRANSITION CABINET, 48", 51", 54", 57", or 60" HIGH







STWTC1248RL	5.7
STWTC1248LR	5.7
STWTC1251RL	6.0
STWTC1251LR	6.0
STWTC1254RL	6.4
STWTC1254LR	6.4
STWTC1257RL	6.7
STWTC1257LR	6.7
STWTC1260RL	7.0
STWTC1260LR	7.0

- Door is always hinged on short side.
- Depth can be reduced to a minimum of 18".
- Cabinet width is 13 1/4".
- Lower door aligns with doors on adjacent cabinets with equivalent heights (i.e., lower door on STWTC1248RL aligns with a 30" high wall cabinet). Bottom edge of upper door will not align with an adjacent 18'' high cabinet. Reveal between upper and lower doors is 1/8''.

Cabinet Height	Upper Door Height	Lower Door Height
48"	17 7/8"	29 3/4"
51"	17 7/8"	32 3/4"
54"	17 7/8"	35 3/4"
57"	17 7/8"	38 3/4"
60"	177/8"	41 3/4"

Custom Modifications


ADDTK	CBO	CCO	CND	EXBK	ID	INVFRM	P	RD	RECBTM	TD	TVR_V
	•	•				•		•			

40	******		- FJ	
APC	FB	MIP	MSLFB	WLI
•	STD	•	•	•

ALF	CG	CG.BTM	CG.TOP	DPSRR	MD	MD.BTM	MD.TOP
		•	•	•			

MALL CABINETS

WALL MICROWAVE, 18" or 21" HIGH



Cubic Feet
4.3
4.6
6.9
5.0
5.4
8.0

- Includes one 3/4" shelf with six mounting screws. Microwave shelf extends beyond the front of the cabinet by 6 1/2", and is trimmable.
- Microwave cabinet must be attached to wall stud and adjacent cabinets on both sides for support.
- If ordered with Heirlooming Technique, will not feature sand-through characteristics.
- Matching Interior Plywood (MIP) standard.


Custom Modifications

ADDTK	CBO	CCO	CND	EXBK	ID	INVFRM	Р	RD	RECBTM	TD	TVR_V
	STD			•	•						

Constru	ction an	d Finish l	Jpgrade:	5
APC	FB	MIP	MSLFB	WLI
		STD	•	

Door O	ptions						
ALF	CG	CG.BTM	CG.TOP	DPSRR	MD	MD.BTM	MD.TOP

WALL MICROWAVE DOUBLE DOOR, 36" HIGH



MW2436	5.5
MW2736	6.8
MW3036	10.0


- Includes one 3/4" shelf with six mounting screws. Microwave shelf extends beyond the front of the cabinet by 6 1/2", and is trimmable.
- Microwave cabinet must be attached to wall stud and adjacent cabinets on both sides for support.
- Matching Interior Plywood (MIP) standard.

ADDTK	CBO	CCO	CND	EXBK	ID	INVFRM	P	RD	RECBTM	TD	TVR_V
	•	•		•							

Constru	ction an	d Finish (Jpgrades	5
APC	FB	MIP	MSLFB	WLI
		STD	•	

Door 0	ptions						
ALF	CG	CG.BTM	CG.TOP	DPSRR	MD	MD.BTM	MD.TOP
	•			•			

WALL BUILT-IN MICROWAVE, 18" HIGH, 18", 21", or 24" DEEP



126

A	+
	D B

Appliance Trim Panel Max Cut-out (Shaded)

Model	Cubic Feet
WBMW271818	4.6
WBMW301818	6.9
WBMW331818	8.0
WBMW271821	6.8
WBMW301821	8.2
WBMW331821	9.1
WBMW271824	8.5
WBMW301824	9.4
WBMW331824	10.3

- WBMWs can be used to stack with other cabinets to create custom appliance cabinet designs.
- Microwave cabinet must be attached to wall stud and adjacent cabinets on both sides for support.
- \bullet If ordered with Heirlooming Technique, will not feature sand-through characteristics.
- See page 73 for specifications on appliance cabinet trim panels.
- Nomenclature is listed in order of width, height, then depth (WBMW301821 is 30" wide, 18" high, and 21" deep).

	A	В	C			D	
	Panel	Panel	Cut-out Width		Cut-out Height		
	Width	Height	Min.	Max.	Min.	Max.	
WBMW271818	26 27/32"	17 3/4"	21 3/32"	23 27/32"	6"	16 11/16"	
WBMW301818	29 27/32"	17 3/4"	24 3/32"	26 27/32"	6"	16 11/16"	
WBMW331818	32 27/32"	17 3/4"	27 3/32"	29 27/32"	6"	16 11/16"	
WBMW271821	26 27/32"	17 3/4"	21 3/32"	23 27/32"	6"	16 11/16"	
WBMW301821	29 27/32"	17 3/4"	24 3/32"	26 27/32"	6"	16 11/16"	
WBMW331821	32 27/32"	17 3/4"	27 3/32"	29 27/32"	6"	16 11/16"	
WBMW271824	26 27/32"	17 3/4"	21 3/32"	23 27/32"	6"	16 11/16"	
WBMW301824	29 27/32"	17 3/4"	24 3/32"	26 27/32"	6"	16 11/16"	
WBMW331824	32 27/32"	17 3/4"	27 3/32"	29 27/32"	6"	16 11/16"	

Custom Modifications

ADDTK	CBO	CCO	CND	EXBK	ID	INVFRM	Р	RD	RECBTM	TD	TVR_V
	STD			•	•			•			


Camatamatian and Finish Hammadaa


Constru	ction and	a rinish u	Jpgraae:	•
APC	FB	MIP	MSLFB	WLI
•	•	•	•	•

Door Options

	P						
ALF	CG	CG.BTM	CG.TOP	DPSRR	MD	MD.BTM	MD.TOP

WALL BUILT-IN MICROWAVE, 21" HIGH, 18", 21", or 24" DEEP





Model	Cubic Feet
WBMW272118	5.4
WBMW302118	8.0
WBMW332118	9.2
WBMW272121	8.4
WBMW302121	9.5
WBMW332121	10.6
WBMW272124	9.8
WBMW302124	10.9
WBMW332124	11.9

- WBMWs can be used to stack with other cabinets to create custom appliance cabinet designs.
- Microwave cabinet must be attached to wall stud and adjacent cabinets on both sides for support.
- If ordered with Heirlooming Technique, will not feature sand-through characteristics.
 See page 73 for specifications on appliance cabinet trim panels.
- Nomenclature is listed in order of width, height, then depth (WBMW302121 is 30" wide, 21" high, and 21" deep).

	A	В		C		D
	Panel	Panel	Cut-ou	ıt Width	Cu	t-out Height
	Width	Height	Min.	Max.	Min.	Max.
WBMW272118	26 27/32"	20 3/4"	21 3/32"	23 27/32"	9"	19 11/16"
WBMW302118	29 27/32"	20 3/4"	24 3/32"	26 27/32"	9"	19 11/16"
WBMW332118	32 27/32"	20 3/4"	27 3/32"	29 27/32"	9"	19 11/16"
WBMW272121	26 27/32"	20 3/4"	21 3/32"	23 27/32"	9"	19 11/16"
WBMW302121	29 27/32"	20 3/4"	24 3/32"	26 27/32"	9"	19 11/16"
WBMW332121	32 27/32"	20 3/4"	27 3/32"	29 27/32"	9"	19 11/16"
WBMW272124	26 27/32"	20 3/4"	21 3/32"	23 27/32"	9"	19 11/16"
WBMW302124	29 27/32"	20 3/4"	24 3/32"	26 27/32"	9"	19 11/16"
WBMW332124	32 27/32"	20 3/4"	27 3/32"	29 27/32"	9"	19 11/16"

Custom Modifications

ADDTK	CBO	CCO	CND	EXBK	ID	INVFRM	Р	RD	RECBTM	TD	TVR_V
	STD			•	•			•			


Dear Ontions


Constru	truction and Finish Upgrades			
APC	FB	MIP	MSLFB	WLI


ט וטטע	hiionz						
ALF	CG	CG.BTM	CG.TOP	DPSRR	MD	MD.BTM	MD.TOP


VALL CABINETS

WALL BUILT-IN MICROWAVE DOUBLE DOOR, 36", 39", or 42" HIGH, 18" or 21" DEEP









Model	Cubic Feet
WBMW273618	12.1
WBMW303618	13.3
WBMW333618	15.3
WBMW273621	11.4
WBMW303621	15.8
WBMW333621	17.6
	·
WBMW273918	13.5
WBMW303918	14.9
WBMW333918	16.6
WBMW273921	15.0
WBMW303921	18.4
WBMW333921	19.0
WBMW274218	14.0
WBMW304218	15.5
WBMW334218	17.8
WBMW274221	13.2
WBMW304221	17.1
WBMW334221	20.4

- Microwave cabinet must be attached to wall stud and adjacent cabinets on both sides for support.
- All cabinets have 3" stiles on frames.
- When CG is specified, face frame will be visible through door if used with a translucent art or textured glass design.
- Uses face mount hinges on all styles.
- See page 73 for specifications on appliance cabinet trim panels.
- Nomenclature is listed in order of width, height, then depth (WBMW303621 is 30" wide, 36" high, and 21" deep).

		, , ,				5 /	
	A	В		C		D	
	Panel	Panel	Cut-ou	ıt Width	Cut-o	out Height	Door
	Width	Height	Min.	Max.	Min.	Max.	Height
WBMW273618	26 27/32"	20 7/8"	21 3/32"	23 27/32"	9 1/8"	19 13/16"	14 3/4"
WBMW303618	29 27/32"	20 7/8"	24 3/32"	26 27/32"	9 1/8"	19 13/16"	14 3/4"
WBMW333618	32 27/32"	20 7/8"	27 3/32"	29 27/32"	9 1/8"	19 13/16"	14 3/4"
WBMW273621	26 27/32"	20 7/8"	21 3/32"	23 27/32"	9 1/8"	19 13/16"	14 3/4"
WBMW303621	29 27/32"	20 7/8"	24 3/32"	26 27/32"	9 1/8"	19 13/16"	14 3/4"
WBMW333621	32 27/32"	20 7/8"	27 3/32"	29 27/32"	9 1/8"	19 13/16"	14 3/4"
WBMW273918	26 27/32"	20 7/8"	21 3/32"	23 27/32"	9 1/8"	19 13/16"	17 3/4"
WBMW303918	29 27/32"	20 7/8"	24 3/32"	26 27/32"	9 1/8"	19 13/16"	17 3/4"
WBMW333918	32 27/32"	20 7/8"	27 3/32"	29 27/32"	9 1/8"	19 13/16"	17 3/4"
WBMW273921	26 27/32"	20 7/8"	21 3/32"	23 27/32"	9 1/8"	19 13/16"	17 3/4"
WBMW303921	29 27/32"	20 7/8"	24 3/32"	26 27/32"	9 1/8"	19 13/16"	17 3/4"
WBMW333921	32 27/32"	20 7/8"	27 3/32"	29 27/32"	9 1/8"	19 13/16"	17 3/4"
WBMW274218	26 27/32"	20 7/8"	21 3/32"	23 27/32"	9 1/8"	19 13/16"	20 3/4"
WBMW304218	29 27/32"	20 7/8"	24 3/32"	26 27/32"	9 1/8"	19 13/16"	20 3/4"
WBMW334218	32 27/32"	20 7/8"	27 3/32"	29 27/32"	9 1/8"	19 13/16"	20 3/4"
WBMW274221	26 27/32"	20 7/8"	21 3/32"	23 27/32"	9 1/8"	19 13/16"	20 3/4"
WBMW304221	29 27/32"	20 7/8"	24 3/32"	26 27/32"	9 1/8"	19 13/16"	20 3/4"
WBMW334221	32 27/32"	20 7/8"	27 3/32"	29 27/32"	9 1/8"	19 13/16"	20 3/4"


Custom Modifications

ADDTK	CBO	CCO	CND	EXBK	ID	INVFRM	Р	RD	RECBTM	TD	TVR_V
		•		•	•			•			

APC	FB	MIP	MSLFB	WLI
•	•	•	•	•

Door	Option	Ì
D 00.	o po.	ŀ

ALF	CG	CG.BTM	CG.TOP	DPSRR	MD	MD.BTM	MD.TOP
	•			•			



Model	Cubic Feet
WBCPO330	0.6
WBCPO630	1.3
WBCPO333	1.3
WBCP0633	2.2
WBCPO336	1.4
WBCPO636	2.4
WBCPO339	1.5
WBCPO639	2.6
WBCPO342	1.6
WBCPO642	2.7

- Recommend installation between two cabinets. Can be installed on the end of a run or adjacent to an appliance with a 3/4" thick end panel.
- All styles feature a natural finish full extension wood pull-out with adjustable shelves and chrome rail sides.
- If ordered with Heirlooming Technique, will not feature sand-through characteristics.
- In order to allow proper clearance for opening and closing, allow an additional 1/8" space between adjacent cabinets. The 3" wide pull-outs require 3 1/8" space and the 6" wide pull-outs require 6 1/8" space. Spacers are included with the pull-outs to allow for proper installation.
- For full access from both sides of unit, do not install against a wall or next to deeper appliances and cabinets.

MODIFICATIONS				
No modifications available for				
these products.				


Distressing	Heirlooming
•	


130

MIL CABINETS

WALL BOX COLUMN PULL-OUT, OVERLAY







Model	Cubic Feet
WBCPO3300L	0.6
WBCPO630OL	1.3
WBCPO333OL	1.3
WBCPO633OL	2.2
WBCPO336OL	1.4
WBCPO636OL	2.4
WBCPO3390L	1.5
WBCPO6390L	2.6
WBCPO342OL	1.6
WBCPO642OL	2.7

- Recommend installation between two cabinets. Can be installed on the end of a run or adjacent to an appliance with a 3/4" thick end panel.
- Overlay application includes profiled full overlay filler.
- All styles feature a natural finish full extension wood pull-out with adjustable shelves and chrome rail sides.
- In order to allow proper clearance for opening and closing, allow an additional 1/8" space between adjacent cabinets. The 3" wide pull-outs require 3 1/8" space and the 6" wide pull-outs require 6 1/8" space. Spacers are included with the pull-outs to allow for proper installation.
- For full access from both sides of unit, do not install against a wall or next to deeper appliances and cabinets.


MODIFICATIONS	
No modifications available for these products.	
iliese piodocis.	


Distressing	Heirlooming
•	•


ALL CABINETS


WALL BOX COLUMN PULL-OUT with K-CUP*, PLAIN











Model	Cubic Feet		
WBCPOKCUP330	1.2		
WBCPOKCUP333	1.3		
WBCPOKCUP336	1.4		
WBCPOKCUP339	1.5		
WBCPOKCUP342	1.6		


- Holds 44 K-Cups, compatible with K-Cup pods only.
- Wire K-Cup rack included for easy field installation on either the left or right side (K-Cups are only accessible from one side). All units include adjustable
 shelves with chrome rail sides that can be used for future installation if K-Cup insert is no longer desired. Depending on height of pull-out, shelves can
 be used above or below insert for additional storage:
- 30" & 33" high include 4 shelves, not compatible with insert.
- 36" & 39" high include 5 shelves, one shelf recommended for use with insert.
- 42" high includes 6 shelves, two shelves recommended for use with insert.
- Recommend installation between two cabinets. Can be installed on the end of a run or adjacent to an appliance with a 3/4" thick end panel.
- All styles feature a natural finish full extension wood pull-out.
- In order to allow proper clearance for opening and closing, allow an additional 1/8" space between adjacent cabinets. The 3" wide pull-outs require 3 1/8" space. Spacers are included with the pull-outs to allow for proper installation.
- For full access of upper shelves from both sides of unit, do not install against a wall or next to deeper appliances and cabinets.
- Finger pull routed on bottom edge of wall unit. Hardware optional.
- Pull-out does not have Smart Stop feature.
- *K-Cup is a registered trademark of Keurig Green Mountain, Inc.


MODIFICATIONS			
No modifications available for			
these products.			


Distressing	Heirlooming						
•							


WALL BOX COLUMN PULL-OUT with K-CUP*, OVERLAY











Model	Cubic Feet
WBCPOKCUP330OL	1.2
WBCPOKCUP333OL	1.3
WBCPOKCUP336OL	1.4
WBCPOKCUP3390L	1.5
WBCPOKCUP342OL	1.6

- Holds 44 K-Cups, compatible with K-Cup pods only.
- Wire K-Cup rack included for easy field installation on either the left or right side (K-Cups are only accessible from one side). All units include adjustable
 shelves with chrome rail sides that can be used for future installation if K-Cup insert is no longer desired. Depending on height of pull-out, shelves can
 be used above or below insert for additional storage:

30" & 33" high include 4 shelves, not compatible with insert.

 $36\ensuremath{^{\prime\prime}}\xspace \ensuremath{^{\prime\prime}}\xspace \ensuremath{^{$

42" high includes 6 shelves, two shelves recommended for use with insert.

- Overlay application includes profiled full overlay filler.
- Recommend installation between two cabinets. Can be installed on the end of a run or adjacent to an appliance with a 3/4" thick end panel.
- All styles feature a natural finish full extension wood pull-out.
- In order to allow proper clearance for opening and closing, allow an additional 1/8" space between adjacent cabinets. The 3" wide pull-outs require 3 1/8" space. Spacers are included with the pull-outs to allow for proper installation.
- For full access of upper shelves from both sides of unit, do not install against a wall or next to deeper appliances and cabinets.
- $\bullet\,$ Finger pull routed on bottom edge of wall unit. Hardware optional.
- Pull-out does not have Smart Stop feature.
- *K-Cup is a registered trademark of Keurig Green Mountain, Inc.


MODIFICATIONS

No modifications available for these products.

	1
Distressing	Heirlooming
•	•

WALL SPICE PULL-OUT, 30", 33", 36", 39", or 42" HIGH





Model	Cubic Feet				
WSP930	2.9				
WSP1230	3.7				
WSP933	3.2				
WSP1233	4.1				
	•				
WSP936	3.5				
WSP1236	4.4				
WSP939	3.7				
WSP1239	4.7				
WSP942	4.0				
WSP1242	5.1				


- 30" and 33" high units include a natural finish, full extension wood pull-out with three adjustable shelves, one fixed shelf, and chrome finish rail sides.
- . Wood plugs for top of 30" high pull-out included for field installation.
- 36" to 42" high units include a natural finish, full extension wood pull-out with three adjustable shelves, two fixed shelves, and chrome finish rail sides
- \bullet Wire for top rail on 36" to 42" high pull-out included separately for field installation.
- For full access from both sides of unit, do not install against a wall or next to deeper appliances and cabinets.
- Pull-out does not have Smart Stop feature.

Custom Modifications

ADDTK	CBO	CCO	CND	EXBK	ID	INVFRM	Р	RD	RECBTM	TD	TVR_V
•	•	•		•							

Constru	ction an	d Finish l	Jpgrades	i
APC	FB	MIP	MSLFB	WLI
•	•	•	•	•

Door O	Door Options						
ALF	CG	CG.BTM	CG.TOP	DPSRR	MD	MD.BTM	MD.TOP
				•			



W1815SPD L or R	2.8
W1818SPD L or R	3.2
W1821SPD L or R	3.7
W1824SPD L or R	4.2
W1827SPD L or R	4.7
W1830SPD L or R	5.2
W1833SPD L or R	5.7
W1836SPD L or R	6.2
W1839SPD L or R	6.6
W1842SPD L or R	7.1

- Spice Rack Pull-down dimensions: 8 15/16" high x 14 13/16" wide x 10 5/16" deep.
- Interior dimensions of pull-down trays: 11 3/4" wide x 3" deep.
- Maximum Weight Capacity for Spice Rack Pull-down: 15 lbs.
- When Increased Depth (ID) is ordered, insert will not increase in size.

Custom Modifications

ADDTK	CBO	CCO	CND	EXBK	ID	INVFRM	Р	RD	RECBTM	TD	TVR_V
	•*	•		•	•				•+		

Construction and Finish Upgrades


COIISITO	Construction and rinish opgrades						
APC	FB	MIP	MSLFB	WLI			
•	•	•	•	•			

D	oor	Op	tions	

ALF	CG	CG.BTM	CG.TOP	DPSRR	MD	MD.BTM	MD.TOP
	•			•	•*		

▲Not available on 15", 24", or 27" high

Schrock^a



Model	Cubic Feet
W3624SHLFPD	8.0
W3627SHLFPD	9.3
W3630SHLFPD	10.0
W3633SHLFPD	10.3
W3636SHLFPD	11.8
W3639SHLFPD	11.9
W3642SHLFPD	13.9

- \bullet Shelf Pull-down dimensions: 18 11/64" high x 28 1/4" wide x 8 1/2" deep.
- Interior dimensions of pull-down trays: 28 1/4" wide x 8 1/2" deep.
- Clearance dimensions: 19 3/8" high x 15 3/8" wide.
- 30" to 42" high units will have one adjustable shelf above pull-down unit.
- Maximum Weight Capacity for Shelf Pull-down: 26 lbs.

Custom Modifications


ADDTK	CBO	CCO	CND	EXBK	ID	INVFRM	Р	RD	RECBTM	TD	TVR_V
	•	•		•					•*		

*Not available on 24" or 27" high

Construction and Finish Upgrades

APC	FB	MIP	MSLFB	WLI
•	•	•	•	•

Door O	ptions						
ALF	CG	CG.BTM	CG.TOP	DPSRR	MD	MD.BTM	MD.TOP
	•			•	•		



WSR1830 L or R	5.3
WSR2130 L or R	6.1
WSR1833 L or R	5.9
WSR2133 L or R	6.7
WSR1836 L or R	6.3
WSR2136 L or R	7.2
WSR1839 L or R	6.8
WSR2139 L or R	7.8
WSR1842 L or R	7.3
WSR2142 L or R	8.3

- Shelves are 4 1/2" deep.
- Field installed swing-out has three adjustable and one fixed bottom shelf with chrome finish wire rail sides.
- Dimensions: WSR18 wood insert is 26" high x 13" wide x 6" deep. WSR21 wood insert is 26" high x 16" wide x 6" deep.
- When Increased Depth (ID) is ordered, wood insert will not increase in size.
 Maximum Weight Capacity for Spice Rack Shelves: 15 lbs.

Custom Modifications


ADDTK	CBO	CCO	CND	EXBK	ID	INVFRM	Р	RD	RECBTM	TD	TVR_V
•	•	•		•	•						

construction and riman opgrades								
APC	FB	MIP	MSLFB	WLI				
•	•	•	•	•				

Door	Options

Door Options								
ALF	CG	CG.BTM	CG.TOP	DPSRR	MD	MD.BTM	MD.TOP	

WALL OPEN CABINET with PLAIN BACK, 30", 33", 36", 39", or 42" HIGH



Model	Cubic Feet
WOCP2430	6.7
WOCP3030	8.3
WOCP3630	9.9
WOCP2433	7.4
WOCP3033	9.1
WOCP3633	10.8
WOCP2436	8.0
WOCP3036	9.9
WOCP3636	11.7
WOCP2439	8.6
WOCP3039	10.6
WOCP3639	12.7
WOCP2442	9.3
WOCP3042	11.4
WOCP3642	13.5
- 44 - 1 · 1 · · · DI //44/DV	

- Matching Interior Plywood (MIP) standard.
- If ordered with Heirlooming Technique, will not feature sand-through characteristics.
- To change the top rail valance, specify one of the following modifications: Arch (TVRAV), Furniture (TVRFV), or Straight Valance (TVRVV).

Custom Modifications


ADDTK	CBO	CCO	CND	EXBK	ID	INVFRM	Р	RD	RECBTM	TD	TVR_V
•	STD			•	•		•*	•	•		•

*Available only on 24" wide

Construction and Finish Upgrades								
APC	FB	MIP	MSLFB	WLI				
		STD	•					

Door O	ptions						
ALF	CG	CG.BTM	CG.TOP	DPSRR	MD	MD.BTM	MD.TOP

WALL OPEN CABINET with BEADED BACK, 30", 33", 36", 39", or 42" HIGH



Model	Cubic Feet
WOCB2430	6.9
WOCB3030	8.5
WOCB3630	10.0
WOCB2433	7.4
WOCB3033	9.1
WOCB3633	10.8
WOCB2436	8.0
WOCB3036	9.9
WOCB3636	11.7
	0.4
WOCB2439	8.6
WOCB3039	10.6
WOCB3639	12.7
	T
WOCB2442	9.3
WOCB3042	11.4
WOCB3642	13.5

- Matching Interior Plywood (MIP) standard.
- Beaded back panel is veneer on furniture board core.
- If ordered with Heirlooming Technique, will not feature sand-through characteristics.
- To change the top rail valance, specify one of the following modifications: Arch (TVRAV), Furniture (TVRFV), or Straight Valance (TVRVV).

ADDTK	CBO	CCO	CND	EXBK	ID	INVFRM	P	RD	RECBTM	TD	TVR_V
•	STD			•	•		•*	•	•		•


^{*}Available only on 24" wide


Constru	ction and	l Finish l	Jpgrades	i
APC	FB	MIP	MSLFB	WLI
		STD		


oor (Options	

Door Options							
ALF	CG	CG.BTM	CG.TOP	DPSRR	MD	MD.BTM	MD.TOP

WALL WINE RACK, 15", 18", or 30" HIGH







Model	# of Bottles
WNR3015	11
WNR3315	13
WNR3615	13
WNR3018	11
WNR3318	13
WNR3618	13
WNR1530	11
WNR1830	11
WNR2130	11

Model	Cubic Feet
WNR3015	4.5
WNR3315	4.9
WNR3615	5.4
WNR3018	5.3
WNR3318	5.8
WNR3618	6.3
WNR1530	4.5
WNR1830	5.3
WNR2130	6.1

- Matching Interior Plywood (MIP) standard with solid-wood lattice work.
- · Wine bottle opening 4" x 4".
- If ordered with Heirlooming Technique, will not feature sand-through characteristics.
- Features framed cabinet construction.

Custom Modifications


ADDTK	CBO	CCO	CND	EXBK	ID	INVFRM	Р	RD	RECBTM	TD	TVR_V
•	STD			•							

Constru	ction an	d Finish l	Jpgrades	5
APC	FB	MIP	MSLFB	WLI
		STD		

Door O	Door Options														
ALF	CG	CG.BTM	CG.TOP	DPSRR	MD	MD.BTM	MD.TOP								

WINE STORAGE CABINET, 12", 15", 18", 21", or 24" HIGH

S



Model	# of Bottles
WSC121212	4
WSC151512	10
WSC181812	18
WSC181818	18
WSC212112	24
WSC242412	32

WSC121212	1.6
WSC151512	2.3
WSC181812	3.2
WSC181818	4.3
WSC212112	4.3
WSC242412	5.5

- Matching Interior Plywood (MIP) standard.
- Must be installed between two cabinets, between a cabinet and a wall, or mounted to a horizontal surface.
- "X" shelf configuration cannot be removed.
- If ordered with Heirlooming Technique, will not feature sand-through characteristics.
- Reduced depth not recommended for safe wine bottle storage.
- Features framed cabinet construction.


Custom Modifications


ADDTK	CBO	CCO	CND	EXBK	ID	INVFRM	Р	RD	RECBTM	TD	TVR_V
				•	•*			•			

*ID on 12" deep models available up to 18" deep


Construction and Finish Upgrades												
APC	FB	MIP	MSLFB	WLI								
		STD										


Door 0	Door Options													
ALF	CG	CG.BTM	CG.TOP	DPSRR	MD	MD.BTM	MD.TOP							





138





Model	Cubic Feet
W624 (4 openings)	1.8
W630 (5 openings)	2.2
W636 (6 openings)	2.7
W642 (7 openings)	3.0

- Veneer on 3/4" furniture board core.
- If ordered with Heirlooming Technique, will not feature sand-through characteristics.
- Increased Depth only available in 3" increments.


Custom Modifications


ADDTK	CBO	CCO	CND	EXBK	ID	INVFRM	Р	RD	RECBTM	TD	TVR_V
					•						


Construction and Finish Upgrades						
APC	FB	MIP	MSLFB	WLI		
	STD					

Door O	ptions						
ALF	CG	CG.BTM	CG.TOP	DPSRR	MD	MD.BTM	MD.TOP

WALL ORGANIZER, 24", 30", or 36" WIDE, 6" HIGH







W024	1.8
W030	2.2
W036	2.7

- Veneer on a 3/4" furniture board core.
- If ordered with Heirlooming Technique, will not feature sand-through characteristics.
- Increased Depth only available in 3" increments.


Custom Modifications


ADDTK	CBO	CCO	CND	EXBK	ID	INVFRM	Р	RD	RECBTM	TD	TVR_V
					•						


Constru	ction an	d Finish (Jpgrades	i
APC	FB	MIP	MSLFB	WLI
	STD			


Door C	ptions						
ALF	CG	CG.BTM	CG.TOP	DPSRR	MD	MD.BTM	MD.TOP

WALL SPICE DRAWER, 24", 30", 36", or 42" WIDE, 6" HIGH \top









WSD24 (4 drawers)	1.8
WSD30 (5 drawers)	2.2
WSD36 (6 drawers)	2.7
WSD42 (7 drawers)	3.0

- Drawer front is unique to item and will not match profile chosen.
- All styles use standard drawer front profile except Ainsley, Brantley, Campbell, Denton, Elston, Huxley, Kennedy, Pleasant Hill, Prestley, Seaton, and Whittaker, which use the shaker profile.
- Aspen, Derazi, and Gallio drawer fronts will match doors and drawer fronts.
- Veneer on 3/4" furniture board core.
- 1/2" hardwood drawer with rabbet joint.
- Horizontal application only.
- Increased Depth only available in 3" increments.

Custom Modifications

ADDTK	CBO	CCO	CND	EXBK	ID	INVFRM	Р	RD	RECBTM	TD	TVR_V
					•						

Constru	ction and	d Finish (Jpgrades	i
APC	FB	MIP	MSLFB	WLI
	STD			

Door U	ptions						
ALF	CG	CG.BTM	CG.TOP	DPSRR	MD	MD.BTM	MD.TOP

FLOATING SHELVES




Model	Cubic Feet
FS24	0.7
FS30	0.9
FS36	1.0
FS42	1.2
FS48	1.3
FS54	1.5
FS60	1.6

- Not available in Hickory.
- FS48, FS54, FS60 sizes are available in Maple and Cherry only.
- When ordered in Rustic Alder door styles, will not feature rustic characteristics.
- Maximum Weight Capacity per shelf:
- 24'' = 30 lbs.
- 30'' = 37.5 lbs.36'' = 45 lbs.
- 42" = 52.2 lbs.
- 48'' = 60 lbs. 54'' = 67.5 lbs.
- 60'' = 75 lbs.
- 3/4" thick solid-wood front, back, and ends. 3/8" thick veneered plywood top and bottom. Front and ends are mitered together.

MODIFICATIONS
No modifications available for these products.

TRAY SHELVES



TRAYSHELF2410	0.8
TRAYSHELF3010	0.9
TRAYSHELF3610	1.1
TRAYSHELF4210	1.3
TRAYSHELF4810	1.4
TRAYSHELF5410	1.6
TRAYSHELF6010	1.8

- \bullet When ordered in Rustic Alder door styles, will not feature rustic characteristics.
- Must be securely attached to wall with corbels or other shelf supports. A center support is also recommended on 42"-60" wide applications.
- 1/2'' thick veneered plywood panel.

Custom Modifications

ADDTK	CBO	CCO	CND	EXBK	ID	INVFRM	Р	RD	RECBTM	TD	TVR_V
					•			•			

Construction and Finish Upgrades								
APC	APC FB		MSLFB	WLI				

Door O	ptions						
ALF	CG	CG.BTM	CG.TOP	DPSRR	MD	MD.BTM	MD.TOP

- Model
 Cubic Feet


 WCS2424
 4.7
- Bottom shelf depth is 3".
- Requires 24" x 24" corner wall space.
- Top is open; designed to mount under Easy Reach or Corner Cabinet.
- 3/4" hardwood end panel and shelf with 3/8" plywood back panel.

MODIFICATIONS	
No modifications available for these products.	

Finish Techniques

Distressing	Heirlooming
•	

WALL DECORATIVE SHELF, 10" HIGH



140

WS12	1.4
WS15	1.7
WS18	2.0
WS21	2.3
WS24	2.6
WS30	3.2
W\$36	3.8

- Bottom shelf depth is 3".
- \bullet Top is open; designed to mount under wall cabinet.
- 3/4" hardwood end panel and shelf with 3/8" plywood back panel.

MODIFICATIONS	
No modifications available for	
these products.	

WALL MESSAGE CENTER, 30", 33", 36", 39", or 42" HIGH, 3" DEEP



1.8
1.9
2.2
2.5
2.9

- \bullet Features framed construction with 1/4" reveal on sides and standard 1/16" reveal on top and bottom.
- Includes magnetic whiteboard on back of door, key hooks, pencil holder, and fixed plexi-glass fronted shelves.
- WMC1230, WMC1233 L or R, and WMC1236 have 2 fixed shelves. WMC1239 and WMC1242 have 3 fixed shelves.
- ullet Not recommended for use next to a Peninsula cabinet due to the additional 1/4'' cabinet depth.
- Door will open 90° without decorative hardware.
- Cabinet should be hinged on wall side.
- Embellishments or overlay fillers can be used on side of cabinet to add a decorative touch.

Custom Modifications


COSTONI INCUMICATIONS											
ADDTK	CBO	CCO	CND	EXBK	ID	INVFRM	Р	RD	RECBTM	TD	TVR_V
	•	•									

Construction and Finish Upgrades

APC	FB	MIP	MSLFB	WLI				
•		•		•				

Door O	ptions						
ALF	CG	CG.BTM	CG.TOP	DPSRR	MD	MD.BTM	MD.TOP
				•			

WOOD HOOD ARCH, 36", 42", or 48" WIDE, 24 7/8" HIGH



Model	Cubic Feet
WHA36	14.0
WHA42	16.0
WHA48	18.0


- Freestanding unit (must be properly secured to wall and cannot be attached to adjacent cabinets).
- Exhaust system not included. Compatible with all Schrock blowers.
- Chimney available (WHC..). See page 141.
- Check your local building code for installation heights above the range.
- Silver metallic liner included. Assembly required.
- Arched raised panel valance front.
- Installation instructions and hardware included.
- Liner opening size: 10 1/4" deep by 19 1/2" wide.
- Wood hoods ordered in Rustic Alder will not feature Rustic characteristics.

	MODIFICATIONS
١	lo modifications available for these products.

Finish Techniques

Distressing	Heirlooming
•	•

WOOD HOOD SQUARE, 36", 42", or 48" WIDE, 22 7/8" HIGH



WHS36	13.0
WHS42	14.0
WHS48	16.0


- Wood hoods are designed for use with decorative overlays.
- Freestanding unit (must be properly secured to wall and cannot be attached to adjacent cabinets).
- Exhaust system not included. Compatible with all Schrock blowers.
- Chimney available (WHC..). See page 141.
- Check your local building code for installation heights above the range.
- Silver metallic liner included. Assembly required.
- Installation instructions and hardware included.
- Liner opening size: 10 1/4" deep by 19 1/2" wide.
- Wood hoods ordered in Rustic Alder will not feature Rustic characteristics.

MODIFICATIONS
No modifications available for
these products.

Finish Techniques

Distressing	Heirlooming
•	•

WOOD HOOD CHIMNEY, 23 1/2" HIGH



WHC36	3.0
WHC42	4.0
WHC48	5.0

- 3/4" thick plywood.
- Trimmable.
- If trimmed, moulding is recommended to conceal any cut marks.
- Optional accessory for Wood Hood Square (WHS) and Wood Hood Arch (WHA).
- Wood hoods ordered in Rustic Alder will not feature Rustic characteristics.

MODIFICATIONS	
No modifications available for	
these products.	

Finish Techniques

Distressing	Heirlooming
•	•

142

Model	Cubic Feet
JWHCONSTR30	18.1
JWHCONSTR36	18.1
JWHCONSTR42	18.1


- Freestanding unit (must be properly secured to wall and cannot be attached to adjacent cabinets).
- Exhaust system not included. Compatible with all Schrock blowers.
- Chimney included and can be trimmed. If trimmed, moulding is recommended to cover any cut marks.
- Check your local building code for installation heights above the range.
- · Silver metallic liner included. Assembly required.
- Installation instructions and hardware included.
- Liner opening size: 10 1/4" deep by 19 1/2" wide.
- Wood hoods ordered in Rustic Alder will not feature Rustic characteristics.
- Available in glaze finishes, but wood hood design does not provide detail for glaze hang-up.
- No changes or cancellations will be accepted after 24 hours from acknowledgment of order.

MODIFICATIONS
No modifications available for these products.

Finish Techniques

Distressing	Heirlooming
•	•

WOOD HOOD LINEAR, TAPERED, 30", 36", or 42" WIDE




JWHL30	14.0
JWHL36	16.0
JWHL42	18.0

- Freestanding unit (must be properly secured to wall and cannot be attached to adjacent cabinets).
- Exhaust system not included. Compatible with all Schrock blowers.
- Chimney included and can be trimmed.
- Check your local building code for installation heights above the range.
- Silver metallic liner included. Assembly required.
- Installation instructions and hardware included.
- \bullet Liner opening size: 10 1/4" deep by 19 1/2" wide.
- Wood hoods ordered in Rustic Alder will not feature Rustic characteristics.
- Available in glaze finishes, but wood hood design does not provide detail for glaze hang-up.
 No changes or cancellations will be accepted after 24 hours from acknowledgment of order.

MODIFICATIONS
No modifications available for
these products

WOOD HOOD SHIPLAP, STRAIGHT, 36", 42", or 48" WIDE



JWHSHIPSTR36	22.0
JWHSHIPSTR42	25.2
JWHSHIPSTR48	28.4


- Freestanding unit (must be properly secured to wall and cannot be attached to adjacent cabinets).
- ullet Constructed of 3/4" thick grooved plywood creating a shiplap appearance.
- \bullet Trimmable. If trimmed, moulding is recommended to conceal any cut marks.
- $\bullet\,$ Exhaust system not included. Compatible with all Schrock blowers.
- Check local building code and appliance installation specifications for clearance requirements and installation heights above the range.
- Silver metallic liner included. Assembly required.
- $\bullet \;$ Installation instructions and hardware included.
- Liner opening size: 10 1/4" deep by 19 1/2" wide.
- Wood hoods ordered in Rustic Alder will not feature Rustic characteristics.
- Not available in Hickory.
- No changes or cancellations will be accepted after 24 hours from acknowledgment of order.

MODIFICATIONS	
No modifications available for these products.	

Finish Techniques

Distressing	Heirlooming
•	•

WOOD HOOD SHIPLAP, STRAIGHT with CORBELS, 36", 42", or 48" WIDE



Model	Cubic Feet
JWHSHIPSTRCB36	22.0
JWHSHIPSTRCB42	25.2
JWHSHIPSTRCB48	28.4


- Includes a pair of decorative corbels.
- Freestanding unit (must be properly secured to wall and cannot be attached to adjacent cabinets).
- Constructed of 3/4" thick grooved plywood creating a shiplap appearance.
- Trimmable. If trimmed, moulding is recommended to conceal any cut marks.
- Exhaust system not included. Compatible with all Schrock blowers.
- Check local building code and appliance installation specifications for clearance requirements (including corbels) and installation heights above the
 range.
- Silver metallic liner included. Assembly required.
- Installation instructions and hardware included.
- Liner opening size: 10 1/4" deep by 19 1/2" wide.
- Wood hoods ordered in Rustic Alder will not feature Rustic characteristics.
- Not available in Hickory.
- No changes or cancellations will be accepted after 24 hours from acknowledgment of order.

MODIFICATIONS	
No modifications available for these products.	

Finish Techniques

Distressing	Heirlooming
•	•

WOOD HOOD SHIPLAP, TAPERED, 30", 36", 42", or 48" WIDE




JWHSHIPT30	22.0
JWHSHIPT36	22.0
JWHSHIPT42	25.2
JWHSHIPT48	28.4

- Freestanding unit (must be properly secured to wall and cannot be attached to adjacent cabinets).
- Constructed of 3/4" thick grooved plywood creating a shiplap appearance.
- Exhaust system not included. Compatible with all Schrock blowers.
- Compatible with Shiplap Chimney (JWHSHIPCH__), which can be trimmed. See below.
- Check local building code and appliance installation specifications for clearance requirements and installation heights above the range.
- Silver metallic liner included. Assembly required.
- Installation instructions and hardware included.
- $\bullet\,$ Liner opening size: 10 1/4" deep by 19 1/2" wide.
- Wood hoods ordered in Rustic Alder will not feature Rustic characteristics.
- $\bullet \ \ \text{Not available in Hickory}.$
- No changes or cancellations will be accepted after 24 hours from acknowledgment of order.

MODIFICATIONS	
No modifications available for these products.	

Finish Techniques

Distressing	Heirlooming
•	•



144

Model	Cubic Feet
JWHSHIPTCB36	22.0
JWHSHIPTCB42	25.2
JWHSHIPTCB48	28.4


- Includes a pair of decorative corbels.
- Freestanding unit (must be properly secured to wall and cannot be attached to adjacent cabinets).
- Constructed of 3/4" thick grooved plywood creating a shiplap appearance.
- Exhaust system not included. Compatible with all Schrock blowers.
- Compatible with Shiplap Chimney (JWHSHIPCH__), which can be trimmed. See below.
- Check local building code and appliance installation specifications for clearance requirements (including corbels) and installation heights above the
 range.
- Silver metallic liner included. Assembly required.
- Installation instructions and hardware included.
- Liner opening size: 10 1/4" deep by 19 1/2" wide.
- Wood hoods ordered in Rustic Alder will not feature Rustic characteristics.
- Not available in Hickory.
- No changes or cancellations will be accepted after 24 hours from acknowledgment of order.

MODIFICATIONS	
No modifications available for these products.	

Finish Techniques

[Distressing	Heirlooming
	•	•

WOOD HOOD SHIPLAP CHIMNEY, 30", 36", 42", or 48" WIDE



JWHSHIPCH30	2.8
JWHSHIPCH36	2.8
JWHSHIPCH42	3.8
JWHSHIPCH48	4.7


- \bullet Constructed of 3/4" thick grooved plywood creating a shiplap appearance.
- Trimmable. If trimmed, moulding is recommended to conceal any cut marks.
- Optional accessory for Wood Hood Shiplap Tapered (JWHSHIPT_ and JWHSHIPTCB_) for an installed height of 54".
- Wood hoods ordered in Rustic Alder will not feature Rustic characteristics.
- Not available in Hickory.
- No changes or cancellations will be accepted after 24 hours from acknowledgment of order.

MODIFICATIONS	
No modifications available for these products.	
mese products.	

Finish Techniques

Distressing	Heirlooming
•	•

WOOD HOOD CANOPY ARCHED, 30" or 36" WIDE, 24" HIGH



WHCA30	4.7
WHCA36	5.6


- Features framed construction with 1/4" reveal on sides and standard 1/8" reveal on top, and 1 1/8" reveal on bottom. Door height is 14 3/4".
- Install Wood Hoods between adjacent cabinets.
- Doors matching the style ordered will be installed on hood.
- $\bullet\,$ Exhaust system not included. Compatible with all Schrock blowers.
- Check your local building code for installation heights above the range.
- $\bullet \ \ \text{Silver metallic liner included. Assembly required. Interior bottom section is finished below liner. Liner is not arched. } \\$
- Installation instructions and hardware included.
- Liner opening size: 10 1/4" deep by 19 1/2" wide.
- When ordered in Rustic Alder, only the doors will have Rustic characteristics.
- Arched raised panel valance front.

MODIFICATIONS	
No modifications available for	
these products.	

Finish Techniques

Distressing	Heirlooming
•	•

WOOD HOOD CANOPY ARCHED, 30" or 36" WIDE, 30" HIGH



Model	Cubic Feet
JWHCA3030	8.9
JWHCA3630	10.6


- Features framed construction with 1/4" reveal on sides and standard 1/8" reveal on top, and 1 1/8" reveal on bottom. Door height is 20 3/4".
- Install Wood Hoods between adjacent cabinets.
- Doors matching the style ordered will be installed on hood.
- Exhaust system not included. Compatible with all Schrock blowers.
- Check your local building code for installation heights above the range.
- Silver metallic liner included. Assembly required. Interior bottom section is finished below liner. Liner is not arched.
- Installation instructions and hardware included.
- Liner opening size: 10 1/4" deep by 19 1/2" wide.
- When ordered in Rustic Alder, only the doors will have Rustic characteristics.
- Filter is not required unless using a ductless conversion kit. If ductless conversion kit required, see CONVERSION on page 148.
- Designed for use with FILTER250/390, see page 148.
- Arched raised panel valance front.
- · No changes or cancellations will be accepted after 24 hours from acknowledgment of order.

MODIFICATIONS
No modifications available for
these products.

Finish Techniques

Distressing	Heirlooming
•	•

WOOD HOOD CANOPY SQUARE, 30" or 36" WIDE, 24" HIGH



WHCS30	4.7
WHCS36	5.6


- Features framed construction with 1/4'' reveal on sides and standard 1/8'' reveal on top, and 11/8'' reveal on bottom. Door height is 143/4''.
- Install Wood Hoods between adjacent cabinets.
- Doors matching the style ordered will be installed on hood.
- Exhaust system not included. Compatible with all Schrock blowers.
- Check your local building code for installation heights above the range.
- Silver metallic liner included. Assembly required. Interior bottom section is finished below liner.
- Installation instructions and hardware included.
- Liner opening size: 10 1/4" deep by 19 1/2" wide.
- When ordered in Rustic Alder, only the doors will have Rustic characteristics.

MODIFICATIONS
No modifications available for
these products.

Finish Techniques

Distressing	Heirlooming
•	•

WOOD HOOD CANOPY SQUARE, 30" or 36" WIDE, 30" HIGH



JWHCS3030	8.9
JWHCS3630	10.6

- Features framed construction with 1/4" reveal on sides and standard 1/8" reveal on top, and 11/8" reveal on bottom. Door height is 203/4".
- Install Wood Hoods between adjacent cabinets.
- · Doors matching the style ordered will be installed on hood.
- Exhaust system not included. Compatible with all Schrock blowers.
- Check your local building code for installation heights above the range.
- Silver metallic liner included. Assembly required. Interior bottom section is finished below liner.
- Installation instructions and hardware included.
- Liner opening size: 10 1/4" deep by 19 1/2" wide.
- When ordered in Rustic Alder, only the doors will have Rustic characteristics.
- Filter is not required unless using a ductless conversion kit. If ductless conversion kit required, see CONVERSION on page 148.
- Designed for use with FILTER250/390, see page 148.
- No changes or cancellations will be accepted after 24 hours from acknowledgment of order.


MODIFICATIONS	
No modifications available for	
these products.	

Finish Techniques

Distressing	Heirlooming
•	•

WOOD HOOD ISLAND ARCH, 36", 42", or 48" WIDE

146



Model	Cubic Feet
JWHIA36	19.0
JWHIA42	22.0
JWHIA48	25.0

- Check your local building codes for installation heights above the range.
- Exhaust system not included. Compatible with all Schrock blowers.
- Liner opening size: 10 1/4" D x 19 1/2" W.
- Wood hoods ordered in Rustic Alder will not feature rustic characteristics.
- Silver metallic liner included, assembly required.
- Installation kit, instructions and hardware included. Kit includes: ceiling mounting board assembly, spacers, outside corner mouldings, top trim
 mouldings, front, back, and end panels.
- No changes or cancellations will be accepted after 24 hours from acknowledgment of order.


MODIFICATIONS

No modifications available for these products.

Finish Techniques

Distressing	Heirlooming
•	•

WOOD HOOD ISLAND SQUARE, 36", 42", or 48" WIDE



JWHIS36	19.0
JWHIS42	22.0
JWHIS48	25.0


- Check your local building codes for installation heights above the range.
- Exhaust system not included. Compatible with all Schrock blowers.
- Liner opening size: 10 1/4" D x 19 1/2" W.
- · Wood hoods ordered in Rustic Alder will not feature rustic characteristics.
- Silver metallic liner included, assembly required.
- Installation kit, instructions and hardware included. Kit includes: ceiling mounting board assembly, spacers, outside corner mouldings, top trim
 mouldings, front, back, and end panels.
- No changes or cancellations will be accepted after 24 hours from acknowledgment of order.

MODIFICATIONS	
No modifications available for these products.	

Finish Techniques

Distressing	Heirlooming
•	•

TAPERED WOOD HOOD, 30" or 36" WIDE, 24" HIGH



TWH30	6.9
TWH36FW	8.6

- Features framed construction.
- · Wood hoods are designed for use with decorative overlays.
- Install Wood Hood between adjacent cabinets.
- $\bullet\,$ Exhaust system not included. Compatible with all Schrock blowers.
- Check your local building code for installation heights above the range.
- Tapered design.
- \bullet Liner opening size: 10 1/4" deep x 19 1/2" wide.
- $\bullet\,$ Silver metallic liner included, not available for order separately.
- Wood hoods ordered in Rustic Alder will not feature Rustic characteristics.


MODIFICATIONS

No modifications available for these products.

Finish Techniques

Distressing	Heirlooming
•	

WOOD HOOD BLOWED 1100 CFM




	Model	Cubic Feet
<u>-</u>	BLOWER 1100	10.7

- 1100 CFM.
 - One year warranty.
 - · Ventilator housing unit features stainless steel finish.
 - Two 50 watt (120 volt) halogen lamps included.
 - Satellite blower installs remotely in the interior of the home (i.e., unfinished attic area.)
 - Designed to work independently from internal blowers.
 - Installation instructions, warranty, and repair information included.
 - · External ventilation required.
 - Professional installation required.
 - Compatible with all Wood Hoods and Hearths.
 - Includes two in-line transitions (8" x 12" to 10" round).
 - Includes two removable dishwasher safe grease filters.
 - Designed for use in applications up to 110,000 BTUs.

MODIFICATIONS

No modifications available for these products.

WOOD HOOD BLOWER, 500 CFM





BLOWER500


4.0

- 500 CFM.
- One year warranty.
- Sound rating is 8.2 sones.
- Two 20 watt (12 volt, G4 base) halogen lamps included.
- Installation instructions, warranty, and repair information included.
- · Silver metallic finish.
- · Three speed push button control.
- Includes two removable dishwasher safe grease filters.
- · Compatible with all Wood Hoods and Hearths.
- Designed for use in applications up to 60,000 BTUs.

MODIFICATIONS

No modifications available for these products.

TAPERED WOOD HOOD BLOWER





TWHBLOWER390

2.1

- Range Hood Component Package has 3-speed centrifugal fan and lighted filter control.
- 6" diameter vent.
- 1 year warranty.
- Sound rating is 6 sones.
- Uses 3.2 amps.
- Two 40 watt candelabra lights required, but not included.
- Compatible with all Wood Hoods and Hearths.
- Silver metallic exterior finish.
- Includes removable dishwasher safe grease filter.

TWHBLOWER250

2 1

- Range Hood Component Package has 2-speed single axial fan with lighted filter control.
- 7" diameter vent.
- 1 year warranty.
- Sound rating is 8 sones.
- Uses 2.1 amps.
- Two 40 watt candelabra lights required, but not included.
- Compatible with all Wood Hoods and Hearths.
- Silver metallic exterior finish.
- Includes removable dishwasher safe grease filter.

MODIFICATIONS

No modifications available for these products.

WOOD HOOD DUCTLESS CONVERSION KIT AND FILTER KITS




Model	Cubic Feet
CONVERSION	2.0
FILTER250/390	0.5
FILTER500	0.5



- Must order charcoal filter with CONVERSION kit for proper filtration to replace metal mesh filters included with blower unit.
 FILTER250/390 required when CONVERSION is used with TWHBLOWER250/TWHBLOWER390.
- FILTER500 required when CONVERSION is used with BLOWER500.
- CONVERSION includes: (1) $21'' \times 7''$ round pipe, (1) adjustable collar, (1) white metal soffit grille (11 $3/8'' \times 3 5/8''$), (1) adjustable boot, (1) $7'' \times 6''$ reducer, and installation instructions.

MODIFICATIONS	
No modifications available for these products.	


HEARTH, 48" HIGH, 21" DEEP



• Recommended clearance of 7"-12" on each side of gas burner to combustible surface, 3"-6" from non-combustible surfaces including the backsplash surface and 30" from the vent. Reference local codes before installation.

			Hearth Width								
		48″	54"	60″	66"	72″	78″				
	Pier (left)	HP94821L or	HP94821L or	HP94821L or	HP94821L or	HP94821L or	HP94821L or				
	rier (ieii)	HPP94821	HPP94821	HPP94821	HPP94821	HPP94821	HPP94821				
	Pier (right)	HP94821R or	HP94821R or	HP94821R or	HP94821R or	HP94821R or	HP94821R or				
		HPP94821	HPP94821	HPP94821	HPP94821	HPP94821	HPP94821				
High	Mantel	HM306	HM366	HM426	HM486	HM546	HM606				
	Valance	JRPV30 or JRCPV30	JRPV36 or JRCPV36	JRPV42 or JRCPV42	JRPV48 or JRCPV48	JRPV54 or JRCPV54	JRPV60 or JRCPV60				
48	Corbel (2 Qty)	CORBELMIS9 or	CORBELMIS9 or	CORBELMIS9 or	CORBELMIS9 or	CORBELMIS9 or	CORBELMIS9 or				
	Corner (2 Gry)	CORBELSCR9	CORBELSCR9	CORBELSCR9	CORBELSCR9	CORBELSCR9	CORBELSCR9				
	Shelf	HS48	HS54	HS60	HS66	HS72	HS78				
	Hood Liner	HL30	HL36	HL42	HL48	HL54	HL60				
	Blower	All blowers are compatible									


HEARTH, 51" HIGH, 21" DEEP



• Recommended clearance of 7"-12" on each side of gas burner to combustible surface, 3"-6" from non-combustible surfaces including the backsplash surface and 30" from the vent. Reference local codes before installationSide View

				Hearth	Width				
		48″	54"	60″	66"	72″	78″		
	Pier (left)	HP95121L or	HP95121L or	HP95121L or	HP95121L or	HP95121L or	HP95121L or		
	riei (ieii)	HPP95121	HPP95121	HPP95121	HPP95121	HPP95121	HPP95121		
	Pier (right)	HP95121R or	HP95121R or	HP95121R or	HP95121R or	HP95121R or	HP95121R or		
		HPP95121	HPP95121	HPP95121 HPP95121		HPP95121	HPP95121		
High	Mantel HM309		HM369	HM429	HM489	HM549	HM609		
=	Valance	JRPV30 or JRCPV30	JRPV36 or JRCPV36	JRPV42 or JRCPV42	JRPV48 or JRCPV48	JRPV54 or JRCPV54	JRPV60 or JRCPV60		
51	Corbel (2 Qty)	CORBELMIS9 or	CORBELMIS9 or	CORBELMIS9 or	CORBELMIS9 or	CORBELMIS9 or	CORBELMIS9 or		
	Corner (2 Gry)	CORBELSCR9	CORBELSCR9	CORBELSCR9	CORBELSCR9	CORBELSCR9	CORBELSCR9		
	Shelf	HS48	HS48 HS54		HS66	HS72	HS78		
	Hood Liner	HL30	HL36	HL42	HL48	HL54	HL60		
	Blower	All blowers are compatible							


HEARTH, 54" HIGH, 21" DEEP



• Recommended clearance of 7"-12" on each side of gas burner to combustible surface, 3"-6" from non-combustible surfaces including the backsplash surface and 30" from the vent. Reference local codes before installation. 21"—

			Hearth Width								
		48″	54"	60″	66"	72″	78″				
	Diag (laft)	HP95421L or									
	Pier (left)	HPP95421	HPP95421	HPP95421	HPP95421	HPP95421	HPP95421				
	Pier (right)	HP95421R or									
		HPP95421	HPP95421	HPP95421 HPP95421		HPP95421	HPP95421				
High	Mantel	HM3012	HM3612	HM4212	HM4812	HM5412	HM6012				
	Valance	JRPV30 or JRCPV30	JRPV36 or JRCPV36	JRPV42 or JRCPV42	JRPV48 or JRCPV48	JRPV54 or JRCPV54	JRPV60 or JRCPV60				
54″	Corbel (2 Qty)	CORBELMIS9 or									
	Corbei (2 Qiy)	CORBELSCR9	CORBELSCR9	CORBELSCR9	CORBELSCR9	CORBELSCR9	CORBELSCR9				
	Shelf	HS48	HS54	HS60	HS66	HS72	HS78				
	Hood Liner	HL30	HL36	HL42	HL48	HL54	HL60				
	Blower			All blowers a	re compatible						


HEARTH, 57" HIGH, 21" DEEP



• Recommended clearance of 7"-12" on each side of gas burner to combustible surface, 3"-6" from non-combustible surfaces including the backsplash surface and 30" from the vent. Reference local codes before installation.

				Hearth	Width					
		48″	54"	60″	66"	72″	78″			
	Pier (left)	HP95721L or	HP95721L or	HP95721L or	HP95721L or	HP95721L or	HP95721L or			
	rier (ieii)	HPP95721	HPP95721	HPP95721	HPP95721	HPP95721	HPP95721			
	Pier (right)	HP95721R or	HP95721R or	HP95721R or	HP95721R or	HP95721R or	HP95721R or			
		HPP95721	HPP95721	HPP95721	HPP95721	HPP95721	HPP95721			
High	Mantel	HM3015	HM3615	HM4215	HM4815	HM5415	HM6015			
-	Valance	JRPV30 or JRCPV30	JRPV36 or JRCPV36	JRPV42 or JRCPV42	JRPV48 or JRCPV48	JRPV54 or JRCPV54	JRPV60 or JRCPV60			
57	Corbel (2 Qty)	CORBELMIS9 or	CORBELMIS9 or	CORBELMIS9 or	CORBELMIS9 or	CORBELMIS9 or	CORBELMIS9 or			
	Corner (2 Gry)	CORBELSCR9	CORBELSCR9	CORBELSCR9	CORBELSCR9	CORBELSCR9	CORBELSCR9			
	Shelf	HS48	HS54	HS60	HS66	HS72	HS78			
	Hood Liner	HL30	HL36	HL42	HL48	HL54	HL60			
	Blower	All blowers are compatible								


HEARTH, 60" HIGH, 21" DEEP



• Recommended clearance of 7"-12" on each side of gas burner to combustible surface, 3"-6" from non-combustible surfaces including the backsplash surface and 30" from the vent. Reference local codes before installation.

			Hearth Width								
		48″	54"	60" 66"		72″	78″				
	Pier (left)	HP96021L or	HP96021L or	HP96021L or	HP96021L or	HP96021L or	HP96021L or				
	rier (ieii)	HPP96021	HPP96021	HPP96021	HPP96021	HPP96021	HPP96021				
	Pier (right)	HP96021R or	HP96021R or	HP96021R or	HP96021R or	HP96021R or	HP96021R or				
		HPP96021	HPP96021	HPP96021	HPP96021	HPP96021	HPP96021				
High	Mantel	HM3018	HM3618	HM4218	HM4818	HM5418	HM6018				
	Valance	JRPV30 or JRCPV30	JRPV36 or JRCPV36	JRPV42 or JRCPV42	JRPV48 or JRCPV48	JRPV54 or JRCPV54	JRPV60 or JRCPV60				
, 09	Corbel (2 Qty)	CORBELMIS9 or	CORBELMIS9 or	CORBELMIS9 or	CORBELMIS9 or	CORBELMIS9 or	CORBELMIS9 or				
	Corber (2 Gry)	CORBELSCR9	CORBELSCR9	CORBELSCR9	CORBELSCR9	CORBELSCR9	CORBELSCR9				
	Shelf	HS48	HS54	HS60	HS66	HS72	HS78				
	Hood Liner	HL30	0 HL36 HL42		HL48	HL54	HL60				
	Blower	All blowers are compatible									

HEARTH (FLOATING), 36" HIGH, 21" DEEP




• Cabinets must be fully supported by screws in a structural member in the ceiling or soffit, and into adjacent cabinets.

		Hearth Width								
		48"	54"	60″	66"	72″	78″			
	Pier (left)	HP93621	HP93621	HP93621	HP93621	HP93621	HP93621			
	Pier (right)	HP93621	HP93621	HP93621	HP93621	HP93621	HP93621			
	Mantel	HM3023.5	HM3623.5	HM4223.5	HM4823.5	HM5423.5	HM6023.5			
High	Valance	JRPV30 or JRCPV30	JRPV36 or JRCPV36	JRPV42 or JRCPV42	JRPV48 or JRCPV48	JRPV54 or JRCPV54	JRPV60 or JRCPV60			
	Corbel (2 Qty)	CORBELMIS9 or	CORBELMIS9 or	CORBELMIS9 or	CORBELMIS9 or	CORBELMIS9 or	CORBELMIS9 or			
36″	Cordei (2 Qiy)	CORBELSCR9	CORBELSCR9	CORBELSCR9	CORBELSCR9	CORBELSCR9	CORBELSCR9			
	Shelf	HS48	HS54	HS60	HS66	HS72	HS78			
	Hood Liner	HL30	HL36	HL42	HL48	HL54	HL60			
	Blower	All blowers are compatible								

	Model	Cubic Feet
IED O" WIDE 34" HICH	HP93621	5.7

HEARTH PIER, 9" WIDE, 36" HIGH



- Designed for use with a floating hearth application.
- Not available in Hickory door styles.
- Recommended for use with 24" high Mantel and 9" high Corbels.
- Front panel material varies by door style:

All Styles except Aspen High Gloss, Derazi, and Gallio: Panel is matching finished veneer edgebanded plywood (horizontal grain).
Aspen High Gloss: Panel is door matching high gloss, does not use plywood.

Derazi: Panel is door matching (horizontal grain), does not use plywood.

Gallio: Panel is door matching (vertical grain), does not use plywood.

Custom Modifications

ADDTK	CBO	CCO	CND	EXBK	ID	INVFRM	Р	RD	RECBTM	TD	TVR_V
	STD			•	•			•			


Construction and Finish Upgrades										
APC FB		MIP	MSLFB WL							
		STD								

Door U	Door Options											
ALF	CG	CG.BTM	CG.TOP	DPSRR	MD	MD.BTM	MD.TOP					

HEARTH PIER, 9" WIDE, 21" DEEP, 48", 51", 54", 57", or 60" HIGH

60"

57"



HP94821 L or R	7.7
HP95121 L or R	7.8
HP95421 L or R	8.6
HP95721 L or R	8.7
	•
HP96021 L or R	9.5

- Not available in Hickory door styles.
- Recommended for use with hearth mantels and 9" high corbels, see pages 149-152 for mantel height recommendation.
- Front panel material varies by door style:

All Styles except Aspen High Gloss, Derazi, and Gallio: Panel is matching finished veneer edgebanded plywood (horizontal grain).

Aspen High Gloss: Panel is door matching high gloss, does not use plywood.

Derazi: Panel is door matching (horizontal grain), does not use plywood.

Gallio: Panel is door matching (vertical grain), does not use plywood.


Custom Modifications

4031011	· moun	camons									
ADDTK	CBO	CCO	CND	EXBK	ID	INVFRM	P	RD	RECBTM	TD	TVR_V
	•	•		•	•			•			

Construction and Finish Upgrades

APC	FB	MIP	MSLFB	WLI						
STD	STD	•		•						

Door U	ptions						
ALF	CG	CG.BTM	CG.TOP	DPSRR	MD	MD.BTM	MD.TOP
				•			



Model	Cubic Feet
HPP94821	7.7
HPP95121	7.7
111173121	1.1
HPP95421	7.7
	0.7
HPP95721	8.7
HPP96021	8.6

- Not available in Hickory door styles.
- Includes a natural finish full extension wood pull-out with adjustable shelves and chrome rail sides.
- For full access from both sides of unit, do not install against a wall or next to deeper appliances and cabinets.
- Recommended for use with hearth mantels and 9" high corbels, see pages 149-152 for mantel height recommendation.
- Front panel material varies by door style:

All Styles except Aspen High Gloss, Derazi, and Gallio: Panel is matching finished veneer edgebanded plywood (horizontal grain). Aspen High Gloss: Panel is door matching high gloss, does not use plywood.

Derazi: Panel is door matching (horizontal grain), does not use plywood. Gallio: Panel is door matching (vertical grain), does not use plywood.

Custom Modifications


ADDTK	CBO	CCO	CND	EXBK	ID	INVFRM	Р	RD	RECBTM	TD	TVR_V
	•	•		•	•						

Construction and Finish Upgrades

APC	FB	MIP	MSLFB	WLI
STD	STD	•		•

Door U	ptions						
ALF	CG	CG.BTM	CG.TOP	DPSRR	MD	MD.BTM	MD.TOP
				•			

HEARTH MANTEL, 6" or 9" HIGH





Model	Cubic Feet
HM306	2.7
HM366	2.7
HM426	2.7
HM486	2.7
HM546	2.7
HM606	2.7
HM309	5.1
HM369	5.1
HM429	5.1
HM489	5.1
HM549	5.1
HM609	5.1


- Recommended for use with 48" or 51" high Hearth Piers and same width Raised or Recessed Panel Arched Valance (see page 149).
- Not available in Hickory door styles.

MODIFICATIO	NS
No modifications avai	

Finish Techniques

Distressing	Heirlooming
•	•

HEARTH MANTEL, 12" HIGH



HM3012	7.5
HM3612	7.5
HM4212	7.5
HM4812	7.5
HM5412	7.5
HM6012	7.5

- Recommended for use with 54" high Hearth Piers and same width Raised or Recessed Panel Arched Valance (see page 150).
- Not available in Hickory door styles.
- Doors for Hearth Mantel are included. Field installation required for attachment of outer doors to Hearth Piers.
- ullet Hearth Mantels use full access door heights on a face frame and have a 1/4" side reveal.

MODIFICATIONS	
No modifications available for	
these products.	


Door Options

ALF	CG	CG.BTM	CG.TOP	DPSRR	MD	MD.BTM	MD.TOP
				•			

Finish Techniques

Distressing	Heirlooming
•	•

HEARTH MANTEL, 15" HIGH



Cubic Feet		
2.0		
2.3		
2.7		
3.1		
3.4		
3.8		

- Recommended for use with 57" high Hearth Piers and same width Raised or Recessed Panel Arched Valance (see page 151).
- Not available in Hickory door styles.
- Doors for Hearth Mantel are included. Field installation required for attachment of outer doors to Hearth Piers.
- ullet Hearth Mantels use full access door heights on a face frame and have a 1/4'' side reveal.

MODIFICATIONS	
No modifications available for these products.	


Door Options

D00: 0	hiioiia						
ALF	CG	CG.BTM	CG.TOP	DPSRR	MD	MD.BTM	MD.TOP
				•			

Finish Techniques

Distressing	Heirlooming
•	•

HEARTH MANTEL, 18" HIGH



HM3018	7.5
HM3618	7.5
HM4218	7.5
HM4818	7.5
HM5418	7.5
HM6018	7.5

- Recommended for use with 60" high Hearth Piers and same width Raised or Recessed Panel Arched Valance (see page 152).
- Not available in Hickory door styles.
- Doors for Hearth Mantel are included. Field installation required for attachment of outer doors to Hearth Piers.
- \bullet Hearth Mantels use full access door heights on a face frame and have a 1/4" side reveal.

MODIFICATIONS
No modifications available for
these products.


Door Options

ALF	CG	CG.BTM	CG.TOP	DPSRR	MD	MD.BTM	MD.TOP
				•			

Finish Techniques

Distressing	Heirlooming
•	•

HEARTH MANTEL, 23 1/2" HIGH



HM3023.5	1.3
HM3623.5	1.6
HM4223.5	1.8
HM4823.5	2.1
HM5423.5	2.3
HM6023.5	2.6

- Recommended for use with 36" high Hearth Piers and same width Raised or Recessed Panel Arched Valance (see page 152).
- Not available in Hickory door styles.
- Doors for Hearth Mantel are included. Field installation required for attachment of outer doors to Hearth Piers.
- \bullet Hearth Mantels use full access door heights on a face frame and have a 1/4" side reveal.

MODIFICATIONS
No modifications available for
these products.

Door Options

ALF	CG	CG.BTM	CG.TOP	DPSRR	MD	MD.BTM	MD.TOP
				•			

Finish Techniques

I IIII JII TECIII	iidaea
Distressing	Heirlooming
•	•

HEARTH SHELF, 4 1/2" DEEP






Model	Cubic Feet
HS48	2.7
HS54	2.7
HS60	2.7
HS66	2.7
HS72	2.7
HS78	2.7
	•

- Shelves will install on top of corbels and will slightly overlay the Raised or Recessed Panel Arched Valance.
- Shelf width should match the overall hearth width (pier width + Mantel/valance width).
- \bullet Actual shelf width is 1/2" shorter than the dimension in the product code.
- Shelf finished on one long edge, two short edges, top, and bottom.
- Not available in Hickory.
- If ordered with Heirlooming Technique, will not feature sand-through characteristics.

MODIFICATIONS	
No modifications available for these products.	

HEARTH LINER



HL30	3.5
HL36	4.1
HL42	4.7
HL48	5.4
HL54	6.0
HL60	6.6

- Liner is metallic silver.
- Compatible with all blowers.
- Mounts to wall and adjoining cabinets.
- Recommended for use with Raised or Recessed Panel Arched Valance.

MODIFICATIONS
No modifications available for
these products.

158

Schrock^{*}

BASE CABINET NOMENCLATURE

All Base Cabinets are 34 1/2" high and 24" deep unless otherwise noted.



TOEKICKS

Base Cabinets are shipped with an unfinished toekick. Finished toekicks in matching wood veneer or laminate must be ordered separately and field installed.

MODIFICATIONS GRID KEY

Available

STD Standard on these cabinets



Smart Solutions™ Organization Cabinet




5 Day Express Response Item

			CUSTOM MODIFICATIONS		
Mod.	Description	Mod.	Description	Mod.	Description
CBO	Cabinet Box Only	DRWTK	Toekick Drawer	PTOWB	Push to Open Wastebasket
CCO	Cabinet Case Only	EXBK	End Extended Back	RD	Reduced Depth
CFP	Cabinet False Panel	FD	Full Depth Shelf	RECTK	Recessed Toekick
CMAT	CabMat™	FTK	Flush Toekick	RT	Installed Roll Tray
CND	Cabinet with No Door,	FTK_V	Flush Toekick w/Valance	SCPDRW	Scooped Drawer
	with Drawer	ID	Increased Depth	TD	Tray Dividers
DRT	Deep Roll Tray	INVFRM	Inverted Opening	TOTSS	Tilt-out Tray, Stainless Steel
DRWPWR	PowerGlide [™] Compact	LTI	Light Installed Battery Strip	TVR_V	Valance Top Rail
	Drawer Outlet	P	Peninsula	VTK	Void Toekick

Mod.	Description
APC	All-plywood Construction
FB	Finished Ends
MIP	Matching Interior Plywood
MSLFB	Matching Specialty Laminate Furniture Board
WLI	White Laminate Interior

Mod.	Description
CG	Cut-for-glass Doors
DPSRR	Door Panel - Solid Reverse Raised

BASE SINGLE DOOR



Model	Cubic Feet
B9 L or R	6.1
B12 L or R	7.8
B15 L or R	9.4
B18 L or R	11.1
B21 L or R	12.8
B24 L or R	14.4

[•] Adjustable 15" deep shelves.

Custom Modifications

CBO	CCO	CFP	CMAT	CND	DRT	DRWPWR	DRWTK	EXBK	FD	FTK	FTK_V	ID
•	•	•		•		•*	•*	•	•	•	•+	
INVFRM	LTI	P	PTOWB	RD	RECTK	RT	SCPDRW	TD	TOTSS	TVR_V	VTK	
•	•+	•*		•	•†	•*	•				•	


^{*}Not available on 9", 12", and 15" wide $\,^+$ Not available on 9" and 12" wide $\,^+$ Not available on 9" wide †RECTKALL not available on 9" wide

Construction and Finish Upgrades APC FB MIP MSLFB WLI


Door O	ptions
CG	DPSRR
•‡	•


 ‡ Not available on 9 $^{\prime\prime}$ wide

BASE DOUBLE DOOR



B24-B36 Butt doors





Model	Cubic Feet
B24	14.4
B27	16.1
B30	17.7
B33	19.6
B36	21.1
	·
B39	22.7
B42	24.4
B45	25.8
B48CS	27.7
	1
B48	27.7

- Adjustable 15" deep shelves.
- On B39-B48, no shelves are included when RD6-RD8 is specified.
- On B39-B48, when specified with FD or RD, full depth shelves are 15" deep instead of 19 1/2" deep due to vertical divider.

Custom Modifications


COSTONI MODIFICATIONS												
CBO	CCO	CFP	CMAT	CND	DRT	DRWPWR	DRWTK	EXBK	FD	FTK	FTK_V	ID
•	•	•		•		•	•*	•	•	•	•	
INVFRM	LTI	P	PTOWB	RD	RECTK	RT	SCPDRW	TD	TOTSS	TVR_V	VTK	
•*	•	•+		•	•	•*	•				•	

Construction and Finish Upgrades APC FB MIP MSLFB WLI

Door O	ptions
CG	DPSRR
•	•

BASE with CUTLERY INSERT WOOD ORGANIZER





B15CIW L or R	9.4
B18CIW L or R	11.1
B21CIW L or R	12.8
B24CIW L or R	14.4
B24CIW	14.4

- Adjustable 15" deep shelf.
- Cutlery Insert Wood Organizer is also available as an accessory. See page 344.

Custom Modifications

CBO	CCO	CFP	CMAT	CND	DRT	DRWPWR	DRWTK	EXBK	FD	FTK	FTK_V	ID
•	•	•		•			•*	•	•	•	•	
INVFRM	LTI	P	PTOWB	RD	RECTK	RT	SCPDRW	TD	TOTSS	TVR_V	VTK	
	•+	•			•	•					•	


Constru	Construction and Finish Upgrades								
APC	FB	MIP	MSLFB	WLI					
•	•	•	•	•					


Door Options							
CG	DPSRR						
•	•						

341/2"

BASE with WOOD TIERED CUTLERY DIVIDER DRAWER







15", 18", 21", 24"



 \bullet Exterior WTCD drawer box height is 3 3/4", interior height of top and bottom tier is 1 3/8".

• Wood Tiered Cutlery Divider Drawer is also available as an accessory. See page 344.

Custom Modifications

CBO	CCO	CFP	CMAT	CND	DRT	DRWPWR	DRWTK	EXBK	FD	FTK	FTK_V	ID
•	•	•		•			•*	•	•	•	•	
INVFRM	LTI	Р	PTOWB	RD	RECTK	RT	SCPDRW	TD	TOTSS	TVR_V	VTK	
	•+	•			•	•					•	

Construction and Finish Upgrades

Door Options DPSRR CG

construction and riman opgrades									
APC	FB	MIP	MSLFB	WLI					
•	•	•	•	•					

BASE with WOOD TIERED K-CUP* DRAWER



B18KCUP L or R	11.1
----------------	------

- Adjustable 15" deep shelf.
- Holds 40 K-Cups.
- Exterior Wood Tiered K-Cup drawer box height is 3 3/4", interior height of top tier is 1 5/8", and interior height of bottom tier is 1 3/8".
- The Wood Tiered K-Cup Drawer is compatible with K-Cup pods only.
- Wood Tiered K-Cup Drawer is also available as an accessory. See page 345.
- *K-Cup is a registered trademark of Keurig Green Mountain, Inc.

Custom Modifications

CBO	CCO	CFP	CMAT	CND	DRT	DRWPWR	DRWTK	EXBK	FD	FTK	FTK_V	ID
•	•	•		•			•	•	•	•	•	
INVFRM	LTI	Р	PTOWB	RD	RECTK	RT	SCPDRW	TD	TOTSS	TVR_V	VTK	
		•			•	•					•	


Construction and Finish Upgrades

			10	
APC	FB	MIP	MSLFB	WLI
•	•	•	•	•

ט וטטע	hiionz
CG	DPSRR
•	•

4.1

FULL HEIGHT BASE SINGLE DOOR, 6" WIDE



B6FH L or R

• Cabinet has a full top panel. • Utilizes a 5 7/8" wide overlay filler as a hinged door.


Custom Modifications

CBO	CCO	CFP	CMAT	CND	DRT	DRWPWR	DRWTK	EXBK	FD	FTK	FTK_V	ID
	•			•				•		•		•
INVFRM	LTI	P	PTOWB	RD	RECTK	RT	SCPDRW	TD	TOTSS	TVR_V	VTK	
		•		•							•	

Constru	Construction and rinish upgrades								
APC	FB	MIP	MSLFB	WLI					
•	•	•	•	•					

	ptions	
	CG	DPSRR

FULL HEIGHT BASE SINGLE DOOR



Model	Cubic Feet
B9FH L or R	6.1
B12FH L or R	7.8
B15FH L or R	9.4
B18FH L or R	11.1
B21FH L or R	12.8
B24FH L or R	14.4

• Adjustable 15" deep shelf.

Custom Modifications

4031011	. moun	cuitons										
CBO	CCO	CFP	CMAT	CND	DRT	DRWPWR	DRWTK	EXBK	FD	FTK	FTK_V	ID
•	•						•*	•	•	•	•+	•
INVFRM	LTI	Р	PTOWB	RD	RECTK	RT	SCPDRW	TD	TOTSS	TVR_V	VTK	
	•+	•		•	•4	•†		•			•	

^{*}Not available on 9", 12", and 15" wide $\,\,$ *Not available on 9" and 12" wide


[▲]RECTKALL not available on 9" wide That available on 9" wide

Construction and Finish Upgrades									
APC	FB	MIP	MSLFB	WLI					
•	•	•	•	•					

Door O	ptions
CG	DPSRR
•‡	•

[‡]Not available on 9" wide

FULL HEIGHT BASE SINGLE DOOR, 40 $1/2^{\prime\prime}$ HIGH



B940FH L or R	6.7
B1240FH L or R	8.6
B1540FH L or R	10.5
B1840FH L or R	12.3
B2140FH L or R	14.2
B2440FH L or R	16.1

• Two adjustable 15" deep shelves.

Custom Modifications

CBO	CCO	CFP	CMAT	CND	DRT	DRWPWR	DRWTK	EXBK	FD	FTK	FTK_V	ID
•	•						•*	•	•	•	•+	•
INVFRM	LTI	Р	PTOWB	RD	RECTK	RT	SCPDRW	TD	TOTSS	TVR_V	VTK	
		•		•	•4	● †					•	


[▲]RECTKALL not available on 9" wide †Not available on 9" wide

Construction and Finish Upgrades								
APC	FB	MIP	MSLFB	WLI				
•	•	•	•	•				


Door 0	ptions
CG	DPSRR
• [‡]	•

 $^{\ddagger}\text{Not}$ available on $9^{\prime\prime}$ wide

FULL HEIGHT BASE DOUBLE DOOR



B24FH-B36FH Butt doors B39FH-B48FHCS Center mullion



Model	Cubic Feet
B24FH	14.4
B27FH	16.1
B30FH	17.7
B33FH	19.6
B36FH	21.1
B39FH	22.7
B42FH	24.4
B45FH	25.8
B48FHCS	27.7
B48FH	27.7

- Adjustable 15" deep shelf.
- On B48FH, no shelves are included when RD6-RD8 is specified.
- On B48FH when specified with FD or RD, full depth shelves are 15" deep instead of 19 1/2" deep due to vertical divider.

Custom Modifications

CBO	CCO	CFP	CMAT	CND	DRT	DRWPWR	DRWTK	EXBK	FD	FTK	FTK_V	ID
•	•						•*	•	•	•	•	•
INVFRM	LTI	P	PTOWB	RD	RECTK	RT	SCPDRW	TD	TOTSS	TVR_V	VTK	
		•+		•	•	•*		•*			•	


*Not available on 39", 42", 45", and 48" wide $\,\,$ *Available only on 24" wide

Construction and Finish Upgrades


			F J	
APC	FB	MIP	MSLFB	WLI
•	•	•	•	•

Door C	ptions
CG	DPSRR

FULL HEIGHT BASE DOUBLE DOOR, 40 1/2" HIGH



B2440FH-B3640FH Butt doors B3940FH-B4840FHCS Center mullion



16.1
18.0
19.8
21.7
23.6
25.4
27.3
25.8
31.1
31.1

- Two adjustable 15" deep shelves.
- On B4840FH when specified with FD or RD, full depth shelves are 15" deep instead of 22 1/2" deep due to vertical divider.

Custom Modifications


ı	C031011	i mouii	cuitons										
	CBO	CCO	CFP	CMAT	CND	DRT	DRWPWR	DRWTK	EXBK	FD	FTK	FTK_V	ID
	•	•						•*	•	•	•	•	•
	INVFRM	LTI	P	PTOWB	RD	RECTK	RT	SCPDRW	TD	TOTSS	TVR_V	VTK	
ſ			•+		•	•	•*					•	

*Not available on 39", 42", 45", and 48" wide $\,\,$ *Available only on 24" wide

Construction and Finish Upgrades									
APC	FB	MIP	MSLFB	WLI					
•	•	•	•	•					

Door O	ptions
CG	DPSRR
•	•

WALL BASE SINGLE DOOR



Model	Cubic Feet
WB12 L or R	4.1
WB15 L or R	5.0
WB18 L or R	5.9
WB21 L or R	6.8
WB24 L or R	7.7

- Two full depth shelves.
- Will have the same shelf hole drill pattern as a wall cabinet.


Custom Modifications

C031011	i mouiii	Cullolis										
CBO	CCO	CFP	CMAT	CND	DRT	DRWPWR	DRWTK	EXBK	FD	FTK	FTK_V	ID
•	•							•		•	•*	•
INVFRM	LTI	Р	PTOWB	RD	RECTK	RT	SCPDRW	TD	TOTSS	TVR_V	VTK	
		•		•	•+			•			•	

Construction and Finish Upgrades APC FB MIP MSLFB WLI • • • • •

Door O	ptions
CG	DPSRR
•	•

WALL BASE DOUBLE DOOR



WB24-WB36 Butt doors WB39-WB48CS Center mullion

WB24	7.7
WB27	8.6
WB30	9.5
WB33	10.4
WB36	11.2
WB39	12.1
WB42	13.0
WB45	13.9
WB48CS	14.8

- · Two full depth shelves.
- Will have the same shelf hole drill pattern as a wall cabinet.

Custom Modifications


COSTOIL	i mouili	culions										
CBO	CCO	CFP	CMAT	CND	DRT	DRWPWR	DRWTK	EXBK	FD	FTK	FTK_V	ID
•	•							•		•	•	•
INVFRM	LTI	P	PTOWB	RD	RECTK	RT	SCPDRW	TD	TOTSS	TVR_V	VTK	
		•*		•	•+	·		•*			•	

*Available only on 24" wide TRECTKBK not available Not available on 39", 42", 45", and 48" wide

Construction and Finish Upgrades APC FB MIP MSLFB WLI

Door 0	ptions	
CG	DPSRR	
•	•	

BASE EASY ACCESS STORAGE



BEAS15 L or R	9.4
BEAS18 L or R	11.1

- Two adjustable 20" deep shelves.
- $\bullet\,$ Door features a chrome and wood three-tiered rack.
- Door rack width is 9 3/8" on 15" wide cabinet and 12 3/8" on 18" wide cabinet.
- Door rack depth is 3".

S

Custom Modifications

Custon	i ivioaiti	ications										
CBO	CCO	CFP	CMAT	CND	DRT	DRWPWR	DRWTK	EXBK	FD	FTK	FTK_V	ID
•	•						•*	•		•	•	
INVFRM	LTI	P	PTOWB	RD	RECTK	RT	SCPDRW	TD	TOTSS	TVR_V	VTK	
					•						•	


^{*}Not available on 15" wide


Construction and Finish Upgrades									
APC	FB	MIP	MSLFB	WLI					
•	•	•	•	•					

Door O	ptions	
CG	DPSRR	
	•	

30" SUPERCABINET™







Model	Cubic Feet
BSC30RP	17.7
BSC30PR	17.7
BSC30RS	17.7
BSC30SR	17.7
BSC30R	17.7

- Nomenclature represents left to right order of interior components. Example: BSC30RS = \underline{B} ase \underline{S} uper \underline{C} abinet $^{\text{\tiny{M}}}$ $\underline{30}''$ \underline{R} oll-out \underline{S} helves.
- Shelves are adjustable and 20" deep.
- Cabinets utilize 170° hinge. For sufficient pull-out clearance, 12" of adjacent space is required for door to open 170° when installed near a wall or
- Each door features a chrome and wood three-tiered rack.
- Door rack width is 9 3/8".
- Door rack depth is 3".
- Integrated soft-close hinge not included. Premium door mechanism installed.

Custom Modifications

CBO	CCO	CFP	CMAT	CND	DRT	DRWPWR	DRWTK	EXBK	FD	FTK	FTK_V	ID
•	•						•	•		•	•	
INVFRM	LTI	P	PTOWB	RD	RECTK	RT	SCPDRW	TD	TOTSS	TVR_V	VTK	
					•						•	


Door Options DPSRR

Construction	and	Finish	Upgrades

Construction and Finish Upgrades											
APC	FB	MIP	MSLFB	WLI							
•	•	•	•	•							

30" SUPERCABINET™ VERSION 2





BV2SC30PR	17.7
BV2SC30RP	17.7
BV2SC30RS	17.7
BV2SC30SR	17.7

- Nomenclature represents left to right order of interior components. Example: BV2SC30RS = \underline{B} ase \underline{V} ersion $\underline{2}$ \underline{S} uper \underline{C} abinet $\underline{^{"}}$ $\underline{30}$ " \underline{R} oll-out \underline{S} helves.
- Shelves are adjustable and 20" deep.
- Chrome Roll-out trays feature Smart Stop.
- Cabinets utilize 170° hinge. For sufficient pull-out clearance, 12" of adjacent space is required for door to open 170° when installed near a wall or
- Each door features a chrome and wood three-tiered rack.
- Door rack width is 9 3/8".
- Door rack depth is 3"
- Side pull-outs feature 3 adjustable chrome and wood baskets on frame with Smart Stop.
- Integrated soft-close hinge not included. Premium door mechanism installed.

Custom Modifications

_												
CBO	CCO	CFP	CMAT	CND	DRT	DRWPWR	DRWTK	EXBK	FD	FTK	FTK_V	ID
•	•						•	•		•	•	
INVFRM	LTI	P	PTOWB	RD	RECTK	RT	SCPDRW	TD	TOTSS	TVR_V	VTK	
					•						•	

Construction and Finish Upgrades

APC	FB	MIP	MSLFB	WLI
•	•	•	•	•

Door O	ptions
CG	DPSRR


Schrock^a

36" SUPERCABINETTM

341/2"

341/2"





- $\bullet \ \, \text{Nomenclature represents left to right order of interior components.} \\ \text{Example: BSC36PRS} = \underline{\text{Base }} \underline{\text{Super}} \underline{\text{Cabinet}}^w \underline{36}'' \underline{\text{Pull-out }} \underline{\text{Roll-out }} \underline{\text{Shelves}}.$
- Shelves are adjustable and 20" deep.
- Cabinets utilize 170° hinge. For sufficient pull-out clearance, 12" of adjacent space is required for door to open 170° when installed near a wall or corner.
- Each door features a chrome and wood three-tiered rack.
- Door rack width is 12 3/8".
- Door rack depth is 3".
- Integrated soft-close hinge not included. Premium door mechanism installed.

Custom Modifications

TOTAL MARKET MAR													
CB0	CCO	CFP	CMAT	CND	DRT	DRWPWR	DRWTK	EXBK	FD	FTK	FTK_V	ID	
•	•						•	•		•	•		
INVFRM	LTI	P	PTOWB	RD	RECTK	RT	SCPDRW	TD	TOTSS	TVR_V	VTK		
					•						•		


Construction and Finish Upgrades											
APC	FB	MIP	MSLFB	WLI							
•	•	•	•	•							


Door Options							
CG	DPSRR						
	•						


341/2"

36" SUPERCABINET™ VERSION 2









Schrock ^a	
O CLIL O CLI	

BV2SC36PRP	21.1
BV2SC36PRS	21.1
BV2SC36SRP	21.1
BV2SC36SRS	21.1

- Nomenclature represents left to right order of interior components.
 Example: BV2SC36PRS = <u>Base Version 2 SuperCabinet* 36" Pull-out Roll-out Shelves.</u>
- $\bullet\,$ Shelves are adjustable and 20" deep.
- Chrome Roll-out trays feature Smart Stop.
- Cabinets utilize 170° hinge. For sufficient pull-out clearance, 12" of adjacent space is required for door to open 170° when installed near a wall or corner.
- Each door features a chrome and wood three-tiered rack.
- \bullet Door rack width is 12 3/8".
- Door rack depth is 3".
- Side pull-outs feature 3 adjustable chrome and wood baskets on frame with Smart Stop.
- Integrated soft-close hinge not included. Premium door mechanism installed.


Custom Modifications

CBO	CCO	CFP	CMAT	CND	DRT	DRWPWR	DRWTK	EXBK	FD	FTK	FTK_V	ID
•	•						•	•		•	•	
INVFRM	LTI	P	PTOWB	RD	RECTK	RT	SCPDRW	TD	TOTSS	TVR_V	VTK	
					•						•	

Construction and Finish Upgrades											
APC	FB	MIP	MSLFB	WLI							
•	•	•	•	•							

Door O	ptions
CG	DPSRR
	•

BASE with ROLL TRAYS



Model	Cubic Feet
B12RT L or R	7.7
B15RT L or R	9.4
B18RT L or R	11.1
B21RT L or R	12.8
B24RT L or R	14.4

- 2 roll trays standard.
- Cabinets may accommodate up to 4 roll trays, which may be purchased separately for field installation. See page 352.

Custom Modifications


CBO	CCO	CFP	CMAT	CND	DRT	DRWPWR	DRWTK	EXBK	FD	FTK	FTK_V	ID
•	•	•		•	•	•*	•*	•		•	•+	
INVFRM	LTI	P	PTOWB	RD	RECTK	RT	SCPDRW	TD	TOTSS	TVR_V	VTK	
				•	•		•				•	

*Not available on 12" and 15" wide +Not available on 12" wide

Construction and Finish Upgrades										
	APC	FB	MIP	MSLFB	WLI					
	•	•	•	•	•					

Door O	ptions
CG	DPSRR
•	•

BASE DOUBLE DOOR with ROLL TRAYS



B24RT	14.4
B27RT	16.1
B30RT	17.7
B33RT	19.6
B36RT	21.1

- 2 roll trays standard.
- Cabinet has butt doors, no center stile.
- Cabinet may accommodate up to 4 roll trays, which may be purchased separately for field installation. See page 352.


Custom Modifications

CBO	CCO	CFP	CMAT	CND	DRT	DRWPWR	DRWTK	EXBK	FD	FTK	FTK_V	ID
•	•	•		•	•	•	•	•		•	•	
INVFRM	LTI	Р	PTOWB	RD	RECTK	RT	SCPDRW	TD	TOTSS	TVR_V	VTK	
				•	•		•				•	

Constru	ction and	l Finish (Jpgrades	;
APC	FB	MIP	MSLFB	W

Door 0	ptions
CG	DPSRR
•	•

BASE DOUBLE DOOR with ROLL TRAYS



B39RT	22.5
B42RT	24.2
B45RT	25.8
B48CSRT	27.5
B48RT	27.5

ullet 4 roll trays standard.

Custom Modifications

COSTOIL	costoni modifications											
CBO	CCO	CFP	CMAT	CND	DRT	DRWPWR	DRWTK	EXBK	FD	FTK	FTK_V	ID
•	•	•		•	•	•		•		•	•	
INVFRM	LTI	P	PTOWB	RD	RECTK	RT	SCPDRW	TD	TOTSS	TVR_V	VTK	
				•	•		•				•	


Construction and Finish Upgrades

APC	FB	MIP	MSLFB	WLI
•	•	•	•	•

Door C	ptions
CG	DPSRR
•	•

Schrock

BASE FULL HEIGHT with ROLL TRAYS



Model	Cubic Feet
B12FHRT L or R	7.7
B15FHRT L or R	9.4
B18FHRT L or R	11.1
B21FHRT L or R	12.8
B24FHRT L or R	14.4

- 2 roll trays standard.
- Cabinets may accommodate up to 4 roll trays, which may be purchased separately for field installation. See page 352.

Custom Modifications


CBO	CCO	CFP	CMAT	CND	DRT	DRWPWR	DRWTK	EXBK	FD	FTK	FTK_V	ID
•	•				•		•*	•		•	•	
INVFRM	LTI	Р	PTOWB	RD	RECTK	RT	SCPDRW	TD	TOTSS	TVR_V	VTK	
				•	•						•	


*Not available on 12" and 15" wide

Construction and Finish Upgrades APC FB MIP MSLFB WLI • • • • •

Door Options					
CG	DPSRR				
•	•				

BASE FULL HEIGHT with ROLL TRAYS, 40 1/2" HIGH





B1540FHRT L or R	10.5
B1840FHRT L or R	12.3
B2140FHRT L or R	14.2
B2440FHRT L or R	16.1

B2440FHRT	16.1
B2740FHRT	18.0

- 2 roll trays standard.
- Cabinets may accommodate up to 5 roll trays, which may be purchased separately for field installation. See page 352.

Custom Modifications


400.0												
CBO	CCO	CFP	CMAT	CND	DRT	DRWPWR	DRWTK	EXBK	FD	FTK	FTK_V	ID
•	•				•		•*	•		•	•	
INVFRM	LTI	Р	PTOWB	RD	RECTK	RT	SCPDRW	TD	TOTSS	TVR_V	VTK	
				•	•						•	

*Not available on 15" wide

Construction and Finish Upgrades								
APC	FB	MIP	MSLFB	WLI				
•	•	•	•	•				

Door Options						
CG	DPSRR					
•	•					

BASE FULL HEIGHT with ROLL TRAYS



B24FHRT	14.4
B27FHRT	16.1
B30FHRT	17.7
B33FHRT	19.6
B36FHRT	21.1

- 2 roll trays standard.
- Cabinet may accommodate up to 4 roll trays, which may be purchased separately. See page 352.

Custom Modifications


CBO	CCO	CFP	CMAT	CND	DRT	DRWPWR	DRWTK	EXBK	FD	FTK	FTK_V	ID
•	•				•		•	•		•	•	
INVFRM	LTI	Р	PTOWB	RD	RECTK	RT	SCPDRW	TD	TOTSS	TVR_V	VTK	
				•	•						•	

Construction and Finish Upgrades								
APC	FB	MIP	MSLFB	WLI				
•	•	•	•	•				

Door Options							
CG	DPSRR						
•	•						

Schrock

BASE FULL HEIGHT DOUBLE DOOR with ROLL TRAYS



Model	Cubic Feet
B39FHRT	22.5
B42FHRT	24.2
B45FHRT	25.8
B48FHCSRT	27.5
B48FHRT	27.5

• 4 roll trays standard.

Custom Modifications

CBO	CCO	CFP	CMAT	CND	DRT	DRWPWR	DRWTK	EXBK	FD	FTK	FTK_V	ID
•	•				•			•		•	•	
INVFRM	LTI	Р	PTOWB	RD	RECTK	RT	SCPDRW	TD	TOTSS	TVR_V	VTK	
				•	•						•	


Constru	ction and	d Finish (Jpgrades	;
APC	FB	MIP	MSLFB	W


Door O	ptions
CG	DPSRR
_	

BASE with CUTLERY INSERT WOOD ORGANIZER and ROLL TRAYS



S





B15RTCIW L or R	9.4
B18RTCIW L or R	11.1
B21RTCIW L or R	12.8
B24RTCIW L or R	14.4
B24RTCIW	14.4

- ullet 2 roll trays standard.
- Cabinets may accommodate up to 4 roll trays, which may be purchased separately for field installation. See page 352.
- Cutlery Insert Wood Organizer is also available as an accessory. See page 344.

Custom Modifications

C031011	i mouii	Cullolla										
CBO	CCO	CFP	CMAT	CND	DRT	DRWPWR	DRWTK	EXBK	FD	FTK	FTK_V	ID
•	•	•		•	•		•*	•		•	•	
INVFRM	LTI	P	PTOWB	RD	RECTK	RT	SCPDRW	TD	TOTSS	TVR_V	VTK	
					•						•	


*Not available on 15" wide


Construction and Finish Upgrades										
APC	FB	MIP	MSLFB	WLI						
•	•	•	•	•						

Door O	ptions
CG	DPSRR
•	•

BASE with WOOD TIERED CUTLERY DIVIDER DRAWER and ROLL TRAYS







Model	Cubic Feet
B15RTWTCD L or R	9.4
B18RTWTCD L or R	11.1
B21RTWTCD L or R	12.8
B24RTWTCD L or R	14.4
B24RTWTCD	14.4

- 2 roll trays standard.
- Cabinets may accommodate up to 4 roll trays, which may be purchased separately for field installation. See page 352.
- Exterior WTCD drawer box height is $3 \frac{3}{4}$ ", interior height of top and bottom tier is $1 \frac{3}{8}$ ".
- Wood Tiered Cutlery Divider Drawer is also available as an accessory. See page 344.

Custom Modifications

CBO	CCO	CFP	CMAT	CND	DRT	DRWPWR	DRWTK	EXBK	FD	FTK	FTK_V	ID
•	•	•		•	•		•*	•		•	•	
INVFRM	LTI	P	PTOWB	RD	RECTK	RT	SCPDRW	TD	TOTSS	TVR_V	VTK	
					•						•	

*Not available on 15" wide

Construction and Finish Upgrades										
APC	FB	MIP	MSLFB	WLI						
_	_	•								

Door O	ptions
CG	DPSRR
•	•

BASE with WOOD TIERED K-CUP* DRAWER and ROLL TRAYS

341/2"



B18KCUPRT L or R 11.1

- 2 roll trays standard.
- Cabinets may accommodate up to 4 roll trays, which may be purchased separately for field installation. See page 352.
- Exterior Wood Tiered K-Cup drawer box height is 3 3/4", interior height of top tier is 1 5/8", and interior height of bottom tier is 1 3/8".
- The Wood Tiered K-Cup Drawer is compatible with K-Cup pods only.
- Wood Tiered K-Cup Drawer is also available as an accessory. See page 345.
- *K-Cup is a registered trademark of Keurig Green Mountain, Inc.

Custom Modifications

CBO	CCO	CFP	CMAT	CND	DRT	DRWPWR	DRWTK	EXBK	FD	FTK	FTK_V	ID
•	•	•		•	•		•	•		•	•	
INVFRM	LTI	Р	PTOWB	RD	RECTK	RT	SCPDRW	TD	TOTSS	TVR_V	VTK	
					•						•	

Construction and Finish Upgrades									
APC	MSLFB	WLI							
•	•	•	•	•					

Door 0	ptions
CG	DPSRR
•	•

BASE with DRAWER and LID ORGANIZER and ROLL TRAYS



B30RTLO	17.7
B33RTLO	19.6
B36RTLO	21.1

- 2 roll trays standard.
- Pots and Pans Lid Organizer is also available as an accessory for field installation. See page 348.
- The lid organizer is attached to the roll tray with 2 screws for shipping purposes only. Screws should be removed during installation to make the lid
 organizer mobile.

Custom Modifications

COSTOIL	i Mouili	culions										
CBO	CCO	CFP	CMAT	CND	DRT	DRWPWR	DRWTK	EXBK	FD	FTK	FTK_V	ID
•	•	•		•		•	•	•		•	•	
INVFRM	LTI	P	PTOWB	RD	RECTK	RT	SCPDRW	TD	TOTSS	TVR_V	VTK	
					•		•				•	

Constru	ction an	d Finish (Jpgrades	;
APC	FB	MIP	MSLFB	WLI

Door O	ptions
CG	DPSRR
•	•

30", 33", 36"

341/2"

341/2"

BASE with LID ORGANIZER and **ROLL TRAYS**

30", 33", 36"

341/2"



Model	Cubic Feet
B30FHRTLO	17.7
B33FHRTLO	19.6
B36FHRTLO	21.1

- 2 roll trays standard.
- Pots and Pans Lid Organizer is also available as an accessory for field installation. See page 348.
- The lid organizer is attached to the roll tray with 2 screws for shipping purposes only. Screws should be removed during installation to make the lid organizer mobile.

Custom Modifications

CBO	CCO	CFP	CMAT	CND	DRT	DRWPWR	DRWTK	EXBK	FD	FTK	FTK_V	ID
•	•						•	•		•	•	
INVFRM	LTI	P	PTOWB	RD	RECTK	RT	SCPDRW	TD	TOTSS	TVR_V	VTK	
					•						•	

Door Options DPSRR CG


Constru	ction (and	Finish	Upgrades	i
100				110150	_

es	i	
3	WLI	
Ī	•	

Construction and Finish Upgrades										
APC	FB	MIP	MSLFB	WLI						
•	•	•	•	•						

POTS & PANS ORGANIZER BASE with **DRAWER**





- Cabinet has bottom roll tray with double lid storage shelves above.
- Base Pan Storage unit is also available as an accessory for field installation. See page 343.

Custom Modifications

CBO	CCO	CFP	CMAT	CND	DRT	DRWPWR	DRWTK	EXBK	FD	FTK	FTK_V	ID
•	•	•		•		•	•	•		•	•	
INVFRM	LTI	Р	PTOWB	RD	RECTK	RT	SCPDRW	TD	TOTSS	TVR_V	VTK	
					•		•				•	


Constru	ction an	d Finish l	Jpgrades	i
APC	FB	MIP	MSLFB	WL

Door O	ptions
CG	DPSRR
•	•

24", 30", 36' 341/2"

BASE POTS & PANS PULL-OUT





- Full Extension slide-out shelves pull out independently.
- Pots and Pans Pull-out is also available as an accessory for field installation. See page 348.
- For full access from both sides of unit, do not install against a wall or next to deeper appliances and cabinets.
- Pull-out interior depth is 21", interior width is 11" on top rack and 113/4" on bottom rack. Height clearance on bottom rack is 91/2", and each side basket is 2" wide.

Custom Modifications

CBO	CCO	CFP	CMAT	CND	DRT	DRWPWR	DRWTK	EXBK	FD	FTK	FTK_V	ID
•	•	•		•		•	•	•		•	•	
INVFRM	LTI	Р	PTOWB	RD	RECTK	RT	SCPDRW	TD	TOTSS	TVR_V	VTK	
					•		•				•	


Construction and Finish Upgrades								
APC	FB	MIP	MSLFB	W				

Door O	ptions
CG	DPSRR
•	•

>

Schrock^a

BASE POTS & PANS PULL-OUT





- Full Extension slide-out shelves pull out independently.
- Pots and Pans Pull-out is also available as an accessory for field installation. See page 348.
- For full access from both sides of unit, do not install against a wall or next to deeper appliances and cabinets.
- Pull-out interior depth is 21", interior width is 17 9/16" on top rack and 17 7/8" on bottom rack. Height clearance on bottom rack is 9 1/2", and each side basket is 3 13/16" wide.

Custom Modifications

S


S


CBO	CCO	CFP	CMAT	CND	DRT	DRWPWR	DRWTK	EXBK	FD	FTK	FTK_V	ID
•	•	•		•		•	•	•		•	•	
INVFRM	LTI	P	PTOWB	RD	RECTK	RT	SCPDRW	TD	TOTSS	TVR_V	VTK	
					•		•				•	

Construction and Finish Upgrades										
APC	FB	MIP	MSLFB	WLI						
•	•	•	•	•						

Door O	ptions
CG	DPSRR
•	•

BASE with FOOD STORAGE CONTAINER ORGANIZER






- Pull-out features natural finished hardwood dovetailed box with chrome rails on lower section with undermount Smart Stop guides.
- Includes seven chrome "U" pegs to use on the pegboard bottom to customize the fit to container sizes.
- Adjustable clip-on lid dividers included to fit with a variety of lid shapes. 18" wide includes five dividers, 24" wide includes eight dividers.
- Front of pull-out is routed for easy access.

Custom Modifications

CBO	CCO	CFP	CMAT	CND	DRT	DRWPWR	DRWTK	EXBK	FD	FTK	FTK_V	ID
•	•	•		•		•	•	•		•	•	
INVFRM	LTI	Р	PTOWB	RD	RECTK	RT	SCPDRW	TD	TOTSS	TVR_V	VTK	
					•		•				•	

Construction and Finish Upgrades											
APC	FB	MIP	MSLFB	WLI							
•	•	•	•	•							

Door O	ptions	
CG	DPSRR	
•	•	



B12TDRO L or R	7.8				
B15TDRO L or R	9.4				

- Dividers are removable.
- B12TDRO L/R tray divider is 7 3/4" wide and has three compartments.
- \bullet B15TDRO L/R tray divider is 10 3/4" wide and has four compartments.
- Roll-out Tray Divider is also available as an accessory for field installation. See page 350.
- Tray divider utilizes Smart Stop undermount guides and bumpers for door protection.

Custom Modifications


C031011	iiiiouii	cuitonis										
CBO	CCO	CFP	CMAT	CND	DRT	DRWPWR	DRWTK	EXBK	FD	FTK	FTK_V	ID
•	•	•		•				•		•	•*	
INVFRM	LTI	P	PTOWB	RD	RECTK	RT	SCPDRW	TD	TOTSS	TVR_V	VTK	
					•		•				•	

*Not available on 12" wide

Construction and Finish Upgrades											
APC	FB	MIP	MSLFB	WLI							
•	•	•	•	•							

Door 0	ptions
CG	DPSRR
•	•

BASE with TRAY DIVIDER



Model	Cubic Feet
TD9 L or R	6.1
TD12 L or R	7.8
TD15 L or R	9.4

- Tray Divider is chrome.
- Tray Divider is also available as an accessory for field installation. See page 350.
- TD9 L/R has one divider, TD12 L/R and TD15 L/R have two dividers.

Custom Modifications

400.0												
CBO	CCO	CFP	CMAT	CND	DRT	DRWPWR	DRWTK	EXBK	FD	FTK	FTK_V	ID
•	•	•		•				•		•	•*	
INVFRM	LTI	Р	PTOWB	RD	RECTK	RT	SCPDRW	TD	TOTSS	TVR_V	VTK	
					•+		•				•	


*Not available on 9" and 12" wide *RECTKALL not available on 9" wide

Construction and Finish Upgrades											
APC	FB	MIP	MSLFB	WLI							
•	•	•	•	•							

Door 0	ptions
CG	DPSRR
•†	•

†Not available on 9" wide

BASE FULL HEIGHT with TRAY DIVIDER



TD9FH L or R	6.1
TD10FH L D	7.0
TD12FH L or R	7.8
TD15FH L or R	9.4

- Tray Divider is also available as an accessory for field installation. See page 350.
- TD9FH L/R has one divider, TD12FH L/R and TD15FH L/R have two dividers.

Custom Modifications

CBO	CCO	CFP	CMAT	CND	DRT	DRWPWR	DRWTK	EXBK	FD	FTK	FTK_V	ID
•	•							•		•	•*	
INVFRM	LTI	P	PTOWB	RD	RECTK	RT	SCPDRW	TD	TOTSS	TVR_V	VTK	
					•+						•	

*Not available on 9" and 12" wide *RECTKALL not available on 9" wide


Construction and Finish Unavados

Construction and rinish opgrades							
APC	FB	MIP	MSLFB	WLI			
•	•	•	•	•			

Door O	ptions	
CG	DPSRR	
•†	•	

†Not available on 9" wide

BASE CABINET with MIXER SHELF



B18FHMIXSC L or R	11.1		
B21FHMIXSC L or R	12.8		
B24FHMIXSC L or R	14.4		
B24FHMIXSC	14.4		

- Includes mixer lift with Smart Stop closing feature.
- Mixer shelf will be 3/4" thick natural finished veneer plywood, mixer shelf dimensions:

18" wide: 13 7/16" wide x 20" deep.

21" wide: 16 7/16" wide x 20" deep.

24" wide: 19 7/16" wide x 20" deep.

- Maximum Weight Capacity for Mixer Shelf: 60 lbs.
- Mixer shelf locks in the fully open position. Release brackets lower the mixer shelf back into the cabinet.
- When in closed position, clearance above shelf is 19 1/2"; clearance below shelf is 8 7/16".

Custom Modifications


C031011	i intouiti	Cullolla										
CBO	CCO	CFP	CMAT	CND	DRT	DRWPWR	DRWTK	EXBK	FD	FTK	FTK_V	ID
•	•						•	•		•	•	
INVFRM	LTI	P	PTOWB	RD	RECTK	RT	SCPDRW	TD	TOTSS	TVR_V	VTK	
					•						•	


Construction and Finish Unarados

construction and runsii opgradus							
APC	FB	MIP	MSLFB	WLI			
•	•	•	•	•			

Door Options				
CG	DPSRR			
•	•			


SINK BASE





SB24-SB36 Butt doors





Model	Cubic Feet				
SB21 L or R	12.8				
SB24 L or R	14.4				
SB24	14.4				
SB27	16.1				
SB30	17.7				
SB33	19.6				
SB36	21.1				
SB39	22.7				
SB42	24.4				
SB45	25.8				
SB48CS	27.7				
SB48	27.7				

• Mini Touch-up Kit (MTUK) included. MTUK includes small touch-up marker and small fill stick.

Custom Modifications


COSTONI MOUNTAINONS												
CBO	CCO	CFP	CMAT	CND	DRT	DRWPWR	DRWTK	EXBK	FD	FTK	FTK_V	ID
	•	STD	•*	•			•+	•		•	•	•
INVFRM	LTI	P	PTOWB	RD	RECTK	RT	SCPDRW	TD	TOTSS	TVR_V	VTK	
	•*	•†		•	•	●+			•		•	


*Available only on 30″, 33″, and 36″ wide $\,^+$ Not available on 39″, 42″, 45″, and 48″ wide $\,^+$ Available only on 24″, 27″, 30″, 33″, and 36″ wide $\,^+$ Available only on 21″ and 24″ wide

Construction and Finish Upgrades APC FB MIP MSLFB WLI

Door Options
CG DPSRR
•

SINK BASE with CABMAT™





- Mini Touch-up Kit (MTUK) included. MTUK includes small touch-up marker and small fill stick.
- CabMat[™] features a gray sloped mat to capture spills.
 CabMat[™] is removable for cleaning.

	Liquid C	apacity	Cabin	et Size
Model	Quarts	Liters	Width	Depth
SB30CM	4.2	3.9	30″	24"
SB33CM	4.6	4.3	33″	24"
SB36CM	5.0	4.7	36″	24"

	4031011	· ····ouiii	cuitons										
	CBO	CCO	CFP	CMAT	CND	DRT	DRWPWR	DRWTK	EXBK	FD	FTK	FTK_V	ID
	•	•	STD		•			•	•		•	•	
	INVFRM	LTI	P	PTOWB	RD	RECTK	RT	SCPDRW	TD	TOTSS	TVR_V	VTK	
ſ		•			•	•				•		•	

Constru	Construction and Finish Upgrades										
APC	FB	MIP	MSLFB	WLI							
•	•	•	•								

Door O	ptions
CG	DPSRR
	•

(FP) = False Panel

SB36CDY L or R

Model

20.9

• Mini Touch-up Kit (MTUK) included. MTUK includes small touch-up marker and small fill stick. • L or R designates caddy location.

- Caddy is removable and portable.
- Caddy dimensions are: 9 15/16" wide x 18 5/16" tall x 18 5/8" deep.

Custon	ı Modifi	ications										
CBO	CCO	CFP	CMAT	CND	DRT	DRWPWR	DRWTK	EXBK	FD	FTK	FTK_V	ID
•	•			•				•		•	•	•
INVFRM	LTI	P	PTOWB	RD	RECTK	RT	SCPDRW	TD	TOTSS	TVR_V	VTK	
	•				•				•		•	

Constru	ction and	d Finish (Jpgrades	i
APC	FB	MIP	MSLFB	W


Door O	ptions
CG	DPSRR
•	•


174

BASE CABINETS


341/2"

SINK BASE, 27" DEEP, SINGLE or DOUBLE DOOR






SB243427-SB363427 Butt doors



SB393427-SB483427CS Vertical divider



SB243427 L or R	16.2
SB243427	16.2
SB273427	18.1
SB303427	19.9
SB333427	22.1
SB363427	23.7
	·
SB393427	25.5
SB423427	27.5
SB453427	25.8
SB483427CS	31.2
SB483427	31.2

• Mini Touch-up Kit (MTUK) included. MTUK includes small touch-up marker and small fill stick.


COSTOIL	i Mouili	culions										
CBO	CCO	CFP	CMAT	CND	DRT	DRWPWR	DRWTK	EXBK	FD	FTK	FTK_V	ID
	•	STD		•				•		•	•	
INVFRM	LTI	P	PTOWB	RD	RECTK	RT	SCPDRW	TD	TOTSS	TVR_V	VTK	
	•	•*			•				•		•	


^{*}Available only on 24" wide

Construction and Finish Upgrades											
APC	FB	MIP	MSLFB	WLI							
•	•	•	•	•							


Door O	ptions
CG	DPSRR
_	

SINK BASE with TILT-OUT TRAYS





SB24ST-SB36ST Butt doors SB39ST-SB48CSST Vertical divider, two drawer fronts



Model	Cubic Feet
SB21ST L or R	12.8
SB24ST L or R	14.4
SB24ST	14.4
SB27ST	16.1
SB30ST	17.7
SB33ST	19.6
SB36ST	21.1
SB39ST	22.7
SB42ST	24.4
SB45ST	25.7
SB48CSST	27.7
SB48ST	27.7

- Tilt-out trays are stain resistant, moisture resistant plastic to allow storage of sponges and other cleaning materials.
- Mini Touch-up Kit (MTUK) included. MTUK includes small touch-up marker and small fill stick.
- Includes two tilt-out trays on 30"-48" wide.
- Tilt-out trays are also available as an accessory for field installation. See page 350.

Custom Modifications

400.00												
CBO	CCO	CFP	CMAT	CND	DRT	DRWPWR	DRWTK	EXBK	FD	FTK	FTK_V	ID
	•		•*	•			•+	•		•	•	•
INVFRM	LTI	P	PTOWB	RD	RECTK	RT	SCPDRW	TD	TOTSS	TVR_V	VTK	
	•4	•†		•	•	•+					•	


*Available only on 30", 33", and 36" wide $\,^+$ Not available on 39", 42", 45", and 48" wide $\,^+$ Available only on 24", 27", 30", 33", and 36" wide $\,^+$ Available only on 21" and 24" wide

Avuilubi	6 OHIN OH	27 , 21	, 00 , 0	o , unu .									
Construction and Finish Upgrades													
APC	FB	MIP	MSLFB	WLI									
•	•	•	•	•									

ľ	WIUG 7	AVUIIUDIO (,
	Door 0	ptions	
	CG	DPSRR	
	•	•	

SINK BASE with TILT-OUT TRAYS and **CABMAT**TM





SB30STCM	17.7
SB33STCM	19.6
SB36STCM	21.1

- $\bullet \ \ \text{Mini Touch-up Kit (MTUK) included. MTUK includes small touch-up marker and small fill stick.}$
- \bullet CabMat $^{\!{}^\mathsf{TM}}$ features a gray sloped mat to capture spills.
- CabMatTM is removable for cleaning.

 Tilt-out trays are stain resistant, moisture resistant plastic to allow storage of sponges and other cleaning materials.
- Includes two tilt-out trays.
- Tilt-out trays are also available as on accessory for field installation. See page 350.

	Liquid C	apacity	Cabin	et Size
Model	Quarts	Liters	Width	Depth
SB30STCM	4.2	3.9	30″	24"
SB33STCM	4.6	4.3	33″	24"
SB36STCM	5.0	4.7	36"	24"

C031011	COSTONI MODIFICATIONS												
CBO	CCO	CFP	CMAT	CND	DRT	DRWPWR	DRWTK	EXBK	FD	FTK	FTK_V	ID	
•	•			•			•	•		•	•		
INVFRM	LTI	P	PTOWB	RD	RECTK	RT	SCPDRW	TD	TOTSS	TVR_V	VTK		
	•				•		•				•		

Constru	ction an	d Finish (Upgrades	i
APC	FB	MIP	MSLFB	WLI
•	•	•	•	•

Door Options							
CG	DPSRR						
	•						

341/2"

Model

- Mini Touch-up Kit (MTUK) included. MTUK includes small touch-up marker and small fill stick.
- L or R designates caddy location.
- Caddy is removable and portable.
- Tilt-out trays are stain resistant, moisture resistant plastic to allow storage of sponges and other cleaning materials.
- Includes two tilt-out trays.
- Tilt-out trays are also available as on accessory for field installation. See page 350.
- Caddy dimensions are: 9 15/16" wide x 18 5/16" tall x 18 5/8" deep.

Custom Modifications


CBO	CCO	CFP	CMAT	CND	DRT	DRWPWR	DRWTK	EXBK	FD	FTK	FTK_V	ID
•	•			•			•	•		•	•	•
INVFRM	LTI	P	PTOWB	RD	RECTK	RT	SCPDRW	TD	TOTSS	TVR_V	VTK	
	•				•						•	


Construction	and	Finish	Upgra	des

Construction and rimsn opgrades							
APC	FB	MIP	MSLFB	WLI			
•	•	•	•	•			


Door O	ptions
CG	DPSRR

SINK BASE with TILT-OUT TRAYS, 27" DEEP





SB243427ST-SB363427ST Butt doors SB393427ST-SB483427CSST Vertical divider, two drawer fronts



SB243427ST L or R	16.2
SB243427ST	16.2
SB273427ST	18.1
SB303427ST	19.9
SB333427ST	22.1
SB363427ST	23.7
SB393427ST	25.5
SB423427ST	27.5
SB453427ST	25.8
SB483427CSST	31.2
SB483427ST	31.2

- Tilt-out trays are stain resistant, moisture resistant plastic to allow storage of sponges and other cleaning materials.
- Mini Touch-up Kit (MTUK) included. MTUK includes small touch-up marker and small fill stick.
- Includes two tilt-out trays on 30"-48" wide.
- Tilt-out trays are also available as an accessory for field installation. See page 350.

Custom Modifications

CBO	CCO	CFP	CMAT	CND	DRT	DRWPWR	DRWTK	EXBK	FD	FTK	FTK_V	ID
	•			•				•		•	•	
INVFRM	LTI	Р	PTOWB	RD	RECTK	RT	SCPDRW	TD	TOTSS	TVR_V	VTK	
	•	•*			•						•	


^{*}Available only on 24" wide

Construction and Finish Upgrades								
APC	FB	MIP	MSLFB	WLI				
•	•	•	•	•				

Door O	ptions
CG	DPSRR
•	•

SINK BASE SUPERCABINET™





(FP) = False Panel

30", 33", 36"

(FP) = False Panel

341/2"

Model	Cubic Feet
SB30S	17.7
SB33S	19.6
SB36S	21.1

- Quarter Round Reversible Shelf for left or right applications will be constructed from 3/4" thick laminated furniture board. When upgraded to APC, shelf will use clear coated veneer plywood. (Shelf shipped secure, can be positioned in left or right corner.)
- Mini Touch-up Kit (MTUK) included. MTUK includes small touch-up marker and small fill stick.
- All load bearing surfaces meet KCMA standards of 15 lbs. per square foot.
- Each door features a chrome and wood two-tiered rack.
- \bullet Door rack width is 11 3/8" on 30" and 33" wide cabinets and 14 3/8" on 36" wide cabinet.
- Door rack depth is 3 1/2".

Custom Modifications

400.0												
CBO	CCO	CFP	CMAT	CND	DRT	DRWPWR	DRWTK	EXBK	FD	FTK	FTK_V	ID
•	•	STD		•			•	•		•	•	•
INVFRM	LTI	P	PTOWB	RD	RECTK	RT	SCPDRW	TD	TOTSS	TVR_V	VTK	
	•				•				•		•	

Construction and Finish Upgrades							
APC	FB	MIP	MSLFB	WLI			
•	•	•	•	•			

Door Options				
CG	DPSRR			
	•			

SINK BASE SUPERCABINET $^{\text{TM}}$ with CABMAT $^{\text{TM}}$



SB30SCM	17.7
SB33SCM	19.6
SB36SCM	21.1

- Mini Touch-up Kit (MTUK) included. MTUK includes small touch-up marker and small fill stick.
- CabMat[™] features a gray sloped mat to capture spills.
- CabMat[™] is removable for cleaning.
- All load bearing surfaces meet KCMA standards of 15 lbs. per square foot.
- Each door features a chrome and wood two-tiered rack.
- \bullet Door rack width is 11 3/8" on 30" and 33" wide cabinets and 14 3/8" on 36" wide cabinet.
- Door rack depth is 3 1/2".

	Liquid C	apacity	Cabinet Size			
Model	Quarts	Liters	Width	Depth		
SB30SCM	4.2	3.9	30″	24"		
SB33SCM	4.6	4.3	33″	24"		
SB36SCM	5.0	4.7	36″	24"		

Custom Modifications

Custon	ı iyloditi	cations										
CBO	CCO	CFP	CMAT	CND	DRT	DRWPWR	DRWTK	EXBK	FD	FTK	FTK_V	ID
•	•	STD		•			•	•		•	•	
INVFRM	LTI	P	PTOWB	RD	RECTK	RT	SCPDRW	TD	TOTSS	TVR_V	VTK	
	•				•				•		•	

Construction and Finish Upgrades						
APC	FB	MIP	MSLFB	WLI		
•	•	•	•	•		

Door O	ptions
CG	DPSRR
	•

SINK BASE SUPERCABINET™ with CADDY



- SB36SCDY L or R 20.9

 Mini Touch-up Kit (MTUK) included. MTUK includes small touch-up marker and small fill stick.
- L or R designates caddy location.
- Caddy is removable and portable.
- Caddy dimensions are: 9 15/16" wide x 18 5/16" tall x 18 5/8" deep.
- Door opposite caddy features a chrome and wood two-tiered rack.
- Door rack width is 14 3/8".
- Door rack depth is 3 1/2".

Custom Modifications

Custon	i iyloaiti	carions										
CBO	CCO	CFP	CMAT	CND	DRT	DRWPWR	DRWTK	EXBK	FD	FTK	FTK_V	ID
•	•	STD		•			•	•		•	•	•
INVFRM	LTI	Р	PTOWB	RD	RECTK	RT	SCPDRW	TD	TOTSS	TVR_V	VTK	
	•				•				•		•	

Constru	ction an	l Finish (Jpgrades	;
APC	FB	MIP	MSLFB	WLI
•	•	•	•	•


Door Options						
CG	DPSRR					
•	•					


(FP) = False Panel

341/2"

SINK BASE SUPERCABINET™ with **TILT-OUT TRAYS**







- Quarter Round Reversible Shelf for left or right applications will be constructed from 3/4" thick laminated furniture board. When upgraded to APC, shelf will use clear coated veneer plywood. (Shelf shipped secure, can be positioned in left or right corner.)
- Mini Touch-up Kit (MTUK) included. MTUK includes small touch-up marker and small fill stick.
- Includes two tilt-out trays.
- Tilt-out trays are stain resistant, moisture resistant plastic to allow storage of sponges and other cleaning materials.
- Tilt-out trays are also available as an accessory for field installation. See page 350.
- All load bearing surfaces meet KCMA standards of 15 lbs. per square foot.
- Each door features a chrome and wood two-tiered rack.
- \bullet Door rack width is 11 3/8" on 30" and 33" wide cabinets and 14 3/8" on 36" wide cabinet.
- Door rack depth is 3 1/2".

Custom Modifications

CBO	CCO	CFP	CMAT	CND	DRT	DRWPWR	DRWTK	EXBK	FD	FTK	FTK_V	ID
•	•			•			•	•		•	•	•
INVFRM	LTI	P	PTOWB	RD	RECTK	RT	SCPDRW	TD	TOTSS	TVR_V	VTK	
	•				•						•	

Constru	Upgrades			
APC	FB	MIP	MSLFB	1
				П

Door 0	ption
CG	DPSRI
	•

SINK BASE SUPERCABINET™ with TILT-OUT TRAYS and CABMAT™



30	", 33", 36	"//		
341/2"	24"			

SB30STSCM	17.7
SB33STSCM	19.6
SB36STSCM	21.1

- Mini Touch-up Kit (MTUK) included. MTUK includes small touch-up marker and small fill stick.
- CabMat[™] features a gray sloped mat to capture spills.
- $\bullet \;\; \mathsf{CabMat}^{^{\mathsf{TM}}}$ is removable for cleaning.
- Includes two tilt-out trays.
- Tilt-out trays are stain resistant, moisture resistant plastic to allow storage of sponges and other cleaning materials.
- Tilt-out trays are also available as an accessory for field installation. See page 350.
- All load bearing surfaces meet KCMA standards of 15 lbs. per square foot.
- Each door features a chrome and wood two-tiered rack.
- Door rack width is 11 3/8" on 30" and 33" wide cabinets and 14 3/8" on 36" wide cabinet.
- Door rack depth is 3 1/2".

	Liquid C	apacity	Cabin	et Size
Model	Quarts	Liters	Width	Depth
SB30STSCM	4.2	3.9	30″	24"
SB33STSCM	4.6	4.3	33″	24"
SB36STSCM	5.0	4.7	36"	24"

400.0												
CBO	CCO	CFP	CMAT	CND	DRT	DRWPWR	DRWTK	EXBK	FD	FTK	FTK_V	ID
•	•			•			•	•		•	•	
INVFRM	LTI	P	PTOWB	RD	RECTK	RT	SCPDRW	TD	TOTSS	TVR_V	VTK	
	•				•						•	

Construction and Finish Upgrades										
APC	FB	MIP	MSLFB	WLI						
•	•	•	•							

Door O	ptions
CG	DPSRR
	•

SINK BASE SUPERCABINET™ with TILT-OUT TRAYS and CADDY

36"

341/2"



Model Cubic Feet SB36STSCDY L or R 20.9

- Mini Touch-up Kit (MTUK) included. MTUK includes small touch-up marker and small fill stick.
- L or R designates caddy location.
- Caddy is removable and portable.
- Includes two tilt-out trays.
- Tilt-out trays are stain resistant, moisture resistant plastic to allow storage of sponges and other cleaning materials.
- Tilt-out trays are also available as an accessory for field installation. See page 350.
- Caddy dimensions are: 9 15/16" wide x 18 5/16" tall x 18 5/8" deep.
- Door opposite caddy features a chrome and wood two-tiered rack.
- Door rack width is 14 3/8".
- Door rack depth is 3 1/2".

Custom Modifications


400.0	· ·····											
CBO	CCO	CFP	CMAT	CND	DRT	DRWPWR	DRWTK	EXBK	FD	FTK	FTK_V	ID
•	•			•			•	•		•	•	•
INVFRM	LTI	Р	PTOWB	RD	RECTK	RT	SCPDRW	TD	TOTSS	TVR_V	VTK	
	•				•						•	


Constru	ction an	d Finish (Upgrades	i
APC	FB	MIP	MSLFB	WLI
•	•	•	•	•

Door Options							
CG	DPSRR						
•	•						

SINK BASE with DRAWER BELOW







SB24D L or R	14.4
SB24D	14.4
SB27D	16.1
SB30D	17.7
SB33D	19.6
SB36D	21.1

- Drawers are below full cabinet floor.
- Mini Touch-up Kit (MTUK) included. MTUK includes small touch-up marker and small fill stick.
- · Verify that sink, garbage disposal and plumbing fit opening.
- Plumbing going through floor will interfere with drawer operation. 2 3/8" clearance from back of drawer to interior back of cabinet.
- Opening height of upper section is 22 5/8".


Custom Modifications

CBO	CCO	CFP	CMAT	CND	DRT	DRWPWR	DRWTK	EXBK	FD	FTK	FTK V	ID
•	•		•*	•			•	•		•	•	
INVFRM	LTI	Р	PTOWB	RD	RECTK	RT	SCPDRW	TD	TOTSS	TVR_V	VTK	
	•	•+		•	•						•	

*Available only on 30", 33", and 36" wide $\,\,$ *Available only on 24" wide

/\	IIIUDIE OII	IY UII Z4	W
	Door 0	ptions	
	CG	DPSRR	
	•	•	

SQUARE CORNER SINK BASE



CS36 L or R	25.9
CS39 L or R	33.7
CS42 L or R	38.9

- Mini Touch-up Kit (MTUK) included. MTUK includes small touch-up marker and small fill stick.
- For sufficient dishwasher door clearance and loading/unloading space, a 15" wide base cabinet is recommended for use between a corner sink
 hase and dishwasher.
- Decorative hardware screws must be countersunk to prevent scratching of adjacent cabinets.
- Integrated soft-close hinge not included.

Custom Modifications


	CBO	CCO	CFP	CMAT	CND	DRT	DRWPWR	DRWTK	EXBK	FD	FTK	FTK_V	ID
		•											
	INVFRM	LTI	Р	PTOWB	RD	RECTK	RT	SCPDRW	TD	TOTSS	TVR_V	VTK	
ſ						•						•	

Construction and Finish Upgrades							
APC	FB	MIP	MSLFB	WLI			
•	•	•	•	•			

Door Options							
CG	DPSRR						
	•						


180

ANGLED CORNER SINK BASE



(FP) = False Panel

Max. Sink Widths if cut-out is 4" back from face of cabinet



Model	Cubic Feet
ACS36 L or R	25.9
ACS39 L or R	33.7
ACS42 [†]	38.9

- Edges beveled at 45°.
- Mini Touch-up Kit (MTUK) included. MTUK includes small touch-up marker and small fill stick.
- For sufficient dishwasher door clearance and loading/unloading space, a 15" wide base cabinet is recommended for use between a corner sink base and dishwasher.

†ACS42 has butt doors.

Model	Wall Width	Cabinet Front Width	Maximum Sink Width	Maximum Sink Depth
ACS36	36" x 36"	17″	25 3/4"	27 11/32"
ACS39	39" x 39"	21 1/4"	30″	27 11/32"
ACS42	42" x 42"	25 1/2"	34 1/4"	27 11/32"


Custom Modifications

CBO	CCO	CFP	CMAT	CND	DRT	DRWPWR	DRWTK	EXBK	FD	FTK	FTK_V	ID
	•	STD		•						•	•	
INVFRM	LTI	P	PTOWB	RD	RECTK	RT	SCPDRW	TD	TOTSS	TVR_V	VTK	
	•				•						•	

Constru	ction an	d Finish l	Jpgrades	i
APC	FB	MIP	MSLFB	WLI
•	•	•	•	

Door Options							
CG	DPSRR						
•	•						

COUNTRY SINK BASE



CNTYSB30-CNTYSB36 Butt doors CNTYSB39-CNTYSB48CS Center mullion

CNTYSB30	17.7
CNTYSB33	19.6
CNTYSB36	21.1
	·
CNTYSB39	22.7
CNTYSB42	24.4
CNTYSB45	25.8
CNTYSB48CS	27.7

- See page 73 for cut-out panel details.
- Mini Touch-up Kit (MTUK) included. MTUK includes small touch-up marker and small fill stick.
- For apron front sinks requiring a smaller cut-out height see Country Sink Base Cabinets with Short Apron or Base Drop-in Range Cabinets on page 202.
- Refer to sink manufacturer's recommendations for additional support required for apron front sinks.
- Maximum cut-out height will leave a 1/8" reveal above doors.

	Maximum Cut-out					
Model	Width	Height				
CNTYSB30	27"	12"				
CNTYSB33	30″	12"				
CNTYSB36	33″	12"				
CNTYSB39	36"	12"				
CNTYSB42	39″	12"				
CNTYSB45	42"	12"				
CNTYSB48CS	45"	12"				


Custom Modifications

CBO	CCO	CFP	CMAT	CND	DRT	DRWPWR	DRWTK	EXBK	FD	FTK	FTK_V	ID
	•		•*				•+	•		•	•	•
INVFRM	LTI	Р	PTOWB	RD	RECTK	RT	SCPDRW	TD	TOTSS	TVR_V	VTK	
	•			•	•	•+					•	

Door O	ptions
CG	DPSRR
•	•

COUNTRY SINK BASE with CABMAT™





Model	Cubic Feet
CNTYSB30CM	17.7
CNTYSB33CM	19.6
CNTYSB36CM	21.1

- See page 73 for cut-out panel details.
- Mini Touch-up Kit (MTUK) included. MTUK includes small touch-up marker and small fill stick.
- CabMat[™] features a gray sloped mat to capture spills.
- CabMat[™] is removable for cleaning.
- For apron front sinks requiring a smaller cut-out height see Country Sink Base Cabinets with Short Apron or Base Drop-in Range Cabinets on page 202.
- Refer to sink manufacturer's recommendations for additional support required for apron front sinks.
- Maximum cut-out height will leave a 1/8" reveal above doors.

	Maximu	m Cut-out	Liquid C	apacity	Cabinet Size		
Model	Width	Height	Quarts	Liters	Width	Depth	
CNTYSB30CM	27″	12″	4.2	3.9	30″	24"	
CNTYSB33CM	30″	12"	4.6	4.3	33″	24"	
CNTYSB36CM	33″	12"	5.0	4.7	36″	24"	


Custom Modifications

4031011	. moun	cuitons										
CBO	CCO	CFP	CMAT	CND	DRT	DRWPWR	DRWTK	EXBK	FD	FTK	FTK_V	ID
•	•						•	•		•	•	
INVFRM	LTI	P	PTOWB	RD	RECTK	RT	SCPDRW	TD	TOTSS	TVR_V	VTK	
	•				•						•	

Construction and Finish Upgrades								
APC	FB	FB MIP		WL				
•	•	•	•	•				

Door Options						
CG	DPSRR					
	•					

COUNTRY SINK BASE with SHORT APRON



CNTYSB30SA-CNTYSB36SA Butt doors CNTYSB39SA Center mullion

CNTYSB30SA	17.7				
CNTYSB33SA	19.6				
CNTYSB36SA	21.1				
CNTYSB39SA	22.7				

- See page 73 for cut-out panel details.
- Mini Touch-up Kit (MTUK) included. MTUK includes small touch-up marker and small fill stick.
- For apron front sinks requiring a cut-out height of 6 1/2" or less, see Base Drop-in Range Cabinets on page 202.
- Refer to sink manufacturer's recommendations for additional support required for apron front sinks.
- Maximum cut-out height will leave a 1/8" reveal above doors.

	Maximum Cut-out						
Model	Width	Height					
CNTYSB30SA	27"	9″					
CNTYSB33SA	30″	9″					
CNTYSB36SA	33″	9″					
CNTYSB39SA	36"	9″					

CBO	CCO	CFP	CMAT	CND	DRT	DRWPWR	DRWTK	EXBK	FD	FTK	FTK_V	ID
	•						•*	•		•	•	•
INVFRM	LTI	Р	PTOWB	RD	RECTK	RT	SCPDRW	TD	TOTSS	TVR_V	VTK	
	•			•	•	•*					•	

^{*}Not available on 39" wide


Construction and Finish Upgrades								
APC	FB	MIP	MSLFB	WLI				
•	•	•	•	•				

Door Options						
CG	DPSRR					
•	•					

182

- SBCs use the wall space the nomenclature implies.


- Remember to use 3" filler on adjoining cabinets.
 The adjoining run of cabinets will cover the void.
 The L or R in the cabinet nomenclature indicates the location of the void to ensure clearance; it is not recommended to place SBC cabinets next to 27" deep appliances.
- Aspen High Gloss, Derazi, and Gallio use door matching furniture board blind panels and fillers on standard and APC construction.



Model	A Min. Space	B Max. Pull*	C Max. Space	D Cabinet Opening	Clearance Drawer Fr of Adjace	E* e Between ont to Face ent Cabinet At Max.	F Actual Cabinet	Minimum Void	Maximum Void
SBC51	51″	4 5/8"	55 5/8"	22 3/4"	3 1/16"	7 11/16"	48″	0″	7 5/8″
SBC54	54"	4 5/8"	58 5/8"	25 3/4"	3 1/16"	7 11/16"	51″	0"	7 5/8″
SBC57	57″	4 5/8"	61 5/8"	28 3/4"	3 1/16"	7 11/16"	54"	0"	7 5/8″
SBC60	60″	4 5/8"	64 5/8"	31 3/4"	3 1/16"	7 11/16"	57"	0″	7 5/8"
SBC63	63"	4 5/8"	67 5/8"	34 3/4"	3 1/16"	7 11/16"	60″	0"	7 5/8″

^{*}Minimum/maximum space between inside edge of door and face of filler/adjoining cabinet. Dimensions provided allow for proper filler attachment and do not require cleating.

SINK BASE BLIND CORNER



Model	Cubic Feet
SBC51 L or R	27.3
SBC54 L or R	29.0
SBC57 L or R	30.6
SBC60 L or R	32.3
SBC63 L or R	34.0

- Not recommended for use next to an appliance deeper than standard cabinet depth.
- Includes one 3" filler, shipped unattached.
- L or R indicates void. R (right) void shown.
- Mini Touch-up Kit (MTUK) included. MTUK includes small touch-up marker and small fill stick.
- Aspen High Gloss, Derazi, and Gallio use door matching furniture board blind panels and fillers on standard and APC construction.

CBO	CCO	CFP	CMAT	CND	DRT	DRWPWR	DRWTK	EXBK	FD	FTK	FTK_V	ID
•	•	STD		•				•				
INVFRM	LTI	P	PTOWB	RD	RECTK	RT	SCPDRW	TD	TOTSS	TVR_V	VTK	
	•			•	•						•	


Construction and Finish Upgrades												
APC	FB	MIP	MSLFB	WLI								
•	•	•	•	•								

Door Options								
CG	DPSRR							
•	•							

Base Corner Cabinets

- BCs use the wall space the nomenclature implies.
 Remember to use 3" filler on adjoining cabinets.
- The adjoining run of cabinets will cover the void.
- BCFW specifies full width blind corner base cabinet.
- The L or R in the cabinet nomendature indicates the location of the void to ensure clearance; it is not recommended to place BC cabinets next to
- Aspen High Gloss, Derazi, and Gallio use door matching furniture board blind panels and fillers


 A spen High Gloss, Derazi, and Gallio use door matching furniture board blind panels and fillers on standard and APC construction.



Model	E* Clearance Between A B C D Drawer Front to Face Min. Max. Max. Cabinet of Adjacent Cabinet Space Pull* Space Opening At Min. At Max.				F Actual Cabinet	Minimum Void	Maximum Void		
BC36	36″	6 1/8"	42 1/8"	9 1/4"	1 9/16"	7 11/16"	27"	9″	15 1/8"
BC39	39″	4 5/8"	43 5/8"	10 3/4"	3 1/16"	7 11/16"	30″	9″	13 5/8"
BC42	42"	6 1/8"	48 1/8"	15 1/4"	1 9/16"	7 11/16"	39″	3″	9 1/8"
BC45	45"	4 5/8"	49 5/8"	16 3/4"	3 1/16"	7 11/16"	42"	3″	7 5/8"
BC48	48″	3 1/8"	51 1/8″	18 1/4"	4 9/16"	7 11/16"	45"	3″	6 1/8"
BCFW36	36″	6 1/8"	42 1/8"	9 1/4"	1 9/16"	7 11/16"	36″	0"	6 1/8"
BCFW39	39″	4 5/8"	43 5/8"	10 3/4"	3 1/16"	7 11/16"	39″	0"	4 5/8"
BCFW42	42"	6 1/8"	48 1/8"	15 1/4"	1 9/16"	7 11/16"	42"	0"	6 1/8"
BCFW45	45"	4 5/8"	49 5/8"	16 3/4"	3 1/16"	7 11/16"	45"	0"	4 5/8"
BCFW48/BCFW48CPO	48"	4 5/8"	52 5/8″	16 3/4"	3 1/16"	7 11/16"	48″	0″	4 5/8"

^{*}Minimum/maximum space between inside edge of door and face of filler/adjoining cabinet. Dimensions provided allow for proper filler attachment and do not require cleating.

BASE CORNER



Model	Width
BC36 L or R	27"
BC39 L or R	30"
BC42 L or R	39″
BC45 L or R	42"
BC48 L or R	45"

Model	Cubic Feet
BC36 L or R	16.1
BC39 L or R	19.6
BC42 L or R	24.4
BC45 L or R	24.4
BC48 L or R	26.0

- Not recommended for use next to an appliance deeper than standard cabinet depth.
- Includes one 3" filler, shipped unattached.
- L or R indicates void. R (right) void shown.
- Adjustable 15" deep shelves.
- 9" wide front panel using end panel material, 6" wide overlay will be shipped loose for field installation allowing 3" to pull.
- Door will attach to front panel using a hinge plate.
- Aspen High Gloss, Derazi, and Gallio use door matching furniture board blind panels and fillers on standard and APC construction.


(031011	i mouii	culions										
CBO	CCO	CFP	CMAT	CND	DRT	DRWPWR	DRWTK	EXBK	FD	FTK	FTK_V	ID
•	•	•		•		•*		•	•	•		
INVFRM	LTI	P	PTOWB	RD	RECTK	RT	SCPDRW	TD	TOTSS	TVR_V	VTK	
	•+			•	•						•	

^{*}Not available on 36", 39", and 42" wide $\,\,$ +Not available on 36" and 39" wide

Construction and Finish Upgrades											
APC	FB	MIP	MSLFB	WLI							
•	• •		•	•							

Door O	ptions
CG	DPSRR
•	•

BASE CORNER FULL WIDTH



Model	Width
BCFW36 L or R	36"
BCFW39 L or R	39"
BCFW42 L or R	42"
BCFW45 L or R	45"
BCFW48 L or R	48"

Model	Cubic Feet
BCFW36 L or R	21.1
BCFW39 L or R	22.7
DCFW49 L D	24.4
BCFW42 L or R	24.4
BCFW45 L or R	26.0
BCFW48 L or R	27.7

- Not recommended for use next to an appliance deeper than standard cabinet depth.
- Includes one 3" filler, shipped unattached.
- L or R indicates void. R (right) void shown.
- Adjustable 15" deep shelves.
- Aspen High Gloss, Derazi, and Gallio use door matching furniture board blind panels and fillers on standard and APC construction.

Custom Modifications

CBO	CCO	CFP	CMAT	CND	DRT	DRWPWR	DRWTK	EXBK	FD	FTK	FTK_V	ID
•	•	•		•		•*		•		•		
INVFRM	LTI	Р	PTOWB	RD	RECTK	RT	SCPDRW	TD	TOTSS	TVR_V	VTK	
	•+			•	•						•	

*Not available on 36", 39", and 42" wide

*Not available on 36" and 39" wide

Construction and Finish Upgrades

FB MIP MSLFB WLI

Door O	ption
CG	DPSRI
•	

27.7

BASE CORNER FULL WIDTH with S **CURVED PULL-OUT** 341/2"

BCFW48CPO L or R

- Includes one 3" filler, shipped unattached.
- L or R indicates void. L (left) void shown.
- Includes two pull-out shelves with chrome wire surround and Smart Stop closing mechanism. Shelf height can be adjusted in the field.
- When shelf is fully opened, it extends 27 3/4" from front edge of the face frame. Unit pulls out to the front only and can be installed next to a wall or appliance without side interference.
- Distance from surface of shelf to top edge of wire surround is 1 11/16".
- Maximum Weight Capacity: 44 lbs. per shelf.
- Aspen High Gloss, Derazi, and Gallio use door matching furniture board blind panels and fillers on standard and APC construction.

Custom Modifications

CBO	CCO	CFP	CMAT	CND	DRT	DRWPWR	DRWTK	EXBK	FD	FTK	FTK_V	ID
•	•	•		•		•		•		•		
INVFRM	LTI	Р	PTOWB	RD	RECTK	RT	SCPDRW	TD	TOTSS	TVR_V	VTK	
					•						•	


Construction and Finish Upgrades

Construction and rimon opgrades											
APC	FB	MIP	MSLFB	WLI							
•	•	•	•	•							

Door Options

LI	CG	DPSRF
•		•

BASE LAZY SUSAN CORNER with FULL HEIGHT DOOR and LAZY SUSAN



BLS36 L or R

20.0

- BLS36 L or R wall width is 36" x 36".
- BLS white plastic shelves are 28" diameter with a chrome pole.
- Decorative hardware screws must be countersunk to prevent scratching of adjacent cabinets.
- Integrated soft-close hinge not included.

Custom Modifications


CBO	CCO	CFP	CMAT	CND	DRT	DRWPWR	DRWTK	EXBK	FD	FTK	FTK_V	ID
•	•											
INVFRM	LTI	Р	PTOWB	RD	RECTK	RT	SCPDRW	TD	TOTSS	TVR_V	VTK	

nstruction and Finish Uparades

Construction and rimsii opgrades										
APC	FB	MIP	MSLFB	WLI						

Door Options DPSRR CG

DIAGONAL BASE with FULL HEIGHT DOOR



Model **Cubic Feet** DAB36FS L or R 25.9

• One fixed 5/8" thick shelf.

Custom Modifications


CBO	CCO	CFP	CMAT	CND	DRT	DRWPWR	DRWTK	EXBK	FD	FTK	FTK_V	ID
•	•									•	•	
INVFRM	LTI	Р	PTOWB	RD	RECTK	RT	SCPDRW	TD	TOTSS	TVR_V	VTK	
	•				•						•	

Construction and Finish Upgrades										
APC	FB	MIP	MSLFB	WLI						
•	•	•	•	•						

Door Options							
CG	DPSRR						
•	•						

25.9

DIAGONAL BASE with FULL HEIGHT DOOR & SUPER LAZY SUSAN



DAB36SLS L or R

• Features two 28" plywood revolving shelves with a 1" plywood lip. Lower shelf is mounted to floor. Upper shelf is mounted to fixed shelf. Fixed shelf is 5/8" thick.


Custom Modifications

CBO	CCO	CFP	CMAT	CND	DRT	DRWPWR	DRWTK	EXBK	FD	FTK	FTK_V	ID
•	•									•	•	
INVFRM	LTI	Р	PTOWB	RD	RECTK	RT	SCPDRW	TD	TOTSS	TVR_V	VTK	
	•				•						•	

Construction and Finish Upgrades										
APC	FB	MIP	MSLFB	WLI						
•	•	•	•	•						

Door 0	ptions	
CG	DPSRR	
•	•	

BASE EASY REACH



BER33 L or R	24.0

BER36 L or R	25.9

- BER33 L or R wall width is 33" x 33". BER36 L or R wall width is 36" x 36".
- Decorative hardware screws must be countersunk to prevent scratching of adjacent cabinets.
- Fixed shelf is 5/8" thick.
- Integrated soft-close hinge not included.


Custom Modifications


CBO	CCO	CFP	CMAT	CND	DRT	DRWPWR	DRWTK	EXBK	FD	FTK	FTK_V	ID
•	•											
INVFRM	LTI	P	PTOWB	RD	RECTK	RT	SCPDRW	TD	TOTSS	TVR_V	VTK	
	•				•						•	

Door Options DPSRR

Constru	ction an	d Finish (Jpgrades	ades		
APC	FB	MIP	MSLFB	WLI		
•	•	•	•	•		

BASE EASY REACH with ADJUSTABLE SHELVES





BERAS33 L or R	24.0
BERAS36 L or R	25.9
BERAS36 L or R	25.9


- $\bullet\,$ BERAS33 L or R wall width is 33" x 33". BERAS36 L or R wall width is 36" x 36".
- Decorative hardware screws must be countersunk to prevent scratching of adjacent cabinets.
- Adjustable crisscross shelves.
- Integrated soft-close hinge not included.


Custon	ı iyloditi	cations										
CBO	CCO	CFP	CMAT	CND	DRT	DRWPWR	DRWTK	EXBK	FD	FTK	FTK_V	ID
•	•											
INVFRM	LTI	P	PTOWB	RD	RECTK	RT	SCPDRW	TD	TOTSS	TVR_V	VTK	
	•				•						•	

Constru	ction an	d Finish (Jpgrades	i
APC	FB	MIP	MSLFB	WLI
•	•	•	•	•

Door 0	ptions	
CG	DPSRR	
	•	

ASYMMETRICAL BASE EASY REACH





Model	Cubic Feet
BER3336 L or R	24.5
BER3633 L or R	24.5

- BER3336 L or R wall width is 33" x 36".
- BER3633 L or R wall width is 36" x 33".
- Legs at the front frames are 9" on 33" and 12" on 36" leg.
- Nomenclature for asymmetrical cabinets reads as follows: First set of numbers = left side of cabinet dimensions. Second set of numbers = right side of cabinet dimensions.
- Decorative hardware screws must be countersunk to prevent scratching of adjacent cabinets.
- Fixed shelf is 5/8" thick.
- Integrated soft-close hinge not included.


Custom Modifications


CDO	cco	CED	CMAT	CND	DDT	DDIMDIMD	DDWTV	LADA	ΓD	ГΤИ	FTK V	ID
CBO	LLU	CFP	CMAT	CND	DRT	DRWPWR	DRWTK	EXBK	FD	FTK	FTK_V	ID
•	•											
INVFRM	ITI	D	PTOWB	RD	RECTK	RT	SCPDRW	TD	TOTSS	TVR V	VTK	
IINALIVA	LII	Г	LIOMP	Nυ	KECIK	ΝI	SCLDVA	עו	10133	IAV_A	VIIV	
	•				•						•	

Constru	ction an	d Finish l	Jpgrades	i
APC	FB	MIP	MSLFB	WLI
•	•	•	•	•

Door O	ptions
CG	DPSRR
	•

ASYMMETRICAL BASE EASY REACH with ADJUSTABLE SHELVES





BERAS3336 L or R	24.5
BERAS3633 L or R	24.5

- BERAS3336 L or R wall width is 33" x 36".
- BERAS3633 L or R wall width is 36" x 33"
- Legs at the front frames are 9" on 33" and 12" on 36" leg.
- Nomenclature for asymmetrical cabinets reads as follows: First set of numbers = left side of cabinet dimensions. Second set of numbers = right side of cabinet dimensions.
- Decorative hardware screws must be countersunk to prevent scratching of adjacent cabinets.
- Adjustable crisscross shelves.
- Integrated soft-close hinge not included.

Custom Modifications


COSTOIL	i mouiii	culions										
CBO	CCO	CFP	CMAT	CND	DRT	DRWPWR	DRWTK	EXBK	FD	FTK	FTK_V	ID
•	•							•				
INVFRM	LTI	P	PTOWB	RD	RECTK	RT	SCPDRW	TD	TOTSS	TVR_V	VTK	
	•				•						•	


Construction and Finish Unarades

COIISITO	ciion une	u riilisii u	Jygi uues)
APC	FB	MIP	MSLFB	WLI
•	•	•	•	•

Door C)ptions
CG	DPSRR
	_

SEGMENTED SUPER LAZY SUSAN





Due to fixed shelf mounting, shelves cannot be retrofitted.

SSS36 L or R 30.5

- SSS36 L or R wall width is 36" x 36".
- Fixed shelf is 5/8" thick.
- Rotating top shelf is segmented with Full Extension hardware.
- Rotating bottom shelf is continuous.
- Chrome rail surrounds both shelves. Chrome rail height is 2 13/16".
- Segmented shelves are plywood.
- Decorative hardware screws must be countersunk to prevent scratching adjacent cabinets.
- Integrated soft-close hinge not included.

Custom Modifications


CBO	CCO	CFP	CMAT	CND	DRT	DRWPWR	DRWTK	EXBK	FD	FTK	FTK_V	ID
•	•											
INVFRM	LTI	Р	PTOWB	RD	RECTK	RT	SCPDRW	TD	TOTSS	TVR_V	VTK	
					•						•	


Construction and Finish Upgrades

construction and runsii opgradus								
APC	FB	MIP	MSLFB	WLI				
•	•	•	•	•				

Door Options						
CG	DPSRR					
	•					

SUPER LAZY SUSAN





Due to fixed shelf mounting, shelves cannot be retrofitted.

Model	Cubic Feet
SLS33 L or R	24.0
SLS36 L or R	30.5

- SLS33 L or R wall width is 33" x 33".
- SLS36 L or R wall width is 36" x 36".
- SLS33 Susans are 28" diameter.
- SLS36 Susans are 32" diameter.
- Features two plywood revolving shelves with a 1" plywood lip. Lower shelf is mounted to floor. Upper shelf is mounted to fixed shelf. Fixed shelf is 5/8" thick.
- Decorative hardware screws must be countersunk to prevent scratching adjacent cabinets.
- · Integrated soft-close hinge not included.


Custom Modifications


	COSTOIL	i mouili	Cullolla										
	CBO	CCO	CFP	CMAT	CND	DRT	DRWPWR	DRWTK	EXBK	FD	FTK	FTK_V	ID
	•	•											
Ī	NVFRM	LTI	P	PTOWB	RD	RECTK	RT	SCPDRW	TD	TOTSS	TVR_V	VTK	
		•				•						•	

Construction and Finish Upgrades								
APC	FB	MIP	MSLFB	WLI				
•	•	•	•	•				

Door Options							
CG	DPSRR						
	•						

SOLID-WOOD SUPER LAZY SUSAN





Due to fixed shelf mounting, shelves cannot be retrofitted.

SLSW33 L or R	24.0
SLSW36 L or R	30.5

- SLSW33 L or R wall width is 33" x 33".
- SLSW36 L or R wall width is 36" x 36".
- SLSW33 L or R Susans are 28" diameter.
- SLSW36 L or R Susans are 32" diameter.
- Features two hardwood revolving shelves with a 3/16" lip. Lower shelf is mounted to floor. Upper shelf is mounted to fixed shelf. Fixed shelf is 5/8" thick.
- Decorative hardware screws must be countersunk to prevent scratching adjacent cabinets.
- Integrated soft-close hinge not included.


Custom Modifications


CBO	CCO	CFP	CMAT	CND	DRT	DRWPWR	DRWTK	EXBK	FD	FTK	FTK_V	ID
•	•											
INVFRM	LTI	P	PTOWB	RD	RECTK	RT	SCPDRW	TD	TOTSS	TVR_V	VTK	
	•				•						•	

Construction and Finish Upgrades										
APC	FB	MIP	MSLFB	WLI						
•	•	•	•	•						

Door Options						
CG	DPSRR					
	•					

SUPER LAZY SUSAN with CHROME RAIL





S

SLSCR33 L or R	30.5
SLSCR36 L or R	30.5

- SLSCR33 L or R wall width is 33" x 33". SLSCR36 L or R wall width is 36" x 36".
- SLSCR33 Susans are 28" diameter. SLSCR36 Susans are 32" diameter.
- Features two plywood revolving shelves with a 1" plywood lip. Lower shelf is mounted to floor. Upper shelf is mounted to fixed shelf. Fixed shelf is 5/8" thick.
- Chrome rail surrounds both shelves. Chrome rail height is 2 13/16".
- · Decorative hardware screws must be countersunk to prevent scratching adjacent cabinets.
- Integrated soft-close hinge not included.

Custom Modifications


C031011	i mouii	Cullolla										
CBO	CCO	CFP	CMAT	CND	DRT	DRWPWR	DRWTK	EXBK	FD	FTK	FTK_V	ID
•	•											
INVFRM	LTI	Р	PTOWB	RD	RECTK	RT	SCPDRW	TD	TOTSS	TVR_V	VTK	
	•				•						•	


Constru	ction an	d Finish (Jpgrades	i
APC	FB	MIP	MSLFB	WLI

Door Options						
CG	DPSRR					
	•					

188

ASYMMETRICAL SUPER LAZY SUSAN





Due to fixed shelf mounting, shelves cannot be retrofitted

Model	Cubic Feet
SLS3336 L or R	29.1
SLS3633 L or R	29.1

- SLS3336 L or R wall width is 33" x 36".
- SLS3633 L or R wall width is 36" x 33".
- All Asymmetrical Super Susan shelves are 28" diameter.
- Features two plywood revolving shelves with a 1" plywood lip. Lower shelf is mounted to floor. Upper shelf is mounted to fixed shelf. Fixed shelf is
- Nomenclature for asymmetrical cabinets reads as follows: First set of numbers = left side of cabinet dimensions.
- Second set of numbers = right side of cabinet dimensions.
- Decorative hardware screws must be countersunk to prevent scratching adjacent cabinets.
- Integrated soft-close hinge not included.


Custom Modifications


CBO	CCO	CFP	CMAT	CND	DRT	DRWPWR	DRWTK	EXBK	FD	FTK	FTK_V	ID
•	•											
INVFRM	LTI	Р	PTOWB	RD	RECTK	RT	SCPDRW	TD	TOTSS	TVR_V	VTK	
	•				•						•	

Construction and Finish Upgrades										
APC	FB	MIP	MSLFB	WLI						
•	•	•		•						

Door O	ptions
CG	DPSRR
	•

ASYMMETRICAL SOLID-WOOD SUPER LAZY SUSAN





Due to fixed shelf mounting, shelves cannot be retrofitted

SLSW3336 L or R	29.1			
SLSW3633 L or R	29.1			

- SLSW3336 L or R wall width is 33" x 36".
- SLSW3633 L or R wall widths is 36" x 33".
- All Asymmetrical Super Susan shelves are 28" diameter.
- Features two hardwood revolving shelves with a 3/16" lip. Lower shelf is mounted to floor. Upper shelf is mounted to fixed shelf. Fixed shelf is 5/8" thick.
- Nomenclature for asymmetrical cabinets reads as follows: First set of numbers = left side of cabinet dimensions. Second set of numbers = right side of cabinet dimensions.
- Decorative hardware screws must be countersunk to prevent scratching adjacent cabinets.
- Integrated soft-close hinge not included.

Custom Modifications

CBO	CCO	CFP	CMAT	CND	DRT	DRWPWR	DRWTK	EXBK	FD	FTK	FTK_V	ID
•	•											
INVFRM	LTI	P	PTOWB	RD	RECTK	RT	SCPDRW	TD	TOTSS	TVR_V	VTK	
	•				•						•	


Construction and Finish Upgrades


APC	FB	MIP	MSLFB	WLI
•	•	•	•	•

Door O	ptions
CG	DPSRR
	•

ASYMMETRICAL SUPER LAZY SUSAN with CHROME RAIL







SLSCR3336 L or R	30.5			
SLSCR3633 L or R	30.5			

- SLSCR3336 L or R wall width is 33" x 36".
- SLSCR3633 L or R wall width is 36" x 33".
- All Asymmetrical Super Susan shelves are 28" diameter.
- Features two plywood revolving shelves with a 1" plywood lip. Lower shelf is mounted to floor. Upper shelf is mounted to fixed shelf. Fixed shelf is 5/8" thick.
- Chrome rail surrounds both shelves. Chrome rail height is 2 13/16".
- Nomenclature for asymmetrical cabinets reads as follows:

First set of numbers = left side of cabinet dimensions.

- Second set of numbers = right side of cabinet dimensions.
- Decorative hardware screws must be countersunk to prevent scratching adjacent cabinets.
- Integrated soft-close hinge not included.

Custom Modifications

CBO	CCO	CFP	CMAT	CND	DRT	DRWPWR	DRWTK	EXBK	FD	FTK	FTK_V	ID
•	•											
INVFRM	LTI	P	PTOWB	RD	RECTK	RT	SCPDRW	TD	TOTSS	TVR_V	VTK	
	•				•						•	

Construction and Finish Upgrades

tonontonon and runon opposito											
APC	FB	MIP	MSLFB	WLI							
•	•	•	•	•							

Door O	ptions
CG	DPSRR
	•

Model **Cubic Feet** BRDB36 L or R 30.5 S **BASE ROTATING DEEP BIN** • BRDB36 wall width is 36" x 36". $\bullet\,$ BRDB36 shelves are 30" diameter. Bins are 6" deep.

- Not available in asymmetrical applications.
- Decorative hardware screws must be countersunk to prevent scratching of adjacent cabinets.
- Integrated soft-close hinge not included.

Custom Modifications

CBO	CCO	CFP	CMAT	CND	DRT	DRWPWR	DRWTK	EXBK	FD	FTK	FTK_V	ID
•	•											
INVFRM	LTI	Р	PTOWB	RD	RECTK	RT	SCPDRW	TD	TOTSS	TVR_V	VTK	
	•				•						•	

Constru	ction an	Door O	ptions				
APC	FB	MIP	MSLFB	WLI		CG	DPSRR
•	•	•	•	•			•

LAZY SUSAN PULL-OUT S 341/2

LSP36 L or R 30.5

- LSP36 L or R wall width is 36" x 36".
- Features four half-moon bins (8 3/8" x 25 1/2" each) with plywood shelves and chrome rail sides.
- Center pull-outs have Smart Stop guides and operate independently. Entire unit rotates when center pull-outs are in closed position.
- Decorative hardware screws must be countersunk to prevent scratching adjacent cabinets.
- Integrated soft-close hinge not included.

Custom Modifications

CBO	CCO	CFP	CMAT	CND	DRT	DRWPWR	DRWTK	EXBK	FD	FTK	FTK_V	ID
•	•							•				
INVFRM	LTI	P	PTOWB	RD	RECTK	RT	SCPDRW	TD	TOTSS	TVR_V	VTK	
					•						•	


Construction and Finish Upgrades										
APC	FB	MIP	MSLFB	WLI						
•	•	•	•	•						

Door	Options
CG	DPSRR

BASE TRANSITION CABINET

341/2

Due to fixed shelf mounting, shelves cannot be retrofitted



BTC12RL	14.4
BTC12LR	14.4

- Cabinet width is 13 1/4".
- One adjustable shelf.
- · Cabinets constructed with top.
- Door is always hinged on short side, with a recessed toekick on the short side.
- Depth can be reduced to a minimum of 18".
- RECTKBK, RECTKL and RECTKR cannot be ordered when RD is specified. RECTKL and RECTKR cannot be specified on the same cabinet.

Custom Modifications

CBO	CCO	CFP	CMAT	CND	DRT	DRWPWR	DRWTK	EXBK	FD	FTK	FTK_V	ID
•	•									•		
INVFRM	LTI	Р	PTOWB	RD	RECTK	RT	SCPDRW	TD	TOTSS	TVR_V	VTK	
					•*						•	

*RECTKALL not available

Construction and Finish Upgrades						
APC	FB	MIP	MSLFB	WLI		
•	•	•	•	•		

Door O	ptions
CG	DPSRR
•	•

Model **Cubic Feet BEC24** 14.3

- Wall width is 24" x 24".
- 24" W x 24" D x 34 1/2" H.
- 24" from outside corner point to frame face.
- Cabinets constructed with top.
- One adjustable shelf.
- Cabinet may be installed against either end of a run.

Custom Modifications

CBO	CCO	CFP	CMAT	CND	DRT	DRWPWR	DRWTK	EXBK	FD	FTK	FTK_V	ID
•	•											
INVFRM	LTI	P	PTOWB	RD	RECTK	RT	SCPDRW	TD	TOTSS	TVR_V	VTK	
	•										•	


Construction and Finish Unavados

Construction and rinish upgrades							
APC	FB	MIP	MSLFB	WLI			
•		•	•	•			

Door O	ptions
CG	DPSRR
•	•

TWO DRAWER BASE

190



2DB18	11.1
2DB21	12.8
2DB24	14.4
2DB27	15.6
2DB30	17.7
2DB33	18.8
2DB36	21.1
2DB42	23.4
2DB48	26.6

- Exterior drawer box height is 10".
- $\bullet\,$ Depth can be reduced to a minimum of 21".
- When SCPDRW is selected, the top drawer will utilize a 6 3/8" high drawer box instead of the current 10" high drawer box, creating a clearance for the cooktop of 6 3/4" from the top of drawer box to the cross rail, and 7 1/2" to the cabinet top.
- When 2DB48 is ordered in Whittaker with DFF5PC, drawer fronts will have a vertical cross rail with two center panels.

Custom Modifications

CBO	CCO	CFP	CMAT	CND	DRT	DRWPWR	DRWTK	EXBK	FD	FTK	FTK_V	ID
•	•						•*	•		•	•	
INVFRM	LTI	Р	PTOWB	RD	RECTK	RT	SCPDRW	TD	TOTSS	TVR_V	VTK	
				•	•						•	

*Not available on 42" and 48" wide


Construction and Einich Unavados

Construction and Finish Upgrades						
APC	FB	MIP	MSLFB	WLI		
•	•	•	•			

Door	Options
CG	DPSRR

TWO DRAWER BASE with PEGGED **DISH ORGANIZER**





2DB36PDO

- Includes 8 wooden posts.
- ullet Includes 19/32" thick removable pegged board in top drawer.
- Exterior drawer box height is 10".
- Additional posts available as an accessory. See page 348.
- Posts and pegged board available as accessories for field installation. See page 348.

21.1

• When SCPDRW is selected, the top drawer will utilize a 6 3/8" high drawer box instead of the current 10" high drawer box, creating a clearance for the cooktop of 6 3/4" from the top of drawer box to the cross rail, and 7 1/2" to the cabinet top.

Custom Modifications

CBO	CCO	CFP	CMAT	CND	DRT	DRWPWR	DRWTK	EXBK	FD	FTK	FTK_V	ID
•	•						•	•		•	•	
INVFRM	LTI	P	PTOWB	RD	RECTK	RT	SCPDRW	TD	TOTSS	TVR_V	VTK	
					•		•				•	

Construction and Finish Upgrades


APC	FB	MIP	MSLFB	WLI
•	•	•	•	

Door O	ptions
CG	DPSRR

TWO DRAWER BASE with ROLL TRAY

S

S



Model	Cubic Feet
2DB18RT	11.1
2DB21RT	12.8
2DB24RT	14.4
2DB27RT	16.1
2DB30RT	17.7
2DB33RT	19.6
2DB36RT	21.1

- Includes a roll tray above the top drawer box.
- Exterior height for bottom drawer box is 6 3/8".


Custom Modifications

C031011	i mouii	Cullolis										
CBO	CCO	CFP	CMAT	CND	DRT	DRWPWR	DRWTK	EXBK	FD	FTK	FTK_V	ID
•	•						•	•		•	•	
INVFRM	LTI	Р	PTOWB	RD	RECTK	RT	SCPDRW	TD	TOTSS	TVR_V	VTK	
				•	•						•	

Construction and Finish Upgrades									
APC	FB	MIP	MSLFB	WL					
•	•	•	•						

Door 0	ptions
CG	DPSRR

TWO DRAWER BASE with ROLL TRAY and PEGGED DISH ORGANIZER





21.1

- Includes a roll tray above the top drawer box.
- Includes 8 wooden posts.
- \bullet Includes 19/32" thick removable pegged board in top drawer.
- Additional posts available as an accessory. See page 348.
- Posts and pegged board available as accessories for field installation. See page 348.


Custom Modifications

CBO	CCO	CFP	CMAT	CND	DRT	DRWPWR	DRWTK	EXBK	FD	FTK	FTK_V	ID
•	•						•	•		•	•	
INVFRM	LTI	Р	PTOWB	RD	RECTK	RT	SCPDRW	TD	TOTSS	TVR_V	VTK	
					•						•	

Constru	i			
APC	FB	MIP	MSLFB	WLI
•	•	•	•	

Door O	ptions
CG	DPSRR

TWO DRAWER BASE, DROP-IN RANGE



2DB30DR	17.7
2DB36DR	21.1

- Exterior height of drawer boxes is 6 3/8".
- See page 73 for cut-out panel details.
- Maximum cut-out height will leave a 1/8" reveal above doors.


Custom Modifications

C031011	i mouiii	cumons										
CBO	CCO	CFP	CMAT	CND	DRT	DRWPWR	DRWTK	EXBK	FD	FTK	FTK_V	ID
•	•						•	•		•	•	
INVFRM	LTI	Р	PTOWB	RD	RECTK	RT	SCPDRW	TD	TOTSS	TVR_V	VTK	
				•	•		•				•	

Construction and Finish Upgrades										
APC	APC FB		MSLFB	WLI						
•	•	•	•							

Door Options							
CG	DPSRR						

THREE DRAWER BASE



Cubic Feet
7.8
9.4
11.1
12.8
14.4
16.1
17.7
19.6
21.1

 \bullet Exterior height of bottom 2 drawer boxes is 6 3/8".

Custom Modifications

C031011	i mouii	cuitons										
CBO	CCO	CFP	CMAT	CND	DRT	DRWPWR	DRWTK	EXBK	FD	FTK	FTK_V	ID
•	•	•				•*	•*	•		•	•+	
INVFRM	LTI	P	PTOWB	RD	RECTK	RT	SCPDRW	TD	TOTSS	TVR_V	VTK	
				•	•		•				•	


*Not available on 12" and 15" wide $\,\,$ *Not available on 12" wide

Construction and Finish Upgrades

COLIZITO	ciion an	a riiiisii u	Jpgraae:	•
APC	FB	MIP	WLI	
•	•	•	•	

Door	Options
CG	DPSRR

THREE DRAWER BASE BUFFET



3DBB30	17.7
3DBB33	19.6
3DBB36	21.1

ullet Exterior height of bottom 2 drawer boxes is 6 3/8".

Custom Modifications

CBO	CCO	CFP	CMAT	CND	DRT	DRWPWR	DRWTK	EXBK	FD	FTK	FTK_V	ID
•	•	•				•*	•	•		•	•	
INVFRM	LTI	Р	PTOWB	RD	RECTK	RT	SCPDRW	TD	TOTSS	TVR_V	VTK	
				•	•		•				•	

*Not available on 30" and 33" wide

Construction and Fi

CONSTITU	CHOII WIII	4 1 1111311 4	pyrauci	'
APC	FB	MIP	MSLFB	WLI
•	•	•	•	

Door O	ptions
CG	DPSRR

THREE DRAWER BASE with WOOD TIERED CUTLERY DIVIDER DRAWER



3DB15WTCD	9.4
3DB18WTCD	11.1
3DB21WTCD	12.8
3DB24WTCD	14.4
	-

- Exterior height for lower drawer boxes is 6 3/8".
- \bullet Exterior WTCD drawer box height is 3 3/4", interior height of top and bottom tier is 1 3/8".
- Wood Tiered Cutlery Divider Drawer is also available as an accessory. See page 344.

Custom Modifications

CBO	CCO	CFP	CMAT	CND	DRT	DRWPWR	DRWTK	EXBK	FD	FTK	FTK_V	ID
•	•						•*	•		•	•	
INVFRM	LTI	P	PTOWB	RD	RECTK	RT	SCPDRW	TD	TOTSS	TVR_V	VTK	
					•						•	

*Not available on 15" wide

Construction and Finish Upgrades												
APC	FB	MIP	MSLFB	WLI								
•	•	•	•									

Door O	ptions
CG	DPSRR

Schrock^a

15", 18", 21", 24"

341/2"

THREE DRAWER BASE with WOOD **TIERED K-CUP* DRAWER**

341/2"



3DB18KCUP	
Holds 40 K-Cups	

Model

- Exterior height for lower drawer boxes is 6 3/8".
- Exterior Wood Tiered K-Cup drawer box height is 3 3/4", interior height of top tier is 1 5/8", and interior height of bottom tier is 1 3/8".
- The Wood Tiered K-Cup Drawer is compatible with K-Cup pods only.
- Wood Tiered K-Cup Drawer is also available as an accessory. See page 345.

Cubic Feet

11.1

*K-Cup is a registered trademark of Keurig Green Mountain, Inc.

Custom Modifications

CBO	CCO	CFP	CMAT	CND	DRT	DRWPWR	DRWTK	EXBK	FD	FTK	FTK_V	ID
•	•						•	•		•	•	
INVFRM	LTI	P	PTOWB	RD	RECTK	RT	SCPDRW	TD	TOTSS	TVR_V	VTK	
					•						•	

	Constru	ction an	d Finish (Jpgrades	;
	APC	FB	MIP	MSLFB	WLI
	•	•	•	•	

3DB24WD

3DB27WD

3DB30WD

3DB33WD

3DB36WD

Door O	ptions
CG	DPSRR

14.4


16.1

17.7

19.6

21.1

THREE DRAWER BASE, WARMING **DRAWER**



• Exterior height of bottom drawer box is 6 3/8".

- For built-in appliance support in 24" deep cabinets, a kit is included (not factory installed) with a support shelf, unfinished plywood strips, and mounting screws for field mounting installation. Kit can be trimmed for when cabinet depth is modified.
- See page 73 for specifications on appliance cabinet trim panels.

	A	В	C		D		Drawer Front	Drawer Front
	Panel	Panel	Cut-out Width		Cut-out Height		Height	Height
	Width	Height	Min. Max.		Min.	Max.	(Upper Drawer)	(Lower Drawer)
3DB24WD	23 27/32"	12 5/8"	18 3/32"	20 27/32"	67/8"	11 9/16"	61/4"	10 5/8"
3DB27WD	26 27/32"	12 5/8"	21 3/32"	23 27/32"	67/8"	11 9/16"	61/4"	10 5/8"
3DB30WD	29 27/32"	12 5/8"	24 3/32"	26 27/32"	67/8"	11 9/16"	61/4"	10 5/8"
3DB33WD	32 27/32"	12 5/8"	27 3/32"	29 27/32"	67/8"	11 9/16"	61/4"	10 5/8"
3DB36WD	35 27/32"	12 5/8"	30 3/32"	32 27/32"	67/8"	11 9/16"	61/4"	10 5/8"


Custom Madifications

Costom modifications												
CBO	CCO	CFP	CMAT	CND	DRT	DRWPWR	DRWTK	EXBK	FD	FTK	FTK_V	ID
•	•	•				•	•	•		•	•	
INVFRM	LTI	Р	PTOWB	RD	RECTK	RT	SCPDRW	TD	TOTSS	TVR_V	VTK	
				•	•		•				•	

Constru	ction an	d Finish (Jpgrades	;
APC	FB	MIP	MSLFB	WLI
•	•	•	•	

Door 0	ptions
CG	DPSRR

THREE DRAWER BASE with DEEP **DRAWER**



3DBDD24	14.4
3DBDD30	17.7
3DBDD33	17.6
3DBDD36	20.9

• Exterior height of bottom drawer box is 10".

S

Custon	Custom Modifications											
CBO	CCO	CFP	CMAT	CND	DRT	DRWPWR	DRWTK	EXBK	FD	FTK	FTK_V	ID
•	•	•				•	•	•		•	•	
INVFRM	LTI	P	PTOWB	RD	RECTK	RT	SCPDRW	TD	TOTSS	TVR_V	VTK	
				•	•		•				•	

Construction and Finish Upgrades									
Г	APC	FB	MIP	MSLFB	WLI				
	•	•	•	•					

Door C)ptions
CG	DPSRR

341/2"

THREE DRAWER BASE BUFFET with **DEEP DRAWER**



Model	Cubic Feet
3DBBDD30	17.6
3DBBDD33	19.2
3DBBDD36	20.9

• Exterior height of bottom drawer box is 10".

Custom Modifications

4031011	. moun	cuitons										
CBO	CCO	CFP	CMAT	CND	DRT	DRWPWR	DRWTK	EXBK	FD	FTK	FTK_V	ID
•	•	•				•*	•	•		•	•	
INVFRM	LTI	P	PTOWB	RD	RECTK	RT	SCPDRW	TD	TOTSS	TVR_V	VTK	
				•	•		•				•	

*Not available on $30^{\prime\prime}$ and $33^{\prime\prime}$ wide

Constru	ction an	d Finish l	Jpgrades	i
APC	FB	MIP	MSLFB	WLI
•	•	•	•	

Door O	ptions
CG	DPSRR

FOUR DRAWER BASE

30", 33", 36"



	4DB12	7.8
	4DB15	9.4
	4DB18	11.1
	4DB21	12.8
	4DB24	14.4
	4DB27	15.9
	4DB30	17.6
	4DB33	19.2
	4DB36	20.9

• Exterior height of bottom drawer box is 6 3/8".

Custom Modifications

CBO	CCO	CFP	CMAT	CND	DRT	DRWPWR	DRWTK	EXBK	FD	FTK	FTK_V	ID
•	•	•				•*	•*	•		•	•+	
INVFRM	LTI	P	PTOWB	RD	RECTK	RT	SCPDRW	TD	TOTSS	TVR_V	VTK	
				•	•		•				•	

*Not available on 12" and 15" wide $\,\,$ +Not available on 12" wide

Construction and Finish Upgrades

APC FB MIP MSLFB WLI

Door O	ptions
CG	DPSRR

FOUR DRAWER BASE with CUTLERY INSERT WOOD ORGANIZER



9.4
11.1
12.8
14.4

- $\bullet\,$ Cutlery Insert Wood Organizer is also available as an accessory. See page 344.
- Exterior height of bottom drawer box is 6 3/8".


Custom Modifications

CBO	CCO	CFP	CMAT	CND	DRT	DRWPWR	DRWTK	EXBK	FD	FTK	FTK_V	ID
•	•						•*	•		•	•	
INVFRM	LTI	Р	PTOWB	RD	RECTK	RT	SCPDRW	TD	TOTSS	TVR_V	VTK	
					•						•	

*Not available on 15" wide

Construction and Finish Upgrades											
APC	FB	MIP	MSLFB	WLI							
•	•	•	•								

Door O	ptions
CG	DPSRR




FOUR DRAWER BASE with WOOD TIERED CUTLERY DIVIDER DRAWER

15", 18", 21", 24"

341/2"

341/2"





- \bullet Exterior WTCD drawer box height is 3 3/4", interior height of top and bottom tier is 1 3/8".
- Wood Tiered Cutlery Divider Drawer is also available as an accessory. See page 344.
- Exterior height of bottom drawer box is 6 3/8".

Custom Modifications

4031011	ii iiiouiii	icuitonis										
CBO	CCO	CFP	CMAT	CND	DRT	DRWPWR	DRWTK	EXBK	FD	FTK	FTK_V	ID
•	•						•*	•		•	•	
INVFRM	LTI	P	PTOWB	RD	RECTK	RT	SCPDRW	TD	TOTSS	TVR_V	VTK	
					•						•	

*Not available on 15" wide

Construction and Finish Upgrades						
APC	FB	MIP	MSLFB	W		
•	•	•	•			

Door Options						
CG	DPSRR					

FOUR DRAWER BASE with WOOD TIERED K-CUP* DRAWER



4DB18KCUP

- Holds 40 K-Cups.
- Exterior height of bottom drawer box is 6 3/8".
- Exterior Wood Tiered K-Cup drawer box height is 3 3/4", interior height of top tier is 1 5/8", and interior height of bottom tier is 1 3/8".
- The Wood Tiered K-Cup Drawer is compatible with K-Cup pods only.
- Wood Tiered K-Cup Drawer is also available as an accessory. See page 345.

11.1

*K-Cup is a registered trademark of Keurig Green Mountain, Inc.

Custom Modifications


CBO	CCO	CFP	CMAT	CND	DRT	DRWPWR	DRWTK	EXBK	FD	FTK	FTK_V	ID
•	•						•	•		•	•	
INVFRM	LTI	Р	PTOWB	RD	RECTK	RT	SCPDRW	TD	TOTSS	TVR_V	VTK	
					•						•	


Construction and Finish Upgrades							
APC	FB	MIP	MSLFB	WLI			
•	•	•	•				

Door 0	ptions				
CG	DPSRR				

BASE WASTEBASKET







BWB15	9.4
BWB152	9.4
BWB18	11.1
BWB21	12.8

- $\bullet\,$ BWB15 includes one 35 quart gray wastebasket and one trash bag storage area.
- BWB152 includes two 27 quart gray wastebaskets.
- $\bullet\,$ BWB18 and BWB21 include two 35 quart gray wastebaskets.
- BWB15 and BWB18 can be reduced in depth to 21". When reduced, BWB15 includes one wastebasket. When reduced, BWB18 includes one
 wastebasket and one trash bag storage area.
- Wastebasket lid available for purchase separately, see page 343. BWBLID fits 35 quart wastebaskets.
- BWBLID can only be used on the front trash can of BWB18 and BWB21.
- Pull-out features undermount Smart Stop guides.

Custom Modifications

4031011	COSTONI MOUNTAINONS											
CBO	CCO	CFP	CMAT	CND	DRT	DRWPWR	DRWTK	EXBK	FD	FTK	FTK_V	ID
•	•	•		•		•*	•*	•		•	•	
INVFRM	LTI	P	PTOWB	RD	RECTK	RT	SCPDRW	TD	TOTSS	TVR_V	VTK	
			•	•+	•						•	

*Not available on 15" wide
+Not available on BWB152 and BWB21


Construction and Finish Upgrades							
	APC	FB	MIP	MSLFB	WLI		
					_		


Door O	ptions
CG	DPSRR
	•


196


BASE WASTEBASKET FULL HEIGHT











Model	Cubic Feet
BWB15FH	9.4
BWB18FH	11.1
	·
BWB15FH2	9.4
BWB18FH2	11.1
	·
BWB15FHRT2	9.4
BWB18FHRT2	11.1
	<u> </u>
BWB21FH	12.8

- BWB15FH and BWB18FH include one 50 quart gray wastebasket and one trash bag storage area.
- BWB15FH2 includes two 27 quart gray wastebaskets.
- BWB18FH2 includes two 35 quart gray wastebaskets.
- BWB15FHRT2 includes two 27 quart gray wastebaskets and one roll tray.
- BWB18FHRT2 includes two 35 quart gray wastebaskets and one roll tray.
- BWB21FH has two 50 quart gray wastebaskets.
- Wastebasket lid available for purchase separately, see page 343. BWBLID fits 35 quart wastebaskets. BWBFHLID fits 50 quart wastebaskets.
- BWBLID can only be used on the front trash can of BWB18FH2 and BWB18FHRT2.
- BWBFHLID can only be used on the front trash can of BWB21FH.
- Pull-out features undermount Smart Stop guides.

Custom Modifications

CBO	CCO	CFP	CMAT	CND	DRT	DRWPWR	DRWTK	EXBK	FD	FTK	FTK_V	ID
•	•						•*	•		•	•	
INVFRM	LTI	Р	PTOWB	RD	RECTK	RT	SCPDRW	TD	TOTSS	TVR_V	VTK	
			•		•						•	

^{*}Not available on 15" wide

Construction and Finish Upgrades

APC	FB	MIP	MSLFB	WLI
•	•	•	•	•

Door O	ptions
CG	DPSRR
	_

BASE PAPER TOWEL CABINET with WASTEBASKET, FULL HEIGHT

341/2"

341/2"

341/2"



Model	Cubic Feet
BPT15WBFH	9.4
BPT18WBFH	11.1

- Upper section of cobinet features a cubby area with veneer finished interior sides and fixed shelf, a gray tension rod for easy removal, and a storage
 area behind the paper towel roll for an additional three to four paper towel rolls. Maximum paper towel diameter is 6".
- Cabinet back and lower section of cabinet has standard interior.
- BPT15WBFH includes one 35 quart gray wastebasket and one trash bag storage area.
- BPT18WBFH includes two 35 quart gray wastebaskets.
- Can be reduced in depth to 21". When reduced, BPT15WBFH includes one wastebasket. When reduced, BPT18WBFH includes one wastebasket and
 one trash bag storage area.
- Wastebasket lid available for purchase separately, see page 343. BWBLID fits 35 quart wastebaskets. BWBLID can only be used on the front trash
 can of BPT18WBFH.
- Pull-out features undermount Smart Stop guides.

Custom Modifications

400.0												
CBO	CCO	CFP	CMAT	CND	DRT	DRWPWR	DRWTK	EXBK	FD	FTK	FTK_V	ID
•	•						•	•		•	•	
INVFRM	LTI	P	PTOWB	RD	RECTK	RT	SCPDRW	TD	TOTSS	TVR_V	VTK	
			•	•	•						•	

Constru	Construction and Finish Upgrades									
APC	FB	MIP	MSLFB	WLI						
•		•	•	•						

Door O	ptions
CG	DPSRR
	•

BASE BIN TRAY PULL-OUT



BBTP24 14.4

- Door mounted pull-out features Smart Stop guides with chrome rails, gray 35 quart wastebasket with lid, gray bin, and two gray plastic trays. All items
 can be removed for cleaning.
- Bottom of pull-out has a removable gray plastic liner.
- Wastebasket lid available for purchase separately, see page 343. BWBLID fits 35 quart wastebaskets.

Custom Modifications

CBO	CCO	CFP	CMAT	CND	DRT	DRWPWR	DRWTK	EXBK	FD	FTK	FTK_V	ID
	•	•				•	•	•		•	•	
INVFRM	LTI	P	PTOWB	RD	RECTK	RT	SCPDRW	TD	TOTSS	TVR_V	VTK	
					•		•				•	

Construction and Finish Upgrades										
APC	FB	MIP	MSLFB	WLI						
•	•	•	•	•						

Door Options								
CG	DPSRR							
	•							

BASE BIN TRAY PULL-OUT FULL HEIGHT




BBTP24FH 14.4

- Door mounted pull-out features Smart Stop guides with chrome rails, gray 50 quart wastebasket with lid, gray bin, and two gray plastic trays. All items
 can be removed for cleaning.
- Bottom of pull-out has a removable gray plastic liner.
- Wastebasket lid available for purchase separately, see page 343. BWBFHLID fits 50 quart wastebaskets.

CBO	CCO	CFP	CMAT	CND	DRT	DRWPWR	DRWTK	EXBK	FD	FTK	FTK_V	ID
	•						•	•		•	•	
INVFRM	LTI	Р	PTOWB	RD	RECTK	RT	SCPDRW	TD	TOTSS	TVR_V	VTK	
					•						•	


Constru	ction and	d Finish (;	
APC	FB	MIP	MSLFB	WLI
•	•	•		٠

Door O	ptions
CG	DPSRR
	•



198

BASE WINE CUBBY, 24" DEEP



Cubic Feet Model BWC6 3.7

- Matching finished veneer interior and exterior with matching finished veneer edgebanding.
- Vertical application only.
- Reduced Depth only available in 3" increments down to 12".

Custom Modifications


CBO	CCO	CFP	CMAT	CND	DRT	DRWPWR	DRWTK	EXBK	FD	FTK	FTK_V	ID
INVFRM	LTI	P	PTOWB	RD	RECTK	RT	SCPDRW	TD	TOTSS	TVR_V	VTK	
				•							•	

Construction and Finish Unarados

	Door O	ptions
LI	CG	DPSRR

-	construction and rimish opgrades								
A	PC	FB	MIP	MSLFB	WLI				
		STD							

BASE SPICE DRAWER, 24" DEEP



• Matching finished veneer interior and exterior with matching finished veneer edgebanding.

3.7

- See BWC6 (Base Wine Cubby without Drawers).
- · Vertical application only.

BSD6

- Includes five 1/2" hardwood drawers with rabbet joint, 21 13/16" deep.
- Drawer opening is 4 1/2" wide x 5 1/8" high.
- If ordered with Heirlooming Technique, will not feature sand-through characteristics.
- Reduced Depth only available in 3" increments down to 12".
- Drawer front is unique to item and will not match profile chosen.
- All styles use standard drawer front profile except Ainsley, Brantley, Campbell, Denton, Elston, Huxley, Kennedy, Pleasant Hill, Prestley, Seaton, and Whittaker, which use the shaker profile.
- Aspen, Derazi, and Gallio drawer fronts will match doors and drawer fronts.


Custom Modifications

CBO	CCO	CFP	CMAT	CND	DRT	DRWPWR	DRWTK	EXBK	FD	FTK	FTK_V	ID
INVFRM	LTI	P	PTOWB	RD	RECTK	RT	SCPDRW	TD	TOTSS	TVR_V	VTK	
				•							•	

Constru	ction and	a rinish u	Jpgraaes	FB WLI
APC	FB	MIP	MSLFB	WLI
	STD			

ט ווטטע	piions
CG	DPSRR

FLOATING ISLAND BASE WITHOUT TOP



FICNT24	14.4
FICNT30	17.7
FICNT36	20.9
TICHIO	20.7

- Features framed construction with Full Overlay door and drawer front sizes.
- 1 full width drawer and 1 adjustable 15" shelf.
- 4 heavy duty locking casters.
- Cabinet back is finished to match cabinet box color.
- Maximum countertop overhang of 1" on all sides.
- Not recommended for use with roll trays.

4031011	· ····ou···	cuiioiis										
CBO	CCO	CFP	CMAT	CND	DRT	DRWPWR	DRWTK	EXBK	FD	FTK	FTK_V	ID
•	•	•		•					•			
INVFRM	LTI	P	PTOWB	RD	RECTK	RT	SCPDRW	TD	TOTSS	TVR_V	VTK	
	•											

Constru	ction an	d Finish l	Jpgrades	i
APC	FB	MIP	MSLFB	WLI
STD	STD	•		•

DOOL C	prions
CG	DPSRR

FLOATING ISLAND BASE



32" high without top and casters.

- Model **Cubic Feet** FIC24 15.0 FIC30 18.5 FIC36 21.9
- Features framed construction with Full Overlay door and drawer front sizes.
- 1 full width drawer and 1 adjustable 15" shelf.
- \bullet 1 1/2" thick solid Maple top. Top is treated with FDA approved mineral oil.
- Top overhangs 1" on all sides. For field provided countertops, maximum overhang of 1" required on all sides.
- 4 heavy duty locking casters.
- Cabinet back is finished to match cabinet box color.
- Wood tops require regular applications of mineral oil by consumers.
- Not recommended for use with roll trays.

Custom Modifications

CBO	CCO	CFP	CMAT	CND	DRT	DRWPWR	DRWTK	EXBK	FD	FTK	FTK_V	ID
•	•	•		•					•			
INVFRM	LTI	Р	PTOWB	RD	RECTK	RT	SCPDRW	TD	TOTSS	TVR_V	VTK	
	•											


APC FB MIP MSLFB				
APC	FB	MIP	MSLFB	W
STD	STD	•		•

Door Options						
CG	DPSRR					
•	•					

6.1

7.8

BASE PANTRY PULL-OUT



BPP9
RPP12

• All styles feature a natural finish Smart Stop wood pull-out with adjustable shelves and chrome rail sides. The adjustable rear wall of the pull-out prevents items from falling behind the unit.

Custom Modifications


CBO	CCO	CFP	CMAT	CND	DRT	DRWPWR	DRWTK	EXBK	FD	FTK	FTK_V	ID
•	•							•		•		
INVFRM	LTI	Р	PTOWB	RD	RECTK	RT	SCPDRW	TD	TOTSS	TVR_V	VTK	
					•*						•	

*RECTKALL not available on 9" wide

Construction and Finish Upgrades								
APC	FB	MIP	MSLFB	WLI				
•	•	•	•	•				

Door O	ptions
CG	DPSRR
	•

BASE CONTAINER ORGANIZER PANTRY PULL-OUT





S


S


- BCOPP12 7.8
- Full extension, Smart Stop wood pull-out with natural finish and two fixed shelves.
- Includes seven OXO[™] Good Grips POP containers (BPA Free): three 1.7 quart, three 4.3 quart, and one 2.6 quart.

C031011	COSTONI MOUNTAINONS											
CBO	CCO	CFP	CMAT	CND	DRT	DRWPWR	DRWTK	EXBK	FD	FTK	FTK_V	ID
•	•							•		•		
INVFRM	LTI	P	PTOWB	RD	RECTK	RT	SCPDRW	TD	TOTSS	TVR_V	VTK	
					•						•	

Construction and Finish Upgrades								
APC	FB	MIP	MSLFB	WLI				
•	•	•	•	•				

Door O	ptions
CG	DPSRR
	•





- All styles feature a natural finish Smart Stop wood pull-out with two adjustable shelves (including canister shelf) and one fixed shelf with chrome rail sides. Top adjustable shelf features three stainless steel canisters for utensils. The adjustable rear wall of the pull-out prevents items from falling behind
- BUPP9 canisters are 5.85" tall and have an inside diameter of 4.3".
- \bullet BUPP12 canisters are 6.7" tall and have an inside diameter of 5".

Custom Modifications

CBO	CCO	CFP	CMAT	CND	DRT	DRWPWR	DRWTK	EXBK	FD	FTK	FTK_V	ID
•	•							•		•		
INVFRM	LTI	P	PTOWB	RD	RECTK	RT	SCPDRW	TD	TOTSS	TVR_V	VTK	
					•*						•	


*RECTKALL not available on 9" wide


Construction and Finish Upgrades										
APC	FB	MIP	MSLFB	WLI						
•	•	•	•	•						

Door O	ptions
CG	DPSRR
	•

BASE UTENSIL PANTRY PULL-OUT with KNIFE BLOCK







BUPPKB12	7.8
ВИРРКВ15	9.4

- Full extension, Smart Stop wood pull-out with natural finish and one fixed shelf.
- BUPPKB12 features an adjustable shelf with two knife blocks, one stainless steel canister, and one fixed shelf with chrome rails. Canister is 6.7" tall and has an inside diameter of $5^{\prime\prime}$.
- BUPPKB15 features an adjustable shelf with two knife blocks, four stainless steel canisters, and one fixed shelf with chrome rails. Two canisters are 5.85'' tall and have an inside diameter of 4.3'', and the other two are 6.7'' tall with an inside diameter of 5''.
- Knife block features movable flex rods that adjust to hold a multitude of knives.
- Includes adjustable rear wall for extra strength and stability.
- Adjustable shelf is easily reversible for placement of knife blocks in the front or rear.

Custom Modifications

C03101	ii mouiii	iculion3										
CBO	CCO	CFP	CMAT	CND	DRT	DRWPWR	DRWTK	EXBK	FD	FTK	FTK_V	ID
•	•							•		•	•*	
INVFRM	LTI	P	PTOWB	RD	RECTK	RT	SCPDRW	TD	TOTSS	TVR_V	VTK	
					•						•	

*Not available on 12" wide

Constru	ction an	a rinish u	Jpgraaes	•
APC	FB	MIP	MSLFB	WLI
•	•	•	•	•


Door O	ptions
CG	DPSRR
	•

200

BASE BOX COLUMN PULL-OUT 3" or 6" Interior Widths 19/4" or 43/4" 30" 23"

S

S



Pull-out Interior Depth 203/4"

Model	Cubic Feet
ВВСРО3	1.3
(Plain)	
ВВСРО6	2.5
(Plain)	
	·
BBCPO3OL	1.3
(Overlay)	
BBCPO6OL	2.5
(Overlay)	

- Recommended to be installed between two cabinets. Can be installed on the end of a run or adjacent to an appliance with a 3/4" thick end panel.
- Filler is included but unattached.
- Install unit before removing shipping brace and attaching filler.
- Overlay application includes profiled overlay filler.
- Decorative hardware required on base units.
- Modifications not available.
- Toekick not included; must be built up in the field.
- All styles feature a natural finish Smart Stop wood pull-out with adjustable shelves and chrome rail sides.
- BBCPO3 and BBCPO6 will not feature sand-through characteristics if ordered with Heirlooming Technique.
- In order to allow proper clearance for opening and closing, allow an additional 1/8" space between adjacent cabinets. The 3" wide pull-outs require 3 1/8" space and the 6" wide pull-outs require 6 1/8" space. Spacers are included with the pull-outs to allow for proper installation.
- For full access from both sides of unit, do not install against a wall or next to deeper appliances and cabinets.


MODIFICATIONS	
No modifications available for	
these products.	


Finish Techniques

Distressing	Heirlooming
•	•*

*Not available on Plain

BASE MESSAGE CENTER





- 2.4
- Features framed construction with Full Access door height and Full Overlay door width.
- Includes magazine holder, bulletin board, and mail holder.
- Not recommended for use next to a Peninsula cabinet due to the additional 1/4" cabinet depth.
- $\bullet\,$ Door will open 90° without decorative hardware.
- Cabinet should be hinged on wall side.
- Embellishments or overlay fillers can be used on side of cabinet to add a decorative touch.

Custom Modifications


CBO	CCO	CFP	CMAT	CND	DRT	DRWPWR	DRWTK	EXBK	FD	FTK	FTK_V	ID
•	•											
INVFRM	LTI	P	PTOWB	RD	RECTK	RT	SCPDRW	TD	TOTSS	TVR_V	VTK	

Construction and Finish Upgrades

COUSTIO	ciion and	a rinisii u	Jpgi aaes	•
APC	FB	MIP	MSLFB	WLI
•		•	•	•

Door Options			
CG	DPSRR		
	•		

BASE DROP-IN RANGE CABINET



Model	Cubic Feet
B30DR	17.4
B33DR	19.0
B36DR	20.7
	·
B39DR	22.4
B42DR	24.0
B45DR	25.7
B48CSDR	27.3

- See page 73 for cut-out panel details.
- Adjustable 15" deep shelf.
- Can also be used with apron front sinks, refer to manufacturer's dimension requirements and recommendations for additional support required for apron front sinks..
- Maximum cut-out height will leave a 1/8" reveal above doors.

	Maximum Cut-out					
Model	Width	Height				
B30DR	27″	9″				
B33DR	30″	9″				
B36DR	33″	9″				
B39DR	36"	9″				
B42DR	39″	9″				
B45DR	42"	9″				
B48CSDR	45"	9″				

Custom Modifications


	CBO	CCO	CFP	CMAT	CND	DRT	DRWPWR	DRWTK	EXBK	FD	FTK	FTK_V	ID
	•	•						•*	•	•	•	•	•
ĺ	INVFRM	LTI	P	PTOWB	RD	RECTK	RT	SCPDRW	TD	TOTSS	TVR_V	VTK	
		•			•	•	•+					•	

*Available only on 30", 33", and 36" wide $\,^{+}$ Not available on 39", 42", 45", and 48" wide

Construction and Finish Upgrades FBMIP MSLFB WLI

Door O	ptions
CG	DPSRR
•	•

BASE OVEN CABINET



BO30	17.7
BO33	19.6
BO36	21.1

- Standard interior.
- May not hold cooktop and slide-in oven combination. Refer to cooktop and slide-in oven manufacturer specifications.
- If ordered with Heirlooming Technique, will not feature sand-through characteristics.
- For built-in appliance support in 24" deep cabinets, a kit is included (not factory installed) with a support shelf, unfinished plywood strips, and mounting screws for field mounting installation. Kit can be trimmed for when cabinet depth is modified.
- See page 73 for specifications on appliance cabinet trim panels.

	А	В	C		D	
	Panel	Panel	Cut-out Width		Cut	t-out Height
	Width	Height	Min.	Max.	Min.	Max.
B030	29 27/32"	29 3/4"	24 3/32"	26 27/32"	18"	28 11/16"
B033	32 27/32"	29 3/4"	27 3/32"	29 27/32"	18"	28 11/16"
B036	35 27/32"	29 3/4"	30 3/32"	32 27/32"	18"	28 11/16"

Custom Modifications


4031011	· ·····	cuitons										
CBO	CCO	CFP	CMAT	CND	DRT	DRWPWR	DRWTK	EXBK	FD	FTK	FTK_V	ID
							•	•		•	•	•
INVFRM	LTI	P	PTOWB	RD	RECTK	RT	SCPDRW	TD	TOTSS	TVR_V	VTK	
				•	•						•	

Construction and Finish Upgrades

APC	FB	MIP	MSLFB	WLI
•	•	•	•	

Door Options							
CG	DPSRR						

BASE BUILT-IN MICROWAVE CABINET with STANDARD DRAWER



Model	Cubic Feet
BBMWD27SD	16.1
BBMWD30SD	17.7
BBMWD33SD	19.6

- Standard interior.
- $\bullet\,$ Drawer box is 3 3/8" high with a 6 1/4" high drawer front.
- For built-in appliance support in 24" deep cabinets, a kit is included (not factory installed) with a support shelf, unfinished plywood strips, and
 mounting screws for field mounting installation. Kit can be trimmed for when cabinet depth is modified.
- See page 73 for specifications on appliance cabinet trim panels.

	А	В	C			Drawer	
	Panel	Panel	Cut-out Width		Cut-out Height		Front
	Width	Height	Min.	Max.	Min.	Мах.	Height
BBMWD27SD	26 27/32"	23 3/8"	23 3/32"	23 27/32"	11 5/8"	22 5/16"	6 1/4"
BBMWD30SD	29 27/32"	23 3/8"	26 3/32"	26 27/32"	11 5/8"	22 5/16"	6 1/4"
BBMWD33SD	32 27/32"	23 3/8"	29 3/32"	29 27/32"	11 5/8"	22 5/16"	6 1/4"


Custom Modifications

CBO	CCO	CFP	CMAT	CND	DRT	DRWPWR	DRWTK	EXBK	FD	FTK	FTK_V	ID
•	•						•	•		•	•	
INVFRM	LTI	P	PTOWB	RD	RECTK	RT	SCPDRW	TD	TOTSS	TVR_V	VTK	
				•	•						•	

Constru	ction an	d Finish (Jpgrades	i	
APC	FB	MIP	MSLFB	WLI •	
•	•	•	•		

Door O	ptions
CG	DPSRR

BASE BUILT-IN MICROWAVE CABINET with DEEP DRAWER



BBMWD27DD	16.1
BBMWD30DD	17.7
BBMWD33DD	19.6

- Standard interior.
- \bullet Drawer box is 6 3/8" high with a 10 5/8" high drawer front.
- For built-in appliance support in 24" deep cabinets, a kit is included (not factory installed) with a support shelf, unfinished plywood strips, and
 mounting screws for field mounting installation. Kit can be trimmed for when cabinet depth is modified.
- See page 73 for specifications on appliance cabinet trim panels.

	A	В	C			Drawer	
	Panel	Panel	Cut-ou	ıt Width	Cut-o	ut Height	Front
	Width	Height	Min.	Мах.	Min.	Max.	Height
BBMWD27DD	26 27/32"	19 "	21 3/32"	23 27/32"	7 1/4"	17 15/16"	10 5/8"
BBMWD30DD	29 27/32"	19"	24 3/32"	26 27/32"	7 1/4"	17 15/16"	10 5/8"
BBMWD33DD	32 27/32"	19"	27 3/32"	29 27/32"	7 1/4"	17 15/16"	10 5/8"


Custom Modifications

400.0.	40010111 1110411144110110											
CBO	CCO	CFP	CMAT	CND	DRT	DRWPWR	DRWTK	EXBK	FD	FTK	FTK_V	ID
•	•						•	•		•	•	
INVFRM	LTI	P	PTOWB	RD	RECTK	RT	SCPDRW	TD	TOTSS	TVR_V	VTK	
				•	•						•	

Construction and Finish Upgrades APC FB MIP MSLFB WLI

Door Options								
CG	DPSRR							

BASE MICROWAVE CABINET with DEEP DRAWER



BMWD24DD	14.4
BMWD27DD	16.1
BMWD30DD	17.7

- Matching Interior Plywood (MIP) standard.
- Designed for use with stand-alone/countertop microwaves.
- Drawer box is 6 3/8'' high with an 11 5/8'' high drawer front.

Custom Modifications


CBO	CCO	CFP	CMAT	CND	DRT	DRWPWR	DRWTK	EXBK	FD	FTK	FTK_V	ID
•	•						•	•		•	•	
INVFRM	LTI	Р	PTOWB	RD	RECTK	RT	SCPDRW	TD	TOTSS	TVR_V	VTK	
				•	•						•	

Constru	ction an	d Finish (Jpgrades	5
APC	FB	MIP	MSLFB	WL
		STD	•	

Door Options								
CG	DPSRR							

204

BASE OPEN CABINET with PLAIN BACK



Model	Cubic Feet
BOCP15	9.4
BOCP18	11.0
BOCP24	14.3
восрзо	17.6
восрз6	20.9

- Matching Interior Plywood (MIP) standard.
- If ordered with Heirlooming Technique, will not feature sand-through characteristics.
- To change the top rail valance, specify one of the following modifications: Arch (TVRAV), Furniture (TVRFV), or Straight Valance (TVRVV).

Custom Modifications

CBO	CCO	CFP	CMAT	CND	DRT	DRWPWR	DRWTK	EXBK	FD	FTK	FTK_V	ID
STD							•*	•	STD	•	•	•
INVFRM	LTI	P	PTOWB	RD	RECTK	RT	SCPDRW	TD	TOTSS	TVR_V	VTK	
		•+		•	•					•	•	


*Not available on 15" wide $\,\,$ *Not available on 30" and 36" wide

Construction and Finish Upgrades

40113110	ciioii aii		pg. uuos	
APC	FB	MIP	MSLFB	WLI
		STD	•	

Door O	ptions
CG	DPSRR

BASE OPEN CABINET with BEADED BACK



BOCB15	9.4
BOCB18	11.0
BOCB24	14.3
BOCB30	17.6
BOCB36	20.9

- Matching Interior Plywood (MIP) standard.
- Beaded back panel is veneer on furniture board core.
- If ordered with Heirlooming Technique, will not feature sand-through characteristics.
- To change the top rail valance, specify one of the following modifications: Arch (TVRAV), Furniture (TVRFV), or Straight Valance (TVRVV).

Custom Modifications


4031011	· moun	cuitons										
CBO	CCO	CFP	CMAT	CND	DRT	DRWPWR	DRWTK	EXBK	FD	FTK	FTK_V	ID
STD							•*	•	STD	•	•	•
INVFRM	LTI	P	PTOWB	RD	RECTK	RT	SCPDRW	TD	TOTSS	TVR_V	VTK	
		•+		•	•					•	•	

*Not available on 15" wide $\,\,$ *Not available on 30" and 36" wide

Constru	ction and	d Finish l	Jpgrades	i
APC	FB	MIP	MSLFB	WLI
		STD		

Door 0	ptions
CG	DPSRR

BASE OPEN CABINET with PLAIN BACK and DRAWER



BODP15	9.4
BODP18	11.0
BODP24	14.3
BODP30	17.6
BODP36	20.9

- Matching Interior Plywood (MIP) standard.
- If ordered with Heirlooming Technique, will not feature sand-through characteristics.
- To change the top rail valance, specify one of the following modifications: Arch (TVRAV), Furniture (TVRFV), or Straight Valance (TVRVV).

Custom Modifications

CBO	CCO	CFP	CMAT	CND	DRT	DRWPWR	DRWTK	EXBK	FD	FTK	FTK_V	ID
STD						•*	•*	•	STD	•	•	•
INVFRM	LTI	P	PTOWB	RD	RECTK	RT	SCPDRW	TD	TOTSS	TVR_V	VTK	
		•+		•	•		•			•	•	


*Not available on 15" wide $\,\,$ *Not available on 30" and 36" wide

Construction and Finish Upgrades

COLIZITO	APC FB MIP MSLFB WLI									
APC	FB	MIP	MSLFB	WLI						
		STD	•							

Door 0	ptions
CG	DPSRR

BASE OPEN CABINET with BEADED BACK and DRAWER



Model	Cubic Feet
BODB15	9.4
BODB18	11.0
BODB24	14.3
BODB30	17.6
BODB36	20.9

- Matching Interior Plywood (MIP) standard.
- Beaded back panel is veneer on furniture board core.
- If ordered with Heirlooming Technique, will not feature sand-through characteristics.
 To change the top rail valance, specify one of the following modifications: Arch (TVRAV), Furniture (TVRFV), or Straight Valance (TVRW).

Custom Modifications

400.00												
CBO	CCO	CFP	CMAT	CND	DRT	DRWPWR	DRWTK	EXBK	FD	FTK	FTK_V	ID
STD						•*	•*	•	STD	•	•	•
INVFRM	LTI	P	PTOWB	RD	RECTK	RT	SCPDRW	TD	TOTSS	TVR_V	VTK	
		•+		•	•		•			•	•	

Door Options DPSRR


*Not available on 15" wide $\,\,$ *Not available on 30" and 36" wide

Construction and Finish Upgrades										
APC FB		MIP	MSLFB	WLI						
		STD								

Schrock

All UD Cabinets are 32 $1/2^{\prime\prime}$ high unless otherwise

noted.
All UD Cabinets have an 8" high x 6" deep toekick.



MODIFICATIONS GRID KEY

Available

STD Standard on these cabinets



5 Day Express Response Item

Scl	hro	$\mathbf{C}\mathbf{K}^{m}$

206


	CUSTOM M	ODIFICATIO	NS
Mod.	Description	Mod.	Description
CBO	Cabinet Box Only	EXBK	End Extended Back
CCO	Cabinet Case Only	FD	Full Depth Shelf
CFP	Cabinet False Panel	ID	Increased Depth
CMAT	CabMat™	LTI	Light Installed Battery Strip
CND	Cabinet with No Door,	RD	Reduced Depth
	with Drawer	RT	Installed Roll Tray
DRT	Deep Roll Tray	SCPDRW	Scooped Drawer
DRWPWR	PowerGlide™ Compact	TOTSS	Tilt-out Tray, Stainless Steel
	Drawer Outlet	VTK	Void Toekick

C	ONST	RUCTION	N AND	FINISH	UPGRADES	
 1						

Mod.	Description
APC	All-plywood Construction
FB	Finished Ends
MIP	Matching Interior Plywood
MSLFB	Matching Specialty Laminate Furniture Board
WLI	White Laminate Interior

	DOOR OPTIONS
Mod.	Description
DPSRR	Door Panel - Solid Reverse Raised

UNIVERSAL DESIGN BASE, SINGLE DOOR



Model	Cubic Feet
B12UD L or R	6.7
B15UD L or R	8.2
B18UD L or R	9.7
B21UD L or R	12.7

• Adjustable 15" deep shelf.

Custom Modifications

CBO	CCO	CFP	CMAT	CND	DRT	DRWPWR	EXBK	FD	ID	LTI	RD	RT
•	•	•		•		•*	•	•			•	•
SCPDRW	TOTSS	VTK										
			1									


*Not available on 12" and 15" wide

Construction and Finish Upgrades

APC	FB	MIP	MSLFB	WLI
٠	•	٠	•	•

וטטע	Obitons	
	DPSRR	
	•	

UNIVERSAL DESIGN BASE, DOUBLE DOOR



B24UD	14.2
B30UD	15.8
B36UD	16.8


• Adjustable 15" deep shelf.

COSTONI MOUNTAINONS												
CBO	CCO	CFP	CMAT	CND	DRT	DRWPWR	EXBK	FD	ID	LTI	RD	RT
•	•	•		•		•	•	•		•	•	•
SCPDRW	TOTSS	VTK										

Construction and rinish opgrades								
APC	FB	MIP	MSLFB	WLI				
•	•	•	•	•				

Door	Options	
	DPSRR	

UNIVERSAL DESIGN BASE with ROLL TRAY, SINGLE DOOR



Model	Cubic Feet
B15RTUD L or R	8.2
B18RTUD L or R	9.7
B21RTUD L or R	12.7

• 1 roll tray standard.

Custom Modifications


CBO	CCO	CFP	CMAT	CND	DRT	DRWPWR	EXBK	FD	ID	LTI	RD	RT
•	•	•		•	•	•*	•				•	
SCPDRW	TOTSS	VTK										
		•	1									

*Not available on 15" wide

Construction and Finish Upgrades									
APC	FB	MIP	MSLFB	WLI					
•	•	•	•	•					

Door Options
DPSRR
•

UNIVERSAL DESIGN BASE with ROLL TRAY, DOUBLE DOOR



B24RTUD	14.2
B30RTUD	15.8
B36RTUD	16.8

- 1 roll tray standard.
- ullet Top of drawer box is 2 1/8" from top of cabinet to accommodate installation of a cook top.

COSTOIL	i mouii	culions										
CB0	CCO	CFP	CMAT	CND	DRT	DRWPWR	EXBK	FD	ID	LTI	RD	RT
•	•	•		•	•	•	•				•	
SCPDRW	TOTSS	VTK										
•		•	1									


Constr	uction	and	Finis	h Upgr	ades
100					

APC	FB	MIP	MSLFB	WLI
•	•	•	•	•

Door Options

DPSRR
•

UNIVERSAL DESIGN SINK BASE



SB30UD	15.8
SB36UD	16.8

• Mini Touch-up Kit (MTUK) included. MTUK includes small touch-up marker and small fill stick.

Custom Modifications


CBO	CCO	CFP	CMAT	CND	DRT	DRWPWR	EXBK	FD	ID	LTI	RD	RT
•	•	STD	•	•			•	•		•	•	•
SCPDRW	TOTSS	VTK										
	•	•										

Construction and Finish Upgrades

APC	FB	MIP	MSLFB	WLI
•	•	•	•	•

Door	Options
	DPSRR
	•

UNIVERSAL DESIGN SINK BASE with TILT-OUT TRAYS



SB30STUD	15.8
SB36STUD	16.8

- Tilt-out trays are stain resistant, moisture resistant plastic to allow storage of sponges and other cleaning materials.
- Mini Touch-up Kit (MTUK) included. MTUK includes small touch-up marker and small fill stick.
- Includes two tilt-out trays.
- Tilt-out trays are also available as an accessory for field installation. See page 350.


COSTOL	ii Mouiii	iculions										
CB0	CCO	CFP	CMAT	CND	DRT	DRWPWR	EXBK	FD	ID	LTI	RD	RT
	•		•				•			•	•	•
SCPDRW	TOTSS	VTK										
		•										

Constr	uction	α	nd Finis	sh	Upgro	ades
ADC	ΓD	I	AAID	A	CLED	14/1

i	40			opg.	
	APC	FB	MIP	MSLFB	WLI
	•	•	•	•	•

Door Options
DPSRR
•

UNIVERSAL DESIGN SUPER LAZY SUSAN



Due to fixed shelf mounting, shelves cannot be retrofitted.

Model Cubic Feet SLS36UD L or R 27.7

- SLS36UD L or R wall width is 36" x 36".
- Features two plywood revolving shelves with a 1" plywood lip. Lower shelf is mounted to floor. Upper shelf is mounted to fixed shelf. Fixed shelf is 5/8" thick.
- Decorative hardware screws must be countersunk to prevent scratching adjacent cabinets.
- Integrated soft-close hinge not included.

Custom Modifications


CBO	CCO	CFP	CMAT	CND	DRT	DRWPWR	EXBK	FD	ID	LTI	RD	RT
•	•									•		
SCPDRW	TOTSS	VTK										
		•										

Construction and Finish Upgrades

construction and runsir opgradus							
APC	FB	MIP	MSLFB	WLI			
•	•	•	•	•			

Door	Options
	DPSRR
	•

UNIVERSAL DESIGN THREE DRAWER BASE



3DB15UD	8.2
3DB18UD	9.7
3DB24UD	14.2

ullet Exterior height of bottom 2 drawer boxes is 6 3/8".

Custom Modifications

CBO	CCO	CFP	CMAT	CND	DRT	DRWPWR	EXBK	FD	ID	LTI	RD	RT
•	•	•				•*	•				•	
SCPDRW	TOTSS	VTK										
•		•										


*Not available on 15" wide

Construction and Finish Upgrades

APC	FB	MIP	MSLFB	WLI		
•	•	•	•			

Door Options
DPSRR

UNIVERSAL DESIGN BASE MICROWAVE



BMW24UD	14.2
BMW27UD	15.7
BMW30UD	15.8

- \bullet Drawer box is 3 3/8" high with a 6 1/4" high drawer front.
- Matching Interior Plywood (MIP) standard.
- Designed for use with stand-alone/countertop microwaves.

Custom Modifications


CBO	CCO	CFP	CMAT	CND	DRT	DRWPWR	EXBK	FD	ID	LTI	RD	RT
•	•						•				•	
SCPDRW	TOTSS	VTK										
		•	1									

Construction and Finish Upgrades

			-13		
APC	FB	MIP	MSLFB	WLI	
		STD	•		

Door Options
DPSRR

UNIVERSAL DESIGN BASE BUILT-IN MICROWAVE



Model	Cubic Feet
BBMW27UD	15.0
BBMW30UD	15.8
BBMW33UD	16.8

- Standard interior.
- \bullet Drawer box is 3 3/8" high with a 6 1/4" high drawer front.
- For built-in appliance support in 24" deep cabinets, a kit is included (not factory installed) with a support shelf, unfinished plywood strips, and
 mounting screws for field mounting installation. Kit can be trimmed for when cabinet depth is modified.
- See page 73 for specifications on appliance cabinet trim panels.

		А	В	C			Drawer	
		Panel	Panel	Cut-out Width		Cut-out Height		Front
		Width	Height	Min.	Max.	Min.	Max.	Height
ſ	BBMW27UD	26 27/32"	17 7/8"	21 3/32"	23 27/32"	61/8"	16 13/16"	61/4"
	BBMW30UD	29 27/32"	17 7/8"	24 3/32"	26 27/32"	61/8"	16 13/16"	61/4"
	BBMW33UD	32 27/32"	17 7/8"	27 3/32"	29 27/32"	61/8"	16 13/16"	61/4"


Custom Modifications

400.0.												
CBO	CCO	CFP	CMAT	CND	DRT	DRWPWR	EXBK	FD	ID	LTI	RD	RT
•	•						•				•	
SCPDRW	TOTSS	VTK										
		•										

Constr	uction a	ınd Finis	sh Upgr	ades
APC	FB	MIP	MSLFB	WLI

Door Options
DPSRR

UNIVERSAL DESIGN SINGLE OVEN CABINET, 84" TALL, 24" DEEP



OC308424UD	41.8
OC338424UD	45.2

- Two full depth adjustable shelves are included.
- Be sure to confirm a heat shield is built into your appliance by the manufacturer or install the heat shield included with your appliance. Heat shields are sold separately as an accessory.
- For built-in appliance support in 24" deep cabinets, a kit is included (not factory installed) with a support shelf, unfinished plywood strips, and
 mounting screws for field mounting installation. Kit can be trimmed for when cabinet depth is modified.
- See page 73 for specifications on appliance cabinet trim panels.

	A	В	C		D			Door
	Panel	Panel	Cut-out Width		Cut-out Height		Door	Front
	Width	Height	Min.	Max.	Min.	Max.	Height	Height
OC308424UD	29 27/32"	39 1/2"	24 3/32"	26 27/32"	21 3/4"	38 7/16"	29 3/4"	61/4"
OC338424UD	32 27/32"	39 1/2"	27 3/32"	29 27/32"	21 3/4"	38 7/16"	29 3/4"	61/4"

Custom Modifications

CBO	CCO	CFP	CMAT	CND	DRT	DRWPWR	EXBK	FD	ID	LTI	RD	RT
•	•			•			•		•		•	
SCPDRW	TOTSS	VTK										
		_	1									


Construction and Finish Uparades

4011311	o c		opg.	uuos
APC	FB	MIP	MSLFB	WLI
•	•	•	•	•

Door Options
DPSRR
•

UNIVERSAL DESIGN FILLER

3" and 6" Wide Fillers



FR6UD



Model	Cubic Feet
BF3UD	_
TF384UD	_
FR3UD	-
BF6UD	_
TF684UD	_
FR6UD	_

• FR3UD and FR6UD are 3/8" thick, Natural Maple laminated furniture board, used to create a toekick appearance when used with fillers.

MODIFICATIONS
No modifications available for these products.

Finish Tech	niques
Distressing	Heirlooming
•4	

▲Not available on FR3UD and FR6UD

Species Availability (Wood)


Alder	Rustic Alder	Cherry	Hickory	Rustic Hickory	Maple	0ak
•*	•*	•*	•*	•*	•*	•*

*FR3UD and FR6UD only available in Natural Maple laminate

Species Availability (All Laminates)

	Horiz. Grain	Vert. Grain	Vert. Grain	Vert. Grain	Vert. Grain	
High Gloss	on Maple	on Maple	on Cherry	on Hickory	on Oak	Thermofoil
box color	box color	box color	box color	box color	box color	box color

UNIVERSAL DESIGN VANITY DESK LEG





VDLUDWD

- VDLUDWD in Stains: 3/4" thick veneered furniture board.
- VDLUDWD in Paints: 3/4" thick veneered or solid furniture board.
- All panels are finished two sides and front edge.

MODIF	ICATIONS
No modificati	ons available for
these	products.

Finish Techniques					
Distressing	Heirlooming				


Species Availability (Wood)

			,	•		
Alder	Rustic Alder	Cherry	Hickory	Rustic Hickory	Maple	Oak
•	•	•	•	•	•	•

Species Availability (All Laminates)

	Horiz. Grain on Maple					
box color	box color	box color	box color	box color	box color	box color

UNIVERSAL DESIGN TOEBOARD





TB8UDWD14	-
TB8UDLAM12	_

- TB8UDWD14 in Stains: 1/4" thick veneered furniture board, one 8' section.
- TB8UDWD14 in Paints: 1/4" thick veneered or solid furniture board, one 8' section.
- \bullet TB8UDLAM12 is 1/2" White laminated hardboard, one 8' section.

MODIFICATIONS	
No modifications available for	
these products.	

Finish Techniques				
Distressing	Heirlooming			

Species Availability (Wood)

Alder	Rustic Alder	Cherry	Hickory	Rustic Hickory	Maple	Oak
•*	•*	•*	•*	•*	•*	•*

*Laminate panels only available in White

Species Availability (All Laminates)

	Horiz. Grain	Vert. Grain	Vert. Grain	Vert. Grain	Vert. Grain	
High Gloss	on Maple	on Maple	on Cherry	on Hickory	on Oak	Thermofoil
box color	box color	box color	box color	box color	box color	box color



CUSTOM MODIFICATIONS

Mod.

INVFRM

ID

RD

TD

TKP

VTK

RECTK

Description

Increased Depth

Inverted Opening

Recessed Toekick

Installed Roll Tray

Tray Dividers

Loose Toekick

Void Toekick

Reduced Depth

TALL CABINET NOMENCLATURE

Cabinet nomenclature with AH represents upper sections with doors that align with 24" or 27" high



Mod.

APC

FB

MIP

WLI

MSLFB

Any included shelves on tall cabinets are packaged separately. A fixed shelf separates upper and lower sections (not shown on drawings). Adjustable shelves vary based on cabinet height (see drawings and notes for details).

White Laminate Interior

MODIFICATIONS GRID KEY

Available

STD Standard on these cabinets

S

Smart Solutions™ Organization Cabinet

CONSTRUCTION AND FINISH UPGRADES		DOOR OPTIONS
Description	Mod.	Description
All-plywood Construction	CG.TOP	Cut-for-glass Doors
Finished Ends	DPSRR	Door Panel - Solid Reverse Raised
Matching Interior Plywood		
Matching Specialty Laminate Furniture Board		

UTILITY, 84", 87", 90", 93", or 96" TALL, 12" DEEP

Mod

ADDTK

CBO

CCO

CND

DRWTK

EXBK

FTK

FTK_V

Description

Cabinet Box Only

Cabinet Case Only

Deep Roll Tray

Toekick Drawer


Flush Toekick

End Extended Back

Flush Toekick w/Valance

Cabinet with No Door, with Drawer

Add Toekick



Model	Cubic Feet
U98412 L or R	7.5
U128412 L or R	9.7
U158412 L or R	11.8
U188412 L or R	14.0
U218412 L or R	16.1
U248412 L or R	18.3
U248412	18.3
U278412	20.4
U308412	22.6
U338412	24.8
U368412	26.9

- Utility cabinets with depths of 12" or less must be installed to wall studs or onto the end of another tall
- Depth can be reduced to a minimum of 6". For depths of 6"-8", cabinet will not include toekick/pedestal.
- Tall non-mitered doors will have two center panels with cross rail.
- Derazi doors greater than 48" high will be two doors doweled together.

Model	Cubic Feet
U98712 L or R	7.8
U128712 L or R	10.0
U158712 L or R	12.3
U188712 L or R	14.5
U218712 L or R	16.7
U248712 L or R	18.9
U248712	18.9
U278712	21.2
U308712	23.4
U338712	25.6
U368712	27.8

- Utility cabinets with depths of 12" or less must be installed to wall studs or onto the end of another tall
- Depth can be reduced to a minimum of 6". For depths of 6"-8", cabinet will not include toekick/pedestal.
- Tall non-mitered doors will have two center panels with cross rail.
- Derazi doors greater than 48" high will be two doors doweled together.


ADDTK	CBO	CCO	CND	DRT	DRWTK	EXBK	FTK	FTK_V
	•	•				•	•	•*
ID	INVFRM	RD	RECTK	RT	TD	TKP	VTK	
	•	•	•		•	•	•	

^{*}Not available on 9" and 12" wide

Constru	ction an	d Finish l	Jpgrades	i
APC	FB	MIP	MSLFB	WLI
•	•	•	•	•

Door Options				
CG.TOP	DPSRR			
•	•			

UTILITY, 84", 87", 90", 93", or 96" TALL, 12" DEEP (cont'd)



Model	Cubic Feet
U99012AH L or R	8.1
U129012AH L or R	10.4
U159012AH L or R	12.7
U189012AH L or R	15.0
U219012AH L or R	17.3
U249012AH L or R	19.6
U249012AH	19.6
U279012AH	21.9
U309012AH	24.2
U339012AH	26.5
U369012AH	28.8

- \bullet AH represents upper section alignment with doors on 24" or 27" high cabinets.
- Utility cabinets with depths of 12" or less must be installed to wall studs or onto the end of another tall cabinet.
- Depth can be reduced to a minimum of 6". For depths of 6"-8", cabinet will not include toekick/pedestal.
- Tall non-mitered doors will have two center panels with cross rail.
- Derazi doors greater than 48" high will be two doors doweled together.


Custom Modifications


ADDTK	CBO	CCO	CND	DRT	DRWTK	EXBK	FTK	FTK_V
	•	•				•	•	•*
ID	INVFRM	RD	RECTK	RT	TD	TKP	VTK	
	•	•	•		•	•	•	

*Not available on $9^{\prime\prime}$ and $12^{\prime\prime}$ wide

Constru	ction an	d Finish (Upgrades	;
APC	FB	MIP	MSLFB	WLI

UTILITY, 84", 87", 90", 93", or 96" TALL, 12" DEEP (cont'd)





Model	Cubic Feet
U99312AH L or R	8.3
U129312AH L or R	10.7
U159312AH L or R	13.1
U189312AH L or R	15.5
U219312AH L or R	17.8
U249312AH L or R	20.2
U249312AH	20.2
U279312AH	22.6
U309312AH	25.0
U339312AH	27.4
U369312AH	29.7

- AH represents upper section alignment with doors on 24" or 27" high cabinets.
- Separate pedestal base included but packaged separately on 93" tall. Pedestal is designed to create a Recessed Left or Right Toekick application during field installation, or can be centered. Pedestal must be covered with toeboard material.
- Utility cabinets with depths of 12" or less must be installed to wall studs or onto the end of another tall cabinet.
- Depth can be reduced to a minimum of 6". For depths of 6"-8", cabinet will not include toekick/pedestal.
- Tall non-mitered doors will have two center panels with cross rail.
- Derazi doors greater than 48" high will be two doors doweled together.

Model	Cubic Feet
U99612 L or R	8.6
U129612 L or R	11.0
U159612 L or R	13.5
U189612 L or R	16.0
U219612 L or R	18.4
U249612 L or R	20.9
U249612	20.9
U279612	23.3
U309612	25.8
U339612	28.2
U369612	30.7


- Separate pedestal base included but packaged separately on 96" tall. Pedestal is designed to create a Recessed Left or Right Toekick application during field installation, or can be centered. Pedestal must be covered with toeboard material.
- Utility cabinets with depths of 12" or less must be installed to wall studs or onto the end of another tall cabinet
- Depth can be reduced to a minimum of 6". For depths of 6"-8", cabinet will not include toekick/pedestal.
- Tall non-mitered doors will have two center panels with cross rail
- Derazi doors greater than 48" high will be two doors doweled together.

C031011	Coston Modifications									
ADDTK	CBO	CCO	CND	DRT	DRWTK	EXBK	FTK	FTK_V		
	•	•				•				
ID	INVFRM	RD	RECTK	RT	TD	TKP	VTK			
	•	•	•		•					

Construction and Finish Upgrades								
APC	FB	MIP	MSLFB	WLI				
•	•	•	•	•				

Door Options						
CG.TOP	DPSRR					
•	•					

UTILITY, 84", 87", 90", 93", or 96" TALL, 24" DEEP



13.8
17.7
21.6
25.6
29.5
33.4
33.4
37.4
41.3
45.2
49.2

- Depth can be reduced to a minimum of 6". For depths of 6"-8", cabinet will not include toekick/pedestal.
- Tall non-mitered doors will have two center panels with
- Derazi doors greater than 48" high will be two doors doweled together.

Model	Cubic Feet
U98724 L or R	14.3
U128724 L or R	18.3
U158724 L or R	22.4
U188724 L or R	26.5
U218724 L or R	30.5
U248724 L or R	34.6
U248724	34.6
U278724	38.7
U308724	42.8
U338724	46.8
U368724	50.9

- \bullet Depth can be reduced to a minimum of 6". For depths of 6"-8", cabinet will not include toekick/pedestal.
- Tall non-mitered doors will have two center panels with
- Derazi doors greater than 48" high will be two doors doweled together.

Custom Modifications

ADDTK	CBO	CCO	CND	DRT	DRWTK	EXBK	FTK	FTK_V
	•	•			•*	•	•	•+
ID	INVFRM	RD	RECTK	RT	TD	TKP	VTK	
•	•	•	•	•*	•	•	•	


*Not available on 9", 12", and 15" wide $\,$ *Not available on 9" and 12" wide

▲Not available on 9" wide

Construction and Finish Upgrades APC FB MIP MSLFB WLI

Door Options							
CG.TOP	DPSRR						
•	•						

UTILITY, 84", 87", 90", 93", or 96" TALL, 24" DEEP (cont'd)



U99024AH L or R	14.7
U129024AH L or R	18.9
U159024AH L or R	23.2
U189024AH L or R	27.4
U219024AH L or R	31.6
U249024AH L or R	35.8
U249024AH	35.8
U279024AH	40.0
U309024AH	44.2
U339024AH	48.4
U369024AH	52.6
All a de le	


- $\bullet\,$ AH represents upper section alignment with doors on 24" or 27" high cabinets.
- Depth can be reduced to a minimum of 6". For depths of 6"-8", cabinet will not include toekick/pedestal.
- Tall non-mitered doors will have two center panels with cross rail.
- Derazi doors greater than 48" high will be two doors doweled together.

COZION	ii Moaiii	carions						
ADDTK	CBO	CCO	CND	DRT	DRWTK	EXBK	FTK	FTK_V
	•	•			•*	•	•	•+
ID	INVFRM	RD	RECTK	RT	TD	TKP	VTK	
•	•	•	•	•4	•	•	•	

- *Not available on 9", 12", and 15" wide $\,^+$ Not available on 9" and 12" wide
- ▲Not available on 9" wide

ıstru	ction and	l Finish (Door O	ptions		
PC	FB	MIP	MSLFB	WLI	CG.TOP	DPSRR
•	•	•	•	•	•	•

UTILITY, 84", 87", 90", 93", or 96" TALL, 24" DEEP (cont'd)



24"	24"	
9", 12", 15", 18", 21", 24"	24", 27", 30", 33", 36"	
96"	96"	

Model	Cubic Feet
U99324AH L or R	15.2
U129324AH L or R	19.6
U159324AH L or R	23.9
U189324AH L or R	28.3
U219324AH L or R	32.6
U249324AH L or R	37.0
U249324AH	37.0
U279324AH	41.3
U309324AH	45.7
U339324AH	50.0
U369324AH	54.3

- AH represents upper section alignment with doors on 24" or 27" high cabinets.
- Separate pedestal base included but packaged separately on 93" tall. Pedestal is designed to create a Recessed Left or Right Toekick application during field installation, or can be centered. Pedestal must be covered with toeboard material.
- Depth can be reduced to a minimum of 6". For depths of 6"-8", cabinet will not include toekick/pedestal.
- Tall non-mitered doors will have two center panels with cross rail.
- Derazi doors greater than 48" high will be two doors doweled together.

Model	Cubic Feet
U99624 L or R	15.7
U129624 L or R	20.2
U159624 L or R	24.7
U189624 L or R	29.2
U219624 L or R	33.6
U249624 L or R	38.1
U249624	38.1
U279624	42.6
U309624	47.1
U339624	51.6
U369624	56.1

- Separate pedestal base included but packaged separately on 96" tall. Pedestal is designed to create a Recessed Left or Right Toekick application during field installation, or can be centered. Pedestal must be covered with toeboard material.
- Depth can be reduced to a minimum of 6". For depths of 6"-8", cabinet will not include toekick/pedestal.
- Tall non-mitered doors will have two center panels with cross rail
- Derazi doors greater than 48" high will be two doors doweled together.


Custom Modifications

ADDTK	CBO	CCO	CND	DRT	DRWTK	EXBK	FTK	FTK_V
	•	•				•		
ID	INVFRM	RD	RECTK	RT	TD	TKP	VTK	
•	•	•	•	•*	•			

*Not available on 9" wide

Construction and Finish Upgrades						
APC	FB	MIP	MSLFB	WLI		
•		•	•	•		

Door Options						
CG.TOP	DPSRR					
•	•					



Model	Cubic Feet		
U128424RT L or R	16.2		
U158424RT L or R	21.6		
U188424RT L or R	25.6		
U218424RT L or R	29.5		
U248424RT L or R	33.4		
U248424RT	33.4		
U278424RT	37.4		
U308424RT	41.3		
U338424RT	45.2		
U368424RT	49.2		

- Four roll trays are included, installed in cabinet.
- Depth can be reduced to a minimum of 12".
- Tall non-mitered doors will have two center panels with
- $\bullet\,$ Derazi doors greater than 48" high will be two doors doweled together.

Model	Cubic Feet
U128724RT L or R	18.9
U158724RT L or R	22.4
U188724RT L or R	26.5
U218724RT L or R	30.5
U248724RT L or R	34.6
U248724RT	34.6
U278724RT	38.7
U308724RT	42.8
U338724RT	46.8
U368724RT	50.9

- Four roll trays are included, installed in cabinet.
- Depth can be reduced to a minimum of 12".
- Tall non-mitered doors will have two center panels with
- $\bullet\,$ Derazi doors greater than 48" high will be two doors doweled together.

Cust	om	M	difi	irni	ions

ADDTK	CBO	CCO	CND	DRT	DRWTK	EXBK	FTK	FTK_V
	•	•		•	•*	•	•	•
ID	INVFRM	RD	RECTK	RT	TD	TKP	VTK	
		•	•		•	•	•	


*Not available on 12" and 15" wide


Construction and rinish opgrades						
APC	FB	MIP	MSLFB	WLI		
•	•	•	•	•		

Door O	ptions	
CG.TOP	DPSRR	
•		

Schrock^a

UTILITY with ROLL TRAYS, 84", 87", 90", 93", or 96" TALL, 24" DEEP (cont'd)





Model	Cubic Feet
U129024RTAH L or R	17.3
U159024RTAH L or R	23.2
U189024RTAH L or R	27.4
U219024RTAH L or R	31.6
U249024RTAH L or R	35.8
U249024RTAH	35.8
U279024RTAH	40.0
U309024RTAH	44.2
U339024RTAH	48.4
U369024RTAH	52.6

- AH represents upper section alignment with doors on 24" or 27" high cabinets.
- Four roll trays are included, installed in cabinet.
- Depth can be reduced to a minimum of 12".
- Tall non-mitered doors will have two center panels with cross rail.
- Derazi doors greater than 48" high will be two doors doweled together.

Custom Modifications


COSTONI MOUNTAINONS								
ADDTK	CBO	CCO	CND	DRT	DRWTK	EXBK	FTK	FTK_V
	•	•		•	•*	•	•	•
ID	INVFRM	RD	RECTK	RT	TD	TKP	VTK	
		•	•		•	•	•	


*Not available on 12" and 15" wide

Construction and Finish Upgrades APC FB MIP MSLFB WLI

Door Options					
CG.TOP	DPSRR				
•					

UTILITY with ROLL TRAYS, 84", 87", 90", 93", or 96" TALL, 24" DEEP (cont'd)





Model	Cubic Feet
U129324RTAH L or R	19.2
U159324RTAH L or R	23.9
U189324RTAH L or R	28.3
U219324RTAH L or R	32.6
U249324RTAH L or R	37.0
U249324RTAH	37.0
U279324RTAH	41.3
U309324RTAH	45.7
U339324RTAH	50.0
U369324RTAH	54.3

- AH represents upper section alignment with doors on 24" or 27" high cabinets.
- Separate pedestal base included but packaged separately on 93" tall. Pedestal is designed to create a Recessed Left or Right Toekick application during field installation, or can be centered. Pedestal must be covered with toeboard material.
- Four roll trays are included, installed in cabinet.
- Depth can be reduced to a minimum of 12".
- Tall non-mitered doors will have two center panels with cross rail.
- Derazi doors greater than 48" high will be two doors doweled together.

Model	Cubic Feet
U129624RT L or R	18.5
U159624RT L or R	24.7
U189624RT L or R	29.2
U219624RT L or R	33.6
U249624RT L or R	38.1
U249624RT	38.1
U279624RT	42.6
U309624RT	47.1
U339624RT	51.6
U369624RT	56.1

- Separate pedestal base included but packaged separately on 96" tall. Pedestal is designed to create a Recessed Left or Right Toekick application during field installation, or can be centered. Pedestal must be covered with toeboard material.
- Four roll trays are included, installed in cabinet.
- Depth can be reduced to a minimum of 12".
- Tall non-mitered doors will have two center panels with
- Derazi doors greater than 48" high will be two doors doweled together.

Custom Modifications


ADDTK	CBO	CCO	CND	DRT	DRWTK	EXBK	FTK	FTK_V
	•	•		•		•		
ID	INVFRM	RD	RECTK	RT	TD	TKP	VTK	
		•	•*		•			


*Not available on 12" wide

Construction and		d Finish l	Jpgrades	í
APC	FB	MIP	MSLFB	ī

Construction and rimsii opgrades							
APC	FB	MIP	MSLFB	WLI			
•	•	•	•	•			


Door Options				
CG.TOP	DPSRR			
•	•			








UTILITY EASY ACCESS, 84", 87", 90", 93", or 96" TALL, 12" DEEP











Model	Cubic Feet
UEAS158412 L or R	11.8
UEAS188412 L or R	14.0
UEAS158712 L or R	12.3
UEAS188712 L or R	14.5
UEAS308412	22.6
UEAS368412	26.9
UEAS308712	23.4
UEAS368712	27.8

- Four chrome baskets featuring rail system for adjustability on each lower door.
- Four 6 1/2" reduced depth adjustable shelves are included.
- Utility cabinets with depths of 12" or less must be installed to wall studs or onto the end of another tall
- Depth can be reduced to a minimum of 10".
- Tall non-mitered doors will have two center panels with cross rail.
- $\bullet\,$ Derazi doors greater than 48" high will be two doors doweled together.

Model	Cubic Feet
UEAS158412 L or R	11.8
UEAS188412 L or R	14.0
UEAS158712 L or R	12.3
UEAS188712 L or R	14.5
UEAS308412	22.6
UEAS368412	26.9
UEAS308712	23.4
UEAS368712	27.8

installed to wall studs or onto the end of another tall cabinet. • Depth can be reduced to a minimum of 10".

Model

UEAS159012AH L or R

UEAS189012AH L or R

UEAS309012AH

UEAS369012AH

24" or 27" high cabinets. • Four chrome baskets featuring rail system for adjustability on each lower door.

• Tall non-mitered doors will have two center panels with cross rail.

 $\bullet\,$ AH represents upper section alignment with doors on

• Four 6 1/2" reduced depth adjustable shelves and one full depth adjustable shelf are included. • Utility cabinets with depths of 12" or less must be

Cubic Feet 12.7

15.0

24.2

28.8

• Derazi doors greater than 48" high will be two doors doweled together.

Custom Modifications

ADDTK	CBO	CCO	CND	DRT	DRWTK	EXBK	FTK	FTK_V
	•	•				•	•	•
ID	INVFRM	RD	RECTK	RT	TD	TKP	VTK	
		•	•		•	•	•	


Constru	Construction and Finish Upgrades						
APC	FB	MIP	MSLFB	WLI			
•	•	•	•	•			


Door Options						
CG.TOP DPSRR						
•	•					


Schrock^a


UTILITY EASY ACCESS, 84", 87", 90", 93", or 96" TALL, 12" DEEP (cont'd)











Model	Cubic Feet
UEAS159312AH L or R	13.1
UEAS189312AH L or R	15.5
UEAS309312AH	25.0
UEAS369312AH	29.7

- AH represents upper section alignment with doors on 24" or 27" high cabinets.
- Four chrome baskets featuring rail system for adjustability on each lower door.
- Separate pedestal base included but packaged separately on 93" tall. Pedestal is designed to create a Recessed Left or Right Toekick application during field installation, or can be centered. Pedestal must be covered with toeboard material.
- Four 6 1/2" reduced depth adjustable shelves are included.
- Utility cabinets with depths of 12" or less must be installed to wall studs or onto the end of another tall cabinet.
- Depth can be reduced to a minimum of 10".
- Tall non-mitered doors will have two center panels with cross rail.
- Derazi doors greater than 48" high will be two doors doweled together.

Model	Cubic Feet
UEAS159612 L or R	13.5
UEAS189612 L or R	16.0
UEAS309612	25.8
UEAS369612	30.7

- Four chrome baskets featuring rail system for adjustability on each lower door.
- Separate pedestal base included but packaged separately on 96" tall. Pedestal is designed to create a Recessed Left or Right Toekick application during field installation, or can be centered. Pedestal must be covered with toeboard material.
- Four 6 1/2" reduced depth adjustable shelves and two full depth adjustable shelves are included.
- Utility cabinets with depths of 12" or less must be installed to wall studs or onto the end of another tall cabinet.
- Depth can be reduced to a minimum of 10".
- Tall non-mitered doors will have two center panels with cross mil
- Derazi doors greater than 48" high will be two doors doweled together.

		_						
ADDTK	CBO	CCO	CND	DRT	DRWTK	EXBK	FTK	FTK_V
	•	•				•		
ID	INVFRM	RD	RECTK	RT	TD	TKP	VTK	
		•	•		•			


Construction	and	Finish	Upgrades
--------------	-----	--------	----------


construction and riman opgrades						
APC	FB	MIP	MSLFB	WLI		
•	•	•	•	•		

Door O	ptions
CG.TOP	DPSRR

UTILITY EASY ACCESS, 84", 87", 90", 93", or 96" TALL, 24" DEEP







Model	Cubic Feet
UEAS158424 L or R	21.6
UEAS188424 L or R	25.6
UEAS158724 L or R	22.4
UEAS188724 L or R	26.5
UEAS308424	41.3
UEAS368424	49.2
UEAS308724	42.8
UEAS368724	50.9

- Four chrome baskets featuring rail system for adjustability on each lower door.
- Four 18 1/2" reduced depth adjustable shelves are included.
- \bullet Depth can be reduced to a minimum of 10".
- Tall non-mitered doors will have two center panels with cross rail.
- $\bullet\,$ Derazi doors greater than 48" high will be two doors doweled together.

Model	Cubic Feet
UEAS159024AH L or R	23.2
UEAS189024AH L or R	27.4
UEAS309024AH	44.2
UEAS369024AH	52.6

- AH represents upper section alignment with doors on 24" or 27" high cabinets.
- Four chrome baskets featuring rail system for adjustability on each lower door.
- Four 18 1/2" reduced depth adjustable shelves and
- one full depth adjustable shelf are included.


 Utility cabinets with depths of 12" or less must be installed to wall studs or onto the end of another tall cabinet.
- Depth can be reduced to a minimum of 10".
- Tall non-mitered doors will have two center panels with
- Derazi doors greater than 48" high will be two doors doweled together.

COSTOIL	i Mouili	culions						
ADDTK	CBO	CCO	CND	DRT	DRWTK	EXBK	FTK	FTK_V
	•	•			•*	•	•	•
ID	INVFRM	RD	RECTK	RT	TD	TKP	VTK	
		•	•		•	•	•	

^{*}Not available on 15" wide

Construction and Finish Upgrades						
APC	FB	MIP	MSLFB	WLI		
•	•	•	•	•		

Door Options					
CG.TOP	DPSRR				
•	•				



93"

UTILITY EASY ACCESS, 84", 87", 90", 93", or 96" TALL, 24" DEEP (cont'd)



Model	Cubic Feet
UEAS159324AH L or R	23.9
UEAS189324AH L or R	28.3
UEAS309324AH	45.7
UEAS369324AH	54.3
UEAS309324AH	45.7

- AH represents upper section alignment with doors on 24" or 27" high cabinets.
- Four chrome baskets featuring rail system for adjustability on each lower door.
- Separate pedestal base included but packaged separately on 93" tall. Pedestal is designed to create a Recessed Left or Right Toekick application during field installation, or can be centered. Pedestal must be covered with toeboard material.
- Four 18 1/2" reduced depth adjustable shelves and one full depth adjustable shelf are included.
- Utility cabinets with depths of 12" or less must be installed to wall studs or onto the end of another tall cabinet.
- Depth can be reduced to a minimum of 10".
- Tall non-mitered doors will have two center panels with cross rail.
- Derazi doors greater than 48" high will be two doors doweled together.

Model	Cubic Feet
UEAS159624 L or R	24.7
UEAS189624 L or R	29.2
UEAS309624	47.1
UEAS369624	56.1


- Four chrome baskets featuring rail system for adjustability on each lower door.
- Separate pedestal base included but packaged separately on 96" tall. Pedestal is designed to create a Recessed Left or Right Toekick application during field installation, or can be centered. Pedestal must be covered with toeboard material.
- Four 18 1/2" reduced depth adjustable shelves and two full depth adjustable shelves are included.
- Utility cabinets with depths of 12" or less must be installed to wall studs or onto the end of another tall cabinet.
- Depth can be reduced to a minimum of 10".
- Tall non-mitered doors will have two center panels with cross rail.
- Derazi doors greater than 48" high will be two doors doweled together.

Custom Modifications


ADDTK	CBO	CCO	CND	DRT	DRWTK	EXBK	FTK	FTK_V
	•	•				•		
ID	INVFRM	RD	RECTK	RT	TD	TKP	VTK	
		•	•		•			


Constru	ction an	d Finish (Jpgrades	;
APC	FB	MIP	MSLFB	WLI

Door O	ptions	
CG.TOP	DPSRF	
_		




30". 36







UTILITY ORGANIZER CABINET, 84", 87", 90", 93", or 96" TALL, 6" DEEP, 24" WIDE









Model	Cubic Feet
UOC24846	10.7

- Includes four adjustable shelves and broom clip packaged separately (not installed)
- Designed to be installed onto an adjacent 24" deep tall cabinet.
- 6" overlay fillers can be used on the side to add a decorative touch.
- Utility cabinets with depths of 12" or less must be installed to wall studs or onto the end of another tall cahinet
- Does not include toeboard or pedestal.
- Tall non-mitered doors will have two center panels with cross rail.
- Derazi doors greater than 48" high will be two doors doweled together.

UOC24876 11.1

- Includes four adjustable shelves and broom clip packaged separately (not installed)
- Designed to be installed onto an adjacent 24" deep tall cabinet.
- 6" overlay fillers can be used on the side to add a decorative touch.
- . Utility cabinets with depths of 12" or less must be installed to wall studs or onto the end of another tall cahinet
- Does not include toeboard or pedestal.
- Tall non-mitered doors will have two center panels with cross rail.
- Derazi doors greater than 48" high will be two doors doweled together.

- · AH represents upper section alignment with doors on 24" or 27" high cabinets.
- Includes five adjustable shelves and broom clip packaged separately (not installed).
- Designed to be installed onto an adjacent 24" deep tall cabinet.
- $\bullet\,$ 6" overlay fillers can be used on the side to add a decorative touch.
- Utility cabinets with depths of 12" or less must be installed to wall studs or onto the end of another tall
- Does not include toeboard or pedestal.
- · Tall non-mitered doors will have two center panels with cross rail.
- Derazi doors greater than 48" high will be two doors doweled together.

Custom Modifications

40710111 1110411141110112								
ADDTK	CBO	CCO	CND	DRT	DRWTK	EXBK	FTK	FTK_V
	•	•						
ID	INVFRM	RD	RECTK	RT	TD	TKP	VTK	
	•							

Constru	Construction and Finish Upgrades								
APC	FB	MIP	MSLFB	WLI					
•		•	•	•					

Door Options CG.TOP DPSRR

UOC24936AH	11.9			
AH represents upper section align	ment with doors on			

Cubic Feet

Model


- 24" or 27" high cabinets.
- Includes five adjustable shelves and broom clip packaged separately (not installed)
- Designed to be installed onto an adjacent 24" deep tall cabinet.
- $\bullet\,$ 6" overlay fillers can be used on the side to add a decorative touch.
- Utility cabinets with depths of 12" or less must be installed to wall studs or onto the end of another tall
- Does not include toeboard or pedestal.
- Tall non-mitered doors will have two center panels with cross rail.
- Derazi doors greater than 48" high will be two doors doweled together.

UOC24966	122

- Includes six adjustable shelves and broom clip packaged separately (not installed).
- Designed to be installed onto an adjacent 24" deep tall cabinet.
- $\bullet\,$ 6" overlay fillers can be used on the side to add a decorative touch.
- Utility cabinets with depths of 12" or less must be installed to wall studs or onto the end of another tall
- Does not include toeboard or pedestal.
- Tall non-mitered doors will have two center panels with cross rail.
- Derazi doors greater than 48" high will be two doors doweled together.

UTILITY ORGANIZER DROP ZONE CABINET, 84", 87", 90", 93", or 96" HIGH, 9" DEEP, 24" WIDE






Model	Cubic Feet
UOCDZ24849	14.5
UOCDZ24879	15.0
UOCDZ24909	15.5
UOCDZ24939	16.0
UOCDZ24969	16.5

- Features magnetic whiteboards on back of lower doors, one magnetic black mesh pencil holder, charging station with power strip, black plastic grommet for power cord, key hooks, and coat hooks. Accessories are field installed.
- Charging station functions as an adjustable shelf, features five cord cut-out areas and includes a UL listed power strip with three standard 110-volt plug-ins and one USB charging port.
- One adjustable shelf in upper section on 90" and 93", two adjustable shelves for 96", and three adjustable shelves in lower section.
- Designed to be installed onto an adjacent 24" deep tall cabinet.
 Utility cabinets with depths of 12" or less must be installed to wall studs or onto the end of another tall cabinet.
- Does not include toeboard or pedestal.
- Tall non-mitered doors will have two center panels with cross rail.
- Derazi doors greater than 48" high will be two doors doweled together.

ADDTK	CBO	CCO	CND	DRT	DRWTK	EXBK	FTK	FTK_V
	•	•						
ID	INVFRM	RD	RECTK	RT	TD	TKP	VTK	


Construction and Finish Upgrades								
APC	FB	MIP	MSLFB	WLI				
•		•	•	•				

Door Options CG.TOP DPSRR





PANTRY TOP UNIT with SHELVES, SINGLE DOOR, 24" DEEP



Cubic Feet
12.8
15.1
17.6
19.9
15.9
18.8
21.7
24.6

- Three adjustable shelves included with 49 1/2" high, and four adjustable shelves included with 61 1/2" high.
- Sets on any 15", 18", 21", or 24" wide base (B15 shown). No countertop is needed.
- Can be reduced in depth to 6".
- If used on the end of a run, seam will be visible between stacked cabinets. A tall panel can be applied to the sides of the cabinets to hide seams.
- Tall non-mitered doors will have two center panels with cross rail.
- Derazi doors will be two doors doweled together.

Cabinet Height	Door Height	
49 1/2"	49 1/4"	
61 1/2"	61 1/4"	


Custom Modifications

ADDTK	CBO	CCO	CND	DRT	DRWTK	EXBK	FTK	FTK_V
•	•	•				•		•
ID	INVFRM	RD	RECTK	RT	TD	TKP	VTK	
		•						

Construction and Finish Upgrades								
APC	FB	MIP	MSLFB	WLI				
•	•	•	•	•				

Door Options						
CG.TOP	DPSRR					
	•					

PANTRY TOP UNIT with SHELVES, DOUBLE DOOR, 24" DEEP



19.9
24.4
29.0
24.6
30.2
35.9


- Three adjustable shelves included with 49 1/2'' high, and four adjustable shelves included with 61 1/2'' high.
- Sets on any 24", 30", or 36" wide base (B30 shown). No countertop is needed.
- Can be reduced in depth to 6".
- If used on the end of a run, seam will be visible between stacked cabinets. A tall panel can be applied to the sides of the cabinets to hide seams.
- Tall non-mitered doors will have two center panels with cross rail.
- Derazi doors will be two doors doweled together.

Cabinet	Door		
Height	Height		
49 1/2"	49 1/4"		
61 1/2"	61 1/4"		

400.0									
ADDTK	CBO	CCO	CND	DRT	DRWTK	EXBK	FTK	FTK_V	
•	•	•				•		•	
ID	INVFRM	RD	RECTK	RT	TD TKP	VTK			
		•							

Construction and Finish Upgrades								
APC	FB	MIP	MSLFB	WLI				
•	•	•	•	•				

Door Options						
CG.TOP	DPSRR					
	•					



Model	Cubic Feet
PTU154924 L or R	12.8
PTU184924 L or R	15.1
PTU214924 L or R	17.6
PTU244924 L or R	19.9
PTU156124 L or R	15.9
PTU186124 L or R	18.8
PTU216124 L or R	21.7
PTU246124 L or R	24.6

- One 15" deep adjustable shelf included with 49 1/2" high, and two 15" deep adjustable shelves included with 61 1/2" high.
- Three roll trays are included, installed in cabinet.
 Sets on any 15", 18", 21", or 24" wide base (B15 shown). No countertop is needed.
- Can be reduced in depth to 12".
- If used on the end of a run, seam will be visible between stacked cabinets. A tall panel can be applied to the cabinet sides to conceal the seam.
- Tall non-mitered doors will have two center panels with cross rail.
- Derazi doors will be two doors doweled together.

Cabinet	Door
Height	Height
49 1/2"	49 1/4"
61 1/2"	61 1/4"

Custom Modifications

ADDTK	CBO	CCO	CND	DRT	DRWTK	EXBK	FTK	FTK_V
•	•	•		•		•		
ID	INVFRM	RD	RECTK	RT	TD	TKP	VTK	
		•						


Constru	ction an	d Finish l	Jpgrades	i
APC FB		MIP	MSLFB WL	
		•	•	•


Door O	ptions
CG.TOP	DPSRR
	•

Schrock^a

PANTRY TOP UNIT, DOUBLE DOOR, 24" DEEP







Model	Cubic Feet
PTU244924	19.9
PTU304924	24.4
PTU364924	29.0
PTU246124	24.6
PTU306124	30.2
PTU366124	35.9

- One 15" deep adjustable shelf included with 49 1/2" high, and two 15" deep adjustable shelves included with 61 1/2" high.
- Three roll trays are included, installed in cabinet.
- Sets on any 24", 30", or 36" wide base. (B30 shown.) No countertop is needed.
- Can be reduced in depth to 12".
- If used on the end of a run, seam will be visible between stacked cabinets. A tall panel can be applied to the cabinet sides to conceal the seam.
- Tall non-mitered doors will have two center panels with cross rail.
- Derazi doors will be two doors doweled together.

Cabinet Height	Door Height
49 1/2"	49 1/4"
61 1/2"	61 1/4"

Custom Modifications

ADDTK	CBO	CCO	CND	DRT	DRWTK	EXBK	FTK	FTK_V
•	•	•		•		•		
ID	INVFRM	RD	RECTK	RT	TD	TKP	VTK	
		•						

Construction and Finish Upgrades							
APC	FB	MIP	MSLFB	WLI			
•	•	•	•	•			

Door O	ptions
CG.TOP	DPSRR
	,

PANTRY TOP UNIT with PULL-OUT, 49 1/2" TALL, 24" DEEP



PTUP154924	15.8
PTUP184924	18.7
 Two adjustable and one fixed botto Sets on any 15" or 18" wide has 	

- nish wire rail sides. Natural finish pull-out shelves are 20 $11/16^{\prime\prime}$ deep.
- If used on the end of a run, seam will be visible between stacked cabinets. A tall panel can be applied to the cabinet sides to conceal the seam.
- Tall non-mitered doors will have two center panels with cross rail.
- Derazi doors greater than 48" high will be two doors doweled together.
- For full access from both sides of unit, do not install against a wall or next to deeper appliances and cabinets.

Cabinet	Door
Height	Height
49 1/2"	49 1/4"

Custom Modifications

C031011	Costoni Modifications							
ADDTK	CBO	CCO	CND	DRT	DRWTK	EXBK	FTK	FTK_V
•	•	•				•		
ID	INVFRM	RD	RECTK	RT	TD	TKP	VTK	

Construction and Finish Upgrades						
APC	FB	MIP	MSLFB	WLI		
•	•	•	•	•		

Door Options					
CG.TOP	DPSRR				
	•				


Schrock^a


491/2"

24"

TALL PANTRY PULL-OUT, $84^{\prime\prime},\,87^{\prime\prime},$ or $90^{\prime\prime}$ Tall, $24^{\prime\prime}$ DEEP







Model	Cubic Feet
TPP98424 L or R	13.8
TPP128424 L or R	17.7
TPP158424 L or R	21.6
TPP188424 L or R	25.6
TPP98724 L or R	14.3
TPP128724 L or R	18.3
TPP158724 L or R	22.4
TPP188724 L or R	26.5
TPP99024AH L or R	14.7
TPP129024AH L or R	18.9
TPP159024AH L or R	23.2
TPP189024AH L or R	27.4

- \bullet AH represents upper section alignment with doors on 24" or 27" high cabinets.
- Three adjustable shelves and one fixed bottom shelf with metallic finish wire rail sides. Natural finish wood pull-out shelves are 20 11/16" deep.
 Pull-out features top/bottom mounted soft-close full extension guides.
- 84" and 87" high do not include shelves in upper section. Upper section 15" or 18".
- Tall non-mitered doors will have two center panels with cross rail.
- Derazi doors greater than 48" high will be two doors doweled together.
- For full access from both sides of unit, do not install against a wall or next to deeper appliances and cabinets.
- Pull-out mechanism not available for order for field installation, only available factory installed.

Cabinet	Door Height	Door Height
Height	(Upper Section)	(Lower Section)
84"	17 3/4"	61 3/8"
87"	20 3/4"	61 3/8"
90″	23 3/4"	61 3/8"
93"	26 3/4"	61 3/8"
96"	29 3/4"	61 3/8"

Custom Modifications

ADDTK	CBO	CCO	CND	DRT	DRWTK	EXBK	FTK	FTK_V
	•	•			•*	•	•	•+
ID	INVFRM	RD	RECTK	RT	TD	TKP	VTK	
			•		•	•	•	

^{*}Available only on 18" wide $\,\,$ *Not available on 9" and 12" wide


Construction and Finish Upgrades


Construction and rimsii opgrades						
APC	FB	MIP	MSLFB	WLI		
•	•	•	•	•		

Door Options CG.TOP DPSRR

TALL PANTRY PULL-OUT, $93^{\prime\prime}$ or $96^{\prime\prime}$ TALL, $24^{\prime\prime}$ DEEP







Model	Cubic Feet
TPP99324AH L or R	15.2
TPP129324AH L or R	19.6
TPP159324AH L or R	23.9
TPP189324AH L or R	28.3
TPP99624 L or R	15.7
TPP129624 L or R	20.2
TPP159624 L or R	24.7
TPP189624 L or R	29.2

- \bullet AH represents upper section alignment with doors on 24" or 27" high cabinets.
- Three adjustable shelves and one fixed bottom shelf with metallic finish wire rail sides. Natural finish wood pull-out shelves are 20 11/16" deep. Pull-out features top/bottom mounted soft-close full extension guides.

 Separate pedestal base included but packaged separately on 93" and 96" tall. Pedestal is designed to create a Recessed Left or Right Toekick
- application during field installation, or can be centered. Pedestal must be covered with toeboard material.
- Tall non-mitered doors will have two center panels with cross rail.
- Derazi doors greater than 48" high will be two doors doweled together.
- For full access from both sides of unit, do not install against a wall or next to deeper appliances and cabinets.
- Pull-out mechanism not available for order for field installation, only available factory installed.


Co	binet	Door Height	Door Height
	eight	(Upper Section)	(Lower Section)
	84"	17 3/4"	61 3/8"
	87″	20 3/4"	61 3/8"
	90″	23 3/4"	61 3/8"
	93″	26 3/4"	61 3/8"
	96"	29 3/4"	61 3/8"


ADDTK	CBO	CCO	CND	DRT	DRWTK	EXBK	FTK	FTK_V
	•	•				•		
ID	INVFRM	RD	RECTK	RT	TD	TKP	VTK	
			•		•			

Construction and Finish Upgrades					
APC	FB	MIP	MSLFB	WLI	
•	•	•	•	•	

Door O	ptions	
CG.TOP	DPSRR	
_	_	

SINGLE OVEN CABINET, 84", 87", 90", 93", or 96" TALL, 24" DEEP





Appliance Trim Panel Max Cut-out (Shaded)

Model	Cubic Feet
OCS278424	37.4
OCS308424	41.3
OCS338424	45.2
OCS278724	38.7
OCS308724	42.8
OCS338724	46.8
OCS279024AH	40.0
OCS309024AH	44.2
OCS339024AH	48.4
OCS279324AH	41.3
OCS309324AH	45.7
OCS339324AH	50.0
OCS279624	42.6
OCS309624	47.1
OCS339624	51.6

- AH represents upper section alignment with doors on 24" or 27" high cabinets.
- Includes adjustable shelves in upper section:
- 90" and 93" tall one shelf
- 96" tall two shelves
- Be sure to confirm a heat shield is built into your appliance by the manufacturer or install the heat shield included with your appliance. Heat shields
 are sold separately as an accessory.
- Separate pedestal base included but packaged separately on 93" and 96" tall. Pedestal is designed to create a Recessed Left or Right Toekick
 application during field installation, or can be centered. Pedestal must be covered with toeboard material.
- Depth can be reduced to a minimum of 6". For depths of 6"-8", cabinet will not include toekick/pedestal.
- For built-in appliance support in 24" deep cabinets, a kit is included (not factory installed) with a support shelf, unfinished plywood strips, and
 mounting screws for field mounting installation. Kit can be trimmed for when cabinet depth is modified.
- See page 73 for specifications on appliance cabinet trim panels.

	A	В	C		D		Door Height	Door Height
	Panel	Panel	Cut-ou	rt Width	Cut-ou	t Height	(Upper	(Lower
	Width	Height	Min.	Max.	Min.	Max.	Section)	Section)
OCS278424	26 27/32"	43 1/2"	21 3/32"	23 27/32"	25 3/4"	42 7/16"	17 3/4"	17 3/4"
OCS308424	29 27/32"	43 1/2"	24 3/32"	26 27/32"	25 3/4"	42 7/16"	17 3/4"	17 3/4"
OCS338424	32 27/32"	43 1/2"	27 3/32"	29 27/32"	25 3/4"	427/16"	17 3/4"	17 3/4"
OCS278724	26 27/32"	43 1/2"	21 3/32"	23 27/32"	25 3/4"	42 7/16"	20 3/4"	17 3/4"
OCS308724	29 27/32"	43 1/2"	24 3/32"	26 27/32"	25 3/4"	42 7/16"	20 3/4"	17 3/4"
OCS338724	32 27/32"	43 1/2"	27 3/32"	29 27/32"	25 3/4"	427/16"	20 3/4"	17 3/4"
OCS279024AH	26 27/32"	43 1/2"	21 3/32"	23 27/32"	25 3/4"	427/16"	23 3/4"	17 3/4"
OCS309024AH	29 27/32"	43 1/2"	24 3/32"	26 27/32"	25 3/4"	42 7/16"	23 3/4"	17 3/4"
OCS339024AH	32 27/32"	43 1/2"	27 3/32"	29 27/32"	25 3/4"	42 7/16"	23 3/4"	17 3/4"
OCS279324AH	26 27/32"	43 1/2"	21 3/32"	23 27/32"	25 3/4"	42 7/16"	26 3/4"	17 3/4"
OCS309324AH	29 27/32"	43 1/2"	24 3/32"	26 27/32"	25 3/4"	42 7/16"	26 3/4"	17 3/4"
OCS339324AH	32 27/32"	43 1/2"	27 3/32"	29 27/32"	25 3/4"	42 7/16"	26 3/4"	17 3/4"
OCS279624	26 27/32"	43 1/2"	21 3/32"	23 27/32"	25 3/4"	42 7/16"	29 3/4"	17 3/4"
OCS309624	29 27/32"	43 1/2"	24 3/32"	26 27/32"	25 3/4"	427/16"	29 3/4"	17 3/4"
OCS339624	32 27/32"	43 1/2"	27 3/32"	29 27/32"	25 3/4"	427/16"	29 3/4"	17 3/4"

Custom Modifications


400.0								
ADDTK	CBO	CCO	CND	DRT	DRWTK	EXBK	FTK	FTK_V
	•*	•			•+	•	•+	•+
ID	INVFRM	RD	RECTK	RT	TD	TKP	VTK	
•		•	•		•	•+	•+	


*Not available on 84" and 87" tall $\,$ *Not available on 93" and 96" tall

Construction and Finish Upgrades APC FB MIP MSLFB WLI • • • • •

Door O	ptions
CG.TOP	DPSRR
	•

SINGLE OVEN CABINET, DEEP DRAWER, 84", 87", 90", 93", or 96" TALL, 24" DEEP





Appliance Trim Panel Max Cut-out (Shaded)

Model	Cubic Feet
OCS278424DD	37.4
OCS308424DD	41.3
OCS338424DD	45.2
OCS278724DD	38.7
OCS308724DD	42.8
OCS338724DD	46.8
OCS279024DDAH	40.0
OCS309024DDAH	44.2
OCS339024DDAH	48.4
OCS279324DDAH	41.3
OCS309324DDAH	45.7
OCS339324DDAH	50.0
OCS279624DD	42.6
OCS309624DD	47.1
OCS339624DD	51.6

- AH represents upper section alignment with doors on 24" or 27" high cabinets.
- Includes adjustable shelves in upper section: 90" and 93" tall one shelf
- 96" tall two shelves
- Be sure to confirm a heat shield is built into your appliance by the manufacturer or install the heat shield included with your appliance. Heat shields are sold separately as an accessory.
- Separate pedestal base included but packaged separately on 93" and 96" tall. Pedestal is designed to create a Recessed Left or Right Toekick
 application during field installation, or can be centered. Pedestal must be covered with toeboard material.
- Depth can be reduced to a minimum of 12".
- For built-in appliance support in 24" deep cabinets, a kit is included (not factory installed) with a support shelf, unfinished plywood strips, and
 mounting screws for field mounting installation. Kit can be trimmed for when cabinet depth is modified.
- See page 73 for specifications on appliance cabinet trim panels.

	Α	В		C		D			
	Panel	Panel	Cut-ou	rt Width	Cut-ou	t Height	Door	Drawer Front Height	Drawer Front Height
	Width	Height	Min.	Мах.	Min.	Max.	Height	(Upper Drawer)	(Lower Drawer)
OCS278424DD	26 27/32"	44 1/4"	21 3/32"	23 27/32"	26 1/2"	43 3/16"	17 3/4"	10 5/8"	61/4"
OCS308424DD	29 27/32"	44 1/4"	24 3/32"	26 27/32"	26 1/2"	43 3/16"	17 3/4"	10 5/8"	61/4"
OCS338424DD	32 27/32"	44 1/4"	27 3/32"	29 27/32"	26 1/2"	43 3/16"	17 3/4"	10 5/8"	61/4"
OCS278724DD	26 27/32"	44 1/4"	21 3/32"	23 27/32"	26 1/2"	43 3/16"	20 3/4"	10 5/8"	61/4"
OCS308724DD	29 27/32"	44 1/4"	24 3/32"	26 27/32"	26 1/2"	43 3/16"	20 3/4"	10 5/8"	61/4"
OCS338724DD	32 27/32"	44 1/4"	27 3/32"	29 27/32"	26 1/2"	43 3/16"	20 3/4"	10 5/8"	61/4"
OCS279024DDAH	26 27/32"	44 1/4"	21 3/32"	23 27/32"	26 1/2"	43 3/16"	23 3/4"	10 5/8"	61/4"
OCS309024DDAH	29 27/32"	44 1/4"	24 3/32"	26 27/32"	26 1/2"	43 3/16"	23 3/4"	10 5/8"	61/4"
OCS339024DDAH	32 27/32"	44 1/4"	27 3/32"	29 27/32"	26 1/2"	43 3/16"	23 3/4"	10 5/8"	61/4"
OCS279324DDAH	26 27/32"	44 1/4"	21 3/32"	23 27/32"	26 1/2"	43 3/16"	26 3/4"	10 5/8"	61/4"
OCS309324DDAH	29 27/32"	44 1/4"	24 3/32"	26 27/32"	26 1/2"	43 3/16"	26 3/4"	10 5/8"	61/4"
OCS339324DDAH	32 27/32"	44 1/4"	27 3/32"	29 27/32"	26 1/2"	43 3/16"	26 3/4"	10 5/8"	61/4"
OCS279624DD	26 27/32"	44 1/4"	21 3/32"	23 27/32"	26 1/2"	43 3/16"	29 3/4"	10 5/8"	61/4"
OCS309624DD	29 27/32"	44 1/4"	24 3/32"	26 27/32"	26 1/2"	43 3/16"	29 3/4"	10 5/8"	61/4"
OCS339624DD	32 27/32"	44 1/4"	27 3/32"	29 27/32"	26 1/2"	43 3/16"	29 3/4"	10 5/8"	61/4"

Custom Modifications


400.0								
ADDTK	CBO	CCO	CND	DRT	DRWTK	EXBK	FTK	FTK_V
	•	•	•		•*	•	•*	•*
ID	INVFRM	RD	RECTK	RT	TD	TKP	VTK	
		•	•		•	•*	•*	


*Not available on 93" and 96" tall

Constru	ction an	d Finish l	Jpgrades	i
APC	FB	MIP	MSLFB	WLI
•	•	•	•	•

Door 0	ptions
CG.TOP	DPSRR
	•

SINGLE OVEN CABINET, WARMING DRAWER, 84", 87", 90", 93", or 96" TALL, 24" DEEP





Appliance Trim Panel Max Cut-out (Shaded)

Model	Cubic Feet
OCS278424WD	37.4
OCS308424WD	41.3
OCS338424WD	45.2
OCS278724WD	38.7
OCS308724WD	42.8
OCS338724WD	46.8
OCS279024WDAH	40.0
OCS309024WDAH	44.2
OCS339024WDAH	48.4
OCS279324WDAH	41.3
OCS309324WDAH	45.7
OCS339324WDAH	50.0
OCS279624WD	42.6
OCS309624WD	47.1
OCS339624WD	51.6

- AH represents upper section alignment with doors on 24" or 27" high cabinets.
- Includes adjustable shelves in upper section:

 $90^{\prime\prime}$ and $93^{\prime\prime}$ tall - one shelf

96" tall - two shelves

- Be sure to confirm a heat shield is built into your appliance by the manufacturer or install the heat shield included with your appliance. Heat shields are sold separately as an accessory.
- Separate pedestal base included but packaged separately on 93" and 96" tall. Pedestal is designed to create a Recessed Left or Right Toekick
 application during field installation, or can be centered. Pedestal must be covered with toeboard material.
- Depth can be reduced to a minimum of 12".
- For built-in appliance support in 24" deep cabinets, a kit is included (not factory installed) with a support shelf, unfinished plywood strips, and
 mounting screws for field mounting installation. Kit can be trimmed for when cabinet depth is modified.
- See page 73 for specifications on appliance cabinet trim panels.

	A	В		C		D		E		Drawer
	Panel	Panel	Cut-ou	Cut-out Width		Cut-out Height		Warming Drawer Cut-out Height		Front
	Width	Height	Min.	Max.	Min.	Max.	Min.	Max.	Height	Height
OCS278424WD	26 27/32"	55"	21 3/32"	23 27/32"	26 3/8"	42 15/16"	7 7/8"	18 11/16"	17 3/4"	61/4"
OCS308424WD	29 27/32"	55"	24 3/32"	26 27/32"	26 3/8"	42 15/16"	7 7/8"	18 11/16"	17 3/4"	61/4"
OCS338424WD	32 27/32"	55"	27 3/32"	29 27/32"	26 3/8"	42 15/16"	7 7/8"	18 11/16"	17 3/4"	61/4"
OCS278724WD	26 27/32"	55"	21 3/32"	23 27/32"	26 3/8"	42 15/16"	7 7/8"	18 11/16"	20 3/4"	61/4"
OCS308724WD	29 27/32"	55"	24 3/32"	26 27/32"	26 3/8"	42 15/16"	7 7/8"	18 11/16"	20 3/4"	61/4"
OCS338724WD	32 27/32"	55"	27 3/32"	29 27/32"	26 3/8"	42 15/16"	7 7/8"	18 11/16"	20 3/4"	6 1/4"
OCS279024WDAH	26 27/32"	55"	21 3/32"	23 27/32"	26 3/8"	42 15/16"	7 7/8"	18 11/16"	23 3/4"	6 1/4"
OCS309024WDAH	29 27/32"	55"	24 3/32"	26 27/32"	26 3/8"	42 15/16"	7 7/8"	18 11/16"	23 3/4"	6 1/4"
OCS339024WDAH	32 27/32"	55"	27 3/32"	29 27/32"	26 3/8"	42 15/16"	7 7/8"	18 11/16"	23 3/4"	6 1/4"
OCS279324WDAH	26 27/32"	55"	21 3/32"	23 27/32"	26 3/8"	42 15/16"	7 7/8"	18 11/16"	26 3/4"	6 1/4"
OCS309324WDAH	29 27/32"	55"	24 3/32"	26 27/32"	26 3/8"	42 15/16"	7 7/8"	18 11/16"	26 3/4"	6 1/4"
OCS339324WDAH	32 27/32"	55"	27 3/32"	29 27/32"	26 3/8"	42 15/16"	7 7/8"	18 11/16"	26 3/4"	6 1/4"
OCS279624WD	26 27/32"	55"	21 3/32"	23 27/32"	26 3/8"	42 15/16"	7 7/8"	18 11/16"	29 3/4"	6 1/4"
OCS309624WD	29 27/32"	55"	24 3/32"	26 27/32"	26 3/8"	42 15/16"	7 7/8"	18 11/16"	29 3/4"	6 1/4"
OCS339624WD	32 27/32"	55"	27 3/32"	29 27/32"	26 3/8"	42 15/16"	7 7/8"	18 11/16"	29 3/4"	6 1/4"

Custom Modifications

ADDTK	CBO	CCO	CND	DRT	DRWTK	EXBK	FTK	FTK_V
	•	•	•		•*	•	•*	•*
ID	INVFRM	RD	RECTK	RT	TD	TKP	VTK	
•		•	•		•	•*	•*	


*Not available on 93" and 96" tall


Construction and Finish Upgrades

COIISITO	CHOII UIIV	u i iiiiəii v	phanaca	,
APC	FB	MIP	MSLFB	WLI
•	•	•	•	•

Door O	ptions
CG.TOP	DPSRR
	•

DOUBLE OVEN CABINET, 84", 87", 90", 93", or 96" TALL, 24" DEEP





Appliance Trim Panel Max Cut-out (Shaded)

Model	Cubic Feet
OCD278424	37.4
OCD308424	41.3
OCD338424	45.2
OCD278724	38.7
OCD308724	42.8
OCD338724	46.8
OCD279024AH	40.0
OCD309024AH	44.2
OCD339024AH	48.4
OCD279324AH	41.3
OCD309324AH	45.7
OCD339324AH	50.0
OCD279624	42.6
OCD309624	47.1
OCD339624	51.6

- AH represents upper section alignment with doors on 24" or 27" high cabinets.
- Includes adjustable shelves in upper section:
- $90^{\prime\prime}$ and $93^{\prime\prime}$ tall one shelf
- 96" tall two shelves
- Be sure to confirm a heat shield is built into your appliance by the manufacturer or install the heat shield included with your appliance. Heat shields are sold separately as an accessory.
- Separate pedestal base included but packaged separately on 93" and 96" tall. Pedestal is designed to create a Recessed Left or Right Toekick
 application during field installation, or can be centered. Pedestal must be covered with toeboard material.
- Depth can be reduced to a minimum of 12".
- For built-in appliance support in 24" deep cobinets, a kit is included (not factory installed) with a support shelf, unfinished plywood strips, and
 mounting screws for field mounting installation. Kit can be trimmed for when cabinet depth is modified.
- See page 73 for specifications on appliance cabinet trim panels.

	А	В		C		D		Drawer
	Panel	Panel	Cut-ou	rt Width	Cut-out Height		Door	Front
	Width	Height	Min.	Max.	Min.	Max.	Height	Height
OCD278424	26 27/32"	55"	21 3/32"	23 27/32"	37 1/4"	53 15/16"	17 3/4"	6 1/4"
OCD308424	29 27/32"	55"	24 3/32"	26 27/32"	37 1/4"	53 15/16"	17 3/4"	61/4"
OCD338424	32 27/32"	55"	27 3/32"	29 27/32"	37 1/4"	53 15/16"	17 3/4"	6 1/4"
OCD278724	26 27/32"	55"	21 3/32"	23 27/32"	37 1/4"	53 15/16"	20 3/4"	6 1/4"
OCD308724	29 27/32"	55"	24 3/32"	26 27/32"	37 1/4"	53 15/16"	20 3/4"	6 1/4"
OCD338724	32 27/32"	55"	27 3/32"	29 27/32"	37 1/4"	53 15/16"	20 3/4"	61/4"
OCD279024AH	26 27/32"	55"	21 3/32"	23 27/32"	37 1/4"	53 15/16"	23 3/4"	6 1/4"
OCD309024AH	29 27/32"	55"	24 3/32"	26 27/32"	37 1/4"	53 15/16"	23 3/4"	6 1/4"
OCD339024AH	32 27/32"	55"	27 3/32"	29 27/32"	37 1/4"	53 15/16"	23 3/4"	61/4"
OCD279324AH	26 27/32"	55"	21 3/32"	23 27/32"	37 1/4"	53 15/16"	26 3/4"	61/4"
OCD309324AH	29 27/32"	55"	24 3/32"	26 27/32"	37 1/4"	53 15/16"	26 3/4"	61/4"
OCD339324AH	32 27/32"	55"	27 3/32"	29 27/32"	37 1/4"	53 15/16"	26 3/4"	61/4"
OCD279624	26 27/32"	55"	21 3/32"	23 27/32"	37 1/4"	53 15/16"	29 3/4"	61/4"
OCD309624	29 27/32"	55"	24 3/32"	26 27/32"	37 1/4"	53 15/16"	29 3/4"	61/4"
OCD339624	32 27/32"	55"	27 3/32"	29 27/32"	37 1/4"	53 15/16"	29 3/4"	6 1/4"

Custom Modifications


ADDTK	CBO	CCO	CND	DRT	DRWTK	EXBK	FTK	FTK_V
	•	•	•		•*	•	•*	•*
ID	INVFRM	RD	RECTK	RT	TD	TKP	VTK	
•		•	•		•	•*	•*	


*Not available on 93" and 96" tall

Constru	ction an	d Finish (Jpgrades	;
APC	FB	MIP	MSLFB	WLI
•	•	•	•	•

CG.TOP DPSRR

DOUBLE OVEN CABINET, DEEP DRAWER, 84", 87", 90", 93", or 96" TALL, 24" DEEP





Appliance Trim Panel Max Cut-out (Shaded)

Model	Cubic Feet
OCD278424DD	37.4
OCD308424DD	41.3
OCD338424DD	45.2
OCD278724DD	38.7
OCD308724DD	42.8
OCD338724DD	46.8
OCD279024DD	40.0
OCD309024DD	44.2
OCD339024DD	48.4
OCD279324DDAH	41.3
OCD309324DDAH	45.7
OCD339324DDAH	50.0
OCD279624DDAH	42.6
OCD309624DDAH	47.1
OCD339624DDAH	51.6

- AH represents upper section alignment with doors on 24" or 27" high cabinets.
- Includes one adjustable shelf in upper section of 93" and 96" tall.
- Be sure to confirm a heat shield is built into your appliance by the manufacturer or install the heat shield included with your appliance. Heat shields are sold separately as an accessory.
- Separate pedestal base included but packaged separately on 93" and 96" tall. Pedestal is designed to create a Recessed Left or Right Toekick
 application during field installation, or can be centered. Pedestal must be covered with toeboard material.
- Depth can be reduced to a minimum of 12".
- For built-in appliance support in 24" deep cabinets, a kit is included (not factory installed) with a support shelf, unfinished plywood strips, and
 mounting screws for field mounting installation. Kit can be trimmed for when cabinet depth is modified.
- See page 73 for specifications on appliance cabinet trim panels.

	А	В		С		D		Drawer
	Panel	Panel	Cut-ou	ıt Width	Cut-ou	t Height	Door	Front
	Width	Height	Min.	Max.	Min.	Мах.	Height	Height
OCD278424DD	26 27/32"	53 5/8"	21 3/32"	23 27/32"	35 7/8"	52 9/16"	14 3/4"	10 5/8"
OCD308424DD	29 27/32"	53 5/8"	24 3/32"	26 27/32"	35 7/8"	52 9/16"	14 3/4"	10 5/8"
OCD338424DD	32 27/32"	53 5/8"	27 3/32"	29 27/32"	35 7/8"	52 9/16"	14 3/4"	10 5/8"
OCD278724DD	26 27/32"	53 5/8"	21 3/32"	23 27/32"	35 7/8"	52 9/16"	17 3/4"	10 5/8"
OCD308724DD	29 27/32"	53 5/8"	24 3/32"	26 27/32"	35 7/8"	52 9/16"	17 3/4"	10 5/8"
OCD338724DD	32 27/32"	53 5/8"	27 3/32"	29 27/32"	35 7/8"	52 9/16"	17 3/4"	10 5/8"
OCD279024DD	26 27/32"	53 5/8"	21 3/32"	23 27/32"	35 7/8"	52 9/16"	20 3/4"	10 5/8"
OCD309024DD	29 27/32"	53 5/8"	24 3/32"	26 27/32"	35 7/8"	52 9/16"	20 3/4"	10 5/8"
OCD339024DD	32 27/32"	53 5/8"	27 3/32"	29 27/32"	35 7/8"	52 9/16"	20 3/4"	10 5/8"
OCD279324DDAH	26 27/32"	53 5/8"	21 3/32"	23 27/32"	35 7/8"	52 9/16"	23 3/4"	10 5/8"
OCD309324DDAH	29 27/32"	53 5/8"	24 3/32"	26 27/32"	35 7/8"	52 9/16"	23 3/4"	10 5/8"
OCD339324DDAH	32 27/32"	53 5/8"	27 3/32"	29 27/32"	35 7/8"	52 9/16"	23 3/4"	10 5/8"
OCD279624DDAH	26 27/32"	53 5/8"	21 3/32"	23 27/32"	35 7/8"	52 9/16"	26 3/4"	10 5/8"
OCD309624DDAH	29 27/32"	53 5/8"	24 3/32"	26 27/32"	35 7/8"	52 9/16"	26 3/4"	10 5/8"
OCD339624DDAH	32 27/32"	53 5/8"	27 3/32"	29 27/32"	35 7/8"	52 9/16"	26 3/4"	10 5/8"

Custom Modifications


C031011	i mouiii	Cullolla						
ADDTK	CBO	CCO	CND	DRT	DRWTK	EXBK	FTK	FTK_V
	•	•	•		●*+	•	•+	•+
ID	INVFRM	RD	RECTK	RT	TD	TKP	VTK	
•		•	•		•*	•+	•+	


*Not available on 87" tall
*Not available on 93" and 96" tall
*Not available on 84" tall

Constru	ction an	d Finish (Jpgrades	5
APC	FB	MIP	MSLFB	WLI
•	•	•	•	•

CG.TOP DPSRR

DOUBLE OVEN CABINET, WARMING DRAWER, 84", 87", 90", 93", or 96" TALL, 24" DEEP





Appliance Trim Panel Max Cut-out (Shaded)

Model	Cubic Feet
OCD278424WD	37.4
OCD308424WD	41.3
OCD338424WD	45.2
OCD278724WD	38.7
OCD308724WD	42.8
OCD338724WD	46.8
OCD279024WD	40.0
OCD309024WD	44.2
OCD339024WD	48.4
OCD279324WDAH	41.3
OCD309324WDAH	45.7
OCD339324WDAH	50.0
OCD279624WDAH	42.6
OCD309624WDAH	47.1
OCD339624WDAH	51.6

- AH represents upper section alignment with doors on 24" or 27" high cabinets.
- Includes one adjustable shelf in upper section of 93" and 96" tall.
- Be sure to confirm a heat shield is built into your appliance by the manufacturer or install the heat shield included with your appliance. Heat shields are sold separately as an accessory.
- Separate pedestal base included but packaged separately on 93" and 96" tall. Pedestal is designed to create a Recessed Left or Right Toekick
 application during field installation, or can be centered. Pedestal must be covered with toeboard material.
- Depth can be reduced to a minimum of 6". For depths of 6"-8", cabinet will not include toekick/pedestal.
- For built-in appliance support in 24" deep cabinets, a kit is included (not factory installed) with a support shelf, unfinished plywood strips, and
 mounting screws for field mounting installation. Kit can be trimmed for when cabinet depth is modified.
- See page 73 for specifications on appliance cabinet trim panels.

	А	В		C		D		E	
	Panel	Panel	Cut-ou	t Width	Cut-ou	t Height	Warming Dra	wer Cut-out Height	Door
	Width	Height	Min.	Мах.	Min.	Max.	Min.	Max.	Height
OCD278424WD	26 27/32"	64 3/8"	21 3/32"	23 27/32"	35 3/4"	52 5/16"	7 7/8"	18 11/16"	14 3/4"
OCD308424WD	29 27/32"	64 3/8"	24 3/32"	26 27/32"	35 3/4"	52 5/16"	7 7/8"	18 11/16"	14 3/4"
OCD338424WD	32 27/32"	64 3/8"	27 3/32"	29 27/32"	35 3/4"	52 5/16"	7 7/8"	18 11/16"	14 3/4"
OCD278724WD	26 27/32"	64 3/8"	21 3/32"	23 27/32"	35 3/4"	52 5/16"	7 7/8"	18 11/16"	17 3/4"
OCD308724WD	29 27/32"	64 3/8"	24 3/32"	26 27/32"	35 3/4"	52 5/16"	7 7/8"	18 11/16"	17 3/4"
OCD338724WD	32 27/32"	64 3/8"	27 3/32"	29 27/32"	35 3/4"	52 5/16"	7 7/8"	18 11/16"	17 3/4"
OCD279024WD	26 27/32"	64 3/8"	21 3/32"	23 27/32"	35 3/4"	52 5/16"	7 7/8"	18 11/16"	20 3/4"
OCD309024WD	29 27/32"	64 3/8"	24 3/32"	26 27/32"	35 3/4"	52 5/16"	7 7/8"	18 11/16"	20 3/4"
OCD339024WD	32 27/32"	64 3/8"	27 3/32"	29 27/32"	35 3/4"	52 5/16"	7 7/8"	18 11/16"	20 3/4"
OCD279324WDAH	26 27/32"	64 3/8"	21 3/32"	23 27/32"	35 3/4"	52 5/16"	7 7/8"	18 11/16"	23 3/4"
OCD309324WDAH	29 27/32"	64 3/8"	24 3/32"	26 27/32"	35 3/4"	52 5/16"	7 7/8"	18 11/16"	23 3/4"
OCD339324WDAH	32 27/32"	64 3/8"	27 3/32"	29 27/32"	35 3/4"	52 5/16"	7 7/8"	18 11/16"	23 3/4"
OCD279624WDAH	26 27/32"	64 3/8"	21 3/32"	23 27/32"	35 3/4"	52 5/16"	7 7/8"	18 11/16"	26 3/4"
OCD309624WDAH	29 27/32"	64 3/8"	24 3/32"	26 27/32"	35 3/4"	52 5/16"	7 7/8"	18 11/16"	26 3/4"
OCD339624WDAH	32 27/32"	64 3/8"	27 3/32"	29 27/32"	35 3/4"	52 5/16"	7 7/8"	18 11/16"	26 3/4"

C031011	i mouiii	Cullolla						
ADDTK	CBO	CCO	CND	DRT	DRWTK	EXBK	FTK	FTK_V
	•*	•			•+	•	•+	•+
ID	INVFRM	RD	RECTK	RT	TD	TKP	VTK	
•		•	•		•*	•+	•+	


^{*}Not available on 84", 87", and 90" tall $\,\,$ *Not available on 93" and 96" tall $\,\,$


[▲]Not available on 84" tall

Construction and Finish Upgrades						
APC	FB	MIP	MSLFB	WLI		
•	•	•	•	•		

Door O	ptions		
CG.TOP	DPSRR		
	•		

DOUBLE OVEN CABINET, WARMING DRAWER with EXTENDED OPENING, 84", 87", 90", 93", or 96" TALL, 24" DEEP





Model	Cubic Feet
OCD278424WDE	37.4
OCD308424WDE	41.3
OCD338424WDE	45.2
OCD278724WDE	38.7
OCD308724WDE	42.8
OCD338724WDE	46.8
OCD279024WDE	40.0
OCD309024WDE	44.2
OCD339024WDE	48.4
OCD279324WDE	41.3
OCD309324WDE	45.7
OCD339324WDE	50.0
OCD279624WDEAH	42.6
OCD309624WDEAH	47.1
OCD339624WDEAH	51.6

- AH represents upper section alignment with doors on 24" or 27" high cabinets.
- Includes one adjustable shelf in upper section of 96" tall.
- Be sure to confirm a heat shield is built into your appliance by the manufacturer or install the heat shield included with your appliance. Heat shields are sold separately as an accessory.
- Separate pedestal base included but packaged separately on 93" and 96" tall. Pedestal is designed to create a Recessed Left or Right Toekick
 application during field installation, or can be centered. Pedestal must be covered with toeboard material.
- $\bullet \ \ \text{Depth can be reduced to a minimum of 6''}. \ \text{For depths of 6''-8''}, \ \text{cabinet will not include toekick/pedestal}.$
- For built-in appliance support in 24" deep cobinets, a kit is included (not factory installed) with a support shelf, unfinished plywood strips, and
 mounting screws for field mounting installation. Kit can be trimmed for when cabinet depth is modified.
- See page 73 for specifications on appliance cabinet trim panels.

	A	В		С		D		E	
	Panel	Panel	Cut-ou	ıt Width	Cut-ou	t Height	Warming Drav	wer Cut-out Height	Door
	Width	Height	Min.	Max.	Min.	Мах.	Min.	Max.	Height
OCD278424WDE	26 27/32"	67 3/8"	21 3/32"	23 27/32"	38 3/4"	55 5/16"	7 7/8"	18 11/16"	11 3/4"
OCD308424WDE	29 27/32"	67 3/8"	24 3/32"	26 27/32"	38 3/4"	55 5/16"	7 7/8"	18 11/16"	11 3/4"
OCD338424WDE	32 27/32"	67 3/8"	27 3/32"	29 27/32"	38 3/4"	55 5/16"	7 7/8"	18 11/16"	11 3/4"
OCD278724WDE	26 27/32"	67 3/8"	21 3/32"	23 27/32"	38 3/4"	55 5/16"	7 7/8"	18 11/16"	14 3/4"
OCD308724WDE	29 27/32"	67 3/8"	24 3/32"	26 27/32"	38 3/4"	55 5/16"	7 7/8"	18 11/16"	14 3/4"
OCD338724WDE	32 27/32"	67 3/8"	27 3/32"	29 27/32"	38 3/4"	55 5/16"	7 7/8"	18 11/16"	14 3/4"
OCD279024WDE	26 27/32"	67 3/8"	21 3/32"	23 27/32"	38 3/4"	55 5/16"	7 7/8"	18 11/16"	17 3/4"
OCD309024WDE	29 27/32"	67 3/8"	24 3/32"	26 27/32"	38 3/4"	55 5/16"	7 7/8"	18 11/16"	17 3/4"
OCD339024WDE	32 27/32"	67 3/8"	27 3/32"	29 27/32"	38 3/4"	55 5/16"	7 7/8"	18 11/16"	17 3/4"
OCD279324WDE	26 27/32"	67 3/8"	21 3/32"	23 27/32"	38 3/4"	55 5/16"	7 7/8"	18 11/16"	20 3/4"
OCD309324WDE	29 27/32"	67 3/8"	24 3/32"	26 27/32"	38 3/4"	55 5/16"	7 7/8"	18 11/16"	20 3/4"
OCD339324WDE	32 27/32"	67 3/8"	27 3/32"	29 27/32"	38 3/4"	55 5/16"	7 7/8"	18 11/16"	20 3/4"
OCD279624WDEAH	26 27/32"	67 3/8"	21 3/32"	23 27/32"	38 3/4"	55 5/16"	7 7/8"	18 11/16"	23 3/4"
OCD309624WDEAH	29 27/32"	67 3/8"	24 3/32"	26 27/32"	38 3/4"	55 5/16"	7 7/8"	18 11/16"	23 3/4"
OCD339624WDEAH	32 27/32"	67 3/8"	27 3/32"	29 27/32"	38 3/4"	55 5/16"	7 7/8"	18 11/16"	23 3/4"

COSTONI MOUNTAINONS								
ADDTK	CBO	CCO	CND	DRT	DRWTK	EXBK	FTK	FTK_V
		•			•*	•	•*	•*
ID	INVFRM	RD	RECTK	RT	TD	TKP	VTK	
•		•	•⁺		•*	•*	•*	l


^{*}Not available on 93" and 96" tall $\,\,$ *Not available on 96" tall $\,\,$


riangleNot available on 84", 87", 90", and 93" tall

Construction and Finish Upgrades						
APC	FB	MIP	MSLFB	WLI		
•	•	•	•	•		

Door O	ptions
CG.TOP	DPSRR
	•

TALL BUILT-IN MICROWAVE CABINET, $84^{\prime\prime},\,87^{\prime\prime},\,90^{\prime\prime},\,93^{\prime\prime},\,or\,96^{\prime\prime}$ Tall





Appliance Trim Panel Max Cut-out (Shaded)

Model	Cubic Feet
TBMWB278424AH	37.4
TBMWB308424AH	41.3
TBMWB338424AH	45.2
TBMWB278724	38.7
TBMWB308724	42.8
TBMWB338724	46.8
TBMWB279024	40.0
TBMWB309024	44.2
TBMWB339024	48.4
TBMWB279324	41.3
TBMWB309324	45.7
TBMWB339324	50.0
TBMWB279624	42.6
TBMWB309624	47.1
TBMWB339624	51.6

- AH represents upper section alignment with doors on 24" or 27" high cabinets.
- Includes adjustable shelves in upper section:
- 87"-90" tall one shelf
- 93" tall two shelves
- 96" tall three shelves
- Base section will utilize a full depth shelf.
- Be sure to confirm a heat shield is built into your appliance by the manufacturer or install the heat shield included with your appliance. Heat shields are sold separately as an accessory.
- Separate pedestal base included but packaged separately on 93" and 96" tall. Pedestal is designed to create a Recessed Left or Right Toekick
 application during field installation, or can be centered. Pedestal must be covered with toeboard material.
- Depth can be reduced to a minimum of 12".
- For built-in appliance support in 24" deep cabinets, a kit is included (not factory installed) with a support shelf, unfinished plywood strips, and
 mounting screws for field mounting installation. Kit can be trimmed for when cabinet depth is modified.
- See page 73 for specifications on appliance cabinet trim panels.

		_	1				Door Height		_
	A	В		(D		Door Height	Drawer
	Panel	Panel	Cut-ou	t Width	Cut-ou	t Height	(Upper	(Lower	Front
	Width	Height	Min.	Max.	Min.	Max.	Section)	Section)	Height
TBMWB278424AH	26 27/32"	22 1/2"	21 3/32"	23 27/32"	10 3/4"	21 7/16"	26 3/4"	23 3/8"	6 1/4"
TBMWB308424AH	29 27/32"	22 1/2"	24 3/32"	26 27/32"	10 3/4"	21 7/16"	26 3/4"	23 3/8"	6 1/4"
TBMWB338424AH	32 27/32"	22 1/2"	27 3/32"	29 27/32"	10 3/4"	21 7/16"	26 3/4"	23 3/8"	6 1/4"
TBMWB278724	26 27/32"	22 1/2"	21 3/32"	23 27/32"	10 3/4"	21 7/16"	29 3/4"	23 3/8"	6 1/4"
TBMWB308724	29 27/32"	22 1/2"	24 3/32"	26 27/32"	10 3/4"	21 7/16"	29 3/4"	23 3/8"	6 1/4"
TBMWB338724	32 27/32"	22 1/2"	27 3/32"	29 27/32"	10 3/4"	21 7/16"	29 3/4"	23 3/8"	6 1/4"
TBMWB279024	26 27/32"	22 1/2"	21 3/32"	23 27/32"	10 3/4"	21 7/16"	32 3/4"	23 3/8"	6 1/4"
TBMWB309024	29 27/32"	22 1/2"	24 3/32"	26 27/32"	10 3/4"	21 7/16"	32 3/4"	23 3/8"	6 1/4"
TBMWB339024	32 27/32"	22 1/2"	27 3/32"	29 27/32"	10 3/4"	21 7/16"	32 3/4"	23 3/8"	6 1/4"
TBMWB279324	26 27/32"	22 1/2"	21 3/32"	23 27/32"	10 3/4"	21 7/16"	35 3/4"	23 3/8"	6 1/4"
TBMWB309324	29 27/32"	22 1/2"	24 3/32"	26 27/32"	10 3/4"	21 7/16"	35 3/4"	23 3/8"	6 1/4"
TBMWB339324	32 27/32"	22 1/2"	27 3/32"	29 27/32"	10 3/4"	21 7/16"	35 3/4"	23 3/8"	6 1/4"
TBMWB279624	26 27/32"	22 1/2"	21 3/32"	23 27/32"	10 3/4"	21 7/16"	38 3/4"	23 3/8"	61/4"
TBMWB309624	29 27/32"	22 1/2"	24 3/32"	26 27/32"	10 3/4"	21 7/16"	38 3/4"	23 3/8"	6 1/4"
TBMWB339624	32 27/32"	22 1/2"	27 3/32"	29 27/32"	10 3/4"	21 7/16"	38 3/4"	23 3/8"	6 1/4"

Custom Modifications


ADDTK	CBO	CCO	CND	DRT	DRWTK	EXBK	FTK	FTK_V
	•	•	•		•*	•	•*	•*
ID	INVFRM	RD	RECTK	RT	TD	TKP	VTK	
		•	•	•	•+	•*		


*Not available on 93" and 96" tall $\,\,$ *Not available on 90", 93", and 96" tall

Construction and Finish Upgrades						
APC	FB	MIP	MSLFB	WLI		
•	•	•	•	•		

Door O	ptions
CG.TOP	DPSRR
•	•

OVEN MICROWAVE CABINET, 84", 87", 90", 93", or 96" TALL, 24" DEEP





Appliance Trim Panel Max Cut-out (Shaded)

Model	Cubic Feet
OMC278424	37.4
OMC308424	41.3
OMC338424	45.2
OMC278724	38.7
OMC308724	42.8
OMC338724	46.8
OMC279024AH	40.0
OMC309024AH	44.2
OMC339024AH	48.4
OMC279324AH	41.3
OMC309324AH	45.7
OMC339324AH	50.0
OMC279624	42.6
OMC309624	47.1
OMC339624	51.6

- AH represents upper section alignment with doors on 24" or 27" high cabinets.
- Includes adjustable shelves in upper section:
- 90" and 93" tall one shelf
- 96" tall two shelves
- Designed for use with separate built-in microwave above, built-in oven below. For built-in double ovens, see pages 233-236.
- Be sure to confirm a heat shield is built into your appliance by the manufacturer or install the heat shield included with your appliance. Heat shields are sold separately as an accessory.
- Separate pedestal base included but packaged separately on 93" and 96" tall. Pedestal is designed to create a Recessed Left or Right Toekick
 application during field installation, or can be centered. Pedestal must be covered with toeboard material.
- Depth can be reduced to a minimum of 12".
- For built-in appliance support in 24" deep cabinets, a kit is included (not factory installed) with a support shelf, unfinished plywood strips, and
 mounting screws for field mounting installation. Kit can be trimmed for when cabinet depth is modified.
- See page 73 for specifications on appliance cabinet trim panels.

	A	В		C		D E				Drawer
	Panel	Panel	Cut-ou	ıt Width	Microway	e Opening Height	Oven Cut	out Height	Door	Front
	Width	Height	Min.	Max.	Min.	Max.	Min.	Max.	Height	Height
OMC278424	26 27/32"	55"	21 3/32"	23 27/32"	14"	19 11/32"	17 1/4"	33 3/16"	17 3/4"	6 1/4"
OMC308424	29 27/32"	55"	24 3/32"	26 27/32"	14"	19 11/32"	17 1/4"	33 3/16"	17 3/4"	6 1/4"
OMC338424	32 27/32"	55"	27 3/32"	29 27/32"	14"	19 11/32"	17 1/4"	33 3/16"	17 3/4"	6 1/4"
OMC278724	26 27/32"	55"	21 3/32"	23 27/32"	14"	19 11/32"	17 1/4"	33 3/16"	20 3/4"	61/4"
OMC308724	29 27/32"	55"	24 3/32"	26 27/32"	14"	19 11/32"	17 1/4"	33 3/16"	20 3/4"	6 1/4"
OMC338724	32 27/32"	55"	27 3/32"	29 27/32"	14"	19 11/32"	17 1/4"	33 3/16"	20 3/4"	6 1/4"
OMC279024AH	26 27/32"	55"	21 3/32"	23 27/32"	14"	19 11/32"	17 1/4"	33 3/16"	23 3/4"	61/4"
OMC309024AH	29 27/32"	55"	24 3/32"	26 27/32"	14"	19 11/32"	17 1/4"	33 3/16"	23 3/4"	6 1/4"
OMC339024AH	32 27/32"	55"	27 3/32"	29 27/32"	14"	19 11/32"	17 1/4"	33 3/16"	23 3/4"	6 1/4"
OMC279324AH	26 27/32"	55"	21 3/32"	23 27/32"	14"	19 11/32"	17 1/4"	33 3/16"	26 3/4"	6 1/4"
OMC309324AH	29 27/32"	55"	24 3/32"	26 27/32"	14"	19 11/32"	17 1/4"	33 3/16"	26 3/4"	6 1/4"
OMC339324AH	32 27/32"	55"	27 3/32"	29 27/32"	14"	19 11/32"	17 1/4"	33 3/16"	26 3/4"	6 1/4"
OMC279624	26 27/32"	55"	21 3/32"	23 27/32"	14"	19 11/32"	17 1/4"	33 3/16"	29 3/4"	61/4"
OMC309624	29 27/32"	55"	24 3/32"	26 27/32"	14"	19 11/32"	17 1/4"	33 3/16"	29 3/4"	61/4"
OMC339624	32 27/32"	55"	27 3/32"	29 27/32"	14"	19 11/32"	17 1/4"	33 3/16"	29 3/4"	6 1/4"

Custom Modifications


				_	_			
ADDTK	CBO	CCO	CND	DRT	DRWTK	EXBK	FTK	FTK_V
	•	•	•		•*	•	•*	•*
ID	INVFRM	RD	RECTK	RT	TD	TKP	VTK	
•		•	•		•	•*	•*	


^{*}Not available on 93" and 96" tall

Construction and Finish Upgrades APC FB MIP MSLFB WLI

Door O	ptions
CG.TOP	DPSRR
	•

OVEN MICROWAVE CABINET, DEEP DRAWER, 84", 87", 90", 93", or 96" TALL, 24" DEEP





Appliance Trim Panel Max Cut-out (Shaded)

Model	Cubic Feet
OMC278424DD	37.4
OMC308424DD	41.3
OMC338424DD	45.2
OMC278724DD	38.7
OMC308724DD	42.8
OMC338724DD	46.8
OMC279024DD	40.0
OMC309024DD	44.2
OMC339024DD	48.4
OMC279324DDAH	41.3
OMC309324DDAH	45.7
OMC339324DDAH	50.0
OMC279624DDAH	42.6
OMC309624DDAH	47.1
OMC339624DDAH	51.6

- AH represents upper section alignment with doors on 24" or 27" high cabinets.
- Includes one adjustable shelf in upper section of 93" and 96" tall.
- Designed for use with separate built-in microwave above, built-in oven below. For built-in double ovens, see pages 233-236.
- Be sure to confirm a heat shield is built into your appliance by the manufacturer or install the heat shield included with your appliance. Heat shields are sold separately as an accessory.
- Separate pedestal base included but packaged separately on 93" and 96" tall. Pedestal is designed to create a Recessed Left or Right Toekick
 application during field installation, or can be centered. Pedestal must be covered with toeboard material.
- Depth can be reduced to a minimum of 12".
- For built-in appliance support in 24" deep cabinets, a kit is included (not factory installed) with a support shelf, unfinished plywood strips, and
 mounting screws for field mounting installation. Kit can be trimmed for when cabinet depth is modified.
- See page 73 for specifications on appliance cabinet trim panels.

	A	В		C		D		E		Drawer
	Panel	Panel	Cut-ou	rt Width	Microway	Microwave Opening Height		t-out Height	Door	Front
	Width	Height	Min.	Max.	Min.	Max.	Min.	Max.	Height	Height
OMC278424DD	26 27/32"	53 5/8"	21 3/32"	23 27/32"	14"	19 3/32"	15 7/8"	31 13/16"	14 3/4"	10 5/8"
OMC308424DD	29 27/32"	53 5/8"	24 3/32"	26 27/32"	14"	19 3/32"	15 7/8"	31 13/16"	14 3/4"	10 5/8"
OMC338424DD	32 27/32"	53 5/8"	27 3/32"	29 27/32"	14"	19 3/32"	15 7/8"	31 13/16"	14 3/4"	10 5/8"
OMC278724DD	26 27/32"	53 5/8"	21 3/32"	23 27/32"	14"	19 3/32"	15 7/8"	31 13/16"	17 3/4"	10 5/8"
OMC308724DD	29 27/32"	53 5/8"	24 3/32"	26 27/32"	14"	19 3/32"	15 7/8"	31 13/16"	17 3/4"	10 5/8"
OMC338724DD	32 27/32"	53 5/8"	27 3/32"	29 27/32"	14"	19 3/32"	15 7/8"	31 13/16"	17 3/4"	10 5/8"
OMC279024DD	26 27/32"	53 5/8"	21 3/32"	23 27/32"	14"	19 3/32"	15 7/8"	31 13/16"	20 3/4"	10 5/8"
OMC309024DD	29 27/32"	53 5/8"	24 3/32"	26 27/32"	14"	19 3/32"	15 7/8"	31 13/16"	20 3/4"	10 5/8"
OMC339024DD	32 27/32"	53 5/8"	27 3/32"	29 27/32"	14"	19 3/32"	15 7/8"	31 13/16"	20 3/4"	10 5/8"
OMC279324DDAH	26 27/32"	53 5/8"	21 3/32"	23 27/32"	14"	19 3/32"	15 7/8"	31 13/16"	23 3/4"	10 5/8"
OMC309324DDAH	29 27/32"	53 5/8"	24 3/32"	26 27/32"	14"	19 3/32"	15 7/8"	31 13/16"	23 3/4"	10 5/8"
OMC339324DDAH	32 27/32"	53 5/8"	27 3/32"	29 27/32"	14"	19 3/32"	15 7/8"	31 13/16"	23 3/4"	10 5/8"
OMC279624DDAH	26 27/32"	53 5/8"	21 3/32"	23 27/32"	14"	19 3/32"	15 7/8"	31 13/16"	26 3/4"	10 5/8"
OMC309624DDAH	29 27/32"	53 5/8"	24 3/32"	26 27/32"	14"	19 3/32"	15 7/8"	31 13/16"	26 3/4"	10 5/8"
OMC339624DDAH	32 27/32"	53 5/8"	27 3/32"	29 27/32"	14"	19 3/32"	15 7/8"	31 13/16"	26 3/4"	10 5/8"

Custom Modifications


ADDTK	CBO	CCO	CND	DRT	DRWTK	EXBK	FTK	FTK_V
	•	•	•		•*	•	•*	•*
ID	INVFRM	RD	RECTK	RT	TD	TKP	VTK	
•		•	•		•+	•*	•*	

*Not available on 93" and 96" tall $\,\,$ *Not available on 84" tall $\,\,$

Cons	tru	ction an	d Finish (Jpgrades	5
APC		FB	MIP	MSLFB	WLI
•		•	•	•	•



OVEN MICROWAVE CABINET, WARMING DRAWER, 84", 87", 90", 93", or 96" TALL, 24" DEEP



A	1
	D
	B E
	F
Appliance Trim Panel Max Cut-out (Shaded)	

Model	Cubic Feet
OMC278424WD	37.4
OMC308424WD	41.3
OMC338424WD	45.2
OMC278724WD	38.7
OMC308724WD	42.8
OMC338724WD	46.8
OMC279024WD	40.0
OMC309024WD	44.2
OMC339024WD	48.4
OMC279324WDAH	41.3
OMC309324WDAH	45.7
OMC339324WDAH	50.0
OMC279624WDAH	42.6
OMC309624WDAH	47.1
OMC339624WDAH	51.6

- AH represents upper section alignment with doors on 24" or 27" high cabinets.
- Includes one adjustable shelf in upper section of 93" and 96" tall.
- Designed for use with separate built-in microwave above, built-in oven below. For built-in double ovens, see pages 233-236.
- Be sure to confirm a heat shield is built into your appliance by the manufacturer or install the heat shield included with your appliance. Heat shields are sold separately as an accessory.
- Separate pedestal base included but packaged separately on 93" and 96" tall. Pedestal is designed to create a Recessed Left or Right Toekick application during field installation, or can be centered. Pedestal must be covered with toeboard material.

 • Depth can be reduced to a minimum of 6". For depths of 6"-8", cabinet will not include toekick/pedestal.
- For built-in appliance support in 24" deep cabinets, a kit is included (not factory installed) with a support shelf, unfinished plywood strips, and mounting screws for field mounting installation. Kit can be trimmed for when cabinet depth is modified.
- . See page 73 for specifications on appliance cabinet trim panels.

	A	В		С		D		E		F	
	Panel	Panel	Cut-ou	rt Width	Microwav	e Opening Height	Oven Cu	t-out Height	Warming Drav	wer Cut-out Height	Door
	Width	Height	Min.	Max.	Min.	Max.	Min.	Max.	Min.	Max.	Height
OMC278424WD	26 27/32"	64 3/8"	21 3/32"	23 27/32"	14"	19 3/16"	15 3/4"	31 13/16"	77/8"	18 11/16"	14 3/4"
OMC308424WD	29 27/32"	64 3/8"	24 3/32"	26 27/32"	14"	19 3/16"	15 3/4"	31 13/16"	77/8"	18 11/16"	14 3/4"
OMC338424WD	32 27/32"	64 3/8"	27 3/32"	29 27/32"	14"	19 3/16"	15 3/4"	31 13/16"	77/8"	18 11/16"	14 3/4"
OMC278724WD	26 27/32"	64 3/8"	21 3/32"	23 27/32"	14"	19 3/16"	15 3/4"	31 13/16"	77/8"	18 11/16"	17 3/4"
OMC308724WD	29 27/32"	64 3/8"	24 3/32"	26 27/32"	14"	19 3/16"	15 3/4"	31 13/16"	77/8"	18 11/16"	17 3/4"
OMC338724WD	32 27/32"	64 3/8"	27 3/32"	29 27/32"	14"	19 3/16"	15 3/4"	31 13/16"	77/8"	18 11/16"	17 3/4"
OMC279024WD	26 27/32"	64 3/8"	21 3/32"	23 27/32"	14"	19 3/16"	15 3/4"	31 13/16"	77/8"	18 11/16"	20 3/4"
OMC309024WD	29 27/32"	64 3/8"	24 3/32"	26 27/32"	14"	19 3/16"	15 3/4"	31 13/16"	77/8"	18 11/16"	20 3/4"
OMC339024WD	32 27/32"	64 3/8"	27 3/32"	29 27/32"	14"	19 3/16"	15 3/4"	31 13/16"	77/8"	18 11/16"	20 3/4"
OMC279324WDAH	26 27/32"	64 3/8"	21 3/32"	23 27/32"	14"	19 3/16"	15 3/4"	31 13/16"	7 7/8"	18 11/16"	23 3/4"
OMC309324WDAH	29 27/32"	64 3/8"	24 3/32"	26 27/32"	14"	19 3/16"	15 3/4"	31 13/16"	7 7/8"	18 11/16"	23 3/4"
OMC339324WDAH	32 27/32"	64 3/8"	27 3/32"	29 27/32"	14"	19 3/16"	15 3/4"	31 13/16"	7 7/8"	18 11/16"	23 3/4"
OMC279624WDAH	26 27/32"	64 3/8"	21 3/32"	23 27/32"	14"	19 3/16"	15 3/4"	31 13/16"	7 7/8"	18 11/16"	26 3/4"
OMC309624WDAH	29 27/32"	64 3/8"	24 3/32"	26 27/32"	14"	19 3/16"	15 3/4"	31 13/16"	77/8"	18 11/16"	26 3/4"
OMC339624WDAH	32 27/32"	64 3/8"	27 3/32"	29 27/32"	14"	19 3/16"	15 3/4"	31 13/16"	77/8"	18 11/16"	26 3/4"

Custom Modifications

400.0.								
ADDTK	CB0	CCO	CND	DRT	DRWTK	EXBK	FTK	FTK_V
	•*	•			•+	•	•+	•+
ID	INVFRM	RD	RECTK	RT	TD	TKP	VTK	
•		•	•		•4	• ⁺	•+	1

*Not available on 84", 87", and 90" tall $\,$ *Not available on 93" and 96" tall $\,$ *Not available on 84" tall

Constru	ction and	d Finish (Jpgrades	les						
APC	PC FB MIP MSL									
			_	_						

Do	Door Options								
CG	.TOP	DPSRR							
		•							

Schrock

OFFICE & FURNITURE CABINET NOMENCLATURE

1830BC

All bookcase shelves are 3/4" thick plywood with $1\ 1/2$ " tall solid-wood rail attached.

All office base cabinets are predrilled for full depth shelves or roll

MODIFICATIONS GRID KEY

Available

STD Standard on these cabinets




5 Day Express Response Item

CUSTOM MODIFICATIONS								
Mod.	Description	Mod.	Description					
ADDTK	Add Toekick	ID	Increased Depth					
CBO	Cabinet Box Only	INVFRM	Inverted Opening					
CCO	Cabinet Case Only	LTI	Light Installed Battery Strip					
CFP	Cabinet False Panel	PTOWB	Push to Open Wastebasket					
CND	Cabinet with No Door, with Drawer	RD	Reduced Depth					
DRWTK	Toekick Drawer	RECTK	Recessed Toekick					
EXBK	End Extended Back	RT	Installed Roll Tray					
FTK	Flush Toekick	TVR_V	Valance Top Rail					
FTK_V	Flush Toekick w/Valance	VTK	Void Toekick					

	CONSTRUCTION AND FINISH UPGRADES							
Mod.	Description	Mod						
APC	All-plywood Construction	DPSR						
FB	Finished Ends							
MIP	Matching Interior Plywood							
MSLFB	Matching Specialty Laminate Furniture Board							
WLI	White Laminate Interior							

DOOR OPTIONS						
Mod. Description						
DPSRR	Door Panel - Solid Reverse Raised					

BOOKCASE, 30" HIGH, 12" DEEP



Model	Cubic Feet
W1830BC	5.3
W2430BC	6.9
W3030BC	8.5
W3630BC	10.0

- Features framed construction, face frame has a profiled inside edge.
- Matching Interior Plywood (MIP) standard.
- If ordered with Heirlooming Technique, will not feature sand-through characteristics.
- To change the top rail valance, specify one of the following modifications: Arch (TVRAV), Furniture (TVRFV), or Straight Valance (TVRVV).

Custom Modifications


ADDTK	CBO	CCO	CFP	CND	DRWTK	EXBK	FTK	FTK_V	ID	INVFRM	LTI
•	STD					•			•		
PTOWB	RD	RECTK	RT	TVR_V	VTK						
	•			•							

Constr	uction a	nd Finis	d Finish Upgrades				
APC	FB	MIP	MSLFB	WLI			

Construction and rinish opgrades									
APC	FB	MIP	MSLFB	WLI					
		STD							

Door Options	
DPSRR	1
	1

BOOKCASE, 48" HIGH, 12" DEEP



W1848BC	8.2
W2448BC	10.7
W3048BC	13.2
W3648BC	15.7

- Features framed construction, face frame has a profiled inside edge.
- Matching Interior Plywood (MIP) standard.
- If ordered with Heirlooming Technique, will not feature sand-through characteristics.
- To change the top rail valance, specify one of the following modifications: Arch (TVRAV), Furniture (TVRFV), or Straight Valance (TVRVV).

Custom mountaines											
ADDTK	CBO	CCO	CFP	CND	DRWTK	EXBK	FTK	FTK_V	ID	INVFRM	LTI
•	STD					•			•		
PTOWB	RD	RECTK	RT	TVR_V	VTK						
	•			•							

Construction and Finish Upgrades					
APC	FB	MIP	MSLFB	WLI	
		STD			

Door Options
DPSRR

OFFICE & FURNITURE

WALL FURNITURE BOOKCASE, 48", 51", or 54" HIGH, 12" DEEP



Cubic Feet
8.1
10.5
13.0
15.4

Model	Cubic Feet
WFBC1851	8.6
WFBC2451	11.2
WFBC3051	13.7
WFBC3651	16.3
WFBC1854	9.1
WFBC2454	11.8
WFBC3054	14.5
WFBC3654	17.2

- Features framed construction, face frame has a profiled inside edge.
- 48", 51", and 54" have two adjustable shelves and one fixed shelf.
- Matching Interior Plywood (MIP) standard.
- If ordered with Heirlooming Technique, will not feature sand-through characteristics.
- To change the top rail valance, specify one of the following modifications: Arch (TVRAV), Furniture (TVRFV), or Straight Valance (TVRVV).
- Bookcases can only be reduced to 9".


Custom Modifications

C031011	i mouii	culions									
ADDTK	CBO	CCO	CFP	CND	DRWTK	EXBK	FTK	FTK_V	ID	INVFRM	LTI
	STD					•			•		
PTOWB	RD	RECTK	RT	TVR_V	VTK						
	•			•							

Construction and Finish Upgrades APC FB MIP MSLFB WLI STD STD WLI

sh Upgro	ades		Door Option
MSLFB	MSLFB WLI		DPSRR

WALL FURNITURE BOOKCASE, 57", 60", or 66" HIGH, 12" DEEP



WFBC1857	9.6
WFBC2457	12.4
WFBC3057	15.3
WFBC3657	18.2

WFBC3660	19.1
WFBC1866	11.0
WFBC2466	14.3
WFBC3066	17.6
WFBC3666	20.9

9.6

13.1

16.1

WFBC1860

WFBC2460

WFBC3060

- Features framed construction, face frame has a profiled inside edge.
- 57", 60", and 66" have three adjustable shelves and one fixed shelf.
- Matching Interior Plywood (MIP) standard.
- If ordered with Heirlooming Technique, will not feature sand-through characteristics.
- To change the top rail valance, specify one of the following modifications: Arch (TVRAV), Furniture (TVRFV), or Straight Valance (TVRVV).
- Bookcases can only be reduced to 9".

Custom Modifications

400.0											
ADDTK	CBO	CCO	CFP	CND	DRWTK	EXBK	FTK	FTK_V	ID	INVFRM	LTI
	STD					•			•		
PTOWB	RD	RECTK	RT	TVR_V	VTK						
	•			•							

Construction and Finish Upgrades

APC	FB	MIP	MSLFB	WLI
		STD		

Door Options
DPSRR

Cubic Feet 26.8

33.0

39.1


19.4

23.9 28.3

27.7

34.1 40.5

TALL BOOKCASE, 84", 87", or 90" HIGH, 12" or 18" DEEP



Model	Cubic Feet	Model
TBC248412	18.1	TBC248718
TBC308412	22.3	TBC308718
TBC368412	26.5	TBC368718
TBC248418	25.9	TBC249012
TBC308418	31.9	TBC309012
TBC368418	37.8	TBC369012
TBC248712	18.7	TBC249018
TBC308712	23.1	TBC309018
TBC368712	27.4	TBC369018

- 84" and 87" tall include four adjustable shelves and one fixed shelf.
- 90" tall includes five adjustable shelves and one fixed shelf.
- Matching Interior Plywood (MIP) standard.
- If ordered with Heirlooming Technique, will not feature sand-through characteristics.
- To change the top rail valance, specify one of the following modifications: Arch (TVRAV), Furniture (TVRFV), or Straight Valance (TVRVV).

Custom Modifications


ADDTK	CBO	CCO	CFP	CND	DRWTK	EXBK	FTK	FTK_V	ID	INVFRM	LTI
	STD					•	STD	•	•		
PTOWB	RD	RECTK	RT	TVR_V	VTK					-	
	•			•							

Constr	uction c	ınd Finis	sh Upgro	ades
ADC	ΓD	AAID	MCLED	14/11

4011311	construction and rimish opgitudos									
APC	FB	MIP	MSLFB	WLI						
		STD								

Door Options
DPSRR

TALL BOOKCASE, 93" or 96" HIGH, 12" or 18" DEEP



TBC249312	20.0
TBC309312	24.6
TBC369312	29.2
TBC249318	28.6
TBC309318	35.2
TBC369318	41.8
• Features framed construction face	frame has a profiled insid

TBC249612	20.6
TBC309612	25.4
TBC369612	30.2
TBC249618	29.5
TBC309618	36.3
TBC369618	43.1

- 93" tall includes five adjustable shelves and one fixed shelf.
- 96" tall includes six adjustable shelves and one fixed shelf.
- Separate pedestal base included but packaged separately on 93" and 96" tall. Pedestals are the same width as the cabinet box.
- Matching Interior Plywood (MIP) standard.
- If ordered with Heirlooming Technique, will not feature sand-through characteristics.
- To change the top rail valance, specify one of the following modifications: Arch (TVRAV), Furniture (TVRFV), or Straight Valance (TVRVV).
- · Bookcases can only be reduced to 9".

Custom Modifications

COSTOIL	Costom Modifications										
ADDTK	CBO	CCO	CFP	CND	DRWTK	EXBK	FTK	FTK_V	ID	INVFRM	LTI
	STD					•			•		
PTOWB	RD	RECTK	RT	TVR_V	VTK						
	•			•		1					


Construction and Finish Upgrades

FB	MIP	MSLFB	WLI
	STD		
	FB	STD.	CTD MIF MOLED

Door Options
DPSRR

Schrock^a

TALL BOOKCASE with DOORS, 84", 87", or 90" HIGH, 12" or 18" DEEP



Model	Cubic Feet	Model	Cubic Fee
BCD248412	18.1	TBCD248718	26.8
BCD308412	22.3	TBCD308718	33.0
TBCD368412	26.5	TBCD368718	39.1
TBCD248418	25.9	TBCD249012	19.4
TBCD308418	31.9	TBCD309012	23.9
TBCD368418	37.8	TBCD369012	28.3
TBCD248712	18.7	TBCD249018	27.7
TBCD308712	23.1	TBCD309018	34.1
TBCD368712	27.4	TBCD369018	40.5

- Features framed construction, face frame has a profiled inside edge.
- Top of doors align with a standard 34 1/2'' high full height base cabinet. Reveal on sides is 1/4''.
- 84" and 87" tall include four adjustable shelves and one fixed shelf.
- 90" tall includes five adjustable shelves and one fixed shelf.
- Matching Interior Plywood (MIP) standard.
- To change the top rail valance, specify one of the following modifications: Arch (TVRAV), Furniture (TVRFV), or Straight Valance (TVRVV).
- Bookcases can only be reduced to 9".

Custom Modifications


ADDTK	CBO	CCO	CFP	CND	DRWTK	EXBK	FTK	FTK_V	ID	INVFRM	LTI
	•	•				•	STD	•	•		
PTOWB	RD	RECTK	RT	TVR_V	VTK						
	•			•							

Construction and Finish Uparades

4011311	construction and runsir opgradus										
APC	FB	MIP	MSLFB	WLI							
		STD									

Door Options
DPSRR
•

TALL BOOKCASE with DOORS, 93" or 96" HIGH, 12" or 18" DEEP



TBCD249312	20.0
TBCD309312	24.6
TBCD369312	29.2
TBCD249318	28.6
TBCD309318	35.2
TBCD369318	41.8

TBCD249612	20.6
TBCD309612	25.4
TBCD369612	30.2
TBCD249618	29.5
TBCD309618	36.3
TBCD369618	43.1

- Features framed construction, face frame has a profiled inside edge.
- \bullet Top of doors align with a standard 34 1/2" high full height base cabinet. Reveal on sides is 1/4".
- 93" tall includes five adjustable shelves and one fixed shelf.
- 96" tall includes six adjustable shelves and one fixed shelf.
- Separate pedestal base included but packaged separately on 93" and 96" tall. Pedestals are the same width as the cabinet box.
- Matching Interior Plywood (MIP) standard.
- To change the top rail valance, specify one of the following modifications: Arch (TVRAV), Furniture (TVRFV), or Straight Valance (TVRVV).
- Bookcases can only be reduced to 9".

Custom Modifications


ADDTK	CBO	CCO	CFP	CND	DRWTK	EXBK	FTK	FTK_V	ID	INVFRM	LTI
	•	•				•			•		
PTOWB	RD	RECTK	RT	TVR_V	VTK					-	
	•			•							


Construction and Finish Upgrades

APC	FB	MIP	MSLFB	WLI
		STD		

Door Options
DPSRR
•

DESK DOOR DRAWER BASE, 29" HIGH, 21" or 24" DEEP





DDO122921 L or R	6.4
DDO152921 L or R	7.8
DDO182921 L or R	9.1
DDO212921 L or R	10.5
DDO122924 L or R	7.3
DDO152924 L or R	8.8
DDO182924 L or R	10.2
DDO212924 L or R	11.8

Model	Cubic Feet
DDO242921	11.9
DDO272921	13.0
DD0302921	14.9
DD0332921	13.0
DD0362921	17.9
DDO242924	13.4
DDO272924	13.3
DD0302924	14.6
DD0332924	16.1
DD0362924	17.3

- Depth can be reduced to a minimum of 12".
- Depth can be increased to a maximum of 24".

Custom Modifications

ADDTK	CBO	CCO	CFP	CND	DRWTK	EXBK	FTK	FTK_V	ID	INVFRM	LTI
	•	•	•	•	•*	•	•	•+	•*	•	•†
PTOWB	RD	RECTK	RT	TVR_V	VTK						
	•	•	•		•						


*Not available on 12" and 15" wide
*Not available on 12" wide
ANot available on 24" deep

Construction and Finish Upgrades

	13			
APC	FB	MIP	MSLFB	WLI
•	•	•	•	•

Door Options
DPSRR
•

DESK DRAWER BASE, 29" HIGH, 21" or 24" DEEP



DDR122921	6.4
DDR152921	7.8
DDR182921	9.1
DDR212921	10.5
DDR242921	11.9
DDR272921	12.0
DDR302921	13.2
DDR332921	14.4
DDR362921	15.7

DDR122924	7.3
DDR152924	8.8
DDR182924	10.2
DDR212924	11.8
DDR242924	13.4
DDR272924	13.5
DDR302924	14.9
DDR332924	16.3
DDR362924	17.7

- $\bullet\,$ Depth can be reduced to a minimum of 12".
- Depth can be increased to a maximum of 24".
- \bullet Top drawer front is 6 1/4" high and lower drawer fronts are 8 7/8" high.

Custom Modifications

COSTOIL	i mouii	culions									
ADDTK	CBO	CCO	CFP	CND	DRWTK	EXBK	FTK	FTK_V	ID	INVFRM	LTI
	•	•	•		•*	•	•	•+			
PTOWB	RD	RECTK	RT	TVR_V	VTK						
	•	•			•						

*Not available on 12" and 15" wide


*Not available on 12" wide

Construction and Finish Upgrades									
APC	FB	MIP	MSLFB	WLI					
•	•	•	•						

Door Options
DPSRR

 $^{^{\}dagger}\text{Not}$ available on 12", 15", 18", or 21" wide

DESK FILE DRAWER BASE, $29^{\prime\prime}$ HIGH, $21^{\prime\prime}$ or $24^{\prime\prime}$ DEEP



Model	Cubic Feet
DFD152921	7.8
DFD182921	9.1
DFD212921	10.5
DFD152924	8.8
DFD182924	10.2
DFD212924	11.8

- $\bullet\,$ Door is attached to file drawer.
- Includes Filing System Hardware Kit, which accommodates letter and legal filing.
- Exterior height of file drawer is 10".

Custom Modifications

ADDTK	CBO	CCO	CFP	CND	DRWTK	EXBK	FTK	FTK_V	ID	INVFRM	LTI
	•	•			•*	•	•	•			
PTOWB	RD	RECTK	RT	TVR_V	VTK						
		•			•						


*Not available on 15" wide

Construction and Finish Upgrades

APC	FB	MIP	MSLFB	WLI	
•	•	•	•		

Door Options
DPSRR

DESK DOUBLE FILE DRAWER BASE, 29" HIGH, 21" or 24" DEEP



DDFD242921	11.9
DDFD302921	14.9
DDFD242924	13.4
DDFD302924	17.9

- Includes Filing System Hardware Kit, which accommodates letter and legal filing.
 Exterior height of file drawer is 10".
- Drawer fronts are 12 1/16" high.

Custom Modifications

ADDTK	CBO	CCO	CFP	CND	DRWTK	EXBK	FTK	FTK_V	ID	INVFRM	LTI
	•	•			•	•	•	•			
PTOWB	RD	RECTK	RT	TVR_V	VTK						
		•			•						


Construction and Finish Upgrades


APC	FB	MIP	MSLFB \		
• •		•	•		

Door Options



DESK WASTEBASKET FULL HEIGHT BASE, 29" HIGH, 15" or 18" WIDE, 21" or 24" DEEP





Model	Cubic Feet
DWB152921FH	6.8
DWB182921FH	8.0
DWB152924FH	7.7
DWB182924FH	9.1

- Pull-out features undermount Smart Stop guides.
- DWB152921FH, DWB182921FH, and DWB152924FH include one 35 quart gray wastebasket and a trash bag storage area.
- DWB182924FH includes two 35 quart gray wastebaskets.
- Wastebasket lid available for purchase separately, see page 343. BWBLID fits 35 quart wastebaskets.

Custom Modifications

ADDTK	CBO	CCO	CFP	CND	DRWTK	EXBK	FTK	FTK_V	ID	INVFRM	LTI
	•	•			•*	•	•	•			
PTOWB	RD	RECTK	RT	TVR_V	VTK			•			
•+		•			•						


*Not available on 15" wide $\,\,$ *Not available on 21" deep

Construction and Finish Upgrades

ADC	ΓD	MIP	MCIER	14/11
APC	LR	MIP	WOLLR	WLI
•	•	•	•	•

Door Options
DPSRR
•

PRINTER BASE, 29" HIGH, 21" or 24" DEEP



PRB242921	11.9
PRB242924	13.6

- \bullet 3/4" full depth slide-out shelf with undermount full extension Smart Stop guides.
- 75 lb. maximum shelf capacity.

Custom Modifications


4031011	COSTONI INCUMENTALISM										
ADDTK	CBO	CCO	CFP	CND	DRWTK	EXBK	FTK	FTK_V	ID	INVFRM	LTI
	•	•			•	•	•	•	•		•
PTOWB	RD	RECTK	RT	TVR_V	VTK						
	•	•	•		•						

Constru	ction and	d Finish	Upgrades

Construction and Finish Upgrades										
APC	FB	MIP	MSLFB	WLI						
•	•	•		•						

Door Options
DPSRR
•

DESK EASY REACH, 29" HIGH, 21" or 24" DEEP



16.0
21.3

- Features one fixed shelf in center of cabinet.
- Decorative hardware screws must be countersunk to prevent scratching of adjacent cabinets.
- DER333321 L or R wall width is 33" x 33".
- DER363624 L or R wall width is 36" x 36".
- Integrated soft-close hinge not included.

Custom Modifications


400.0											
ADDTK	CBO	CCO	CFP	CND	DRWTK	EXBK	FTK	FTK_V	ID	INVFRM	LTI
	•	•									•
PTOWB	RD	RECTK	RT	TVR_V	VTK						
		•			•	1					

Construction and Finish Upgrades

tonon ounon and comon opgitudos										
APC	FB	MIP MSLFB WL								
•	•	•	•	•						

Door Options DPSRR

FURNITURE DRAWER, 6 $1/2^{\prime\prime}$ HIGH, $24^{\prime\prime}$ DEEP



Model	Cubic Feet
FD1506.524	2.1
FD1806.524	2.5
FD2106.524	2.9
FD2406.524	3.3
FD2706.524	3.7
FD3006.524	4.1
FD3606.524	4.9

 \bullet Exterior height of drawer box is 3 3/8", drawer front is 6 1/4" high.

Custom Modifications


COSTONI MOUNTAINONS											
ADDTK	CBO	CCO	CFP	CND	DRWTK	EXBK	FTK	FTK_V	ID	INVFRM	LTI
•	•	•				•					
PTOWB	RD	RECTK	RT	TVR_V	VTK						
	•										

Constr	uction	and	Finis	h Upgr	ades
A DC	ER	_ A	AID	WCLED	14/1

APC	FB	MIP	MSLFB	WLI
STD	•	•		

Door Options
DPSRR

FURNITURE DRAWER, 12" HIGH, 24" DEEP



FD151224	3.5
FD181224	4.1
FD211224	4.7
FD241224	5.4
FD271224	6.0
FD301224	6.6
FD361224	7.9

 \bullet Exterior height of drawer box is 6 3/8", drawer front is 11 3/4" high.

Custom Modifications


COSTOIL	i Mouii	curions									
ADDTK	CBO	CCO	CFP	CND	DRWTK	EXBK	FTK	FTK_V	ID	INVFRM	LTI
•	•	•				•					
PTOWB	RD	RECTK	RT	TVR_V	VTK						
	•										

Construction and Finish Upgrades

			-13	
APC	FB	MIP	MSLFB	WLI
STD	•	•		

Door Options DPSRR

FURNITURE DRAWER WINDOW BENCH, 18" HIGH, 24" DEEP



Model	Cubic Feet
FDWB151824	4.9
FDWB181824	5.8
FDWB211824	6.7
FDWB241824	7.6
FDWB271824	8.4
FDWB301824	9.3
FDWB361824	11.1

 \bullet Exterior height of drawer box is 6 3/8", drawer front is 13 1/4" high.

Custom Modifications

C031011	COSTONI MOUNCATIONS										
ADDTK	CBO	CCO	CFP	CND	DRWTK	EXBK	FTK	FTK_V	ID	INVFRM	LTI
	•	•			•*	•	•	•			
PTOWB	RD	RECTK	RT	TVR_V	VTK						
	•	•			•						

*Not available on 15" wide

Construction and Finish Upgrades

APC	FB	MIP	MSLFB	WLI
STD	•	٠		

Door Options
DPSRR
•

WOOD TOPS, ONE SIDED, 22 1/2" or 25 1/2" DEEP

74"

221/2" or 251/2"

74"

221/2" or 251/2"

3/4"

Veneer Panel
3/4" Build-up
Strip

3/4"

1/16"

1TWT7221	3.8
1TWT7224	4.2

 \bullet 3/4" thick veneer over MDF panels with build-up strips to 1 1/2" thick and Traditional Countertop Moulding (TCM8) on front edge.

MODIFICATIONS
No modifications available for
these products.


Construction and Finish Upgrades


APC	FB	MIP	MSLFB	WLI	
•					


Finish Techniques

Distressing	Heirlooming
	•

WOOD TOPS, THREE SIDED, 22 1/2" or 25 1/2" DEEP







Model	Overall Width	Overall Depth
3TWT1821	20″	22 1/2"
3TWT2421	26"	22 1/2"
3TWT3021	32″	22 1/2"
3TWT3621	38″	22 1/2"
3TWT4821	50″	22 1/2"
3TWT5421	56″	22 1/2"
3TWT6021	62"	22 1/2"
3TWT6621	68"	22 1/2"
3TWT7221	74"	22 1/2"

Model	Overall Width	Overall Depth
3TWT1824	20″	25 1/2"
3TWT2424	26"	25 1/2"
3TWT3024	32″	25 1/2"
3TWT3624	38″	25 1/2"
3TWT4824	50″	25 1/2"
3TWT5424	56"	25 1/2"
3TWT6024	62"	25 1/2"
3TWT6624	68″	25 1/2"
3TWT7224	74"	25 1/2"

Model	Cubic Feet
3TWT1821	1.1
3TWT2421	1.4
3TWT3021	1.7
3TWT3621	2.0
3TWT4821	2.6
3TWT5421	2.9
3TWT6021	3.2
3TWT6621	3.5
3TWT7221	3.8
3TWT1824	1.2
3TWT2424	1.6
3TWT3024	1.9
3TWT3624	2.2
3TWT4824	2.9
3TWT5424	3.2
3TWT6024	3.6
3TWT6624	3.9
3TWT7224	4.2

• 3/4" thick veneer over MDF panels with build-up strips to 1 1/2" thick and Traditional Countertop Moulding (TCM8) on front and side edges.

MODIFICATIONS	
No modifications available for	
these products.	


Construction and Finish Upgrades


		-13			
APC	FB	MIP	MSLFB	WLI	
•					


Finish Techniques

Distressing	Heirloomin

WOOD TOPS, FOUR SIDED, $27^{\prime\prime}$ or $33^{\prime\prime}$ DEEP







Model	Overall Width	Overall Depth
4TWT4827	50″	27″
4TWT5427	56″	27″
4TWT6027	62"	27″
4TWT6627	68″	27″
4TWT7227	74"	27″

Model	Overall Width	Overall Depth
4TWT4833	50″	33″
4TWT5433	56"	33″
4TWT6033	62"	33″
4TWT6633	68"	33″
4TWT7233	74"	33″

Model	Cubic Feet
4TWT4827	3.1
4TWT5427	3.4
4TWT6027	3.8
4TWT6627	4.1
4TWT7227	4.5
4TWT4833	3.7
4TWT5433	4.1
4TWT6033	4.5
4TWT6633	5.0
4TWT7233	5.4

• 3/4" thick veneer over MDF panels with build-up strips to 1 1/2" thick and Traditional Countertop Moulding (TCM8) on front, back, and side edges.

MODIFICATIONS	
No modifications available for these products.	

Construction and Finish Upgrades

APC FB		MIP	MSLFB	WLI
•				

Finish Techniques

Distressing	Heirlooming
	•

UNDER COUNTER DRAWER, 4 3/4" HIGH, 18" or 21" DEEP





UCD2418	2.6
UCD2718	2.6
UCD2421	2.6
UCD2721	2.6
UCD3018	2.6
UCD3618	2.6
UCD3021	2.6
UCD3621	2.6

- Cabinet is 4 3/4" high. Drawer box within cabinet is 2" high (outside dimension), drawer front is 4 1/2" high.
- Top and bottom reveal is 1/8".
- Not trimmable.
- Drawer front is 3/4" slab front.
- When ordered in APC, end panels will be finished.
- Reduced depth is available in 3" increments.

Custom Modifications

ADDTK	CBO	CCO	CFP	CND	DRWTK	EXBK	FTK	FTK_V	ID	INVFRM	LTI
	•	•							•		
PTOWB	RD	RECTK	RT	TVR_V	VTK						
	•										

Construction and Finish Upgrades


APC FB		C FB MIP		
•		•	•	

Door Options				
DPSRR				

252

Schrock

VANITY CABINET NOMENCLATURE



NOTE:

Distance between back of drawer box and back interior of cabinet is 23/8".

All vanity cabinets are predrilled for full depth shelves or roll

Mod.

APC

TOEKICKS

Vanity Cabinets are shipped with an unfinished toekick. Finished toekicks in matching wood veneer or laminate must be ordered separately and field installed.

MODIFICATIONS GRID KEY

STD

Available Standard on these cabinets




Smart Solutions™ Organization Cabinet




5 Day Express Response Item

	CUSTOM MODIFICATIONS					
Mod.	Description	Mod.	Description			
CBO	Cabinet Box Only	ID	Increased Depth			
CCO	Cabinet Case Only	INVFRM	Inverted Opening			
CFP	Cabinet False Panel	LTI	Light Installed Battery Strip			
CMAT	CabMat™	RD	Reduced Depth			
CND	Cabinet with No Door, with Drawer	RECTK	Recessed Toekick			
DRWPWR	PowerGlide [™] Compact Drawer Outlet	RT	Installed Roll Tray			
DRWTK	Toekick Drawer	TKP	Loose Toekick			
EXBK	End Extended Back	TOTSS	Tilt-out Tray, Stainless Steel			
FTK	Flush Toekick	VTK	Void Toekick			



C	ONSTRUCTION AND FINISH UPGRADES	DOOR OPTIONS		
	Description	Mod.	Description	
	All-plywood Construction Finished Ends	ALF CG	Aluminum Frame Doors Cut-for-glass Doors	
В	Matching Interior Plywood Matching Specialty Laminate Furniture Board White Laminate Interior	DPSRR MD	Door Panel - Solid Reverse Raised Mullion Doors	

VANITY BASE, 32" HIGH, 18" or 21" DEEP



Model	Cubic Feet
V123218 L or R	5.6
V153218 L or R	6.8
V183218 L or R	8.0
V213218 L or R	9.2
V243218 L or R	10.4
V123221 L or R	6.4
V153221 L or R	7.8
V183221 L or R	9.2
V213221 L or R	10.6
V243221 L or R	11.9

Model	Cubic Feet
V243218	10.4
V273218	11.6
V303218	12.7
V333218	13.9
V363218	15.1
V243221	11.9
V273221	13.3
V303221	14.6
V333221	16.0
V363221	17.4

Custom Modifications

CBO	CCO	CFP	CMAT	CND	DRWPWR	DRWTK	EXBK	FTK	FTK_V	ID	INVFRM
	•		•*			•+	•	•	•*	•	
LTI	RD	RECTK	RT	TKP	TOTSS	VTK					
•†	•	•	•			•					


*Not available on 12", 15", 18", and 21" wide, or on 18" deep
\$\$^\$Not available on 12" and 15" wide, or on 18" deep
\$\$^\$Not available on 12" wide
\$\$^\$12" wide
\$\$^

APC	FB	MIP	MSLFB	WLI
•	•	•	•	•


Door Options

Door Options					
ALF	CG	DPSRR	MD		
		_			

VANITY BASE, 32" HIGH, 18" or 21" DEEP (cont'd)



V3932_ _-V4832_ _CS Center mullion



Model	Cubic Feet
V393218	16.5
V423218	17.5
V453218	18.5
V483218CS	19.9
V393221	18.9
V423221	20.1
V453221	21.3
V483221CS	22.9

Model	Cubic Feet
V483218	19.9
V603218	28.6
V483221	22.9
V603221	25.0

Custom Modifications

CBO	CCO	CFP	CMAT	CND	DRWPWR	DRWTK	EXBK	FTK	FTK_V	ID	INVFRM
	•		•*				•	•+	•+	•	
LTI	RD	RECTK	RT	TKP	TOTSS	VTK					
•	•	•				•]				


*Not available on 39", 42", and 45" wide, or on 18" deep 'Not available on 60" wide


Construction and Finish Upgrades Door Options

Construction and rinish upgrades						
APC	FB	MIP	MSLFB	WLI		
•	•	•	•	•		


Door Op	tions		
ALF	CG	DPSRR	MD
		•	

VANITY BASE, 34 1/2'' HIGH, 18'' or 21'' DEEP





V2434_ _-V3634_ _Butt doors V3934_ _-V4834_ _CS Vertical divider



Model	Cubic Feet
V123418 L or R	5.8
V153418 L or R	7.1
V183418 L or R	8.3
V213418 L or R	9.6
V243418 L or R	10.9
V123421 L or R	6.8
V153421 L or R	8.2
V183421 L or R	9.7
V213421 L or R	11.2
V243421 L or R	14.4
V243418	10.9
V273418	12.2
V303418	13.5
V333418	14.7
V363418	16.0
V243421	14.4
V273421	16.1
V303421	17.7
V333421	19.6
V363421	21.1

Model	Cubic Feet
V393418	17.3
V423418	18.6
V453418	19.9
V483418CS	21.1
V393421	22.3
V423421	24.4
V453421	25.2
V483421CS	27.7
V483418	21.1
V603418	26.3
V483421	27.7
V603421	30.3

Custom Modifications

CBO	CCO	CFP	CMAT	CND	DRWPWR	DRWTK	EXBK	FTK	FTK_V	ID	INVFRM
	•		•*			•+	•	•4	•†	•	
LTI	RD	RECTK	RT	TKP	TOTSS	VTK					
•‡	•	•	•^			•					

^{*}Not available on 12", 15", 18", 21", 39", 42", and 45" wide, or on 18" deep *Not available on 12", 15", 39", 42", 48" and 60" wide, or on 18" deep

APC	FB	MIP	MSLFB	WLI
•	•	•	•	•


	V	00	r	U	p	TI	0	n	•
г					п				i


DOOL OF	1110113		
ALF	CG	DPSRR	MD
		•	


[▲]Not available on 60" wide Thot available on 12" and 60" wide


[‡]Not available on 12", 15", 18", and 21" wide ^Not available on 39", 42", 45", 48", and 60" wide

VANITY SINK BASE with FALSE PANEL, $32^{\prime\prime}$ HIGH, $18^{\prime\prime}$ or $21^{\prime\prime}$ DEEP









Model	Cubic Feet
VSB153218 L or R	6.8
VSB183218 L or R	8.0
VSB213218 L or R	9.2
VSB243218 L or R	10.4
VSB153221 L or R	7.8
VSB183221 L or R	9.2
VSB213221 L or R	10.6
VSB243221 L or R	11.9
VSB243218	10.4
VSB273218	11.6
VSB303218	12.7
VSB333218	13.9
VSB363218	15.1
VSB243221	11.9
VSB273221	13.3
VSB303221	14.6
VSB333221	16.0
VSB363221	17.4

Model	Cubic Feet
VSB393218	16.5
VSB423218	17.5
VSB453218	18.5
VSB483218CS	19.9
VSB393221	18.9
VSB423221	20.1
VSB453221	21.3
VSB483221CS	22.9
VSB483218	19.9
VSB483221	22.9

CBO	CCO	CFP	CMAT	CND	DRWPWR	DRWTK	EXBK	FTK	FTK_V	ID	INVFRM
	•	STD	•*	•		•+	•	•	•	•	
LTI	RD	RECTK	RT	TKP	TOTSS	VTK					
•4	•	•	•†		•	•	1				


^{*}Not available on 15″, 18″, 21″, 39″, 42″, and 45″ wide, or on 18″ deep *Not available on 15″, 39″, 42″ and 48″ wide, or on 18″ deep *Not available on 15″, 18″, and 21″ deep

 $^{^{\}dagger}\text{Not}$ available on 39", 42", 45", and 48" wide


Construction and Finish Upgrades						
APC	FB	MIP	MSLFB	WLI		
•	•	•	•	•		


Door Options							
ALF	CG	DPSRR	MD				
		_					

VANITY SINK BASE with FALSE PANEL, $34\ 1/2''$ HIGH, 18'' or 21'' DEEP









Model	Cubic Feet
VSB153418 L or R	7.1
VSB183418 L or R	8.3
VSB213418 L or R	9.6
VSB243418 L or R	10.9
VSB153421 L or R	8.2
VSB183421 L or R	9.7
VSB213421 L or R	11.2
VSB243421 L or R	14.4
VSB243418	10.9
VSB273418	12.2
VSB303418	13.5
VSB333418	14.7
VSB363418	16.0
VSB243421	14.4
VSB273421	16.1
VSB303421	17.7
VSB333421	19.6
VSB363421	21.1

Model	Cubic Feet
VSB393418	17.3
VSB423418	18.6
VSB453418	19.9
VSB483418CS	21.1
VSB393421	22.3
VSB423421	24.4
VSB453421	25.2
VSB483421CS	27.7
VSB483418	21.1
VSB483421	27.7

CBO	CCO	CFP	CMAT	CND	DRWPWR	DRWTK	EXBK	FTK	FTK_V	ID	INVFRM
	•	STD	•*	•		•+	•	•	•	•	
LTI	RD	RECTK	RT	TKP	TOTSS	VTK					
•4	•	•	•†		•	•]				

^{*}Not available on 15", 18", 21", 39", 42", and 45" wide, or on 18" deep *Not available on 15", 39", 42" and 48" wide, or on 18" deep

Construction and rinish opgrades							
APC	FB	MIP	MSLFB	WLI			
•	•	•	•	•			

Door Options									
ALF	CG	DPSRR	MD						

[▲]Not available on 15", 18", and 21" deep


[†]Not available on 39", 42", 45", and 48" wide Construction and Finish Upgrades

VANITY SINK BASE with U-SHAPED ROLL-OUT TRAY, 32" HIGH, 21" DEEP



S

S



Model	Cubic Feet
VSB303221U	14.6

- Includes two chrome U-shaped Smart Stop roll-outs with gray shelf liner.
- $\bullet\,$ Cut-out for U-shape on bottom roll-out is 6 1/8" from back of cabinet.
- Cut-out for U-shape on top roll-out is 12 1/8" from back of cabinet.
- Trays are 25 21/32" wide and 17 23/32" deep.

Custom Modifications

C031011	i mouii	Cullolla									
CBO	CCO	CFP	CMAT	CND	DRWPWR	DRWTK	EXBK	FTK	FTK_V	ID	INVFRA
•	•	STD		•		•	•	•	•	•	
LTI	RD	RECTK	RT	TKP	TOTSS	VTK					
•		•			•	•	1				

Constr	uction	and	Fini	sh U	pgro	ade
ADC	- FD	т,	HD	110	LED	14

Construction and rinish opgrades						
APC	FB	MIP	MSLFB	WLI		
•	•	•	•	•		

Door	Op	tions

ALF	CG	DPSRR	MD
		•	

VANITY SINK BASE with U-SHAPED ROLL-OUT TRAY, 34 1/2" HIGH, 21" DEEP



VSB303421U

17.7

- Includes two chrome U-shaped Smart Stop roll-outs with gray shelf liner.
- \bullet Cut-out for U-shape on bottom roll-out is 6 1/8" from back of cabinet.
- Cut-out for U-shape on top roll-out is 12 1/8" from back of cabinet.
- Trays are 25 21/32" wide and 17 23/32" deep.

Custom Modifications

COSTOIL	i mouii	culions									
CBO	CCO	CFP	CMAT	CND	DRWPWR	DRWTK	EXBK	FTK	FTK_V	ID	INVFRM
•	•	STD		•		•	•	•	•	•	
LTI	RD	RECTK	RT	TKP	TOTSS	VTK					
•		•			•	•	1				

Construction and Finish Upgrades


APC	FB	MIP	MSLFB	WLI
•	•	•	•	•


Door Options

ALF	CG	DPSRR	MD
		•	

VANITY SINK BASE with WASTEBASKET, 34 1/2" HIGH, 21" DEEP

341/2"





VSB243421WB L or R	14.4
VSB303421WB L or R	17.7

- Bottom mounted zinc colored Smart Stop guides with 20 quart gray wastebasket inserted in chrome support. Dimensions of unit: $8.5^{\prime\prime}W$ x $16.7^{\prime\prime}H$ x $17.7^{\prime\prime}D$.
- L or R designates wastebasket location.

CBO	CCO	CFP	CMAT	CND	DRWPWR	DRWTK	EXBK	FTK	FTK_V	ID	INVFRM
•	•	STD		•		•	•	•	•	•	
LTI	RD	RECTK	RT	TKP	TOTSS	VTK					
•		•			•	•					

Constr	uction a	na rinis	in upgr	aaes
APC	FB	MIP	MSLFB	WLI
•	•	•	•	•

or Op	tions			
ALF	CG	DPSRR	MD	

258


341/2"

with TILT-OUT TRAYS and WASTEBASKET, 34 1/2" HIGH, 21" DEEP 30", 33", 36"

VANITY SINK BASE SUPERCABINET™



Model	Cubic Feet
VSSB303421STWB L or R	17.7
VSSB333421STWB L or R	19.6
VSSB363421STWB L or R	21.1



- Door on the side with the Quarter Round Shelf features a chrome and wood two-tiered rack.
- \bullet Door rack width is 11 3/8" on 30" and 33" wide cabinets and 14 3/8" on 36" wide cabinet.
- Door rack depth is 3 1/2".
- Includes 2 installed tilt-out trays.
- Tilt-out trays are stain resistant, moisture resistant plastic to allow storage of sponges & other cleaning materials.
- Tilt-out trays are also available as an accessory for field installation. See page 350.
- All load bearing service meet KCMA standards of 15 lbs. per square foot.
- Bottom mounted zinc colored Smart Stop guides with 20 quart gray wastebasket inserted in chrome support. Dimensions of unit: 8.5"W x 16.7"H x 17.7"D.
- L or R designates wastebasket location.

Custom Modifications

400.0											
CBO	CCO	CFP	CMAT	CND	DRWPWR	DRWTK	EXBK	FTK	FTK_V	ID	INVFRM
•	•			•		•	•	•	•	•	
LTI	RD	RECTK	RT	TKP	TOTSS	VTK					
•		•				•					

Constr	ruction c	and Finis	sh Upgro	ıdes
APC.	FR	MIP	MSLER	WI

APC	FB	MIP	MSLFB	WLI
•	•	•	•	•

Door Options										
ALF	CG	DPSRR	MD							
		•								

VANITY SINK BASE SUPERCABINET™ with TILT-OUT TRAYS, 34 1/2" HIGH, 21" DEEP



30	", 33", 36"	
341/2"	21"	

VSSB303421ST	17.7
VSSB333421ST	19.6
VSSB363421ST	21.1

- Quarter Round Reversible Shelf for left or right applications will be constructed from 3/4" thick laminated furniture board. When upgraded to APC, shelf will use clear coated veneer plywood. (Shelf shipped secure, can be positioned in left or right corner.)
- Each door features a chrome and wood two-tiered rack.
- \bullet Door rack width is 11 3/8" on 30" and 33" wide cabinets and 14 3/8" on 36" wide cabinet.
- Door rack depth is 3 1/2".
- Includes 2 installed tilt-out trays.
- Tilt-out trays are stain resistant, moisture resistant plastic to allow storage of sponges & other cleaning materials.
- Tilt-out trays are also available as an accessory for field installation. See page 350.
- All load bearing service meet KCMA standards of 15 lbs. per square foot.


Custom Modifications

4031011	· moun	carrons									
CBO	CCO	CFP	CMAT	CND	DRWPWR	DRWTK	EXBK	FTK	FTK_V	ID	INVFRM
•	•			•		•	•	•	•	•	
LTI	RD	RECTK	RT	TKP	TOTSS	VTK					
•		•				•]				

			[-3.	
APC	FB	MIP	MSLFB	WLI
•	•	•	•	•

ALF CG DPSRR MD										
ALF	CG	DPSRR	MD							
		•								

VANITY BASE, SINGLE DOOR with DRAWER, 32" HIGH, 18" or 21" DEEP



Model	Cubic Feet
VB123218 L or R	5.6
VB153218 L or R	6.8
VB183218 L or R	8.0
VB213218 L or R	9.2
VB243218 L or R	10.5
VB123221 L or R	6.4
VB153221 L or R	7.8
VB183221 L or R	9.1
VB213221 L or R	10.8
VB243221 L or R	11.9

Custom Modifications

CBO	CCO	CFP	CMAT	CND	DRWPWR	DRWTK	EXBK	FTK	FTK_V	ID	INVFRM
•	•	•		•		•*	•	•	•+	•	•
LTI	RD	RECTK	RT	TKP	TOTSS	VTK					_
•+	•	•	•			•					


*Not available on 12" and 15" wide, or on 18" deep $\,\,$ *Available only on 24" wide

Construction and Finish Upgrades

4011311	ociion c		m opg.	uuos
APC	FB	MIP	MSLFB	WLI
•	•	•	•	•

Door Op	tions		
ALF	CG	DPSRR	MD
		•	

VANITY BASE, SINGLE DOOR with DRAWER, 34 1/2" HIGH, 18" or 21" DEEP



VB123418 L or R	5.8
VB153418 L or R	7.1
VB183418 L or R	8.3
VB213418 L or R	9.6
VB243418 L or R	10.9
VB123421 L or R	7.8
VB153421 L or R	9.4
VB183421 L or R	11.1
VB213421 L or R	12.8
VB243421 L or R	14.4

Custom Modifications


C031011	Coston mountanons												
CBO	CCO	CFP	CMAT	CND	DRWPWR	DRWTK	EXBK	FTK	FTK_V	ID	INVFRM		
•	•	•		•	•*	•+	•	•	•4	•	•		
LTI	RD	RECTK	RT	TKP	TOTSS	VTK							
•4	•	•	•			•							


*Not available on 12" and 15" wide *Not available on 12" and 15" wide, or on 18" deep *Available only on 24" wide

Construction and Finish Upgrades						
APC	FB	MIP	MSLFB	WLI		
•	•	•	•	•		


Door Op	tions		
ALF	CG	DPSRR	MD
		•	


VANITY BASE, DOUBLE DOOR with DRAWER, $32^{\prime\prime}$ HIGH, $18^{\prime\prime}$ or $21^{\prime\prime}$ DEEP





260





Model	Cubic Feet
VB243218	10.4
VB273218	11.7
VB303218	12.9
VB333218	14.1
VB363218	15.3
VB243221	11.9
VB273221	13.3
VB303221	14.7
VB333221	16.1
VB363221	17.5

Model	Cubic Feet
VB393218	16.5
VB423218	17.7
VB453218	18.5
VB483218CS	20.2
VB393221	18.9
VB423221	20.3
VB453221	21.3
VB483221CS	23.1
VB483218	20.2
VB483221	23.1

Custom Modifications


CBO	CCO	CFP	CMAT	CND	DRWPWR	DRWTK	EXBK	FTK	FTK_V	ID	INVFRM
•	•	•		•	•	•*	•	•	•	•	•
LTI	RD	RECTK	RT	TKP	TOTSS	VTK					
•+	•	•	•+			•	1				

*Not available on 39", 42", 45" and 48" wide, or on 18" deep $\,\,$ *Not available on 39", 42", 45", and 48" wide


4011311	otilon u		opg.	uuos
APC	FB	MIP	MSLFB	WLI
•	•	•	•	•


Door Op	tions		
ALF	CG	DPSRR	MD

VANITY BASE, DOUBLE DOOR with DRAWER, 34 1/2" HIGH, 18" or 21" DEEP



VB2434_ _-VB3634_ _ Butt doors





Model	Cubic Feet
VB243418	10.9
VB273418	12.2
VB303418	13.5
VB333418	14.7
VB363418	16.0
VB243421	14.4
VB273421	16.1
VB303421	17.7
VB333421	19.6
VB363421	21.1

Model	Cubic Feet
VB393418	17.3
VB423418	18.6
VB453418	19.9
VB483418CS	21.1
VB393421	22.3
VB423421	24.4
VB453421	25.2
VB483421CS	27.7
VB483418	21.1
VB483421	27.7

Custom Modifications

CBO	CCO	CFP	CMAT	CND	DRWPWR	DRWTK	EXBK	FTK	FTK_V	ID	INVFRM
•	•	•		•	•	•*	•	•	•	•	•
LTI	RD	RECTK	RT	TKP	TOTSS	VTK					
•+	•	•	•+			•]				


*Not available on 39'', 42'', 45'' and 48'' wide, or on 18'' deep
*Not available on 39'', 42'', 45'', and 48'' wide


Construction and Finish Upgrades


APC	FB	MIP	MSLFB	WLI
•	•	•	•	•

I	Door Options							
Γ	ALF	CG	DPSRR	MD				
Γ			•					

VANITY BASE EASY REACH, 32" HIGH, 18" or 21" DEEP







VER303218 L or R	12.9
VER333221 L or R	16.1

- Decorative hardware screws must be countersunk to prevent scratching adjacent cabinets.
- Includes one 5/8" thick fixed shelf in center of cabinet.
- Integrated soft-close hinge not included.

Custom Modifications

COSTOIL	i mouili	culions									
CBO	CCO	CFP	CMAT	CND	DRWPWR	DRWTK	EXBK	FTK	FTK_V	ID	INVFRM
•	•										
LTI	RD	RECTK	RT	TKP	TOTSS	VTK					
•		•				•]				


Construction and Finish Upgrades

CONSTI	construction and riman opgrades							
APC	FB	MIP	MSLFB	WLI				
•	•	•	•	•				

Door Options								
ALF	CG	DPSRR	MD					
		•						

262

VANITY BASE EASY REACH, 34 1/2" HIGH, 21" DEEP



Model	Cubic Feet
VER333421 L or R	17 1

- Decorative hardware screws must be countersunk to prevent scratching adjacent cabinets.
- \bullet Includes one 5/8" thick fixed shelf in center of cabinet.
- Integrated soft-close hinge not included.


Custom Modifications

	CBO	CCO	CFP	CMAT	CND	DRWPWR	DRWTK	EXBK	FTK	FTK_V	ID	INVFRM
	•	•										
ĺ	LTI	RD	RECTK	RT	TKP	TOTSS	VTK					
	•		•				•					

Construction and Finish Upgrades APC FB MIP MSLFB WLI

Door Options						
ALF	CG	DPSRR	MD			
		•				

VANITY DRAWER BASE, 32" HIGH, 18" or 21" DEEP



VDB123218	5.6
VDB153218	6.8
VDB183218	8.0
VDB213218	9.2
VDB243218	10.4
VDB273218	11.4
VDB303218	12.6
VDB333218	13.8
VDB363218	15.0
VDB123221	6.4
VDB153221	7.8
VDB183221	9.1
VDB213221	10.5
VDB243221	11.9
VDB273221	13.1
VDB303221	14.5
VDB333221	15.8
VDB363221	17.2
·	

 \bullet Top drawer front is 6 1/4" high and lower drawer fronts are 10 3/8" high.

Custom Modifications


(031011	i mouii	Cullolla									
CBO	CCO	CFP	CMAT	CND	DRWPWR	DRWTK	EXBK	FTK	FTK_V	ID	INVFRM
•	•	•			•*	•+	•	•	•4	•	
LTI	RD	RECTK	RT	TKP	TOTSS	VTK					
	•	•				•					

*Not available on 12" and 15" wide
*Not available on 12" and 15" wide, or on 18" deep
Anot available on 12" wide

Construction and rinish opgrades								
APC	FB	MIP	MSLFB	WLI				
•	•	•	•					

Door Options						
ALF	CG	DPSRR	MD			

VANITY DRAWER BASE, 34 1/2" HIGH, 18" or 21" DEEP



Model	Cubic Feet
VDB123418	5.8
VDB153418	7.1
VDB183418	8.3
VDB213418	9.6
VDB243418	10.9
VDB273418	12.2
VDB303418	13.5
VDB333418	14.7
VDB363418	16.0
VDB123421	7.8
VDB153421	9.4
VDB183421	11.1
VDB213421	12.8
VDB243421	14.4
VDB273421	11.4
VDB303421	12.6
VDB333421	13.8
VDB363421	15.0

[•] Top drawer front is 6 1/4'' high and lower drawer fronts are 11 5/8'' high.

Custom Modifications

C031011	i mouii	culions									
CBO	CCO	CFP	CMAT	CND	DRWPWR	DRWTK	EXBK	FTK	FTK_V	ID	INVFRM
•	•	•			•*	•+	•	•	•4	•	
LTI	RD	RECTK	RT	TKP	TOTSS	VTK					
	•	•				•					


^{*}Not available on 12" and 15" wide *Not available on 12" and 15" wide, or on 18" deep *Not available on 12" wide

construction and rimsii opgitudos						
APC	FB	MIP	MSLFB	WLI		
•	•	•	•			

Daar	Option	
DOOL	ODITION	

DOOL O	ITIONS		
ALF	CG	DPSRR	MD

VANITY FOUR DRAWER BASE, 34 1/2" HIGH, 18" or 21" DEEP



Model	Cubic Feet
4VDB123418	5.8
4VDB153418	7.0
4VDB183418	8.3
4VDB213418	9.6
4VDB243418	10.9
4VDB273418	12.2
4VDB303418	13.5
4VDB333418	14.7
4VDB363418	16.0
4VDB123421	6.8
4VDB153421	8.2
4VDB183421	9.7
4VDB213421	11.2
4VDB243421	12.7
4VDB273421	13.9
4VDB303421	15.3
4VDB333421	16.8
4VDB363421	18.2

• Upper three drawer fronts are 6 1/4" high and bottom drawer front is 10 5/8" high.

Custom Modifications

4031011	. moun	carrons									
CBO	CCO	CFP	CMAT	CND	DRWPWR	DRWTK	EXBK	FTK	FTK_V	ID	INVFRM
•	•	•			•*	•+	•	•	•4	•	
LTI	RD	RECTK	RT	TKP	TOTSS	VTK					
	•	•				•					


*Not available on 12" and 15" wide *Not available on 12" and 15" wide, or on 18" deep *Not available on 12" wide


Construction and Finish Upgrades

tonon on and children opgrands								
APC	FB	MIP	MSLFB	WLI				
•	•	•	•					

Door Options								
ALF	CG	DPSRR	MD					

VANITY BASE WASTEBASKET, 34 1/2" HIGH, 21" DEEP





9.4

- Includes one 35 quart gray wastebasket and one trash bag storage area.
- Pull-out features undermount Smart Stop guides.

Custom Modifications

4031011	· moun	cuitons									
CBO	CCO	CFP	CMAT	CND	DRWPWR	DRWTK	EXBK	FTK	FTK_V	ID	INVFRM
•	•	•		•	•		•	•	•		
LTI	RD	RECTK	RT	TKP	TOTSS	VTK					
		•				•					

construction and riman oppidacs								
APC	FB	MIP	MSLFB	WLI				
•	•	•	•	•				

700. 01	,,,,,,,,		
ALF	CG	DPSRR	MD

VANITY WASTEBASKET FULL HEIGHT, 32" or 34 1/2" HIGH, 21" DEEP



S

S

S

Model	Cubic Feet
VWB153221	7.8
VWB153421	9.4

- Includes one 35 quart gray wastebasket and one trash bag storage area.
- Pull-out features undermount Smart Stop guides.


Custom Modifications


4031011	· moun	cuitons									
CBO	CCO	CFP	CMAT	CND	DRWPWR	DRWTK	EXBK	FTK	FTK_V	ID	INVFRN
•	•						•	•	•		
LTI	RD	RECTK	RT	TKP	TOTSS	VTK					
		•				•					

Construction and Finish Upgrades										
APC	FB	MIP	MSLFB	WLI						

Door Options										
ALF	CG	DPSRR	MD							

VANITY WASTEBASKET FULL HEIGHT with ROLL TRAY, 32" or 34 1/2" HIGH, 21" DEEP





- Includes one 35 quart gray wastebasket and one trash bag storage area.
- Pull-out features undermount Smart Stop guides.
- 1 roll tray standard.
- VWB153221RT not compatible with BWBLID due to limited height clearance.


Custom Modifications

CE	30	CCO	CFP	CMAT	CND	DRWPWR	DRWTK	EXBK	FTK	FTK_V	ID	INVFRM
•	•	•						•	•	•		
Ľ	Π	RD	RECTK	RT	TKP	TOTSS	VTK					
			•				•					

Construction and Finish Upgrades										
APC	FB	MIP	NIP MSLFB W							
•	•	•	•	•						

Door Options										
ALF	CG	DPSRR	MD							

VANITY PULL-OUT, 34 1/2" HIGH, 21" DEEP





• All styles feature a natural finish full extension wood pull-out with adjustable shelves and chrome rail sides (Smart Stop not included).

Custom Modifications

400.0	***************************************											
CBO	CCO	CFP	CMAT	CND	DRWPWR	DRWTK	EXBK	FTK	FTK_V	ID	INVFRM	
•	•						•	•				
LTI	RD	RECTK	RT	TKP	TOTSS	VTK						
		•*				•						


*RECTKALL not available

Constr	uction (and Finis	sh Upgr	ades
ADC.	ΓD	MID	WCILD	14/11

Construction and Finish Upgrades									
APC	FB	MIP	MSLFB	WLI					
•	•	•	•	•					

Door Options											
ALF	CG	DPSRR	MD								
		•									

VANITY GROOMING PULL-OUT, 34 1/2" HIGH, 21" DEEP



VGP0123421 6.8

- Full extension, Smart Stop wood pull-out with natural finish.
- Pull-out is 19" deep.
- · Features adjustable shelves with non-skid vinyl liners and clear polycarbonate rails.
- Includes two stainless steel bins (one rectangular and one round) for storing items such as curling irons and hair dryers.


4031011	. moun	cuitons									
CBO	CCO	CFP	CMAT	CND	DRWPWR	DRWTK	EXBK	FTK	FTK_V	ID	INVFRM
•	•						•	•			
LTI	RD	RECTK	RT	TKP	TOTSS	VTK					
		•				•					

Construction and Finish Upgrades


	13										
APC	FB	MIP	MSLFB	WLI							
•	•	•	•	•							


Door Options					
ALF	CG	DPSRR	MD		
		•			

VANITY SINK DRAWER BASE, 32" HIGH, 18" or 21" DEEP



2VSD3632	Butt doors	
2VSD4232	-2VSD4832	CS Center mullion





Model	Cubic Feet
2VSD363218	15.1
2VSD363221	17.4
	·
2VSD423218	17.5
2VSD453218	18.5
2VSD483218CS	19.9
2VSD423221	20.1
2VSD453221	21.3
2VSD483221CS	22.9

Model	Cubic Feet
2VSD483218	19.9
2VSD543218FP	23.2
2VSD603218FP	24.4
2VSD483221	22.9
2VSD543221FP	25.2
2VSD603221FP	28.0
2VSD543218	23.2
2VSD603218	24.4
2VSD543221	25.2
2VSD603221	28.0

Model	Drawer Base Equivalent Width	Sink Base Equivalent Width	Available Sink Clearance Width
2VSD36	9″	18"	16 3/4"
2VSD42	12"	18″	16 3/4"
2VSD45	12"	21″	19 3/4"
2VSD48	15″	18"	16 3/4"
2VSD54	15″	24″	22 3/4"
2VSD60	18"	24"	22 3/4"

Custom Modifications

CBO	CCO	CFP	CMAT	CND	DRWPWR	DRWTK	EXBK	FTK	FTK_V	ID	INVFRM
•	•	•	•*	•	•+	•4	•†	•‡	•‡	•	
LTI	RD	RECTK	RT	TKP	TOTSS	VTK					
•	•	•	•^		•**	•]				

*Not available on 42" and 45" wide, or on 18" deep $\,^+$ Available only on 60" wide $\,^-$ Available only on 2VSD3633221 $\,^+$ Available only on 36" wide $\,^+$ Not available on 54" and 60" wide $\,^-$ Available only on 36", 42", 45", and 48" wide $\ensuremath{^{\star\star}}\xspace \text{Available}$ only on cabinets with false panels

Construction and Finish Upgrades								
APC	FB	MIP	MSLFB	WLI				
•	•	•	•	•				

Door Options					
ALF	CG	DPSRR	MD		

Cubic Feet

23.7

26.3

24.5

30.1


Model 2VSD543418

2VSD603418


2VSD543421


2VSD603421

VANITY SINK DRAWER BASE, 34 1/2" HIGH, 18" or 21" DEEP



2VSD3634_ _ Butt doors 2VSD4234_ _-2VSD4834_ _CS Center mullion





Model	Cubic Feet
2VSD363418	16.0
2VSD363421	16.5
2VSD423418	18.6
2VSD453418	19.9
2VSD483418CS	21.1
2VSD423421	19.2
2VSD453421	22.8
2VSD483421CS	21.9
2VSD483418	21.1
2VSD543418FP	23.7
2VSD603418FP	26.3
2VSD483421	21.9
2VSD543421FP	24.5
2VSD603421FP	30.1

Model	Drawer Base Equivalent Width	Sink Base Equivalent Width	Available Sink Clearance Width
2VSD36	9″	18"	16 3/4"
2VSD42	12"	18"	16 3/4"
2VSD45	12"	21″	19 3/4"
2VSD48	15"	18"	16 3/4"
2VSD54	15"	24"	22 3/4"
2VSD60	18"	24"	22 3/4"

Custom Modifications


CBO	CCO	CFP	CMAT	CND	DRWPWR	DRWTK	EXBK	FTK	FTK_V	ID	INVFRM
•	•	•	•*	•	•⁺	•*	• [†]	•‡	•‡	•	
LTI	RD	RECTK	RT	TKP	TOTSS	VTK					
•	•	•	•^		•**	•					


*Not available on 42" and 45" wide, or on 18" deep
+Available only on 60" wide
-Available only on 2VSD363421 † Available only on 36" wide † Not available on 54" and 60" wide $^{\circ}$ Available only on 36", 42", 45", and 48" wide * Available only on achinets with false panels


Construction and Finish Upgrades						
APC	FB	MIP	MSLFB	WLI		
•	•	•	•	•		

Door Options							
ALF	CG	DPSRR	MD				
		•					

VANITY SINK DRAWER BASE, 32" HIGH, 18" or 21" DEEP







Model	Cubic Feet	
VSD243218 DL or DR	10.4	
VSD273218 DL or DR	11.7	
VSD303218 DL or DR	12.7	
VSD333218 DL or DR	14.1	
VSD243221 DL or DR	11.9	
VSD273221 DL or DR	13.3	
VSD303221 DL or DR	14.6	
VSD333221 DL or DR	16.1	
VSD363218 DL or DR	15.1	
VSD363221 DL or DR	17.4	

Model	Cubic Feet
VSD423218 DL or DR	17.5
VSD453218 DL or DR	18.5
VSD483218 DL or DR	19.9
VSD423221 DL or DR	20.1
VSD453221 DL or DR	18.5
VSD483221 DL or DR	22.9
VSD543218	22.1
VSD603218	24.7
VSD543221	25.3
VSD603221	28.4

- $\bullet\,$ DL or DR indicates drawer location.
- CFP is available on 42", 45", and 48" widths, but standard on all other widths.
 Top drawer front is 6 1/4" high and lower drawer fronts are 10 3/8" high.

Model	Drawer Base Equivalent Width	Sink Base Equivalent Width	Available Sink Clearance Width
VSD24	12"	12"	22 3/4"
VSD27	12"	15″	25 3/4"
VSD30	12"	18"	28 3/4"
VSD33	12"	21″	31 3/4"
VSD36	12"	24"	34 3/4"
VSD42	12"	30″	28 3/4"
VSD45	12"	33″	31 3/4"
VSD48	12"	36″	34 3/4"
VSD54	12"	21″	19 3/4"
VSD60	18"	21″	19 3/4"

Custom Modifications

4031011	. moun	cuitons									
CBO	CCO	CFP	CMAT	CND	DRWPWR	DRWTK	EXBK	FTK	FTK_V	ID	INVFRM
•	•	STD	•*	•		•+	•	•4	•4	•	
LTI	RD	RECTK	RT	TKP	TOTSS	VTK					
a†]				

Construction and Finish Unarados

Construction and rinish opgrad							
APC	FB	MIP	MSLFB	WLI			
•	•	•	•	•			

Door Options


200. OF	,,,,,,,,			
ALF	CG	DPSRR	MD	
		•		


^{*}Not available on 24", 27", 30", 33", and 60" wide, or on 18" deep *Not available on 42", 45", 48", 54" and 60" wide, or on 18" deep


[▲]Not available on 54" and 60" wide

[†]Not available on 24" wide

VANITY SINK DRAWER BASE, 34 1/2" HIGH, 18" or 21" DEEP







Model	Cubic Feet
VSD243418 DL or DR	10.9
VSD273418 DL or DR	12.2
VSD303418 DL or DR	13.5
VSD333418 DL or DR	14.7
VSD243421 DL or DR	11.1
VSD273421 DL or DR	14.1
VSD303421 DL or DR	13.8
VSD333421 DL or DR	17.1
VSD363418 DL or DR	16.0
VSD363421 DL or DR	16.5
DI DD: It . I I .:	

Model	Cubic Feet
VSD423418 DL or DR	18.6
VSD453418 DL or DR	19.9
VSD483418 DL or DR	21.1
VSD423421 DL or DR	19.2
VSD453421 DL or DR	21.3
VSD483421 DL or DR	21.9
VSD543418	23.7
VSD603418	26.3
VSD543421	27.2
VSD603421	27.2

- $\bullet~$ DL or DR indicates drawer location.
- \bullet CFP is available on 42", 45", and 48" widths, but standard on all other widths.
- Top drawer front is 6 1/4'' high and lower drawer fronts are 11 5/8'' high.

Model	Drawer Base Equivalent Width	Sink Base Equivalent Width	Available Sink Clearance Width
VSD24	12"	12"	22 3/4"
VSD27	12"	15″	25 3/4"
VSD30	12"	18"	28 3/4"
VSD33	12"	21″	31 3/4"
VSD36	12"	24"	34 3/4"
VSD42	12"	30″	28 3/4"
VSD45	12"	33″	31 3/4"
VSD48	12"	36″	34 3/4"
VSD54	12"	21″	19 3/4"
VSD60	18"	21″	19 3/4"

4031011	· moun	cuitons									
CBO	CCO	CFP	CMAT	CND	DRWPWR	DRWTK	EXBK	FTK	FTK_V	ID	INVFRM
•	•	STD	•*	•		•+	•	•*	•4	•	
LTI	RD	RECTK	RT	TKP	TOTSS	VTK					
a†]				

^{*}Not available on 24'', 27'', 30'', 33'', and 60'' wide, or on 18'' deep *Not available on 42'', 45'', 48'', 54'' and 60'' wide, or on 18'' deep *Not available on 54'' and 60'' wide


[†]Not available on 24" wide

Constr	uction	a	nd Fini:	sh Upgr	ades
ADC.	ΓD	ı	AAID	MCLED	14/1


Construction and Finish Upgrades								
APC	FB	MIP	MSLFB	WLI				
•	•	•	•	•				


Door Options									
ALF	CG	DPSRR	MD						
		•							

VANITY SINK DRAWER BASE with FALSE PANELS, 32" HIGH, 18" or 21" DEEP









Model	Cubic Feet	Model
VSD243218FP DL or DR	10.4	VSD423218FP DL or DR
VSD273218FP DL or DR	11.7	VSD453218FP DL or DR
VSD303218FP DL or DR	12.7	VSD483218FP DL or DR
VSD333218FP DL or DR	14.1	VSD423221FP DL or DR
VSD243221FP DL or DR	11.9	VSD453221FP DL or DR
VSD273221FP DL or DR	13.3	VSD483221FP DL or DR
VSD303221FP DL or DR	14.6	
VSD333221FP DL or DR	16.1	VSD543218FP
		VSD603218FP
VSD363218FP DL or DR	15.1	VSD543221FP
VSD363221FP DL or DR	17.4	VSD603221FP

_		_				
•	DL	or	DR	indicates	drawer	location

- CFP is available on 42", 45", and 48" widths, but standard on all other widths.
- Top drawer front is 6 1/4" high and lower drawer fronts are 10 3/8" high.

Model	Drawer Base Equivalent Width	Sink Base Equivalent Width	Available Sink Clearance Width
VSD24FP	12"	12"	22 3/4"
VSD27FP	12"	15″	25 3/4"
VSD30FP	12"	18"	28 3/4"
VSD33FP	12"	21″	31 3/4"
VSD36FP	12"	24"	34 3/4"
VSD42FP	12"	30″	28 3/4"
VSD45FP	12"	33″	31 3/4"
VSD48FP	12"	36″	34 3/4"
VSD54FP	12"	21″	19 3/4"
VSD60FP	18″	21″	19 3/4"

Custom Modifications

400.0											
CBO	CCO	CFP	CMAT	CND	DRWPWR	DRWTK	EXBK	FTK	FTK_V	ID	INVFRM
•	•	STD	•*	•		•+	•	•4	•4	•	
LTI	RD	RECTK	RT	TKP	TOTSS	VTK					
•†	•	•			•	•					

^{*}Not available on 24", 27", 30", 33", and 60" wide, or on 18" deep *Not available on 42", 45", 48", 54" and 60" wide, or on 18" deep

Construction and Finish Unarados

Construction and riman opgrades						
APC	FB	MIP	MSLFB	WLI		
		•	•	•		

Door Options

200. OF	,,,,,,,,			
ALF	CG	DPSRR	MD	
		•		

Cubic Feet

17.5

18.5

19.9

20.1

21.3

22.9

22.1

24.7


25.3

28.4


[▲]Not available on 54" and 60" wide


[†]Not available on 24" wide

VANITY SINK DRAWER BASE with FALSE PANEL, 34 1/2" HIGH, 18" or 21" DEEP









Model	Cubic Feet
VSD243418FP DL or DR	10.9
VSD273418FP DL or DR	12.2
VSD303418FP DL or DR	13.5
VSD333418FP DL or DR	14.7
VSD243421FP DL or DR	11.1
VSD273421FP DL or DR	14.1
VSD303421FP DL or DR	13.8
VSD333421FP DL or DR	17.1
VSD363418FP DL or DR	16.0
VSD363421FP DL or DR	16.5

Model	Cubic Feet
VSD423418FP DL or DR	18.6
VSD453418FP DL or DR	19.9
VSD483418FP DL or DR	21.1
VSD423421FP DL or DR	22.8
VSD453421FP DL or DR	22.8
VSD483421FP DL or DR	21.9
VSD543418FP	22.1
VSD603418FP	26.3
VSD543421FP	25.3
VSD603421FP	27.2

- $\bullet~$ DL or DR indicates drawer location.
- \bullet CFP is available on 42", 45", and 48" widths, but standard on all other widths.
- Top drawer front is 6 1/4'' high and lower drawer fronts are 11 5/8'' high.

Model	Drawer Base Equivalent Width	Sink Base Equivalent Width	Available Sink Clearance Width
VSD24FP	12"	12"	22 3/4"
VSD27FP	12"	15″	25 3/4"
VSD30FP	12"	18"	28 3/4"
VSD33FP	12"	21″	31 3/4"
VSD36FP	12"	24"	34 3/4"
VSD42FP	12"	30″	28 3/4"
VSD45FP	12"	33″	31 3/4"
VSD48FP	12"	36″	34 3/4"
VSD54FP	12"	21″	19 3/4"
VSD60FP	18"	21″	19 3/4"

4031011	. moun	icuitonis									
CBO	CCO	CFP	CMAT	CND	DRWPWR	DRWTK	EXBK	FTK	FTK_V	ID	INVFRM
•	•	STD	•*	•		•+	•	•4	•4	•	
LTI	RD	RECTK	RT	TKP	TOTSS	VTK					
_†]				


[†]Not available on 24" wide

Construction	ı and	Finish	Upgrades

Construction and Finish Upgrades							
APC	FB	MIP	MSLFB	WLI			
•	•	•	•	•			

Door Options								
ALF	CG	DPSRR	MD					
		•						

^{*}Not available on 24'', 27'', 30'', 33'', and 60'' wide, or on 18'' deep *Not available on 42'', 45'', 48'', 54'' and 60'' wide, or on 18'' deep *Not available on 54'' and 60 wide



Model	Cubic Feet
VS3D543218	22.1
VS3D603218	24.4
VS3D543221	25.3
VS3D603221	28.0
VS3D543418	23.7
VS3D603418	26.3
VS3D543421	27.2
VS3D603421	30.1

Model	Drawer Base Equivalent Width	Sink Base Equivalent Width	Available Sink Clearance Width
VS3D54	12"	21″	19 3/4"
VS3D60	18"	21″	19 3/4"

Custom Modifications

	CBO	CCO	CFP	CMAT	CND	DRWPWR	DRWTK	EXBK	FTK	FTK_V	ID	INVFRM
	•	•	•	•*	•	•+		•	•4	•4	•†	
ĺ	LTI	RD	RECTK	RT	TKP	TOTSS	VTK					
ſ	•	•	•			•	•]				


*Not available on 18" deep $\,^{+}$ Available only on 60" wide $\,^{+}$ Not available on 54" and 60" wide


Construction and Finish Upgrades

APC	FB	MIP	MSLFB	WLI
•	•	•	•	•

Door Options								
ALF	CG	DPSRR	MD					

VANITY SINK DRAWER BASE with SIX DRAWERS, 32" or 34 1/2" HIGH, 18" or 21" DEEP





6VSD423218 L or R	17.3
6VSD423221 L or R	19.8
6VSD423418 L or R	18.6
6VSD423421 L or R	21.3

6VSD483218	19.9
6VSD483221	22.9
6VSD543218	22.1
6VSD543221	25.3
6VSD603218	24.7
6VSD603221	28.4
6VSD483418	21.1
6VSD483421	21.9
6VSD543418	23.7
6VSD543421	27.2
6VSD603418	26.3
6VSD603421	27.2

Model	Drawer Base Equivalent Width	Sink Base Equivalent Width	Available Sink Clearance Width
6VSD42	12"	18"	16 3/4"
6VSD48	12"	24"	22 3/4"
6VSD54	15″	24″	22 3/4"
6VSD60	18"	24"	22 3/4"

Custom Modifications

Costoni mountarions											
CBO	CCO	CFP	CMAT	CND	DRWPWR	DRWTK	EXBK	FTK	FTK_V	ID	INVFRM
•	•	•	•*	•	•+		•	•4	•4	•	
LTI	RD	RECTK	RT	TKP	TOTSS	VTK					
•	•	•				•	1				


*Not available on 42" wide, or on 18" deep $\,^{+}$ Available only on 60" wide $\,^{\bullet}$ Not available on 54" and 60" wide


Construction and Finish Upgrades							
APC	FB	MIP	MSLFB	WLI			
•	•	•	•	•			

טטטו טן	1110113		
ALF	CG	DPSRR	MD
		•	

[†]Not available on 34 1/2" high

VANITY SINK DRAWER BASE with SIX DRAWERS & FALSE PANEL, 32" or 34 1/2" HIGH, 18" or 21" DEEP





Model	Cubic Feet
6VSD423218FP L or R	17.3
6VSD423221FP L or R	19.8
6VSD423418FP L or R	18.6
6VSD423421FP L or R	21.3
6VSD483218FP	19.9
6VSD483221FP	22.9
6VSD543218FP	22.1
6VSD543221FP	25.3
6VSD603218FP	24.7
6VSD603221FP	28.4
6VSD483418FP	21.1
6VSD483421FP	21.9
6VSD543418FP	23.7
6VSD543421FP	27.2
6VSD603418FP	26.3
6VSD603421FP	27.2

Model	Drawer Base Equivalent Width	Sink Base Equivalent Width	Available Sink Clearance Width
6VSD42FP	12"	18"	16 3/4"
6VSD48FP	12"	24"	22 3/4"
6VSD54FP	15″	24"	22 3/4"
6VSD60FP	18"	24″	22 3/4"

Custom Modifications

CBO	CCO	CFP	CMAT	CND	DRWPWR	DRWTK	EXBK	FTK	FTK_V	ID	INVFRM
•	•	•	•*	•	•+		•	•4	•4	•	
LTI	RD	RECTK	RT	TKP	TOTSS	VTK					
•	•	•			•	•	1				


^{*}Not available on 42" wide, or on 18" deep *Available only on 60" wide *Not available on 54" and 60" wide

Construction and Finish Upgrades

APC	FB	MIP	MSLFB	WLI
•	•	•	•	•

Door Options								
ALF	CG	DPSRR	MD					
		•						

VANITY SINK DRAWER BASE with EIGHT DRAWERS, 34 1/2" HIGH, 18" or 21" DEEP



8VSD483418	21.1
8VSD603418	26.3
8VSD483421	21.9
8VSD603421	27.2

 \bullet Upper three drawer fronts are 6 1/4" high and bottom drawer front is 10 5/8" high.

Model	Drawer Base Equivalent Width	Sink Base Equivalent Width	Available Sink Clearance Width
8VSD48	12"	24"	22 3/4"
8VSD60	18"	24"	22 3/4"

Custom Modifications

CBO	CCO	CFP	CMAT	CND	DRWPWR	DRWTK	EXBK	FTK	FTK_V	ID	INVFRM
•	•	•	•*	•	•+		•	•*	•4	•	
LTI	RD	RECTK	RT	TKP	TOTSS	VTK					
•	•	•				•					


Construction and rinish opgrades							
APC	FB	MIP	MSLFB	WLI			
•	•	•	•	•			

Door Op	tions		
ALF	CG	DPSRR	MD
		•	

274

VANITY CABINETS

VANITY SINK DRAWER BASE with EIGHT DRAWERS & FALSE PANEL, 34 1/2" HIGH, 18 or 21" DEEP



Model	Cubic Feet
8VSD483418FP	21.1
8VSD603418FP	26.3
8VSD483421FP	21.9
8VSD603421FP	27.2

 $\bullet\,$ Upper three drawer fronts are 6 1/4" high and bottom drawer front is 10 5/8" high.

Model	Drawer Base Equivalent Width	Sink Base Equivalent Width	Available Sink Clearance Width
8VSD48FP	12"	24"	22 3/4"
8VSD60FP	18"	24"	22 3/4"

Custom Modifications


CBO	CCO	CFP	CMAT	CND	DRWPWR	DRWTK	EXBK	FTK	FTK_V	ID	INVFRM
•	•	•	•*	•	•+		•	•4	•4	•	
LTI	RD	RECTK	RT	TKP	TOTSS	VTK					
•	•	•			•	•					


Construction and Finish Upgrades

tononioni ana rimon opgi anos							
APC	FB	MIP	MSLFB	WLI			
•	•	•	•	•			

Door Options							
ALF	CG	DPSRR	MD				
		•					

UNDER COUNTER DRAWER, 4 $3/4^{\prime\prime}$ HIGH, $18^{\prime\prime}$ or $21^{\prime\prime}$ DEEP





UCD2418	2.6
UCD2718	2.6
UCD2421	2.6
UCD2721	2.6
UCD3018	2.6
UCD3618	2.6
UCD3021	2.6
UCD3621	2.6

- \bullet Cabinet is 4 3/4" high. Drawer box within cabinet is 2" high, drawer front is 4 1/2" high.
- Top and bottom reveal is 1/8".
- Not trimmable.
- Drawer front is 3/4" slab front.
- When ordered in APC, end panels will be finished.
- Reduced depth is available in 3" increments.

Custom Modifications

COSTOIL	i Mouili	curions									
CBO	CCO	CFP	CMAT	CND	DRWPWR	DRWTK	EXBK	FTK	FTK_V	ID	INVFRM
•	•									•	
LTI	RD	RECTK	RT	TKP	TOTSS	VTK					
	•]				

Construction and Finish Upgrades

Construction and rinish upgrades								
APC	FB	MIP	MSLFB	WL				
•								

Door Options

ALF	CG	DPSRR	MD

Cubic Feet

Model

VH183221FH L or R

8.9

- Includes full extension removable chrome pull-out hamper with removable cloth liner.
- Hamper size is 19 3/8" high x 14 3/4" wide x 18" deep.

Custom Modifications

CBO	CCO	CFP	CMAT	CND	DRWPWR	DRWTK	EXBK	FTK	FTK_V	ID	INVFRM
•	•	•		•		•	•	•	•		
LTI	RD	RECTK	RT	TKP	TOTSS	VTK					
		•				•]				


Constr	uction a	ınd Finis	sh Upgr	ades
APC	FB	MIP	MSLFB	WL

Door Op	tions		
ALF	CG	DPSRR	MD
		•	

VANITY HAMPER with DRAWER, 34 1/2" HIGH, 21" DEEP

VANITY HAMPER, 32" HIGH,

21" DEEP





VBH183421 L or R

- 9.5
- Includes full extension removable chrome pull-out hamper with removable cloth liner.
- Hamper size is 19 3/8" high x 14 3/4" wide x 18" deep.


Custom Modifications

CBO	CCO	CFP	CMAT	CND	DRWPWR	DRWTK	EXBK	FTK	FTK_V	ID	INVFRM
•	•	•		•		•	•	•	•		
LTI	RD	RECTK	RT	TKP	TOTSS	VTK					
		•				•]				

Constr	Construction and Finish Upgrades									
APC	FB	MIP	MSLFB	WLI						
•	•	•	•	•						

Door Options									
ALF	CG	DPSRR	MD						
		•							

LINEN CLOSET





S

S

LC188421 L or R

- 23.0
- Upper section features a 5" deep chrome door rack.
- · Adjustable shelves are 15" deep and are packaged separately.
- A fixed shelf separates upper and lower sections.
- Tall non-mitered doors will have two center panels with cross rail.
- Derazi doors greater than 48" high will be two doors doweled together.
- Recommended for use with $34 \frac{1}{2}$ high cabinets (bottom door will align with top of drawer front). See page 69 for more details.

Custom Modifications


400.0											
CBO	CCO	CFP	CMAT	CND	DRWPWR	DRWTK	EXBK	FTK	FTK_V	ID	INVFRM
•	•						•	•	•		•
LTI	RD	RECTK	RT	TKP	TOTSS	VTK					
		•*	•	•		•					

*RECTKALL and RECTKBK not available

Constr	Construction and rinish upgrades									
APC	FB	MIP	MSLFB	WLI						
•	•	•	•	•						

Door Options										
ALF	CG	DPSRR	MD							
		•								

LINEN CLOSET with REMOVABLE HAMPER



S

LCRH188421 L or R

- 23.0
- Upper section features a 5" deep chrome door rack.
- Adjustable shelves are 15" deep and are packaged separately.
- A fixed shelf separates upper and lower sections.
- $\bullet \ \ \text{Includes full extension removable chrome pull-out hamper with removable cloth liner.}$
- Hamper size is 19 3/8" high x 14 3/4" wide x 18" deep.
- Tall non-mitered doors will have two center panels with cross rail.
- · Derazi doors greater than 48" high will be two doors doweled together.
- Recommended for use with 34 1/2" high cabinets (bottom door will align with top of drawer front). See page 69 for more details.

Custom Madifications

COSTOIL	i Mouiii	canons									
CBO	CCO	CFP	CMAT	CND	DRWPWR	DRWTK	EXBK	FTK	FTK_V	ID	INVFRM
•	•						•	•	•		
LTI	RD	RECTK	RT	TKP	TOTSS	VTK					
		•*		•		•					


*RECTKALL and RECTKBK not available

Construction and Finish Unavados

Construction and Finish Upgrades											
APC	FB	MIP	MSLFB	WLI							
•	•	•	•	•							

200. 0	,,,,,,,,			
ALF	CG	DPSRR	MD	
		•		

LINEN STORAGE CABINET



Model	Cubic Feet
LT188418 L or R	20.3
LT218418 L or R	23.4
LT188421 L or R	23.3
LT218421 L or R	26.8
	•

- Tall non-mitered doors will have two center panels with cross rail.
- Derazi doors greater than 48" high will be two doors doweled together.
- Recommended for use with 34 1/2" high cabinets (bottom door will align with top of drawer front). See page 69 for more details.
- Shelves are packaged separately.
- A fixed shelf separates upper and lower sections (not shown on drawing). Adjustable shelves are shown.

Custom Modifications

400.0											
CBO	CCO	CFP	CMAT	CND	DRWPWR	DRWTK	EXBK	FTK	FTK_V	ID	INVFRM
•	•					•*	•	•	•	•	•
LTI	RD	RECTK	RT	TKP	TOTSS	VTK					
	•	•+	•	•		•					


*Not available on 18" deep +RECTKALL and RECTKBK not available

Construction and Finish Upgrades

тини при при при при при при при при при пр									
APC	FB	MIP	MSLFB	WLI					
•	•	•	•	•					

Door Options						
ALF	CG	DPSRR	MD			
		•				

VANITY UTILITY, 84" TALL, 21" DEEP



VU188421 L or R	23.0
-----------------	------

- Lower door section is drilled to accept adjustable shelf.
- Shelves are packaged separately.
- A fixed shelf separates upper, middle, and lower sections (not shown on drawing). Adjustable shelves are shown.
- Vanity utilities designed to be used with 32" tall vanities. See page 69 for more details.

Custom Modifications

CBO	CCO	CFP	CMAT	CND	DRWPWR	DRWTK	EXBK	FTK	FTK_V	ID	INVFRM
•	•					•	•	•	•	•	
LTI	RD	RECTK	RT	TKP	TOTSS	VTK					
	•	•*	•	•		•					

*RECTKALL and RECTKBK not available


Construction and Finish Upgrades

construction and rimish oppidacs						
APC	FB	MIP	MSLFB	WLI		
•	•	•	•	•		

Door	Options

ALF	CG	DPSRR	MD
		•	

VANITY WALL HUNG TWO DRAWER SINK BASE with FALSE PANEL, 23 1/2" HIGH, 21" DEEP



l

VWH2D3023.521FP	10.7
VWH2D3623.521FP	12.7

- Plumbing clearance of 15 15/16" to the top edge of the lower drawer box (6 3/8" high drawer box).
- For proper installation, cabinet must be secured on each side through both the top and bottom of the back panel into wall studs. Installation
 instructions and required 3 1/2" installation screws included, standard installation screws are not sufficient in this application.
- 5-piece drawer front configuration will not match on door styles with unique rail widths for drawer fronts over 10" high. Check door style section on
 pages 9-22 for drawer rail widths by height.
- Features a full cabinet top that can be routed for sink installation.
- Approximate weight limit is 400 lbs. per cabinet (includes weight of the cabinet, countertop and contents). Proper installation is required and additional bracing may be required.

Custom Modifications

4031011	· ····ouiii	cuitons									
CBO	CCO	CFP	CMAT	CND	DRWPWR	DRWTK	EXBK	FTK	FTK_V	ID	INVFRM
•	•										
LTI	RD	RECTK	RT	TKP	TOTSS	VTK					

Construction and Finish Upgrades

APC	FB	MIP	MSLFB	WLI
STD		•		•

Door Options

יטטטו טן	1110113		
ALF	CG	DPSRR	MD

VANITY WALL HUNG TWO DRAWER BASE, 23 1/2" HIGH, 21" DEEP

	30", 36"	
231/2"	21"	

Model	Cubic Feet
VWH2D3023.521	10.7
VWH2D3623.521	12.7

- Top drawer box is 3 3/8" high, bottom drawer box is 10" high.
- Cannot be used with a sink due to drawer interference.
- For proper installation, cabinet must be secured on each side through both the top and bottom of the back panel into wall studs. Installation instructions and required 3 1/2" installation screws included, standard installation screws are not sufficient in this application.
- 5-piece drawer front configuration will not match on door styles with unique rail widths for drawer fronts over 10" high. Check door style section on pages 9-22 for drawer rail widths by height.
- Approximate weight limit is 400 lbs. per cabinet (includes weight of the cabinet, countertop and contents). Proper installation is required and additional bracing may be required.

Custom Modifications


(031011	i mouii	Cullolla									
CBO	CCO	CFP	CMAT	CND	DRWPWR	DRWTK	EXBK	FTK	FTK_V	ID	INVFRM
•	•	•			•						
LTI	RD	RECTK	RT	TKP	TOTSS	VTK					

Construction	and	Finish	Upgrade:	5

construction and rimon opgrade										
APC	FB	MIP	MSLFB	WLI						
STD		•		•						

ALF	CG	DPSRR	MD

VANITY WALL HUNG DOUBLE DOOR with U-SHAPED PULL-OUTS, 23 1/2" HIGH, 21" DEEP





- Includes two chrome U-shaped Smart Stop roll-outs with non-slip gray shelf liner.
- Cut-out for U-shape on bottom roll-out is 6 1/8" from back of cabinet.
- Cut-out for U-shape on top roll-out is 12 1/8" from back of cabinet.
- For proper installation, cabinet must be secured on each side through both the top and bottom of the back panel into wall studs. Installation instructions and required 3 1/2" installation screws included, standard installation screws are not sufficient in this application.
- · Features a full cabinet top that can be routed for sink installation.
- Approximate weight limit is 400 lbs. per cabinet (includes weight of the cabinet, countertop and contents). Proper installation is required and additional bracing may be required.

Custom Modifications

S


COSTOIL	i Mouili	culions									
CBO	CCO	CFP	CMAT	CND	DRWPWR	DRWTK	EXBK	FTK	FTK_V	ID	INVFRM
•	•										
LTI	RD	RECTK	RT	TKP	TOTSS	VTK					
•]				

Construction and Finish Unarades

40	•••••		org.	
APC	FB	MIP	MSLFB	WLI
STD		•		•

Door Ob	ITIONS		
ALF	CG	DPSRR	MD
		•	

VANITY WALL HUNG DOUBLE DOOR, 23 1/2" HIGH, 21" DEEP



VWH3023.521	10.7
VWH3623.521	12.7
VWH4223.521	14.8
VWH4823.521CS	16.8

- For proper installation, cabinet must be secured on each side through both the top and bottom of the back panel into wall studs. Installation instructions and required 3 1/2'' installation screws included, standard installation screws are not sufficient in this application.
- Features a full cabinet top that can be routed for sink installation.
- Approximate weight limit is 400 lbs. per cabinet (includes weight of the cabinet, countertop and contents). Proper installation is required and additional bracing may be required.

Custom Modifications

CBO	CCO	CFP	CMAT	CND	DRWPWR	DRWTK	EXBK	FTK	FTK_V	ID	INVFRM
	•										
LTI	RD	RECTK	RT	TKP	TOTSS	VTK					
•	•		•*								

*Not available on 42" and 48" wide


Construction and Finish Upgrades

	•••••		opg.	
APC	FB	MIP	MSLFB	WLI
STD		•		•

Door	Op	tions	

Door Options							
ALF	CG	DPSRR	MD				
	•	•					

VANITY WALL, 30" HIGH, 6" DEEP



Model	Cubic Feet
W12306 L or R	2.2
W15306 L or R	2.6
W18306 L or R	3.1
W24306 L or R	4.0
W24306	4.0

Custom Modifications

CBO	CCO	CFP	CMAT	CND	DRWPWR	DRWTK	EXBK	FTK	FTK_V	ID	INVFRM
•	•						•				
LTI	RD	RECTK	RT	TKP	TOTSS	VTK					

Construction and Finish Upgrades


			-13	
APC	FB	MIP	MSLFB	WLI
•	•	•	•	•


Door	Οþ	tions	

ט ווויטע	1110112		
ALF	CG	DPSRR	MD
•*	•	•	•

*Not available on 24" wide

VANITY WALL MIRROR CABINET, 30" HIGH, 4 7/8" DEEP





VWM3030-VWM3630 Butt doors VWM4230 Center mullion

VWM1830 L or R	2.7
VWM2430 L or R	3.5
VWM3030	4.3
VWM3630	5.1
VWM4230	5.9

- Standard with CG doors and installed mirror glass.
- Unit intended to be surface mounted.
- Not available in Aspen, Derazi, Gallio, Prestley, and Reflection styles.
- Adjustable shelves.

Custom Modifications

CBO	CCO	CFP	CMAT	CND	DRWPWR	DRWTK	EXBK	FTK	FTK_V	ID	INVFRM
•	•						•				
LTI	RD	RECTK	RT	TKP	TOTSS	VTK					


Construction and Finish Upgrades

APC	FB	MIP	MSLFB	WLI
•	•	•	•	•

_		
Door	Options	١

poor opnous								
ALF	CG	DPSRR	MD					
	STD							

VANITY MIRROR with SIDE PULL-OUTS, 32 1/2" HIGH, 4 7/8" DEEP



S

VMP2432.5	3.7
VMP3032.5	4.6

- One full extension natural wood finish pull-out on each side with three adjustable shelves and chrome rail sides (Smart Stop not included).
- $\bullet \ \ \text{Pull-outs extend 10 3/8'' on each side. VMP2432.5 open width is 44 3/4''. VMP3032.5 open width is 50 3/4''.}$
- Mirror frame has a shaker outside profile and a bevel inside profile with a 1/4" face frame reveal. Mirror is not removable.
- Mirror visible dimensions: VMP2432.5 - 26 3/4" high x 18 1/4" wide

VMP3032.5 - 26 3/4" high x 24 1/4" wide

- Installation instructions included.
- When Distressing is selected, only fillers will receive treatment.
- When Heirlooming is selected, only mirror frame will receive treatment.
- Pull-outs feature plain fillers. If a more decorative look is desired, overlay fillers or embellishments may be ordered separately and field installed.

MODIFICATIONS	Finish Tech
No modifications available for	Distressing
these products.	•

Finish Tech	niques
Distressing	Heirlooming

Species Availability (Wood)

Alder	Rustic Alder	Cherry	Hickory	Rustic Hickory	Maple	Oak
		•			•	

Species Availability (All Laminates)

High Gloss	Horiz. Grain on Maple				
box color	box color	box color	box color		box color

VANITY MIRROR 1/2" 35' mirror frame profile

Model			Mirror - Visib Width	le Dimensions Height
VM2135	21 1/4"	35"	12 15/16"	26 15/16"
VM2735	27 1/4"	35"	18 15/16"	26 15/16"
VM3335	33 1 /4"	35"	24 15 /16"	26.15/16"

Model	Cubic Feet
VM2135	5.4
VM2735	5.4
VM3335	5.4

- Moulding included on vanity mirror is not a standard moulding. SWLCRM8 is similar.
- · Mirror glass is beveled.
- Includes two installed metal hanging hooks on back.

MODIFICATIONS	
No modifications available for	
these products.	

Finish Techniques			
Distressing	Heirlooming		
	•		


Species Availability (Wood)

Alder	Rustic Alder	Cherry	Hickory	Rustic Hickory	Maple	Oak
		•			•	

Species Availability (All Laminates)

	Horiz. Grain					
High Gloss	on Maple	on Maple	on Cherry	on Hickory	on Oak	Thermofoil
box color	box color	box color	box color			box color

SINGLE DOOR MEDICINE CABINET



	Cal	Cut	-out Dimensio	ns		
Model	Width	Height	Depth	Width	Height	Depth
MC16	15 3/4"	26 7/8"	4 9/16"	14 7/16"	25 5/8"	4"

MC16

2.5

- Features framed construction, face frame has a profiled inside and outside edge.
- Unit can be surface mounted or recessed.
- · Door of cabinet is glass mirror.
- Matching cabinet doors not available.
- 1/2" plywood ends, tops, and bottoms.
- Finished exterior.
- Standard interior.
- 3/4" laminated furniture board shelves.
- If ordered with Heirlooming Technique, will not feature sand-through characteristics.

Custom Modifications


COSTONI MODIFICATIONS											
CBO	CCO	CFP	CMAT	CND	DRWPWR	DRWTK	EXBK	FTK	FTK_V	ID	INVFRM
•	•										
LTI	RD	RECTK	RT	TKP	TOTSS	VTK					

Constr	uction (and F	inis	hυ	lpgra	d	es
APC .	ER	AAI	IP I	MC	IER	١	M

COIIZII	ociioli u	illu riilli:	on opgi	uues
APC	FB	MIP	MSLFB	WLI
STD	STD	•		•

Door Options							
ALF	CG	DPSRR	MD				

TRI-VIEW MEDICINE CABINET



	Ca	binet Dimensi	Cut-out Dimensions			
Model	Width	Height	Depth	Width	Height	Depth
TV30	30"	26 7/8"	4 9/16"	28 11/16"	25 5/8"	4"
TV36	36"	26 7/8"	4 9/16"	34 11/16"	25 5/8"	4"
TV48	48"	26 7/8"	4 9/16"	46 11/16"	25 5/8"	4"

TV30	5.4
TV36	6.5
TV48	8.5

- Features framed construction, face frame has a profiled inside and outside edge.
- Door of cabinet is glass mirror.
- · Unit can be surface mounted or recessed.
- \bullet 1/2" plywood ends, tops, and bottoms.
- Finished exterior.
- Standard interior.
- 3/4" laminated furniture board shelves.
- If ordered with Heirlooming Technique, will not feature sand-through characteristics.

Custom Modifications

COSTOIL	i Moulli	carrons									
CBO	CCO	CFP	CMAT	CND	DRWPWR	DRWTK	EXBK	FTK	FTK_V	ID	INVFRM
•	•										
LTI	RD	RECTK	RT	TKP	TOTSS	VTK					
]				

Construction and Finish Upgrades

APC	FB	MIP	MSLFB	WLI
STD	STD	•		•

Door Op	tions		
ALF	CG	DPSRR	MD

For panels with doors and/or fillers attached, species availability is shown for the panel and filler

For Species Availability, look for this chart throughout. For trim items ordered with Laminates, trim items matching the cabinet box color are noted in the charts.

Aspen Melamine will use Maple for trim and panels, refer to Maple in the Species Availability

Species Availability (Wood)

Alder	Rustic Alder	Cherry	Hickory	Rustic Hickory	Maple	Oak
•	Alder	•	•	Hickory	•	•

Species Availability (All Laminates)

	Horiz. Grain on Maple					
box color	box color	box color	box color	box color	box color	box color

DESCRIPTION


MODEL

5_{DAY}

FILLERS

280

3" WIDE FILLERS



Ī	F330
,	F333
	F336

1999
F336
F339
F342
F348
F351
F354
F357
F360
TF384
TF387
TF390
TF393

TF396FH TF3120FH[†] ◆

• 3/4" thick.

TF396

- · Finished on front and all edges (backs are not finished).
- †5 day Express Response not available

Finish Techniques Distressing Heirlooming

	•	
ecies Availability (W	ood)	

			,	•		
Alder	Rustic Alder	Cherry	Hickory	Rustic Hickory	Maple	Oak
•	Alder	•	•	Hickory	•	•


Only available in Cherry and Maple.

species Availability (All Edilliaies)								
	Horiz. Grain							
High Gloss	on Maple	on Maple	on Cherry	on Hickory	on Oak	Thermofoil		
box color	box color	box color	box color	box color	box color	box color		

Only available in Cherry and Maple box colors.

DESCRIPTION

3" WIDE FILLERS, PREMIUM



MODEL

- F330P F333P
- F336P
- F339P
- F342P F348P
- F351P F354P
- F357P
- F360P
- **TF384P**
- **TF387P**
- **TF390P**
- **TF393P**
- **TF396P**

TF396FHP

TF3120FHP not available

- All grain will be vertical (including Derazi).
- 3/4" thick.
- Edgebanded on all edges.

Finish Techniques

Distressing	Heirlooming

Species Availability (Wood)

	Rustic Alder	Cherry	Hickory	Rustic Hickory	Maple	Oak

Species Availability (All Laminates)

Hi		Horiz. Grain on Maple					Thermofoil
	•	•	•*	•	•	•	

^{*}TF3120FHP not available in Squall.


3" WIDE FILLER RETURN



F3R

- · Creates a toekick appearance when used with 3" wide
- 3/8" thick, Natural Maple laminated furniture board.

3" WIDE CORNER **FILLER**





CF330 CF333

- **CF336**
- **CF339**
- **CF342**
- 3/4" thick.
- Finished on front and all edges (backs are not finished).

Finish Techniques Distressing Heirlooming

Species Availability (Wood)

Alder	Rustic Alder	Cherry	Hickory	Rustic Hickory	Maple	0ak
•	Alder	•	•	Hickory	•	•

Species Availability (All Laminates)

	Horiz. Grain					
High Gloss	on Maple	on Maple	on Cherry	on Hickory	on Oak	Thermofoil
box color	box color	box color	box color	box color	box color	box color

Finished edges indicated by bold lines on side view drawings. Glazed edges indicated by arrows on side view drawings.

DESCRIPTION MODEL 3" WIDE CORNER FILLER, CF330P **PREMIUM** CF333P CF336P CF339P **CF342P** 30' 33' 36' 39' or 42' • All grain will be vertical (including Derazi). • 3/4" thick. • Edgebanded on all edges. Finish Techniques Distressing Heirlooming


Species Availability (Wood)

			•	•		
Alder	Rustic Alder	Cherry	Hickory	Rustic Hickory	Maple	0ak

Species Availability (All Laminates)

	Horiz. Grain					
High Gloss	on Maple	on Maple	on Cherry	on Hickory	on Oak	Thermofoil
•	•	•	•	•	•	

6" WIDE FILLERS



F630
F633

	F	6	3	3
П				

	F	6	3	6	
Ī	_	_	_	_	

•	UJ	•
I	642	

E4/10	
FU40	

F651 F654

F657

F660

TF684

TF687

TF690

TF693

TF696 TF696FH

TF6120FH[†] ◆

- 3/4" thick.
- Finished on front and all edges (backs are not finished).
- †5 day Express Response not available.

rinish lechi	niques
Distressing	Heirlooming
•	

Species Availability (Wood)

Speci	CJ ATU	masiiii	(11000	,		
	Rustic		Uieken	Rustic Hickory	Manla	Oak
Aluel	Aluel	Clienty	піскогу	піскогу	maple	UUK
•	Alder	•	•	Hickory	•	•

◆ Only available in Cherry and Maple.


Species Availability (All Laminates)

	Horiz. Grain	Vert. Grain	Vert. Grain	Vert. Grain	Vert. Grain	
High Gloss	on Maple	on Maple	on Cherry	on Hickory	on Oak	Thermofoil
box color	box color	box color	box color	box color	box color	box color

Only available in Cherry and Maple box colors.

DESCRIPTION

6" WIDE FILLERS, PREMIUM



MODEL

F630P	
F633P	

F636P

F639P F642P

F648P

F651P

F654P

F657P

F660P

TF684P TF687P

TF690P

TF693P TF696P

TF696FHP

not available TF6120FHP • All grain will be vertical (including Derazi).

- 3/4" thick.
- Edgebanded on all edges.

Finish Techniques

Distressing	Heirlooming

Species Availability (Wood)

			((((((((((((((((((((
Alder	Rustic Alder	Cherry	Hickory	Rustic Hickory	Maple	Oak
			,	,		

Species Availability (All Laminates)

	Horiz. Grain on Maple					
•	•	•*	•	•	•	

^{*}TF6120FHP not available in Squall.

6" WIDE FILLER RETURN






F6R

- Creates a toekick appearance when used with 6" wide
- 3/8" thick, Natural Maple laminated furniture board.

SPACE FILLERS



S96X14 (1/4" thick)

S96X12 (1/2" thick)

- \$96 is 1/4" or 1/2" thick.
- Designed to fill space between adjacent cabinets; i.e. W1830 butted against side of U188424.
- Finished on front and all edges (backs are not finished).

Finish Techniques

Distressing Heirlooming

Species Availability (Wood)

Alder	Rustic Alder	Cherry	Hickory	Rustic Hickory	Maple	0ak
•	Alder	•	•	Hickory	•	•

Species Availability (All Laminates)

	Horiz. Grain	Vert. Grain	Vert. Grain	Vert. Grain	Vert. Grain	
High Gloss	on Maple	on Maple	on Cherry	on Hickory	on Oak	Thermofoil
box color	box color	box color	box color	box color	box color	box color





5 DAY

OL312 (11 3/4"H)
OL315 (14 3/4"H)
OL318 (17 3/4"H)
OL321 (20 3/4"H)
OL324 (23 3/4"H)
OL327 (26 3/4"H)
OL330 (29 3/4"H)
OL333 (32 3/4"H)
OL336 (35 3/4"H)
OL339 (38 3/4"H)
OL342 (41 3/4"H)
OL384 (79 1/4"H)
OL387 (82 1/4"H)
OL390 (85 1/4"H)
OL393 (88 1/4"H)
OL396 (91 1/4"H)
VOL332 (27 1/4"H)
DOL329 (24 1/4"H)

- 2 25/32" wide overlay fillers can be applied to Wall Message Centers to create custom finished look.
- Overlays match door profile and thickness.
- Finished on front and all edges (backs are not finished).
 Overlays in Aspen Melamine will be door matching with edgebanding.

Finish	Techniques

Distressing	Heirlooming
•	•


Species Availability (Wood)

- 1			1,,			
	Rustic Alder	Cherry	Hickory	Rustic Hickory	Maple	Oak
•	•	•	•	•	•	•

Species Availability (All Laminates)

oponios recumular, van ammuno,						
	Horiz. Grain					
High Gloss	on Maple	on Maple	on Cherry	on Hickory	on Oak	Thermofoil
						•

OVERLAY FILLER, PREMIUM, 2 25/32" WIDE



OL312P (11 3/4"H)
OL315P (14 3/4"H)
OL318P (17 3/4"H)
OL321P (20 3/4"H)
OL324P (23 3/4"H)
OL327P (26 3/4"H)
OL330P (29 3/4"H)
OL333P (32 3/4"H)
OL336P (35 3/4"H)
OL339P (38 3/4"H)
OL342P (41 3/4"H)
OL384P (79 1/4"H)
OL387P (82 1/4"H)
OL390P (85 1/4"H)
OL393P (88 1/4"H)
OL396P (91 1/4"H)
OL396FHP (96 1/4"H)
VOL332P (27 1/4"H)
DOL329P (24 1/4"H)
• 2.25 /22// wide averlay fillers can be applied to Wall

- 2 25/32" wide overlay fillers can be applied to Wall Message Centers to create custom finished look.
- Overlays match door profile and thickness (3/4").
 Front, edges, and backs match door and drawer front construction. Edgebanded on all edges.
- Aspen edgebanding will match door and drawer front edgebanding selection.
- Derazi overlays feature horizontal grain. Overlays greater than 48" high will be two overlays and require field assembly (allow 1/8" gap between overlays for alignment with adjacent doors).

Finish Techniques

Distressing	Heirlooming		

Species Availability (Wood)

- 1			,	•		
Alder	Rustic Alder	Cherry	Hickory	Rustic Hickory	Maple	Oak

	Horiz, Grain	Vort Grain	Vort Grain	Vort Grain	Vort Grain	
High Gloss	on Maple	on Maple	on Cherry	on Hickory	on Uak	Inermotoii
•	•	•	•	•	•	

OVERLAY FILLER, 5 25/32" WIDE



OL612 (11 3/4"H) **5** DAY

		, .	
OL615	(14	3/4"H)	
OL618	(17	3/4"H)	

OL621 (20 3/4"H)

OL624 (23 3/4"H)

OL627 (26 3/4"H)

OL630 (29 3/4"H) OL633 (32 3/4"H)

OL636 (35 3/4"H)

OL639 (38 3/4"H)

OL642 (41 3/4"H) **OL684** (79 1/4"H)

OL687 (82 1/4"H)

OL690 (85 1/4"H)

OL693 (88 1/4"H)

OL696 (91 1/4"H)

VOL632 (27 1/4"H)

DOL629 (24 1/4"H)

- Overlays match door profile and thickness.
- Finished on front and all edges (backs are not finished).
- Overlays in Aspen Melamine will be door matching with edgebanding.

Finish	Techniques
1 1111311	recilliques

Distressing	Heirlooming
•	•

Species Availability (Wood)

Spocios Avanasiiii			, (1100a)			
Alder	Rustic Alder	Cherry	Hickory	Rustic Hickory	Maple	Oak
•	•	•	•	•	•	•

Species Availability (All Edillilates)								
	Horiz. Grain	Vert. Grain	Vert. Grain	Vert. Grain	Vert. Grain			
High Gloss	on Maple	on Maple	on Cherry	on Hickory	on Oak	Thermofoil		
						•		

OVERLAY FILLER, PREMIUM, 5 25/32" WIDE



DESCRIPTION

OL612P (11 3/4"H)
OL615P (14 3/4"H)
OL618P (17 3/4"H)
OL621P (20 3/4"H)
OL624P (23 3/4"H)
OL627P (26 3/4"H)
OL630P (29 3/4"H)
OL633P (32 3/4"H)
OL636P (35 3/4"H)
OL639P (38 3/4"H)
OL642P (41 3/4"H)
OL684P (79 1/4"H)
OL687P (82 1/4"H)
OL690P (85 1/4"H)
OL693P (88 1/4"H)
OL696P (91 1/4"H)
OL696FHP (96 1/4"H)
VOL632P (27 1/4"H)
DOL629P (24 1/4"H)
 Overlays match door profile and thickness (3/4").

- Front, edges, and backs match door and drawer front
- construction. Edgebanded on all edges.

 Aspen edgebanding will match door and drawer front edgebanding selection.
- Derazi overlays feature horizontal grain. Overlays greater than 48" high will be two overlays and require field assembly (allow 1/8" gap between overlays for alignment with adjacent doors).

Finish Technique

	9003
Distressing	Heirlooming

Species Availability (Wood)

openes managem			, (
	Rustic	CI.	111.1	Rustic		0.1
Alder	Alder	Cherry	Hickory	Hickory	Maple	Uak

Species Availability (All Laminates)

	Horiz. Grain					
High Gloss	on Maple	on Maple	on Cherry	on Hickory	on Oak	Thermofoil
•	•	•	•	•	•	

FBF330 (3" x 30")

FBF336 (3" x 36")

TFBF396 (3" x 96")

Glaze in Flute

Finish Techniques Distressing Heirlooming

0ak

Species Availability (vvooa)								
	Rustic			Rustic				
Alder	Alder	Cherry	Hickory	Hickory	Maple	0ak		
•	Alder	•	•	Hickory	•	•		

Species Availability (All Laminates)

	Horiz. Grain					
High Gloss	on Maple	on Maple	on Cherry	on Hickory	on Oak	Thermofoil
box color	box color	box color	box color	box color	box color	box color


FLUTED/BEADED 6" WIDE **REVERSIBLE FILLERS**

284



FBF630 (6" x 30")

FBF636 (6" x 36")






BLVDFF30 (3" x 30")


BLVDFF34.5 (3" x 34 1/2")

BLVDTFF96 (3" x 96")





5_{DAY}



Species Availability (Wood)

Alder	Rustic Alder	Cherry	Hickory	Rustic Hickory	Maple	Oak
•	Alder	•	•	Hickory	•	•

Species Availability (All Laminates)

Species Availability (All Laminates)							
	Horiz. Grain	Vert. Grain	Vert. Grain	Vert. Grain	Vert. Grain		
High Gloss	on Maple	on Maple	on Cherry	on Hickory	on Oak	Thermofoil	
box color	box color	box color	box color	box color	box color	box color	

BOX COLUMN FILLERS, 3" WIDE Wall - Plain Column 15" Deep



DESCRIPTION

Custom Modifications	Finish Techniques
W360BCFP	
W357BCFP	
W354BCFP	
W351BCFP	
W348BCFP	
W342BCFP	
W339BCFP	
W336BCFP	
W333BCFP	
W330BCFP	
W327BCFP	
W324BCFP	
W321BCFP	
W318BCFP	
W315BCFP	
W312BCFP	

-	Custom Mo	difications	Finish Tech	niques
Г	ID	RD	Distressing	Heirlooming
	•	•	•	


Species Availability (Wood)

				•		
Alder	Rustic Alder	Cherry	Hickory	Rustic Hickory	Maple	Oak
_		- '				_
•	Alder	•	•	Hickory	•	•

Species Availability (All Laminates)

	Horiz. Grain	Vert. Grain	Vert. Grain	Vert. Grain	Vert. Grain	
High Gloss	on Maple	on Maple	on Cherry	on Hickory	on Oak	Thermofoil
box color	box color	box color	box color	box color	box color	box color

Wall - Fluted Column 15" Deep



W312BCFF
W315BCFF
W318BCFF
W321BCFF
W324BCFF
W327BCFF
W330BCFF
W333BCFF
W336BCFF
W339BCFF
W342BCFF
W348BCFF
W351BCFF
W354BCFF
W357BCFF
W360BCFF

Custom Modifications Finish Techniques RD Distressing Heirlooming

Species Availability (Wood)

Alder	Rustic Alder	Cherry	Hickory	Rustic Hickory	Maple	Oak
•	Alder	•	•	Hickory	•	•

Species Availability (All Laminates)

	Horiz. Grain					
High Gloss	on Maple	on Maple	on Cherry	on Hickory	on Oak	Thermofoil
box color	box color	box color	box color	box color	box color	box color

Finished edges indicated by bold lines on side view drawings. Glazed edges indicated by arrows on side view drawings.

Schrock^a

3" WIDE (cont'd)

BOX COLUMN FILLERS,

Wall - Beaded Column

W312BCFB

W315BCFB

W318BCFB

W321BCFB

W324BCFB

W327BCFB W330BCFB

W333BCFB

W336BCFB

W339BCFB W342BCFB

W348BCFB

W351BCFB

W354BCFB

W357BCFB

W360BCFB



Custom Modifications RD

Finish Techniques Distressing Heirlooming

Species Availability (Wood)


Species Availability			(11000	,		
	Rustic			Rustic		
Alder	Alder	Cherry	Hickory	Hickory	Maple	0ak
•	Alder	•	•	Hickory	•	•

Species Availability (All Laminates)

- 0		, ,					
		Horiz. Grain	Vert. Grain	Vert. Grain	Vert. Grain	Vert. Grain	
	High Gloss	on Maple	on Maple	on Cherry	on Hickory	on Oak	Thermofoil
	box color	box color	box color	box color	box color	box color	box color

285





B334.527BCFF B334.527BCFB

- Available in 1" depth increments from 6" to 27".
- Reversible, may be used on either left or right end.
- Front and both sides finished.
- Enclosed top and bottom.
- 1/2" plywood construction.
- · Finished veneer on end panel exterior.

•	No reveal on t	iller.		
	Custom Mo	difications	Finish Tech	niques
	ID	RD	Distressing	Heirlooming
		•		•

Species Availability (Wood)

Alder	Rustic Alder	Cherry	Hickory	Rustic Hickory	Maple	0ak
•	Alder	•	•	Hickory	•	•

Species Availability (All Laminates)

	Horiz. Grain					
High Gloss	on Maple	on Maple	on Cherry	on Hickory	on Oak	Thermofoil
box color	box color	box color	box color	box color	box color	box color

15" Deep 12", 15" 18", 21" 24", 27" 30", 33" 36", 39" 42", 48" 51", 54" 57" or 60"

• Available in 1" depth increments from 6" to 27".

Reversible, may be used on either left or right end.
 Front and both sides finished.

• Enclosed top and bottom.

• 1/2" plywood construction.

• Finished veneer on end panel exterior.

• No reveal on filler.


Custom Mo	difications
ID	RD
•	•

Finish Tech	niques
Distressing	Heirlooming
	•

Species Availability (Wood)

speci	es Avu	iliuvilli	/ (vvoou	,		
Alder	Rustic Alder	Cherry	Hickory	Rustic Hickory	Maple	0ak
•	Alder	•	•	Hickory	•	•

	Horiz. Grain	Vert. Grain	Vert. Grain	Vert. Grain	Vert. Grain	
High Gloss	on Maple	on Maple	on Cherry	on Hickory	on Oak	Thermofoil
box color	box color	box color	box color	box color	box color	box color



T38415BCFP (15" Deep)

T38715BCFP (15" Deep)

T39015BCFP (15" Deep)

T39315BCFP (15" Deep)

T39615BCFP (15" Deep)

T38427BCFP (27" Deep)

T38727BCFP (27" Deep)

T39027BCFP (27" Deep)

T39327BCFP (27" Deep)

T39627BCFP (27" Deep)

Custom Modifications RD ID

Finish Techniques Distressing Heirlooming

*ID only available on 15" deep.


es Availability (Wood)

Speci	Rustic Alder Cherr		(11000			
Alder		Cherry	Hickory	Rustic Hickory	Maple	Oak
•	Alder	•	•	Hickory	•	•

Species Availability (All Laminates)

	Horiz. Grain	Vert. Grain	Vert. Grain	Vert. Grain	Vert. Grain	
High Gloss	on Maple	on Maple	on Cherry	on Hickory	on Oak	Thermofoil
box color	box color	box color	box color	box color	box color	box color

Tall - Fluted Column 15" & 27" Deep



T38415BCFF (15" Deep)

T38715BCFF (15" Deep)

T39015BCFF (15" Deep)

T39315BCFF (15" Deep)

T39615BCFF (15" Deep)

T38427BCFF (27" Deep)

T38727BCFF (27" Deep)

T39027BCFF (27" Deep)

T39327BCFF (27" Deep)

T39627BCFF (27" Deep)

Custom Mo	difications
ID	RD
•*	•

Finish Techniques Distressing Heirlooming

*ID only available on 15"

deep.

Species Availability (Wood)


	Rustic			Rustic		
Alder	Alder	Cherry	Hickory	Hickory	Maple	Oak
•	Alder	•	•	Hickory	•	•

Species Availability (All Laminates)

Species A	valiability (All Lamina	ies)			
	Horiz. Grain	Vert. Grain	Vert. Grain	Vert. Grain	Vert. Grain	
High Gloss	on Maple	on Maple	on Cherry	on Hickory	on Oak	Thermofoil
box color	box color	box color	box color	box color	box color	box color

BOX COLUMN FILLERS, 3" WIDE (cont'd) Tall - Beaded Column 15" & 27" Deep

DESCRIPTION



T38415BCFB (15" Deep) **T38715BCFB** (15" Deep) T39015BCFB (15" Deep) T39315BCFB (15" Deep) **T39615BCFB** (15" Deep) T38427BCFB (27" Deep) T38727BCFB (27" Deep)

T39027BCFB (27" Deep)

T39327BCFB (27" Deep)

T39627BCFB (27" Deep)

- Available in 1" depth increments from 6" to 27".
- · Reversible, may be used on either left or right end.
- Front and both sides finished.
- Enclosed top and bottom.
- 1/2" plywood construction.
- · Finished veneer on end panel exterior.
- No reveal on filler.

Custom Modifications RD

Finish Techniques Distressing Heirlooming

*ID only available on 15" deep.


Species Availability (Wood)

	Rustic			Rustic		
Alder	Alder	Cherry	Hickory	Hickory	Maple	0ak
•	Alder	•	•	Hickory	•	•

Species Availability (All Laminates)

	Horiz. Grain on Maple			
	box color			

BOX COLUMN FILLERS, 6" WIDE Wall - Plain Column 15" Deep



W612BCFP W615BCFP W618BCFP W621BCFP W624BCFP W627BCFP W630BCFP W633BCFP W636BCFP W639BCFP W642BCFP W648BCFP W651BCFP W654BCFP W657BCFP W660BCFP

	Custom Mo	difications	Finish Tech	niques
ID RD		Distressing	Heirloomin	
	•	•	•	

Species Availability (Wood)


				•		
	Rustic			Rustic		
Alder	Alder	Cherry	Hickory	Hickory	Maple	0ak
•	Alder	•	•	Hickory	•	•

	Horiz. Grain	Vert. Grain	Vert. Grain	Vert. Grain	Vert. Grain	
High Gloss	on Maple	on Maple	on Cherry	on Hickory	on Oak	Thermofoil
box color	box color	box color	box color	box color	box color	box color

BOX COLUMN FILLERS,

DESCRIPTION

6" WIDE (cont'd) Wall - Fluted Column 15" Deep



W612BCFF	
W615BCFF	
W618BCFF	
W621BCFF	
W624BCFF	
W627BCFF	
W630BCFF	
W633BCFF	

MODEL

W633BCFF	
W636BCFF	
W639BCFF	
W642BCFF	
W648BCFF	
W651BCFF	
W654BCFF	
W657BCFF	
W660RCFF	

Custom Modifications			Finish Tech	niques
ID	RD		Distressing	Heirlooming
•	•			•

Species Availability (Wood)							
	Alder	Rustic Alder		Hickory	Rustic Hickory	Maple	
	•	Alder	•	•	Hickory	•	


0ak

Species	Availability	(All	Laminates
2hcric3	Avullubilliy	1211	Lullilliules

abouton 1	valiability (All Edilling	103)			
	Horiz. Grain	riz. Grain Vert. Grain Vert. Grai		Vert. Grain	Vert. Grain	
High Gloss	on Maple	on Maple	on Cherry	on Hickory	on Oak	Thermofoil
box color	box color	box color	box color	box color	box color	box color

DESCRIPTION

BOX COLUMN FILLERS, 6" WIDE (cont'd) Wall - Beaded Column 15" Deep



MODEL
W612BCFB
W615BCFB
W618BCFB
W621BCFB
W624BCFB
W627BCFB
W630BCFB
W633BCFB
W636BCFB
W639BCFB
W642BCFB
W648BCFB
W651BCFB
W654BCFB
W657BCFB
W660BCFB

- Available in 1" depth increments from 6" to 27".
- Reversible, may be used on either left or right end.
 Front and both sides finished.
- Enclosed top and bottom.
- 1/2" plywood construction.
- Finished veneer on end panel exterior.
- No reveal on filler.


	Custom Modifications					Fi	nish Tech	niques	iques	
ſ		ID		RD		D	istressing	Heirlo	omin	
		•		•				•	,	
		Speci	ies Ava	ilability	(W	ood)			
		Alder	Rustic Alder	Cherry	Hick	ory	Rustic Hickory	Maple	Oa	
		•	Alder	•	•		Hickory	•	•	

	Horiz. Grain					
High Gloss	on Maple	on Maple	on Cherry	on Hickory	on Oak	Thermofoil
box color	box color	box color	box color	box color	box color	box color

B634.527BCFP



288




Custom Mo	difications	Finish Tech	niques
ID RD		Distressing	Heirloomi
	•	•	

Species Availability (Wood)

Alder	Rustic Alder	Cherry	Hickory	Rustic Hickory	Maple	Oak
•	Alder	•	•	Hickory	•	•

Species Availability (All Laminates)

	Horiz. Grain					
High Gloss	on Maple	on Maple	on Cherry	on Hickory	on Oak	Thermofoil
box color	box color	box color	box color	box color	box color	box color



B634.527BCFF

B634.527BCFB

- Available in 1" depth increments from 6" to 27".
- Reversible, may be used on either left or right end.
- Front and both sides finished.
- Enclosed top and bottom.
- 1/2" plywood construction.
- Finished veneer on end nanel exterior

No reveal on filler.										
	Custom Mo	difications	Finish Techniques							
	ID	RD		Distressing	Heirlooming					
		•			•					
	Species Availability (Wood)									

Alder Alder Cherry Hickory Hickory Maple

Rustic

Hickory


Species Availability (All Laminates)

High Gloss	Horiz. Grain on Maple					
box color	box color	box color	box color	box color	box color	box color

Alder

BOX COLUMN FILLERS, 6" WIDE

Tall - Plain Column 15" & 27" Deep



T68	415F	SCFP	(15"	Deer

T68715BCFP (15" Deep)

T69015BCFP (15" Deep)

T69315BCFP (15" Deep)

T69615BCFP (15" Deep)

T68427BCFP (27" Deep)

T68727BCFP (27" Deep) **T69027BCFP** (27" Deep)

T69327BCFP (27" Deep)

T69627BCFP (27" Deep)

Custom Modifications ID RD

Finish Tech	niques
Distressing	Heirlooming
•	

*ID only available on 15"

Species Availability (Wood)


Alder	Rustic Alder	Cherry	Hickory	Rustic Hickory	Maple	Oak
•	Alder	•	•	Hickory	•	•

Species Availability (All Laminates)

	Horiz. Grain					
High Gloss	on Maple	on Maple	on Cherry	on Hickory	on Oak	Thermofoil
box color	box color	box color	box color	box color	box color	box color

BOX COLUMN FILLERS, 6" WIDE (cont'd) Tall - Fluted Column 15" & 27" Deep

DESCRIPTION



T68415BCFF (15" Deep)
T68715BCFF (15" Deep)
T69015BCFF (15" Deep)
T69315BCFF (15" Deep)
T69615BCFF (15" Deep)
T68427BCFF (27" Deep)
T68727BCFF (27" Deep)
T69027BCFF (27" Deep)
T69327BCFF (27" Deep)
T69627BCFF (27" Deep)

Custom Modifications			Finish Tech	niques
ID	RD		Distressing	Heirloomin
•*	•			•

*ID only available on $15^{\prime\prime}$


Species Availability (Wood)

			,	•		
Alder	Rustic Alder	Cherry	Hickory	Rustic Hickory	Maple	Oak
•	Alder	•	•	Hickory	•	•

Species Availability (All Laminates)

٠							
		Horiz. Grain	Vert. Grain	Vert. Grain	Vert. Grain	Vert. Grain	
	High Gloss	on Maple	on Maple	on Cherry	on Hickory	on Oak	Thermofoil
	box color	box color	box color	box color	box color	box color	box color

Tall - Beaded Column 15" & 27" Deep



T68415BCFB (15" Deep)
T68715BCFB (15" Deep)
T69015BCFB (15" Deep)
T69315BCFB (15" Deep)
T69615BCFB (15" Deep)
T68427BCFB (27" Deep)
T68727BCFB (27" Deep)
T69027BCFB (27" Deep)
T69327BCFB (27" Deep)
T69627BCFB (27" Deep)

- Available in 1" depth increments from 6" to 27".
- Reversible, may be used on either left or right end.
- Front and both sides finished.
- · Enclosed top and bottom.
- 1/2" plywood construction.
- Finished veneer on end panel exterior.
- · No reveal on filler.

Custom Mo	difications
ID	RD
•*	•

i iiiisii ietiiiiques						
Distressing	Heirlooming					
	•					

Finish Tachniquas


*ID only available on 15"

Species Availability (Wood)

	Rustic			Rustic		
Alder		Cherry	Hickory		Maple	0ak
•	Alder	•	•	Hickory	•	•

Species Availability (All Edillidies)						
	Horiz. Grain	Vert. Grain	Vert. Grain	Vert. Grain	Vert. Grain	
High Gloss	on Maple	on Maple	on Cherry	on Hickory	on Oak	Thermofoil
box color	box color	box color	box color	box color	box color	box color

WAINSCOTING, 34 $1/2^{\prime\prime}$ or 40 $1/2^{\prime\prime}$ HIGH Grain



Model	Cubic Feet
WAIN1534.5	1.2
WAIN1834.5	1.4
WAIN2134.5	1.7
WAIN2434.5	1.9
WAIN1540.5	1.4
WAIN1840.5	1.7
WAIN2140.5	1.9
WAIN2440.5	2.2
WAIN3034.5	2.3
WAIN3634.5	2.8
WAIN4834.5	3.6
WAIN3040.5	2.7
WAIN3640.5	3.2
WAIN4840.5	7.3
	Γ
WAIN6034.5	4.5
WAIN6040.5	5.3
WAIN7234.5	5.4
WAIN7240.5	6.3

- Panel is 1 1/2" thick including doors. Non-operating doors are applied to 3/4" thick rail and stile frame with full access door sizes and reveals.
 Flush Toekick standard.
- Wainscoting panel backs are not finished, but are sealed to prevent warping and cracking.
- All faces and edges will be finished.
- For use on bars or islands, attach panel by securing the panel face frame through the inside of the applicable cabinet.
- For wall applications, the screw heads used for the panel face frame attachment to the wall can be concealed behind the doors and drawer fronts.

	Overall	Number	Number of Frame	Door
Product Code	Width	of Doors	Center Stiles	Width
WAIN15	15"	1	0	14 27/32"
WAIN18	18"	1	0	17 27/32"
WAIN21	21"	1	0	20 27/32"
WAIN24	24"	1	0	23 27/32"
WAIN30	30"	2	1	14 27/32"
WAIN36	36"	2	1	17 27/32"
WAIN48	48"	2	1	23 27/32"
WAIN60	60"	4	3	14 27/32"
WAIN72	72"	3	2	23 27/32"


Door height on 34 1/2'' high panels is 29 3/4''. Door height on 40 1/2'' high panels is 35 3/4''.


Custom Modifications					
FTK	VTK				
STD	•				

	•
	Door Options
ĺ	DPSRR
ı	•

inish Techniques					
Distressing	Heirlooming				
_					

Custom Doors with Hinge Routing





3513/16" centered to 615/16" 7/8" 3/8 203/4" 613/8" 72"

bore: 8mm dia. x 11mm deep

bore: 35mm dia.

203/4" 3/32

113/64"

DOORBL

DOORBR

DOORWL

DOORWR

- Plastic mollies pressed in 8mm holes to accept screws to anchor the hinges to the back of these doors.
- · Hinges must be ordered separately.
- Available in all door styles except Aspen, Derazi, Gallio, Prestley, and Reflection. For Aspen, Derazi, and Gallio, use DOORSLAB (see page 291). For Prestley and Reflection, standard door sizes must be ordered.
- Doors are finished on both sides and routed for hinges.
- CG modification available, maximum size is 23 1/2" x 43″.
- Custom dimensions are required when placing order and can be specified in 20/20 or on the order form.


Finish Techniques

Distressing	Heirlooming
•	•

	Model	Door Style Type	Available Width Range*	Available Height Range
	DOORB and DOORW	Non-Miter Styles	7 1/2" to 24" (<3" wide rails/stiles)	10" to 47 7/16" (<3" wide rails/stiles)
Grain			8 1/2" to 24" (3" wide rails/stiles)	10" to 47 7/16" (3" wide rails/stiles)
† Grain	DOORB and DOORW	Non-Miter Styles	7 1/2" to 24" (<3" wide rails/stiles)	47 1/2" to 72" (<3" wide rails/stiles)
Grain			8 1/2" to 24" (3" wide rails/stiles)	47 1/2" to 72" (3" wide rails/stiles)
Grain	DOORB and DOORW	Miter Styles	8" to 24"	10" to 61"
*Any door with a minim	l um width dimonsion loss	than 10" will receive a	elat contor nanol	

*Any door with a minimum width dimension less than 10" will receive a flat center panel.

Custom Doors with Hinge Routing, Slab Styles



bore: 8mm dia. x 11mm deep bore: 35mm dia. x 11mm deep

203/4" 3/32" 23/8" 113/64

DOORSLAB

- $\bullet\,$ Available in slab door styles: Aspen, Derazi, and Gallio.
- Doors are finished on both sides and routed for hinges.
- Hinges must be ordered separately.
- Plastic mollies pressed in 8mm holes to accept screws to anchor the hinges to the back of these doors.
- Custom dimensions are required when placing order and can be specified in 20/20 or on the order form.

Finish Techniques

Distressing	Heirloomin

	Model	Door Style Type	Available Width Range	Available Height Range
Grain	DOORSLAB	Vertical Grain or High Gloss	5" to 24"	10" to 72"
←— Grain ——	DOORSLAB	Horizontal Grain	5" to 24"	10" to 48"


All custom panels and doors can be ordered through 20/20. For manual orders, please fax the order form to customer service. See page 294.

Due to customized ordering, Decorative Appliance Panels may not be returned.

Custom Panels & Doors (DAPNL.. and DADOOR..) square footage requirements are calculated by multiplying the height and width for each panel and door (square footage = width x height (in inches)/144).

Custom Panels

292



DAPNL1/4

DAPNL3/4

- DAPNL1/4 includes 1/4" finished veneer on MDF core, panel cut to fit appliance doors. Panels mount to the appliance using trim kits provided by the appliance supplier.
- DAPNL1/4 is finished on face only, edges are not finished.
- DAPNL3/4 kit includes 3/4" furniture board core veneer panel finished on both sides, and all four edges. Panel is cut to fit appliance doors, and mounts to the appliance using trim kits provided by the appliance supplier.
- Custom sizes available in 1/16" increments.
- DAPNL3/4 can be ordered in APC.

	Maximum Width	Minimum Width	Maximum Height	Minimum Height
DAPNL1/4	48"	5"	96"	5″
DAPNL3/4*	48"	5"	48"	5"
DAPNL3/4**	30"	5"	96"	5"

*If DAPNL3/4 is 48" high or less **If DAPNL3/4 is greater than 48" high Grain on panels will follow the height dimension (vertical)

Finish Techniques

Ī	Distressing	Heirlooming
Γ		

Species Availability (Wood)


species Availability		species Availability (1100a)				
Alder	Rustic	Charry	Hickory	Rustic Hickory	Manla	Oak
Aluci	Aluci	CHOILY	HILKULY	HILKULY	Mahie	Ouk
•	Alder	•	•	Hickory	•	•

Species Availability (All Laminates)

	Horiz. Grain on Maple					
box color	box color	box color	box color	box color	box color	box color

Custom Panels, Premium

DESCRIPTION



DAPNL1/4P

DAPNL3/4P

MODEL

DAPNL1/4HGP

DAPNL3/4HGP

- DAPNL1/4P and DAPNL1/4HGP are 1/4" thick laminated MDF panels cut to fit appliance doors. Laminated on face only, edges are not finished.
- DAPNL3/4P and DAPNL3/4HGP are 3/4" thick laminated MDF panels. Vertical and horizontal grain panels are laminated on both sides with edgebanding on all four edges. High Gloss panels have high gloss on front of panel, back of panel is white melamine. Edgebanding on all four edges will match door and drawer front edgebanding selection.
- $\bullet \ \ DAPNL1/4P$ and DAPNL3/4P are available for use with Gallio featuring vertical grain or with Aspen featuring high gloss or melamine.
- DAPNL1/4HGP and DAPNL3/4HGP are available for use with Derazi featuring horizontal grain.
- Panel is cut to fit appliance doors, and mounts to the appliance using trim kits provided by the appliance supplier.
- Custom sizes available in 1/16" increments.

Model	Panel Type	Maximum Width	Minimum Width	Maximum Height	Minimum Height
DAPNL1/4P	Vertical Grain or High Gloss	48″	5″	96″	5″
DAPNL3/4P (48" high or less)	Vertical Grain or High Gloss	48″	5″	48″	5″
DAPNL3/4P (>48" high)	Vertical Grain or High Gloss	30"	5"	96"	5″
DAPNL1/4HGP	Horizontal Grain	96″	5″	48″	5″
DAPNL3/4HGP	Horizontal Grain	48"	5″	48″	5″
DAPNL3/4HGP (>48" wide)	Horizontal Grain	96"	5″	30″	5″

Finish Techniques

Distressing	Heirlooming		

Species Availability (Wood)

Species Availability			iy (woou)			
Alder	Rustic Alder		Hickory	Rustic Hickory	Maple	0ak


Cnocine Availability (All La

Species Availability (All Edillillates)						
	Horiz. Grain					
High Gloss	on Maple	on Maple	on Cherry	on Hickory	on Uak	Thermotoil
•	●*	•	•	•	•	


^{*}Only available on DAPNL1/4HGP and DAPNL3/4HGP.

Custom Doors


Overlay Application (with Backer Panel)



Overlay Application (no Backer Panel)



Framed Application



DADOORB

DADOORW

DADOORHG

- DADOORB is a custom sized door with vertical center panel grain.
- DADOORW is a custom sized door with vertical center panel grain.
- DADOORHG is a custom sized door with horizontal center panel grain.
- DADOORHG will utilize a flat panel on raised panel styles when width or height is less than 10".

 Includes a 3/4" thick door made to a custom size for the
- appliance front. No backer panel included.
 - –Some appliances require a .10" spacer and/or a 1/4" backer panel.
 - -The 1/4" backer panel may be ordered separately (see DAPNL1/4).
- All doors will be specified "NO HINGE ROUTE". Backs may have identification marks, be unfinished, and have 3/16" diameter holes used during finish processing. For these reasons, these doors are not suitable for use as cabinet
- DADOORB and DADOORW not available in Aspen, Derazi, Gallio, Prestley, and Reflection. DADOORHG not available in Aspen, Derazi, Gallio, Prestley, Reflection, and Whittaker. For Decorative Appliance Panels, standard door sizes must be ordered.
- Custom sizes available in 1/16" increments.
- CG modification available, maximum size is 23 1/2" x 43" for DADOORB and DADOORW, and 43" x 23 1/2" for DADOORHG.

Finish Techniques Distressing Heirlooming

	Model	Door Style Type	Available Width Range*	Available Height Range*
Grain	DADOORB and DADOORW	Non-Miter Styles	7 1/2" to 25 7/8" (<3" wide rails/stiles) 8 1/2" to 25 7/8" (3" wide rails/stiles)	7 1/2" to 47 7/16" (<3" wide rails/stiles) 8 1/2" to 47 7/16" (3" wide rails/stiles)
Crain L Crain	DADOORB and DADOORW	Non-Miter Styles	7 1/2" to 25 7/8" (<3" wide rails/stiles) 8 1/2" to 25 7/8" (3" wide rails/stiles)	47 1/2" to 72" (<3" wide rails/stiles) 47 1/2" to 72" (3" wide rails/stiles)
t Grain Grain	DADOORB and DADOORW	Non-Miter Styles	25 15/16" to 35 3/4" (<3" wide rails/stiles) 25 15/16" to 35 3/4" (3" wide rails/stiles)	7 1/2" to 47 7/16" (<3" wide rails/stiles) 8 1/2" to 47 7/16" (3" wide rails/stiles)
Grain Grain Grain Grain Grain Grain	DADOORB and DADOORW	Non-Miter Styles	25 15/16" to 35 3/4" (<3" wide rails/stiles) 25 15/16" to 35 3/4" (3" wide rails/stiles)	47 1/2" to 72" (<3" wide rails/stiles) 47 1/2" to 72" (3" wide rails/stiles)
Grain	DADOORB and DADOORW	Miter Styles	8" to 25 7/8"	8" to 61"
	DADOORHG	Non-Miter Styles	7 1/2" to 42 1/4" (<3" wide rails/stiles) 8 1/2" to 42 1/4" (3" wide rails/stiles)	7 1/2" to 23 3/4" (<3" wide rails/stiles) 8 1/2" to 23 3/4" (3" wide rails/stiles)
	DADOORHG	Miter Styles	8" to 61"	8" to 24"

^{*}Any door with a minimum width or height dimension less than 10" will receive a flat center panel.

DECORATIVE APPLIANCE PANEL ORDER FORM Use one order form per appliance. Refer to Spec Book for door style availability, door style limitations


Account #			on*			D∩ #•					
	_					Silip id					
STEP 2:	Appliance App	lication or l	No Appliance* —	- Circle Choi	ce (For app	liance applications, cir	cle one applianc	ce type below per order	r form)		
	• • •	nd Name a	nd Model Numbe	r							
Refrigerator/			allal /					1		/Trash Com Wine Cooler	
Single Door		Side-by-Side w/Dispenser	Side-by-Side w/ Dispenser & TV	Top/B	ottom	Top/Bottom w/Drawers	French Door	Under Counter	Dishwasher	Dishwasher	Trash Compacto
A	A B	A C	A C	A I	A	A	A B		Standard —	Standard —	Ice Maker
		В	B E	В	B I	B —		A	A	A R	A
Single Door	Side-by-Side	Side-by-Side w/Dispenser	Side-by-Side w/ Dispenser/TV				French Door	Under Counter	Dishwasher	Dishwasher	
w/Grill	w/Grill	& Grill	& Grill	Top/Botto	m w/Grill		w/Dispenser		Double	Single	we c.l.
A	A B	A C	A C	A I	A		A I C		Drawer	Drawer	Wine Cooler
		B	B E	B			B	A — B —	A B	A	A I
oxdot		В	БЕ		B I		L L	(В		
STEP 3:	Dravida Dima	nsions in In	ches for Panels o	and/or Do	ors Need	1: 1 1	*				
Custom Pa	nels — Dimensions	for Custom Si	ze Panel(s) and/or	Door(s)							
Custom Pa	nels — Dimensions	for Custom Si. 4P, DAPN I	ze Panel(s) and/or L3/4, DAPNL3	Door(s) B/4P, D	APNL1/4	HGP, or DAPN	IL3/4HGI				
Custom Pa	nels — Dimensions	for Custom Si. 4P, DAPNI A	ze Panel(s) and/or L3/4, DAPNL3 i	Door(s) 3/4P, D A n. width	APNL1/ 4 ×	HGP, or DAPN_in	IL3/4HGF . height =	:	square		
Custom Pa	nels — Dimensions	for Custom Si. 4P, DAPNI A B	ze Panel(s) and/or L3/4, DAPNL3 i i	Door(s) 3/4P, DA n. width n. width	XPNL1/4 ×	HGP, or DAPN in in	IL3/4HGF . height = . height =	:	square square	inches	
Custom Pa	nels — Dimensions	for Custom Si 4P, DAPNI A B C	ze Panel(s) and/or L3/4, DAPNL3 i i	Door(s) 3/4P, DA n. width n. width n. width	XPNL1/4	HGP, or DAPN in in	IL3/4HGF . height = . height = . height =	:	square square square	e inches e inches	total square in
Custom Pa	nels — Dimensions	for Custom Si 4P, DAPNI A B C D	ze Panel(s) and/or L3/4, DAPNL3 i i i	Door(s) 3/4P, DA n. width n. width n. width n. width	XPNL1/4 X X X	HGP, or DAPN in in in	IL3/4HGI . height = . height = . height = . height =		square square square	e inches e inches e inches	total square in
Custom Par DAPNL1/	nels — Dimensions /4, DAPNL1/4	for Custom Si 4P, DAPNI A B C D E	ze Panel(s) and/or L3/4, DAPNL3 i i i i	Door(s) 3/4P, DA n. width n. width n. width n. width	XPNL1/4 X X X	HGP, or DAPN in in in	IL3/4HGI . height = . height = . height = . height =		square square square	e inches e inches e inches	total square in
Custom Par DAPNL1/	nels — Dimensions /4, DAPNL1/4 or Custom Do	for Custom Si 4P, DAPNI A B C D E cors — Cir	ze Panel(s) and/or L3/4, DAPNL3 i i i i rcle Choice	Door(s) 3/4P, DA n. width n. width n. width n. width n. width	X X X X X X X X X X X X X X X	HGP, or DAPN in in in in in	IL3/4HGI . height = . height = . height = . height =		square square square	e inches e inches e inches	total square ir
Custom Par DAPNL1 / Standard Standard D	nels — Dimensions /4, DAPNL1 /4 or Custom Do Ooor Sizes — Dime *Sup	for Custom Si 4P, DAPNI A B C D E Oors — Cir ensions for Par	ze Panel(s) and/or L3/4, DAPNL3 i i i i rcle Choice nels with Standard Domensions (width and	Door(s) 3/4P, DA n. width n. width n. width n. width n. width oor Sizes (C	X X X X X X X X X X X X X X X X X X X	HGP, or DAPN in in in in in in in unufacturer)	IL3/4HGI . height =		square square square square	e inches e inches e inches e inches	total square ir
Custom Par DAPNL1/ Standard D DADOORE	or Custom Do Ooor Sizes – Dime *Sup B, DADOORW, 6	for Custom Si 4P, DAPNI A B C D E cors — Cir ensions for Par poply overall dia	ze Panel(s) and/or L3/4, DAPNL3 i i i i rcle Choice nels with Standard Dr mensions (width and ORHG — Circle	Door(s) 3/4P, DA n. width n. width n. width n. width oor Sizes (C) height for e Door Choice	X X X X X X X X X X X X A A A A A A A A	HGP, or DAPNininininininini	IL3/4HGI . height =	: : : : : : : : : : : : : : : : : : :	square square square square panel dimension	e inches e inches e inches e inches e inches	total square in
Standard Standard DADOORE	or Custom Do Ooor Sizes — Dime *Sup B, DADOORW or DAD	for Custom Si 4P, DAPNI A B C D E cors — Cir ensions for Par poply overall dir and DADO DOORHG	ze Panel(s) and/or L3/4, DAPNL3 i i i i rcle Choice nels with Standard Do mensions (width and ORHG — Circle	Door(s) 3/4P, DA n. width n. width n. width n. width oor Sizes (C) height for a Door Choice in. width	X APNL1/4 X X X X X X X X X A A A A A A A A A A	HGP, or DAPN in	IL3/4HGI . height =	: : : : : : : : : : : : : : : : : : :	square square square square square square	e inches e inches e inches e inches e inches e inches	total square in
Standard DADOORB OF DA	or Custom Do Ooor Sizes — Dime *Sup B, DADOORW, or T DADOORW or DAD T DADOORW or DAD	for Custom Si 4P, DAPNI A B C D E Poors — Cir ensions for Par poply overall dir and DADOG DOORHG DOORHG	ze Panel(s) and/or L3/4, DAPNL3 i i i i i i rcle Choice nels with Standard Do mensions (width and ORHG — Circle	Door(s) 3/4P, DA n. width n. width n. width n. width oor Sizes (C l height for a Door Choice in. width	X X X X X X X X X X X X X X X X X X X	HGP, or DAPN in in in in in in sinufacturer) Ily). Doors will be s	IL3/4HGI . height =	inufacturer to best fit	square square square square square square square	e inches e inches e inches e inches e inches e inches	total square in
Standard Standard DADOORB OF DADO	or Custom Do Ooor Sizes — Dime *Sup B, DADOORW, or T DADOORW or DAD T DADOORW or DAD T DADOORW or DAD T DADOORW or DAD	for Custom Si 4P, DAPNI A B C D E Fors — Cir ensions for Par poply overall dir and DADO DOORHG DOORHG DOORHG DOORHG	ze Panel(s) and/or L3/4, DAPNL3 i i i i i i i i i i i i i i i i i i i	Door(s) 3/4P, DA n. width n. width n. width n. width oor Sizes (C height for e Door Choicein. widthin. width	xx x	HGP, or DAPN in in in in in in in in in Ending the service of the	IL3/4HGI . height = in. height = in. height =	inufacturer to best fit	square square square square square square panel dimension squar square	e inches	
Standard D ADOORB DADOORB OF DAD	or Custom Do Ooor Sizes — Dime *Sup B, DADOORW, or T DADOORW or DAI T DADOORW or DAI T DADOORW or DAI T DADOORW or DAI	for Custom Si 4P, DAPNI A B C D E Poors — Cir ensions for Par poply overall dia and DADO DOORHG DOORHG DOORHG DOORHG DOORHG DOORHG DOORHG	ze Panel(s) and/or L3/4, DAPNL3 i i i i i i rcle Choice nels with Standard Do mensions (width and ORHG — Circle	Door(s) 3/4P, DA n. width n. width n. width n. width cor Sizes (C height for a Door Choicein. widthin. widthin. width	X PNL1/4 X X X X X X X X X X X X X X X X X X X	HGP, or DAPN in in in in in in in sunufacturer) Ily). Doors will be s	IL3/4HGI . height = in. height = in. height = in. height =	inufacturer to best fit	square square square square square square square square square	e inches	total square in

DESCRIPTION

MODEL

PANELS & SKINS

PANEL SKINS, TALL



TEPS1296WD

TEPS12102WD ◆

TEPS12108WD ◆

TEPS12120WD •

TEPS96WD

TEPS102WD •

TEPS108WD +

TEPS120WD ◆

- TEPS__WD in Stains: 1/4" thick veneered furniture board.
- TEPS__WD in Paints: 1/4" thick veneered or solid furniture board.
- Can be used with Small Scribe Moulding (SSM8 or SSM10) or Under Panel Moulding (UPM8) to conceal raw

Custom I	Nodifications
ID	RD

Finish Techniques					
Distressing	Heirlooming				

*ID not available on 12" deep.

Species Availability (Wood)

Aluei	Alder	e	HICKOTY	Hickory	Muple	• Ouk
Aldor	Rustic	Chorry	Hickory	Rustic Hickory	Manlo	Oak


• Only available in Cherry and Maple.

Species Availability (All Laminates)

	Horiz. Grain					
High Gloss	on Maple	on Maple	on Cherry	on Hickory	on Oak	Thermofoil
box color	box color	box color	box color	box color	box color	box color

Only available in Cherry and Maple box colors.

PANEL SKINS, **PREMIUM - TALL**



TEPS1296P

TEPS12102P

TEPS12108P

TEPS12120P

TEPS96P

TEPS102P

TEPS108P

TEPS120P

- 1/4" thick laminated MDF.
- High Gloss panels do not have grain.
- Can be used with Small Scribe Moulding (SSM8P or SSM10P) or Under Panel Moulding (UPM8P) to conceal raw edge.

Custom Modifications

Finish Techniques

Hickory

Distressing Heirlooming

ID	RD
•	•

Species

	•			
Av	ailability	(Woo	d)	
ustic			Rustic	

Species Availability (All Laminates)

Spotios A	valiability (All Edilling	103)			
	Horiz. Grain					
High Gloss	on Maple	on Maple	on Cherry	on Hickory	on Oak	Thermofoil
•		•*	•	•	•	

*TEPS12102P, TEPS12108P, TEPS12120P, TEPS102P, TEPS108P, and TEPS120P not available in Squall.

FINISHED BACK SKINS

96

BP4896WD

- \bullet BP4896WD in Stains: 1/4" thick veneered furniture
- BP4896WD in Paints: 1/4" thick veneered or solid furniture board.
- For custom sizes refer to DAPNL 1/4.
- Can be used with Small Scribe Moulding (SSM8 or SSM10) or Under Panel Moulding (UPM8) to conceal raw

Custom Modifications			Finish Tech	niques
ID	ID RD		Distressing	Heirlooming

295

Species Availability (Wood)

<u> </u>	n			D .:		
	Rustic			Rustic		
Alder	Alder	Cherry	Hickory	Hickory	Maple	0ak
•	Alder	•	•	Hickory	•	•
	Aluci		,	HICKUTY	_	_

Species Availability (All Laminates)

	· · · · / ·					
	Horiz. Grain					
High Gloss	on Maple	on Maple	on Cherry	on Hickory	on Oak	Thermofoil
box color	box color	box color	box color	box color	box color	box color

FINISHED BACK SKINS,


PREMIUM

BP4896P

- 1/4" thick laminated MDF.
- High Gloss panels do not have grain.
- Can be used with Small Scribe Moulding (SSM8P or CSM3CS) SSM10P) or Under Panel Moulding (UPM8P) to conceal raw edge.

Rustic

Hickory



High Class	Horiz. Grain on Maple					
THYLL CIUSS	on mupie	on mupie	OII CHEITY	Ull Hickory	UII UUK	HIGHHOUN
•		•	•	•	•	

BACK SKIN, INTERIOR

96

BP4896NIP

BP4896LAM

- BP4896LAM is 1/4" thick furniture board with Natural Maple laminate to match standard cabinet interior.
- BP4896NIP is 1/4" thick plywood with clear coated veneer to match APC cabinet interior.

PANELS & SKINS

CROSS GRAIN VENEER BACK SKIN 1/4" PANELS

BP9634.5CRSGR

BP9640.5CRSGR

341/2" 401/2" or 48"

BP9648CRSGR

- _CRSGR is a 1/4" thick veneered panel BP96_ with an MDF core.
- When ordered in Paint finishes, panels will use vertical grain as grain will not be visible
- · Can be used with Small Scribe Moulding (SSM8 or SSM10) or Under Panel Moulding (UPM8) to conceal raw

Custom Mo	dification
ID	RD

Finish Techniques Distressing Heirlooming

Species Availability (Wood)

Alder	Rustic Alder	Cherry	Hickory	Rustic Hickory	Maple	Oak
•	Alder	•	•	Hickory	•	•

Species Availability (All Laminates)

	, ,		,			
	Horiz. Grain	Vert. Grain	Vert. Grain	Vert. Grain	Vert. Grain	
High Gloss	on Maple	on Maple	on Cherry	on Hickory	on Oak	Thermofoil
box color	box color	box color	box color	box color	box color	box color

WOOD V-GROOVED BEADED SKIN 1/4" PANELS



BP4830VG

BP4834.5VG BP4896VG[†]

- BP48__VG is a 1/4" thick veneered panel with an MDF
- V-groove on 3" centers.
- · Can be used with Small Scribe Moulding (SSM8 or SSM10) or Under Panel Moulding (UPM8) to conceal raw
- †5 day Express Response not available on items greater than 48"

Custom Mo	dification
ID	RD

Finish Techniques Distressing Heirlooming

Species Availability (Wood)

Alder	Rustic Alder	Cherry	Hickory	Rustic Hickory	Maple	Oak
•	Alder	•	•	Hickory	•	•

Species Availability (All Laminates)

			Horiz. Grain Vert. Grain Vert. G					
High Gloss	on Maple	on Maple	on Cherry	on Hickory	on Oak	Thermofoil		
box color	box color	box color	box color	box color	box color	box color		

HORIZONTAL GRAIN 1/4" SKIN, PREMIUM

341/2

or 48'

PANELS & SKINS



14PANEL4834.5P

14PANEL4848P

14PANEL9634.5P[†]

14PANEL9648P[†]

- 1/4" thick laminated MDF.
- Can be used with Small Scribe Moulding (SSM8P or SSM10P) or Under Panel Moulding (UPM8P) to conceal
- [†]5 day Express Response not available on items greater than 48"

Custom Modifications

Finish Techniques Distressing Heirlooming

Species Availability (Wood)

			()				
Alder	Rustic Alder	Cherry	Hickory	Rustic Hickory	Maple	Oak	

Species Availability (All Laminates)

	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,							
	Horiz. Grain							
High Gloss	on Maple	on Maple	on Cherry	on Hickory	on Oak	Thermofoil		
	•							

Schrock^a

HORIZONTAL GRAIN 3/4" PANEL, PREMIUM

DESCRIPTION

Grain

24

or 48"

341/2

12" 34¹/₂' or 48"



34PANEL1230P

34PANEL1248P

34PANEL2434.5P

34PANEL4812P

34PANEL4834.5P


34PANEL4848P

34PANEL9612P[†]

34PANEL9624P[†]

34PANEL9630P[†]

- 3/4" thick laminated MDF.
- 34PANEL4812P and 34PANEL9612P recommended for exterior shelf material.
- Edgebanded on one short side and one long side only. Other edges will require moulding if exposed.
- †5 day Express Response not available on items greater than 48"



48"

Custom Modifications RD




Species Availability (Wood)

				()			
Α		Rustic Alder	Cherry	Hickory	Rustic Hickory	Maple	Oak

Species Availability (All Laminates)

	species Availability (All Editinates)										
		Horiz. Grain on Maple									
ı	111g11 01055	on mapio	on mapio	on enong	011 11101011	on our	1110111101011				
		•									

END PANELS, WALL



WEP1230WD

WEP1230LAM ◆

- WEP1230WD in Stains: 3/4" thick veneered furniture board.
- WEP1230WD in Paints: 3/4" thick veneered or solid
- furniture board. • WEP1230LAM is 3/4" thick laminated furniture board
- (white only).
- Panels are finished on two sides and front edge.

Custom Modifications

	ID	RD	APC	MIP	Finish Techniques				
Laminate	•	•				Distressing	Heirloo		
Wood	•	•	•						

Species Availability			y (Wood)			
	Rustic Alder	Cherry	Hickory	Rustic Hickory	Maple	Oak
•	Alder	•	•	Hickory	•	•

Only available in White laminate.

Species Availability (All Editiliares)						
	Horiz. Grain					
High Gloss	on Maple	on Maple	on Cherry	on Hickory	on Oak	Thermofoil
box color	box color	box color	box color	box color	box color	box color

Only available in White laminate.

30'

END PANELS, PREMIUM - WALL



WEP1230P

- 3/4" thick laminated MDF.
- High Gloss panels will have high gloss on front of panel and back of panel will be white melamine. Edgebanding will match door and drawer front edgebanding selection.
- High Gloss panels do not have grain.
 Edgebanded on front edge top and
- , top, and bottom.

•	Eage	ebanaei	a on troi	it eage, i
	Cust	om N	lodific	itions
	ID	RD	APC	MIP
	•	•		

Finish Tech	niques
Distressing	Heirlooming

Species Availability (Wood)

		 •	•		
	Rustic Alder	Hickory	Rustic Hickory	Maple	Oak

Species Availability (All Laminates)

	Horiz. Grain on Maple					
•		•	•	•	•	

END PANELS, BASE

34 1/2



BEPWD

BEPLAM

- BEPWD in Stains: 3/4" thick veneered furniture board.
- BEPWD in Paints: 3/4" thick veneered or solid furniture
- ullet BEPLAM is $3/4^{\prime\prime}$ thick laminated furniture board (white only).
- Panels are finished on two sides and front edge.

Custom Modifications

	ID	RD	APC	MIP
Laminate	•	•		
Wood	•	•	•	

	Finish Tech	niques
I	Distressing	Heirlooming
ı		

Species Availability (Wood)

spoc.	OJ ATU		(,		
Alder	Rustic Alder	Cherry	Hickory	Rustic Hickory	Maple	Oak
•	Alder	•	•	Hickory	•	•

Only available in White laminate.

Species Availability (All Laminates)

species Availability (All Edillinaies)						
	Horiz. Grain					
High Gloss	on Maple	on Maple	on Cherry	on Hickory	on Oak	Thermofoil
box color	box color	box color	box color	box color	box color	box color

Only available in White laminate.

END PANELS, PREMIUM - BASE

34 1/2



BEPP

- 3/4" thick laminated MDF.
- High Gloss panels will have high gloss on front of panel and back of panel will be white melamine. Edgebanding on front edge will match door and drawer front edgebanding selection.
- High Gloss panels do not have grain

J			
Cust	om N	lodifica	ıtion
ID	חח	ADC	AAIF


gruin.	
Finish Tecl	ıniques
Distressing	Heirloom


Species Availability			y (Wood)			
Alder	Rustic Alder	Cherry	Hickory	Rustic Hickory	Maple	Oak

Species Availability (All Laminates)

Species Availability (All Edillidaes)						
	Horiz. Grain					
High Gloss	on Maple	on Maple	on Cherry	on Hickory	on Oak	Thermofoil
•		•	•		•	

END PANELS, TALL





84" 87" 90" 93" 96" 102 or 108

TEP1248WD

- TEP1296WD[†]
- TEP12102WD[†] ◆ ◆
- TEP12108WD[†] ◆ ◆

TEP1248LAM •

TEP1296LAM[†] ◆

- TEP2487WD[↑]▲
- TEP2490WD[↑]▲
- TEP2493WD[†]
- TEP2496WD[†]▲
- TEP24102WD[†] ◆ ◆
- TEP24108WD[†] ◆ ◆

TEP2484LAM[†] ◆

- TEP2487LAM[†] ◆
- TEP2490LAM[†] ◆
- TEP2493LAM[†] ◆

TEP2496LAM[†] ◆

- \bullet TEP__WD in Stains: 3/4" thick veneered furniture board.
- TEP__WD in Paints: 3/4" thick veneered or solid furniture board.
- \bullet TEP__LAM is 3/4" thick laminated furniture board (white only).
- Panels are finished on two sides and front edge.
- 102" and 108" will have APC and MIP standard. †5 day Express Response not available on items greater than 48".

Custom Modifications

	ID	RD	APC	MIP
Laminate	•	•		
Wood	•4	•	•	

Finish Techniques				
Distressing	Heirlooming			

▲Tall wood panels will be plywood when ID31-ID36 is specified.

Species Availability (Wood)

			,	,			
		Rustic	CI.	111.1	Rustic		
	Alder	Alder	Cherry	Hickory	Hickory	Maple	Uak
	•	Alder	•	•	Hickory	•	•

- Only available in White laminate.
- $\buildrel \bullet$ Only available in Cherry and Maple.

Species Availability (All Laminates)

	Horiz. Grain	Vert. Grain	Vert. Grain	Vert. Grain	Vert. Grain	
High Gloss	on Maple	on Maple	on Cherry	on Hickory	on Oak	Thermofoil
box color	box color	box color	box color	box color	box color	box color

- Only available in White laminate.
- ◆ ◆ Only available in Cherry and Maple box colors.

PANELS & SKINS

297

48" 96" 102" or 108"

84" 87" 90" 93" 96" 102' or 108'

298

5_{DAY}

7	TEP1248P	

TEP1296P[†]

TEP12102P[†]

TEP12108P[†]

TEP2484P[†]

TEP2487P[†]

TEP2490P[†]

TEP2493P[†]

TEP2496P[†]

TEP24102P[†]

TEP24108P[†]

• 3/4" thick laminated MDF.

• High Gloss panels will have high gloss on front of panel and back of panel will be white melamine. Edgebanding on front edge will match door and drawer front edgebanding selection.

· High Gloss panels do not have grain.

†5 day Express Response not available on items greater than 48"

Custom	Modifie	ations

Custom Modifications						
ID	RD	APC	MIP			
•*	•					

*ID available on TEP2484P-TEP2496P up to 30". ID not available on TEP24102P and TEP24108P.

Species Availability (Wood)

Alder	Rustic Alder	Cherry	Hickory	Rustic Hickory	Maple	0ak

Finish Techniques

Distressing Heirlooming


Species Availability (All Laminates)

-	-potios // uniumini/ (/ uniuminios/								
	Horiz. Grain								
High Gloss	on Maple	on Maple	on Cherry	on Hickory	on Uak	Inermotoii	ı		
•		•*	•	•	•				

*TEP12102P, TEP12108P, TEP24102P, and TEP24108P not available in Squall.

END PANELS, VANITY

24"



VBEP2129WD

VBEP2132WD

VBEP2129LAM ◆

VBEP2132LAM ◆

- VBEP__WD in Stains: 3/4" thick veneered furniture board.
- VBEP__WD in Paints: 3/4" thick veneered or solid furniture board.
- VBEP__LAM is 3/4" thick laminated furniture board (white only).
- Panels are finished on two sides and front edge.

Custom Modifications

40310111				•					
	ID	RD	APC	MIP		Finish Tech	iques		
Laminate	•	•				Distressing	Heirlooming		
Wood	•	•	•		1				

Species Availability (Wood)

Spoc	OJ ATU	masili.	(11000	,		
Alder	Rustic Alder	Cherry	Hickory	Rustic Hickory	Maple	Oak
•	Alder	•	•	Hickory	•	•

Only available in White laminate.


Species Availability (All Laminates)

	Horiz. Grain					
High Gloss	on Maple	on Maple	on Cherry	on Hickory	on Oak	Thermofoil
box color	box color	box color	box color	box color	box color	box color

Only available in White laminate.

WALL PANEL with FILLER ATTACHED and FURNITURE ENDS

DESCRIPTION



5 DAY

WEP1230F1.5FPE

WEP1230F3FPE

WEP1233F1.5FPE WEP1233F3FPE

WEP1236F1.5FPE

WEP1236F3FPE

WEP1239F1.5FPE

WEP1239F3FPE

WEP1242F1.5FPE

WEP1242F3FPE

- 3/4" thick veneered plywood with solid-wood filler.
- Panel will have veneered exterior and Natural Maple laminated interior standard. For veneered interior, specify

Custom

Wood

Modifications					Finish Tech	niques
D	RD	APC	MIP		Distressing	Heirlooming
•	•		•		•	

Species Availability (Wood)

Sheri	C3 MAG	iliubilii)	/ (******	,		
Alder	Rustic Alder	Cherry	Hickory	Rustic Hickory	Manle	Onk
•	Alder	•	•	Hickory	•	•


Species Availability (All Editiliates)									
	Horiz. Grain	Vert. Grain	Vert. Grain	Vert. Grain	Vert. Grain				
High Gloss	on Maple	on Maple	on Cherry	on Hickory	on Oak	Thermofoil			
box color	box color	box color	box color	box color	box color	box color			

5 DAY

BASE and TALL PANELS with FILLER ATTACHED and FURNITURE ENDS



5 DAY



BEPF1.5FPE BEPF3FPE

TEP2484F1.5FPE [†]
TEP2484F3FPE [†]
TEP2487F1.5FPE [†]
TEP2487F3FPE [†]
TEP2490F1.5FPE [†]
TEP2490F3FPE [†]
TEP2493F1.5FPE [†]
TEP2493F3FPE [†]
TEP2496F1.5FPE [†]
TEP2496F3FPE [†]

TEP24108F1.5FPE[†] ◆ TEP24108F3FPE[†] ◆

TEP24102F1.5FPE[†] ◆ TEP24102F3FPE[†] ◆

- 3/4" thick veneered plywood with solid-wood filler.
- Panel will have veneered exterior and Natural Maple laminated interior standard. For veneered interior, specify
- 102" and 108" are MIP standard.
- $^{\dagger}5$ day Express Response not available on items greater than 48"

Custo	m N	/lodi	ficati	ons	Finish Tech	niques
	ID	RD	APC	MIP	Distressing	Heirlooming
Wood	•	•		•	•	

Species	Availability	(Wood)

Spocios Availabilit			(11000)				
Alder	Rustic Alder	Cherry	Hickory	Rustic Hickory	Maple	Oak	
•	Alder	•	•	Hickory	•	•	

Only available in Cherry and Maple.


Species I	Availability	(All	Laminates)
-----------	--------------	------	------------

Spotios A	valiability (All Edilling	103)			
	Horiz. Grain					
High Gloss	on Maple	on Maple	on Cherry	on Hickory	on Oak	Thermofoil
box color	box color	box color	box color	box color	box color	box color

[◆] Only available in Cherry and Maple box colors.

WALL PANEL with FILLER ATTACHED and AUTHENTIC ENDS

DESCRIPTION



WEP1230F1.5AEL
WEP1230F1.5AER
WEP1230F3AEL
WEP1230F3AER
WEP1233F1.5AEL
WEP1233F1.5AER
WEP1233F3AEL
WEP1233F3AER
WEP1236F1.5AEL
WEP1236F1.5AER
WEP1236F3AEL
WEP1236F3AER
WEP1239F1.5AEL
WEP1239F1.5AER
WEP1239F3AEL
WEP1239F3AER
WEP1242F1.5AEL
WEP1242F1.5AER
WEP1242F3AEL
WEP1242F3AER

- 3/4" thick veneered plywood with doors attached and solid-wood filler.
- $\bullet\,$ Depth can be increased in 3" increments up to 24" deep.
- Panel will have veneered exterior and Natural Maple laminated interior standard. For veneered interior, specify
- $\bullet\,$ Aspen doors will be high gloss or melamine and match edgebanding selection.
- Derazi doors will have horizontal grain with matching
- edgebanding.

 Gallio doors will have vertical grain with matching edgebanding.

ues
eirlooming
•
eir


Species Availability (Wood)

			, ,	,		
Alder	Rustic Alder	Cherry	Hickory	Rustic Hickory	Maple	Oak
•	•	•	•	•	•	•

Species Availability (All Laminates)

	Horiz. Grain					
	on Maple					
box color	box color	box color	box color	box color	box color	box color

PANELS & SKINS



BEPF1.5AEL

BEPF1.5AER

BEPF3AEL

BEPF3AER

- ullet 3/4" thick veneered plywood with doors attached and solid-wood filler.
- Depth can be increased in 3" increments up to 36" deep.
- Panel will have veneered exterior and Natural Maple laminated interior standard. For veneered interior, specify
- Aspen doors will be high gloss or melamine and match edgebanding selection.
- Derazi doors will have horizontal grain with matching edgebanding.
- · Gallio doors will have vertical grain with matching edgebanding.

1 ¹ / ₂ " or 3"	
3/4"	
3/4"	

Custom Modifications						Finish lechniques		
	ID	RD	APC	MIP		Distressing	Heirlooming	
Wood	•			•		•	•	


Species Availability (Wood)

Alder	Rustic Alder	Cherry	Hickory	Rustic Hickory	Maple	Oak
•	•	•	•	•	•	•

Species	Availability	(All	Laminates

	, ,		,			
	Horiz. Grain		Vert. Grain	Vert. Grain	Vert. Grain	
High Gloss	on Maple	on Maple	on Cherry	on Hickory	on Oak	Thermofoil
box color	box color	box color	box color	box color	box color	box color

BASE PANEL with FILLER ATTACHED and AUTHENTIC **ENDS, SINGLE DOOR**



BEPF1.5AELSD

BEPF1.5AERSD

BEPF3AELSD

BEPF3AERSD

- 3/4" thick veneered plywood with doors attached and
- solid-wood filler. • Depth can be reduced in 3" increments down to 9" deep.
- Panel will have veneered exterior and Natural Maple laminated interior standard. For veneered interior, specify
- · Aspen doors will be high gloss or melamine and match edgebanding selection.
- Derazi doors will have horizontal grain with matching edgebanding.
- Gallio doors will have vertical grain with matching edgebanding.

Custo	m N	Nodi	ficatio	ons
		J		

Finish Techniques Distressing Heirlooming

Rustic

Hickory Hickory Maple

Wood Species Availability (Wood)

box color box color box color box color box color box color box color


ID RD APC MIP

Cherry

				•	•	_ •	•	•			
Species Availability (All Laminates)											
	Horiz. Grain on Maple							nofoil			

TALL PANEL with FILLER ATTACHED TEP2484F1.5AEL and AUTHENTIC ENDS

DESCRIPTION



1 1/2" or 3"

TEP2484F1.5AER

TEP2484F3AEL

TEP2484F3AER

TEP2487F1.5AEL

TEP2487F1.5AER

TEP2487F3AEL

TEP2487F3AER

TEP2490F1.5AHAL

TEP2490F1.5AHAR

TEP2490F3AHAL

TEP2490F3AHAR

TEP2493F1.5AHAL

TEP2493F1.5AHAR

TEP2493F3AHAL

TEP2493F3AHAR

TEP2496F1.5AEL

TEP2496F1.5AER

TEP2496F3AEL

TEP2496F3AER

- AH represents upper section alignment with doors on 24" or 27" high cabinets.
- 3/4" thick veneered plywood with doors attached and solid-wood filler.
- Depth can be increased in 3" increments up to 36" deep.
- Panel will have veneered exterior and Natural Maple laminated interior standard. For veneered interior, specify
- Aspen doors will be high gloss or melamine and match edgebanding selection.
- Derazi doors will have horizontal grain with matching edgebanding.
- · Gallio doors will have vertical grain with matching edgebanding.

Custo	m A	\0di	ficatio	Finish Tech	niques		
	ID	RD	APC	MIP	INVFRM	Distressing	Heirlooming
Wood	•			•	•	•	•

Species Availability (Wood)

	Rustic Alder	Cherry	Hickory	Rustic Hickory	Maple	Oak
•	•	•	•	•	•	•


Species Availability (All Laminates)

Species Availability (All Editiliates)								
	Horiz. Grain							
High Gloss	on Maple	on Maple	on Cherry	on Hickory	on Oak	Thermofoil		
box color	box color	box color	box color	box color	box color	box color		

1 1/2" or 3"

5 DAY

TALL PANEL with FILLER ATTACHED and AUTHENTIC ENDS, SINGLE **DOOR**



3/4"

1 1/2" or 3"

)	TEP84F1.5AELSD
	TEP84F1.5AERSD
	TEP84F3AELSD
	TEP84F3AERSD
	TEP87F1.5AELSD
	TEP87F1.5AERSD
	TEP87F3AELSD
	TEP87F3AERSD
	TEP90F1.5AHALSD
	TEP90F1.5AHARSD
	TEP90F3AHALSD
	TEP90F3AHARSD
	TEP93F1.5AHALSD
	TEP93F1.5AHARSD
	TEP93F3AHALSD
	TEP93F3AHARSD
	TEP96F1.5AELSD
	TEP96F1.5AERSD
	TEP96F3AELSD

TEP96F3AERSD

- AH represents upper section alignment with doors on 24" or 27" high cabinets.
- 3/4" thick veneered plywood with doors attached and solid-wood filler.
- Depth can be reduced in 3" increments down to 9" deep.
- On non-miter doors, the tall door on the bottom will have two vertical panels.
- Panel will have veneered exterior and Natural Maple laminated interior standard. For veneered interior, specify
- $\bullet\,$ Aspen doors will be high gloss or melamine and match edgebanding selection.
- Derazi doors will have horizontal grain with matching edgebanding.
- Gallio doors will have vertical grain with matching edgebanding.

Custom Modifications							
	ID	RD	APC	MIP	INVFR/		
Wood		•		•	•		

Finish Techniques							
Distressing	Heirlooming						
•	•						

Species Availability (Wood)


Alder	Rustic Alder	Cherry	Hickory	Rustic Hickory	Maple	Oak
•	•	•	•	•	•	•

Species Availability (All Laminates)


	Horiz. Grain					
High Gloss	on Maple	on Maple	on Cherry	on Hickory	on Oak	Thermofoil
box color	box color	box color	box color	box color	box color	box color

WOOD V-GROOVED with TRIPLE BEADED FRONT 3/4" PANELS

DESCRIPTION



Depth
24 3/4"
25 1/2"
12 3/4"
12 3/4″
24 3/4"
24 3/4"
24 3/4"
24 3/4"
24 3/4"
21 3/4"
21 3/4"
12 3/4″
12 3/4″
12 3/4″
12 3/4″
12 3/4″
12 3/4″



	•	Veneer on MDF core.
ain	•	V-groove on 3" cente

WEP30VG

WEP33VG

WEP36VG

WEP39VG

WEP42VG

WEPP42VG (Peninsula)

enters. †5 day Express Response not available on items greater than 48".

niques
Heirlooming
•

12 3/4"

12 3/4"

12 3/4"

12 3/4"

12 3/4"

13 1/2"

Species Availability (Wood)								
Alder	Rustic Alder	Cherry	Hickory	Rustic Hickory	Maple	0ak		
					•			

Species Availability (All Laminates)

	Horiz. Grain on Maple			Thermofoil
box color	box color	box color		box color





VDL2129WD VDL2132WD

- All panels are finished 2 sides and front edge. • VDL__WD in Stains: 3/4" thick veneered furniture
- VDL__WD in Paints: 3/4" thick veneered or solid

Custom Modifications			Finish Tech	niques
	ID	RD	Distressing	Heirlooming

Speci	C3 ATU	musim;	(11000	<i></i>		
Alder	Rustic Alder	Cherry	Hickory	Rustic Hickory	Maple	0ak
•	Alder	•	•	Hickory	•	•

	, ,		,			
	Horiz. Grain					
High Gloss	on Maple	on Maple	on Cherry	on Hickory	on Oak	Thermofoil
box color	box color	box color	box color	box color	box color	box color



MODEL	
PDW1212	
PDW1215	
PDW1218	
PDW1221	
PDW1224	
PDW1227	
PDW1230	
PDW1233	
PDW1236	
PDW1239	
PDW1242	
PDW2412	
PDW2415	
PDW2418	
PDW2421	

PDW2439 PDW2442

PDW2424

PDW2427

PDW2430

PDW2433


PDW2436

- · Field installation required.
- Requires a matching laminate or finished end panel.
- Depth can be reduced in 3" increments to a minimum of 9". For other door sizes, use Custom Doors (DADOOR___).
- Panel is installed 1/8" from the back edge of cabinet box and flush with front of door.
- Not available in Prestley and Reflection door styles. Standard door sizes can be applied to cabinet side, but will not be flush with the cabinet door as shown for Panel Doors.

LUSTOM IVLOQ	itications
DPSRR	RD
•	•

Finish Techniques Distressing Heirlooming

PANEL DOOR, STACKED WALL



Door

DESCRIPTION

PDSTW1248	
PDSTW1251	
PDSTW1254	
PDSTW1257	
PDSTW1260	

PDSTW2448

PDSTW2451

PDSTW2454


PDSTW2457 PDSTW2460


- Field installation required.
- · Requires a matching laminate or finished end panel.
- Depth can be reduced in 3" increments to a minimum of 9". For other door sizes, use Custom Doors (DADOOR).
- \bullet Panel is 1/8'' from back edge of cabinet box and flush with front of door.
- Derazi doors greater than 48" high will be two doors doweled together.
- Not available in Prestley and Reflection door styles. Standard door sizes can be applied to cabinet side, but will not be flush with the cabinet door as shown for Panel Doors.

Custom Modifications DPSRR RD

rinish lechi	niques
Distressing	Heirlooming
•	•

PANEL DOOR, BASE





PDB1234.5

PDB2434.5


PDB2440.5

- Field installation required.
- Requires a matching laminate or finished end panel.
- \bullet Depth can be reduced in 3" increments to a minimum of 9". For other door sizes, use Custom Doors (DADOOR___).
- Panel is 1/8" from back edge of cabinet box and flush with front of door.
- Not available in Prestley and Reflection door styles. Standard door sizes can be applied to cabinet side, but will not be flush with the cabinet door as shown for Panel Doors.

Custom Mo	difications
DPSRR	RD
•	•

inish Techi	niques		
Distressing	Heirlooming		

PANEL DOOR, BASE PENINSULA



Door


PDBP2434.5

- Field installation required.
- Requires a matching laminate or finished end panel.
- · Reduced depth not available, for other door sizes, use Custom Doors (DADOOR___)
- PDBP2434.5 includes two 12 15/16" wide panel doors to cover the end of a base peninsula cabinet. Outside edges are flush with faces of working doors.
- Not available in Prestley and Reflection door styles. Standard door sizes can be applied to cabinet side, but will not be flush with the cabinet door as shown for Panel

Custom Mo	ditications
DPSRR	RD
•	•

Finish Tech	niques
Distressing	Heirlooming

DESCRIPTION



PDT1284 PDT1287

PDT1290 PDT1293

PDT2449.5

PDT1296

MODEL

PDT2461.5

PDT2484

PDT2487 PDT2490

PDT2493


PDT2496

- Field installation required.
- Requires a matching laminate or finished end panel.
- Depth can be reduced in 3" increments to a minimum of 9". For other door sizes, use Custom Doors
- Panel is 1/8" from back edge of cabinet box and flush with front of door.
- Derazi doors greater than 48" high will be two doors doweled together.
- PDT2449.5 and PDT2461.5 are for use with Pantry Top Units (PTU_ _, PTU_ _S, and PTU_ _P) and have one door to align with cabinet door.
- Not available in Prestley and Reflection door styles. Standard door sizes can be applied to cabinet side, but will not be flush with the cabinet door as shown for Panel Doors

Custom Mo	difications
DPSRR	RD
•	•

Finish Tech	niques
Distressing	Heirlooming
•	•

PANEL DOOR, OFFICE



PDB2129

PDB2429


- · Field installation required.
- Requires a matching laminate or finished end panel.
- Depth can be reduced in 3" increments to a minimum of 9". For other door sizes, use Custom Doors (DADOOR___).
- \bullet Panel is 1/8" from back edge of cabinet box and flush with front of door.
- Not available in Prestley and Reflection door styles. Standard door sizes can be applied to cabinet side, but will not be flush with the cabinet door as shown for Panel

DOOLS.	
Custom Mo	difications
DPSRR	RD

	Finish Tech	niques
	Distressing	Heirloomin
ſ	•	•

DESCRIPTION

PANEL DOOR, UNIVERSAL **DESIGN**



PDUD2432.5

MODEL


- · Field installation required.
- Requires a matching laminate or finished end panel. • Depth can be reduced in 3" increments to a minimum
- of 9". For other door sizes, use Custom Doors (DADOOR_ _).
- \bullet Panel is 1/8" from back edge of cabinet box and flush with front of door.
- Not available in Prestley and Reflection door styles. Standard door sizes can be applied to cabinet side, but will not be flush with the cabinet door as shown for Panel

Custom Mo	Fini		
DPSRR	RD		Dis
•	•		

ish Techniques

Distressing	Heirlooming			
•	•			

PANEL DOOR, VANITY



Cabinet

Height: 84"

Cabinet Height: 84"

2113/16"

21"

21"

PDV1832 PDV1834.5 PDV2132 PDV2134.5

PDVU2184


PDLC2184

- Field installation required.
- Requires a matching laminate or finished end panel.
- Depth can be reduced in 3" increments to a minimum of 9". For other door sizes, use Custom Doors (DADOOR__)
- \bullet Panel is 1/8" from back edge of cabinet box and flush with front of door.
- Derazi doors greater than 48" high will be two doors doweled together.
- Not available in Prestley and Reflection door styles. Standard door sizes can be applied to cabinet side, but will not be flush with the cabinet door as shown for Panel

fications RD

Custom Mo	dif
DPSRR	
•	

Finish Tech	niques
Distressing	Heirlooming



Schrock^a

ARCHITECTURAL ACCENTS



All embellishments marked with the 🏚 follow these guidelines:

Program Details

- Products are shown with availability and exceptions noted.
- Items will be shipped loose for field attachment.

Product Characteristics

Natural characteristics of wood carved items are wider color range, irregularity of surface texture, and more noticeable variations in finish. It is imperative to understand the variations these characteristics entail and therefore will not be considered defective.

Ordering Process

304

- To ensure product ships with the cabinet order, include on same order. Orders not placed together may not ship together.
- Express Response program is available for 12 day delivery.
- Must specify wood species, finish, and technique, if different than the rest of the order.
 Since these items are ordered on an "as-required" basis, no changes or cancellations will be accepted after 24 hours from acknowledgment of order.

MOULDING SPECIFICATIONS

Mouldings specified as 8' nominal length have a usable length range of 93" up to 99". Mouldings specified as 10' nominal length have a usable length range of 117" up to 123". Be sure to order the correct amount of moulding length to work around required cuts with minimal butt joints.

DESCRIPTION

MODEL


CROWN MOULDING

CLASSIC TALL CROWN



CLTCROWN8

- CLTCROWN10 ◆
- CLTCROWN8 is one 8' section. • CLTCROWN10 is one 10' section. 5 day Express Response not available.
- Cleat shipped unattached.





Species Availability (Wood)

			(•			
Alder	Rustic Alder	Cherry	Hickory	Rustic Hickory	Maple	Oak	
•	•	•	•	•	•	•	ı

Only available in Cherry and Maple.

Species Availability (All Laminates)

ſ		Horiz. Grain	Vert. Grain	Vert. Grain	Vert. Grain	Vert. Grain	
	High Gloss	on Maple	on Maple	on Cherry	on Hickory	on Oak	Thermofoil
	box color	box color	box color	box color	box color	box color	box color

[•] Only available in Cherry and Maple box colors.

CORNICE TALL CROWN

55/16 -126/32"H



COTCROWN8

COTCROWN10 ◆

- · COTCROWN8 is one 8' section.
- COTCROWN10 is one 10' section. 5 day Express Response not available.
- Cleat shipped unattached.

Finish Tech Distressing Heirlooming

es Availability (Wood)

Spocios Availability			, (11000)			
Δlder	Rustic Alder	Cherry	Hickory	Rustic Hickory	Manle	Onk
Aluci	Aluci	CHOITY	HICKOLY	HICKOLY	Mupic	Ouk
•	•	•	•	•	•	•

Only available in Cherry and Maple.

Species Availability (All Laminates)

	Horiz. Grain on Maple					
box color	box color	box color	box color	box color	box color	box color

Only available in Cherry and Maple box colors.

Schrock^{*}

DESCRIPTION

COVE CROWN

- 31/2"-

325/32

COVECROWN8

MODEL

COVECROWN10 +

- - COVECROWN8 is one 8' section.
 - COVECROWN10 is one 10' section. 5 day Express Response not available.
 - Cleat shipped unattached.

Finish Techniques Distressing Heirlooming

Species Availability (Wood)

Alder	Rustic Alder	Cherry	Hickory	Rustic Hickory	Maple	0ak
•	•	•	•	•	•	•

Only available in Cherry and Maple.

Species Availability (All Laminates)

species Availability (All Edillinates)							
	Horiz. Grain						
High Gloss	on Maple	on Maple	on Cherry	on Hickory	on Oak	Thermofoil	
box color	box color	box color	box color	box color	box color	box color	


lacktriangle Only available in Cherry and Maple box colors.

FULL OVERLAY CROWN



FOLCROWN8

• One 8' section.



Finish Tech	niques
Distressing	Heirlooming
	•

Species Availability (Wood)

Alder	Rustic Alder	Cherry	Hickory	Rustic Hickory	Maple	Oak
•	•	•	•	•	•	•

Species Availability (All Laminates)

	Horiz. Grain	Vert. Grain	Vert. Grain	Vert. Grain	Vert. Grain	
High Gloss	on Maple	on Maple	on Cherry	on Hickory	on Oak	Thermofoil
box color	box color	box color	box color	box color	box color	box color

INSERT CROWN




INSCROWN8

- Designed for use with all 2 1/4" insert mouldings.
- Use with Starter Crown (STRS_) or use a Filler (F3__) or Light Baffle (LB2) for a species matching cleat.

Finish Techniques

Rustic

Hickory Hickory Maple Oak





Alder

Species A	Species Availability (All Laminates)										
	Horiz. Grain	Vert. Grain	Vert. Grain	Vert. Grain	Vert. Grain						
High Gloss	on Maple	on Maple	on Cherry	on Hickory	on Oak	Thermofoil					
hov color	hov color	hov color	hov color		hov color	hov color					

Rustic

Alder Alder Cherry


LARGE STRAIGHT ANGLE CROWN



LSACROWN8

LSACROWN10 +

- LSACROWN8 is one 8' section.
- LSACROWN10 is one 10' section. 5 day Express Response not available.
- Cleat shipped unattached.



Finish Techniques Distressing Heirlooming

Species Availability (Wood)

species Availability			111000	,		
Alder	Rustic Alder	Cherry	Hickory	Rustic Hickory	Maple	Oak
•	•	•	•	•	•	•

Only available in Cherry and Maple.

Species	Availability	(All	Laminates)
---------	--------------	------	------------

High Gloss	Horiz. Grain on Maple					
box color	box color	box color	box color	box color	box color	box color

Only available in Cherry and Maple box colors.

MEDIUM STRAIGHT ANGLE CROWN

11/2" | 117/32" 233/64" |



MSACROWN8

MSACROWN10 +

- MSACROWN8 is one 8' section.
 MSACROWN10 is one 10' section. 5 day Express
- Response not available.

 Cleat shipped unattached.

Finish Techniques

	Distressing	Heirlooming
	•	•
Casataa Arratlahtitarr /1	W4\	

Species Availability (Wood)


Alder	Rustic Alder	Cherry	Hickory	Rustic Hickory	Maple	0ak
•	•	•	•	•	•	•

Only available in Cherry and Maple.

species Availability (All Edillidates)							
	Horiz. Grain						ı
High Gloss	on Maple	on Maple	on Cherry	on Hickory	on Oak	Thermofoil	ı
box color	box color	box color	box color	box color	box color	box color	ı

[◆] Only available in Cherry and Maple box colors.

STRAIGHT ANGLE CROWN



SACROWN8

SACROWN10 +

- SACROWN8 is one 8' section.
- SACROWN10 is one 10' section. 5 day Express Response not available.
- Cleat shipped unattached.

Finish Techniques Distressing Heirlooming

Speci	ies Avo	ıilability	/ (Wood)		
Alder	Rustic Alder	Cherry	Hickory	Rustic Hickory	Maple	Oak
						•

Only available in Cherry and Maple.

Species Availability (All Laminates)

species M	Species Availability (All Lullillates)										
	Horiz. Grain										
High Gloss	on Maple	on Maple	on Cherry	on Hickory	on Oak	Thermofoil					
box color	box color	box color	box color	box color	box color	box color					

Only available in Cherry and Maple box colors.


TALL CROWN



MTCROWN8

MTCROWN10 +

- MTCROWN8 is one 8' section.
 MTCROWN10 is one 10' section. 5 day Express Response not available.
- Use with Starter Crown (STRS_) or use a Filler (F3_ _) or Light Baffle (LB2) for a species matching cleat.



Finish Techniques

Distressing Heirlooming


Species Availability (Wood)									
Alder	Rustic Alder	Cherry	Hickory	Rustic Hickory	Maple	Oak			
• • • • • •									
♦ Onl	v availah	ole in Che	rrv and M	innle					

Species Availability (All Laminates)

- poulos realization y train automotive						
	Horiz. Grain					
High Gloss	on Maple	on Maple	on Cherry	on Hickory	on Oak	Thermofoil
box color	box color	box color	box color	box color	box color	box color

[◆] Only available in Cherry and Maple box colors.

SHAKER CROWN



SHKRCRM8

- Top mount moulding.
- One 8' section.

Finish Techniques Distressing Heirlooming


Species Availability (Wood)

Alder	Rustic Alder	Cherry	Hickory	Rustic Hickory	Maple	Oak
•	•	•	•	•	•	•

Species Availability (All Laminates)

	Horiz. Grain	Vert. Grain	Vert. Grain	Vert. Grain	Vert. Grain	
High Gloss	on Maple	on Maple	on Cherry	on Hickory	on Oak	Thermofoil
box color	box color	box color	box color	box color	box color	box color

LARGE SHAKER CROWN





LSHAKER8

- LSHAKER 10 ◆

 LSHAKER8 is one 8' section.
- LSHAKER10 is one 10' section. 5 day Express Response not available.
- Use with Starter Crown (STRS_) or use a Filler (F3__) or Light Baffle (LB2) for a species matching cleat.

Finish Techniques

Distressing	Heirlooming
•	•

Species Availability (Wood)

			(
	Rustic Alder	Cherry	Hickory	Rustic Hickory	Maple	Oak
•	•	•	•	•	•	•

Only available in Cherry and Maple.

Species Availability (All Laminates)

aborios 1	species Availability (All Edillinaies)								
	Horiz. Grain								
High Gloss	on Maple	on Maple	on Cherry	on Hickory	on Oak	Thermofoil			
box color	box color	box color	box color	box color	box color	box color			

Only available in Cherry and Maple box colors.

-21/2"

306

LARGE SHAKER CROWN, **PREMIUM**



LSHAKER8P

LSHAKER 10P



- LSHAKER8P is one 8' section.
- LSHAKER10P is one 10' section. 5 day Express Response not available.
- Horizontal grain except on High Gloss.
- Use with Starter Crown (STRS_P) or use a Filler (F3__P) or Light Baffle (LB2P) for a species matching cleat.

Finish Techniques

Distressing	Heirlooming

Species Availability (Wood)

	Rustic Alder	Hickory	Rustic Hickory	Maple	Oak

Species Availability (All Laminates)

High Gloss	Horiz. Grain on Maple					
•	•	•*	•	•	•	

*LSHAKER10P not available in Squall.

SMALL COVE CROWN MOULDING

- 2⁵/₁₆"



SMCOVECROWN8

SMCOVECROWN10 +

- . SMCOVECROWN8 is one 8' section.
- SMCOVECROWN10 is one 10' section. 5 day Express Response not available.
- Use with Starter Crown (STRS_) or use a Filler (F3_ _) or Light Baffle (LB2) for a species matching cleat.

Finish Techniques

Distressing	Heirlooming
•	•

Species Availability (Wood)

Alder	Rustic Alder	Cherry	Hickory	Rustic Hickory	Maple	0ak
•	•	•			•	•

Only available in Cherry and Maple.

Species Availability (All Laminates)

	Horiz. Grain					
High Gloss	on Maple	on Maple	on Cherry	on Hickory	on Oak	Thermofoil
box color	box color	box color	box color		box color	box color

Only available in Cherry and Maple box colors.


SMALL CROWN



SCM8

SCM10 *

- SCM8 is one 8' section.
- SCM10 is one 10' section. 5 day Express Response not available.
- Moulding can be used as standard or inverted.
- $\bullet\,$ Use with Starter Crown (STRS_) or use a Filler (F3_ _) or Light Baffle (LB2) for a species matching cleat.



Finish Techniques

Distressing	Heirlooming
•	•

Species Availability (Wood)

Alder	Rustic Alder	Cherry	Hickory	Rustic Hickory	Maple	Oak
•	•	•	•	•	•	•

Only available in Cherry and Maple

Species Availability (All Laminates)

-	- poulos ::: un						
	Horiz. Grain						
High Gloss	on Maple	on Maple	on Cherry	on Hickory	on Oak	Thermofoil	
box color	box color	box color	box color	box color	box color	box color	

Schrock^{*}

• Only available in Cherry and Maple box colors.

SOLID-WOOD CROWN


DESCRIPTION



SWCRM8

SWCRM10 +

- SWCRM8 is one 8' section.
- SWCRM10 is one 10' section. 5 day Express Response not available
- Moulding can be used as standard or inverted.
- Use with Starter Crown (STRS_) or use a Filler (F3_ _) or Light Baffle (LB2) for a species matching cleat.



Speci	Species Availability			,		
Alder	Rustic Alder	Cherry	Hickory	Rustic Hickory	Maple	Oak
•	•	•	•	•	•	•

Only available in Cherry and Maple.

Species Availability (All Laminates)

	Horiz. Grain on Maple					
box color	box color	box color	box color	box color	box color	box color

Only available in Cherry and Maple box colors.


SOLID-WOOD LARGE CROWN



SWLCRM8

SWLCRM10 *

- SWLCRM8 is one 8' section.
- SWLCRM10 is one 10' section. 5 day Express Response not available.
- Moulding can be used as standard or inverted.
- Use with Starter Crown (STRS_) or use a Filler (F3_ _) or Light Baffle (LB2) for a species matching cleat



Species Availability (Wood)

			/ (
Alder	Rustic Alder	Cherry	Hickory	Rustic Hickory	Maple	0ak
•	•	•	•	•	•	•
-						

Distressing Heirlooming

Only available in Cherry and Maple.

Species Availability (All Laminates)

	Horiz. Grain	Vert. Grain	Vert. Grain	Vert. Grain	Vert. Grain	
High Gloss	on Maple	on Maple	on Cherry	on Hickory	on Oak	Thermofoil
box color	box color	box color	box color	box color	box color	box color

Only available in Cherry and Maple box colors.


SOLID-WOOD TALL CROWN



SWTCRM8

SWTCRM10 ◆

- SWTCRM8 is one 8' section.
- SWTCRM10 is one 10' section. 5 day Express Response not available.
- Moulding can be used as standard or inverted.
- Use with Starter Crown (STRS_) or use a Filler (F3__) or Light Baffle (LB2) for a species matching



I IIII JII TECIII	iiidaea
Distressing	Heirlooming
•	•

Species Availability (Wood)

			•	<u> </u>		
Alder	Rustic Alder	Cherry	Hickory	Rustic Hickory	Maple	Oak
•	•	•	•	Hickory	•	•

♦ Only available in Cherry and Maple.

Species Availability (All Laminates)

Species in an arming (in a summary)							
	Horiz. Grain						
High Gloss	on Maple	on Maple	on Cherry	on Hickory	on Oak	Thermofoil	
box color	box color	box color	box color	box color	box color	box color	


Only available in Cherry and Maple box colors.

SOLID-WOOD VICTORIAN CROWN



SWVCRM8

SWVCRM10 ◆



- Designed for braided, dentil, egg & dart, or rope moulding application.
- SWVCRM8 is one 8' section.
- SWVCRM10 is one 10' section. 5 day Express Response not available.
- $\bullet~$ Use with Starter Crown (STRS_) or use a Filler (F3__) or Light Baffle (LB2) for a species matching

I IIII JII ICCIII	iiiquus
Distressing	Heirlooming
•	•

Species Availability (Wood)

			•	•		
Alder	Rustic Alder	Cherry	Hickory	Rustic Hickory	Maple	Oak
•	•	•	•	•	•	•

Only available in Cherry and Maple.

Species Availability (All Laminates)

openies in annually teas annual earth								
	Horiz. Grain							
High Gloss	on Maple	on Maple	on Cherry	on Hickory	on Oak	Thermofoil		
box color	box color	box color	box color	box color	box color	box color		

Only available in Cherry and Maple box colors.

STARTER MOULDINGS


SOFFIT FILLER MOULDING

DESCRIPTION



SFM8

- SFM10 +
- SFM8 is one 8' section. • SFM10 is one 10' section. 5 day Express Response not available.
- Includes an unattached cleat.



Finish Technic

i iiii jii icaii	iiques
Distressing	Heirlooming
	•

Species Availability (Wood)

Alder	Rustic Alder	Cherry	Hickory	Rustic Hickory	Maple	Oak
•	•	•	•	•	•	•


Only available in Cherry and Maple.

Species Availability (All Laminates)

I		Horiz. Grain	Vert. Grain	Vert. Grain	Vert. Grain	Vert. Grain	
	High Gloss	on Maple	on Maple	on Cherry	on Hickory	on Oak	Thermofoil
	box color	box color	box color	box color	box color	box color	box color

Only available in Cherry and Maple box colors.

STARTER MOULDING



STR8

STR10 +

- STR8 is one 8' section.
- STR10 is one 10' section. 5 day Express Response not available.

Finish Techniques

Distressing	Heirlooming

Species Availability (Wood)

Alder	Rustic Alder	Cherry	Hickory	Rustic Hickory	Maple	0ak
•	Alder	•	•	Hickory	•	•


Only available in Cherry and Maple.

Species Availability (All Laminates)

	, ,		,			
	Horiz. Grain	Vert. Grain	Vert. Grain	Vert. Grain	Vert. Grain	
High Gloss	on Maple	on Maple	on Cherry	on Hickory	on Oak	Thermofoil
box color	box color	box color	box color	box color	box color	box color

Only available in Cherry and Maple box colors.

STARTER MOULDING, **SHAKER**



STRS8

STRS10 +

- STRS8 is one 8' section.
- STRS10 is one 10' section. 5 day Express Response not available

Finish Techniques Distressing Heirlooming

		•	•		•	
(W	ood)				
		-		_	_	

Species Availability

Alder	Rustic Alder	Cherry	Hickory	Rustic Hickory	Maple	Oak
•	•	•	•	•	•	•

Only available in Cherry and Maple.

Species Availability (All Laminates)

	, ,					
	Horiz. Grain					
ligh Gloss	on Maple	on Maple	on Cherry	on Hickory	on Oak	Thermotoil
oox color	box color	box color	box color	box color	box color	box color

lacktriangle Only available in Cherry and Maple box colors.

Finished edges indicated by bold lines on side view drawings. Glazed edges indicated by arrows on side view drawings.

307





STRS8P

- One 8' section.
- · Horizontal grain except on High Gloss.

Finish Techniques Distressing Heirlooming

Heirlooming

Maple 0ak

Thermofoil

box color

Beech box color

box color

Vert. Grain

Vert. Grain

on Hickory

on Cherry

box color


Species Availability (Wood)

			•	•		
Alder	Rustic Alder	Cherry	Hickory	Rustic Hickory	Maple	Oak

Species Availability (All Laminates)

	Horiz. Grain on Maple					
•	•	•	•	•	•	

MOULDING INSERTS




on Maple

box color

High Gloss

box color




box color box color box color Beech

Horiz. Grain Vert. Grain Vert. Grain

on Maple


box color




box color

box color


box color




MODEL









box color box color

Finished edges indicated by bold lines on side view drawings. Glazed edges indicated by arrows on side view drawings.

box color

box color

Schrock^{*}

box color

WEAVE INSERT

ACCENT MOULDING

BACK PANEL MOULDING

1/16

—3/4"—

— 1" —

Radius

End Panel

Back

CABINET PANEL EDGE

1/4" Panel

3/4" 9/16" 5/16"

ACANTHUS

• One 8' section.

Pattern is 6" repeat.

JWEAVEINSERTM

Species Availability (Wood) Rustic

Alder Cherry

Alder

on Maple on Cherry on Hickory

Species Availability (Wood)

Rustic

Alder

on Maple on Cherry on Hickory

Horiz. Grain Vert. Grain Vert. Grain

Aldei Alder Cherry

Species Availability (All Laminates)

box color | box color | box color |

BPM8

on Maple

Horiz. Grain | Vert. Grain | Vert. Grain | Vert. Grain

box color box color

ACAM

One 8' section.

Species Availability (All Laminates)

on Maple

box color box color

Acanthus Detail

High Gloss

Radius

Radius

TCM8

COUNTERTOP EDGE

CCM8

Contemporary



Finish Techniques

Rustic

Vert. Grain

on Oak

Finish Techniques Distressing Heirlooming

Rustic

Hickory

Beech

Vert. Grain

on Oak Thermofoil

Beech box color

Hickory

Beech

Beech

Hickory Hickory

Distressing Heirlooming

Maple 0ak

Thermofoil

box color

0ak

Beech

19/16

Traditional

• One 8' section. Finish Techniques Distressing Heirlooming


*Available on TCM8 only

Species Availabilit			(11000)			
Alder	Rustic Alder	Cherry	Hickory	Rustic Hickory	Maple	0ak
•	Alder	•	•	Hickory	•	•

Species Availability (All Laminates)

			,			
	Horiz. Grain	Vert. Grain	Vert. Grain	Vert. Grain	Vert. Grain	
High Gloss	on Maple	on Maple	on Cherry	on Hickory	on Oak	Thermofoil
box color	box color	box color	box color	box color	box color	box color

FLAT SCRIBE



SM8

SM10 +

- SM8 is one 8' section.
- SM10 is one 10' section. 5 day Express Response not available.

Finish Techniques

Distressing	Heirlooming

Species Availability (Wood)

	Rustic			Rustic		
Alder	Alder	Cherry	Hickory	Hickory	Maple	0ak
•	Alder	•	•	Hickory	•	•

Only available in Cherry and Maple.

Species Availability (All Laminates)


	Horiz. Grain	Vert. Grain	Vert. Grain	Vert. Grain	Vert. Grain		
High Gloss	on Maple	on Maple	on Cherry	on Hickory	on Oak	Thermofoil	
box color	box color	box color	box color	box color	box color	box color	

[◆] Only available in Cherry and Maple box colors.

SM8P

SM10P





Finish Techniques Distressing Heirlooming


Species Availability (Wood)

•	Alder	•	•	Hickory	•	•
Alder	Rustic Alder	Cherry	Hickory	Rustic Hickory	Maple	0ak

ciae Availability (All Laminatae)

5 DAY

Species Availability (All Edillillates)							
	Horiz. Grain	Vert. Grain	Vert. Grain	Vert. Grain	Vert. Grain		
High Gloss	on Maple	on Maple	on Cherry	on Hickory	on Oak	Thermofoil	
box color	box color	box color	box color	box color	box color	box color	



CPE8

Finish Techniques Distressing


•	Alder	•	•	Hickory	•	•
Alder	Alder		Hickory	Hickory	Maple	Oak

Species Availability (All Laminates)

Spottos its annuality (i.m. zaminiaros)								
	Horiz. Grain							
High Gloss	on Maple	on Maple	on Cherry	on Hickory	on Oak	Thermofoil		
box color	box color	box color	box color	box color	box color	box color		

Schrock^{*}

FLAT SCRIBE, PREMIUM



- SM8P is one 8' section.
- SM10P is one 10' section. 5 day Express Response not available.

Cherry

Horizontal grain except on High Gloss.

Distressing Heirlooming

ility	ility (Wood)								
		Rustic							

Hickory Hickory Maple Oak

Finish Techniques

Species A	pecies Availability (All Laminates)					
	Horiz. Grain on Maple					Thermofoil
•	•	*		•		

Species Availab

Alder Alder


[•] *SM10P not available in Squall.

• One 8' section.

LBRM

21/2 3/4"

5/8"



Finish Techniques Distressing Heirlooming

Species Availability (Wood) Rustic Rustic

Hickory Hickory Alder Alder Cherry

Species Availability (All Laminates)

	Horiz. Grain					
High Gloss	on Maple	on Maple	on Cherry	on Hickory	on Oak	Thermofoil
box color	box color	box color	box color	box color	box color	box color
			•			

MIRROR FRAME

3/4"

310



WMF8

- Pre-grooved.
- One 8' section.

Finish Techniques Distressing Heirlooming

Maple 0ak

es Availability (Wood)

Species Availabilit			, (1100a)			
	Rustic Alder		Hickory	Rustic Hickory	Maple	Oak
•	•	•	•	•	•	•

es Availability (All Laminates)

-	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,							
	Horiz. Grain	Vert. Grain	Vert. Grain	Vert. Grain	Vert. Grain			
High Gloss	on Maple	on Maple	on Cherry	on Hickory	on Oak	Thermofoil		
box color	box color	box color	box color	box color	box color	box color		

OGEE EDGE

1/2"

3/4"



OGEEM

• One 8' section.

Finish Techniques

Distressing	Heirlooming
	•

Species Availability (Wood)


Alder		Cherry	Hickory	,	Maple	0ak
•	Alder	•	•	Hickory	•	•

Species Availability (All Laminates)

	Horiz. Grain					
High Gloss	on Maple	on Maple	on Cherry	on Hickory	on Oak	Thermofoil
box color	box color	box color	box color	box color	box color	box color

SINGLE BEAD EDGE

1/2"



SBE8

• One 8' section.

Finish Techniques Distressing Heirlooming


Species Availability (Wood)

Sheri	C3 MVU	illubilli	/ (*****	4)			
	Rustic			Rustic			
Alder	Alder	Cherry	Hickory	Hickory	Maple	Oak	
•	Alder	•	•	Hickory	•	•	

ciae Averilability (All Laurinatae)

Species Availability (All Laminates)							
	Horiz. Grain						
High Gloss	on Maple	on Maple	on Cherry	on Hickory	on Oak	Thermofoil	
box color	box color	box color	box color	box color	box color	box color	

DESCRIPTION



SBM8

• One 8' section.

Finish Techniques Distressing Heirlooming


Species Availability (Wood)

	Rustic Alder	Cherry	Hickory	Rustic Hickory	Maple	0ak
•	Alder	•	•	Hickory	•	•

Species Availability (All Laminates)

High Gloss	Horiz. Grain on Maple			
	box color			

SINGLE BEAD PILASTER



SBP8

- One 8' section.
- Can be used vertically between cabinets for an inset look.

Finish Techniques

Distressing	Heirlooming
	•

Species Availability (Wood)

Alder	Rustic Alder	Cherry	Hickory	Rustic Hickory	Maple	0ak
•	Alder	•	•	Hickory	•	•

Species Availability (All Laminates)

	Horiz. Grain					
High Gloss	on Maple	on Maple	on Cherry	on Hickory	on Oak	Thermofoil
box color	box color	box color	box color	box color	box color	box color

SMALL SCRIBE



SSM8

SSM10 +



- SSM10 is one 10' section. 5 day Express Response not available.

Finish Techniques

Distressing	Heirlooming

Species Availability (Wood)

	Rustic			Rustic		
Alder	Alder	Cherry	Hickory	Hickory	Maple	0ak
•	Alder	•	•	Hickory	•	•

 $[\]ensuremath{^{ullet}}$ Only available in Cherry and Maple.

Species Availability (All Laminates)


	Horiz. Grain on Maple					
box color	box color	box color	box color	box color	box color	box color

[•] Only available in Cherry and Maple box colors.

SMALL SCRIBE, PREMIUM



SSM8P



SSM10P

- SSM8P is one 8' section.
- SSM10P is one 10' section. 5 day Express Response not available.
- · Horizontal grain except on High Gloss.
- Can be used with premium skins to conceal raw edge.

Finish Techniques

	Distrossing	ricinooning
Species Availability (W	ood)	

	Alder	Cherry	Hickory	Hickory	Maple	0ak

Species Availability (All Laminates)

	Horiz. Grain					
High Gloss	on Maple	on Maple	on Cherry	on Hickory	on Oak	Thermofoil
•	•	•*	•	•	•	


^{*}SSM10P not available in Squall.

SOFFIT TRIM MOULDING



TSTM8

TSTM10 +



- TSTM8 is one 8' section.
 TSTM10 is one 10' section. 5 day Express Response not
- or ISTMTO is one TO' section. 5 day Express Response not available.

Finish Techniques Distressing Heirlooming

Species Availability (Wood)

Alder	Rustic Alder	Cherry	Hickory	Rustic Hickory	Maple	Oak
•	Alder	•	•	Hickory	•	•

Only available in Cherry and Maple.

Species Availability (All Laminates)

	Horiz. Grain	Vert. Grain	Vert. Grain	Vert. Grain	Vert. Grain	
High Gloss	on Maple	on Maple	on Cherry	on Hickory	on Oak	Thermofoil
box color	box color	box color	box color	box color	box color	box color

◆ Only available in Cherry and Maple box colors.

TRIPLE BEAD EDGE



TBEM

• One 8' section.

Finish Techniques Distressing Heirlooming •

Species Availa


Speci	Species Availability (vvood)									
Alder	Rustic Alder	Cherry	Hickory	Rustic Hickory	Maple	Oak				
•	Alder	•	•	Hickory	•	•				

Species Availability (All Laminates)

5...

		Horiz. Grain on Maple					
Ì	box color	box color	box color	box color	box color	box color	box color

TRIPLE BEAD PILASTER



TBP8

- ullet Finished beaded front and two 4 1/2" sides.
- Can be used vertically between cabinets for an inset look.
- One 8' section.

Finish Techniques

Distressing	Heirlooming
	•


Species Availability (Wood)

Alder	Rustic Alder	Cherry	Hickory	Rustic Hickory	Maple	Oak
•	Alder	•	•	Hickory	•	•

Species Availability (All Laminates)

	Horiz. Grain on Maple					
box color	box color	box color	box color	box color	box color	box color

WIDE SCRIBE



WSCRIBE

• One 8' section.

Finish Techniques Distressing Heirlooming

Species Availability (Wood)

openes management			(
Alder	Rustic Alder	Cherry	Hickory	Rustic Hickory	Maple	Oak	
•	Alder	•	•	Hickory	•	•	

Species Availability (All Laminates)

opromote the manner of the comment of								
		Horiz. Grain						
	High Gloss	on Maple	on Maple	on Cherry	on Hickory	on Oak	Thermofoil	
	box color	box color	box color	box color	box color	box color	box color	

DESCRIPTION

13/32"

5....

UNDER PANEL MOULDING

- One 8' section.
- Can be used on edges of 1/4" thick panels to conceal end grain.



Finish Techniques Distressing Heirlooming

311

Species Availability (Wood)

Spotios Availabilit			(11000)			
Alder	Rustic Alder	Cherry	Hickory	Rustic Hickory	Maple	Oak
		•			•	

Species Availability (All Laminates)


	Horiz. Grain on Maple				
box color	box color	box color	box color		box color

UNDER PANEL MOULDING, FREMIUM



UPM8P

- One 8' section.
- Horizontal grain except on High Gloss.
- Can be used on edges of 1/4" thick panels to conceal end grain.





Finish Techniques Distressing Heirlooming

Species Availability (Wood)


	Alder	Rustic Alder	Cherry	Hickory	Rustic Hickory	Maple	Oak
--	-------	-----------------	--------	---------	-------------------	-------	-----

Species Availability (All Laminates)

		Horiz. Grain on Maple					
ł	• •	• •	• Mupic	• Oil Clienty	•	• OII OUK	THEIIIIOIOII

TOE MOULDING

BASEBOARD





BBM8

BBM10 *

- BBM8 is one 8' section.
- BBM10 is one 10' section. 5 day Express Response not available.
- BBM8 can be used in place of standard toekick to provide a surface for glaze hang-up on premium finishes.

Finish Techniques Distressing Heirloom

Distressing	Heirlooming
•	•

Species Availability (Wood)

			,	•		
Alder	Rustic Alder	Cherry	Hickory	Rustic Hickory	Maple	0ak
•	•	•	•	•	•	•


[◆] Only available in Cherry and Maple.

pecies Availability (All Laminates)

species A	valiability (All Eulilliu	1037			
	Horiz. Grain	Vert. Grain	Vert. Grain	Vert. Grain	Vert. Grain	
High Gloss	on Maple	on Maple	on Cherry	on Hickory	on Oak	Thermofoil
box color	box color	box color	box color	box color	box color	box color

Only available in Cherry and Maple box colors.

BASEBOARD - SCULPTED



5 BBMSC

- One 8' section.
- BBMSC can be used in place of standard toekick to provide a surface for glaze hang-up on premium finishes.

Finish Techniques

Distressing	Heirlooming
	•


Species Availability (Wood)

•	•	•	•	•	•	•
Alder	Rustic Alder	Cherry	Hickory	Rustic Hickory	Maple	0ak

Species Availability (All Laminates)

	Horiz, Grain	Vert. Grain	Vert. Grain	Vert. Grain	Vert. Grain	
	on Maple					
box color	box color	box color	box color	box color	box color	box color

BASEBOARD - SHAKER



BBMSH8

BBMSH10 +

- BBMSH8 is one 8' section.
- BBMSH10 is one 10' section. 5 day Express Response not available.

Finish Techniques

Distressing	Heirlooming
•	•

Species Availability (Wood)

Alder	Rustic Alder	Cherry	Hickory	Rustic Hickory	Maple	Oak
•	•	•	•	•	•	•


Only available in Cherry and Maple.

Species Availability (All Laminates)

	Horiz. Grain on Maple					
box color	box color	box color	box color	box color	box color	box color

Only available in Cherry and Maple box colors.

BASEBOARD - SWOOPED





- One 8' section.
- BBMSW can be used in place of standard toekick to provide a surface for glaze hang-up on premium finishes.

Finish Techniques

Distressing	Heirlooming
	•


Species Availability (Wood)

a poc.	OJ ATU	masili.	111000	,		
Alder	Rustic Alder	Cherry	Hickory	Rustic Hickory	Maple	Oak
•	•	•	•	•	•	•

Species Availability (All Laminates)

		· · · · · · · · · · · · · · · · · · ·	,				
	Horiz. Grain						
High Gloss	on Maple	on Maple	on Cherry	on Hickory	on Oak	Thermofoil	
box color	box color	box color	box color	box color	box color	box color	

DESCRIPTION



1/4", 1/2"

41/2

5 5

TB8WD14 TB8LAM12 +

- TB8WD14 in Stains: 1/4" thick veneered furniture board.
- TB8WD14 in Paints: 1/4" thick veneered or solid furniture board.
- TB8LAM12 is 1/2" laminated furniture board.
- One 8' section.

Finish Techniques

rinish lechi	niques
Distressing	Heirlooming

Species Availability (Wood)

			,	<u> </u>		
	Rustic	Charry	Hickory	Rustic	Manla	Oak
Aluci	Aluci	CHEITY	HICKUTY	THICKUTY	mupic	Ouk
•	Alder	•	•	Hickory	•	•

Only available in White Laminate.

Species Availability (All Laminates)

	species recuired (rin summeres)								
	Horiz. Grain						ı		
High Gloss	on Maple	on Maple	on Cherry	on Hickory	on Oak	Thermofoil	ı		
box color	box color	box color		box color	box color	box color	l		

Only available in White Laminate.

TOEBOARDS, PREMIUM



TB8P14

- 1/4" thick laminated MDF.
- One 8' section.
- Horizontal grain except on High Gloss.

Finish Techniques

Distressing	Heirlooming

Species Availability (Wood)


	Rustic Alder	Cherry	Hickory	Rustic Hickory	Maple	0ak

Species Availability (All Laminates)

	Horiz. Grain on Maple					Thermofoil
•	•	•	•	•	•	

TOEKICK CAP

1/4"





TKC

• Sold in pairs.



Species Availability (Wood)

Alder	Rustic Alder	Cherry	Hickory	Rustic Hickory	Maple	0ak
Maple	Maple	Maple	0ak	0ak	•	•

Finish Techniques

Distressing Heirlooming

Species Availability (All Laminates)

	, ,					
	Horiz. Grain	Vert. Grain	Vert. Grain	Vert. Grain	Vert. Grain	
High Gloss	on Maple	on Maple	on Cherry	on Hickory	on Oak	Thermofoil
box color	box color	box color	box color	box color	box color	box color

SMLR

• One 8' section.

DESCRIPTION

MOULDING

SMALL LIGHT RAIL

-11/2"---

WINDOW CASING -TRADITIONAL



WCT8

. .

One 8' section. Finish Techniques Distressing Heirlooming

Species Availability (Woo

Species Availability (Wood)							
	Rustic			Rustic			
Alder	Alder	Cherry	Hickory	Hickory	Maple	0ak	
•	Alder	•	•	Hickory	•	•	

Species Availability (All Laminates)

- species its annually (i.e. annualle)							
	Horiz. Grain	Vert. Grain	Vert. Grain	Vert. Grain	Vert. Grain		
High Gloss	on Maple	on Maple	on Cherry	on Hickory	on Oak	Thermofoil	
box color	box color	box color	box color	box color	box color	box color	

Species Availability (All Laminates)

	, ,		,			
	Horiz. Grain					
High Gloss	on Maple	on Maple	on Cherry	on Hickory	on Oak	Thermofoi
box color	box color	box color	box color		box color	box color


Alder Alder Cherry

Species Availability (Wood)

LIGHT RAILS

5/8"

21/4"



CAPM

• One 8' section.

Finish Techniques Distressing Heirlooming

Species Availability (Wood)

			(
	Rustic			Rustic			
Alder	Alder	Cherry	Hickory	Hickory	Maple	Oak	l
•	Alder	•	•	Hickory	•	•	l

Species Availability (All Laminates)

-	, , , , , , , , , , , , , , , , , , , ,							
	Horiz. Grain							
High Gloss	on Maple	on Maple	on Cherry	on Hickory	on Oak	Thermofoil		
box color	box color	box color	box color	box color	box color	box color		

LIGHT BAFFLE 5...

19/16

19/16

3/4"

3/4"

LB2

• One 8' section.

Finish Techniques Distressing Heirlooming

Species Availability (Wood) Rustic

Alder	Rustic Alder	Cherry	Hickory	Rustic Hickory	Maple	Oak
•	Alder	•	•	Hickory	•	•

Species Availability (All Laminates)

	Horiz. Grain					
High Gloss	on Maple	on Maple	on Cherry	on Hickory	on Oak	Thermofoil
box color	box color	box color	box color	box color	box color	box color

LIGHT BAFFLE, PREMIUM



LB2P

• One 8' section.

Horizontal grain except on High Gloss.


Finish Techniques Distressing Heirlooming

Species Availability (Wood

Speci	C2 MVU	iliubilit	/ (vvoou	,		
Alder	Rustic Alder		Hickory	Rustic Hickory	Maple	Oak
l				l .		

Species Availability (All Laminates

Species A	valiability (All Lumina	ies)			
	Horiz. Grain	Vert. Grain	Vert. Grain	Vert. Grain	Vert. Grain	
High Gloss	on Maple	on Maple	on Cherry	on Hickory	on Oak	Thermofoil
•	•	•	•	•	•	



Species Availability (Wood)

	Alder	Rustic Alder	Cherry	Hickory	Rustic Hickory	Maple	0ak
--	-------	-----------------	--------	---------	-------------------	-------	-----

Distressing Heirlooming

Finish Techniques

Distressing Heirlooming

Hickory Hickory Maple

0ak

313

Species Availability (All Laminates)

	Horiz. Grain	Vert. Grain	Vert. Grain	Vert. Grain	Vert. Grain	
High Gloss	on Maple	on Maple	on Cherry	on Hickory	on Oak	Thermofoil
box color	box color	box color	box color	box color	box color	box color

VALLEY FORGE 5 on 3/10"

VFR8

 Must be shimmed at shaded area if used with full overlay styles.

One 8' section.

Distressing Heirlooming •

Species Availability (Wood)

Alder	Rustic Alder	Cherry	Hickory	Rustic Hickory	Maple	0ak
•	Alder	•	•	Hickory	•	•


Finish Techniques

Species Availability (All Laminates)

	, ,					
	Horiz. Grain	Vert. Grain	Vert. Grain	Vert. Grain	Vert. Grain	
High Gloss	on Maple	on Maple	on Cherry	on Hickory	on Oak	Thermofoil
box color	box color	box color	box color	box color	box color	box color

JINSERTLRT

- One 8' section.
- Designed for use with all 3/4" insert mouldings.




Finish Tech Distressing Heirlooming

Species Availability (Wood)


A	Alder	Rustic Alder	Cherry	Hickory	Rustic Hickory	Maple	0ak
	•	Alder	•			•	•


Species Availability (All Laminates)


- P	, , , , , ,		,			
	Horiz. Grain					
High Gloss	on Maple	on Maple	on Cherry	on Hickory	on Oak	Thermofoil
box color	box color	box color	box color		box color	box color



LIGHT RAIL INSERTS








MISSION LIGHT RAIL INSERT

DESCRIPTION



JLRINSMIS

- One 8' section.
- Pattern is 6" repeat.




Finish Techniques Distressing Heirlooming

Species Availability (Wood)

Alder	Rustic Alder	Cherry	Hickory	Rustic Hickory	Maple	0ak
•	Alder	•			•	

Species Availability (All Laminates)

	Horiz. Grain on Maple				
box color	box color	box color	box color		box color



JLRINSWEAVE

Finish Techniques Distressing Heirlooming

Species Availability (Wood)

Alder	Rustic Alder	Cherry	Hickory	Rustic Hickory	Maple	0ak
•	Alder	•			•	

Species Availability (All Laminates)

	Horiz. Grain					
High Gloss	on Maple	on Maple	on Cherry	on Hickory	on Oak	Thermofoil
box color	box color	box color	box color			box color

CORNER MOULDINGS

INSIDE CORNER

3/4"

3/4

Maple 0ak



ICM8

• One 8' section.

Finish Tech	niques
Distressing	Heirlooming

Species Availability (Wood)

•	Alder	•	•	Hickory	•	•
Alder	Rustic Alder	Cherry	Hickory	Rustic Hickory	Maple	0ak

Species Availability (All Laminates)


Γ		Horiz. Grain					
L	High Gloss	on Maple	on Maple	on Cherry	on Hickory	on Oak	Thermofoil
	box color	box color	box color	box color	box color	box color	box color





ICM8P

- One 8' section.
- · Horizontal grain except on High Gloss.



Finish Techniques Distressing Heirlooming

Species Availability (Wood)

			,	•		
	Rustic	Cherry	Hickory	Rustic Hickory	Manle	Oak
Aluci	niuci	CHOITY	THEROTY	THEROTY	mupic	Ouk

Species Availability (All Laminates)

species A	valiability (All Eullina	1037			
	Horiz. Grain	Vert. Grain	Vert. Grain	Vert. Grain	Vert. Grain	
High Gloss	on Maple	on Maple	on Cherry	on Hickory	on Oak	Thermofoil
•	•	•	•	•	•	

Finished edges indicated by bold lines on side view drawings. Glazed edges indicated by arrows on side view drawings.

Schrock^{*}



• One 8' section.



Finish Techniques

Distressing Heirlooming

Species Availability (Wood)

Spot.	OJ ATU	masili.	111000	,		
Alder	Rustic Alder	Cherry	Hickory	Rustic Hickory	Maple	Oak
•	Alder	•	•	Hickory	•	•

Species Availability (All Laminates)

	Horiz. Grain					
High Gloss	on Maple	on Maple	on Cherry	on Hickory	on Oak	Thermofoil
box color	box color	box color	box color	box color	box color	box color

QUARTER ROUND QRM MOULDING • One 8' section. 11/16" Radius Finish Techniques Distressing Heirlooming Species Availability (Wood) 11/16 Rustic Alder Hickory Cherry Maple Hickory 11/16" Alder Hickory •

Species Availability (All Laminates)

High Glo					Vert. Grain on Hickory		Thermofoil
box col	or	box color	box color	box color	box color	box color	box color


315





OCM8

• One 8' section.



rinish lech	niques
Distressing	Heirlooming

Species Availability (Wood)

			,				
Al.J.	Rustic	Ch	History.	Rustic	Marala	0-1-	
Alder	Alder	Cherry	Hickory	HICKORY	<i>i</i> wapie	Uak	
•	Alder	•	•	Hickory	•	•	

Species Availability (All Laminates)

High Gloss	Horiz. Grain on Maple					
box color	box color	box color	box color	box color	box color	box color

SHOE - CONVEX INSIDE CORNER SHM8 • One 8' section. Finish Techniques Distressing Heirlooming Species Availability (Wood) Alder Alder Alder Cherry Hickory Maple Oak • Alder • Hickory Hickory • •

Species Availability (All Laminates)

	Horiz. Grain						ı
High Gloss	on Maple						
box color	box color	box color	box color	box color	box color	box color	ı

OUTSIDE CORNER, PREMIUM



OCM8P

- One 8' section.
- Horizontal grain except on High Gloss.

Finish Techniques



Species Availability (Wood)

opened management			,	,		
Alder	Rustic Alder	Cherry	Hickory	Rustic Hickory	Maple	Oak

Species Availability (All Laminates)

-	, rouse 710 annual 7 (7 an 2 annual 200)					
	Horiz. Grain					
High Gloss	on Maple	on Maple	on Cherry	on Hickory	on Oak	Thermofoil
•	•	•	•	•	•	

OUTSIDE CORNER 135°



OC135




Finish Techniques Distressing Heirlooming

Species Availability (Wood)

Speci	es Avu	iliability	/ (VVOOQ)			
Alder	Rustic Alder	Cherry	Hickory	Rustic Hickory	Maple	Oak
•	Alder	•	•	Hickory	•	•

Species Availability (All Laminates)

	Horiz. Grain					
High Gloss	on Maple	on Maple	on Cherry	on Hickory	on Oak	Thermofoil
box color	box color	box color	box color	box color	box color	box color



AV36

AV48

- **AV72**
- Side shoulders are 8" wide (6" trimmable each end).
- Bottom edge has 3/16" radius.

• 3/4" thick.

Finish Techniques Distressing Heirlooming

Species Availability (Wood)

Species Availability			(11000	,		
Alder	Rustic Alder	Cherry	Hickory	Rustic Hickory	Maple	Oak
•	•	•	•	•	•	•

Species Availability (All Laminates)

High Gloss	on Maple	on Maple	on Cherry	on Hickory	on Oak	Thermofoil
box color	box color	box color	box color	box color	box color	box color
	High Gloss	High Gloss on Maple	High Gloss on Maple on Maple	High Gloss on Maple on Maple on Cherry	High Gloss on Maple on Maple on Cherry on Hickory	High Gloss on Maple on Maple on Cherry on Hickory on Oak box color

FURNITURE VALANCE 2 1/4" 4 1/2 8" 8" 36", 48", 60" or 72"

FV36

FV48

FV₆0 **FV72**

- Side shoulders are 8" wide (6" trimmable each end).
- Bottom edge has 3/16" radius profile on face.
- 3/4" thick.

Finish Techniques Distressing Heirlooming

Species Availability (Wood)

Alder	Rustic Alder	Cherry	Hickory	Rustic Hickory	Maple	0ak
•	•	•	•	•	•	•

Species Availability (All Laminates)

	Horiz. Grain on Maple					
box color	box color	box color	box color	box color	box color	box color






JRPV30

JRPV36

JRPV42 JRPV48

JRPV54

JRPV60



21/8"

JRPV72

- Trimmable up to 1 3/4" per side.
- Recommended for use with hearths, see page 149.
- · Center height 8".
- · Raised panel profile is unique to this item and does not match any door style.
- Ends are pocket drilled for installation to adjacent cahinets

Finish Techniques



Species Availability (Wood)

Species Availability			(11004)				
	Rustic			Rustic			
Alder	Alder	Cherry	Hickory	Hickory	Maple	0ak	
•		•			•	•	

Species Availability (All Laminates)

High Gloss	Horiz. Grain on Maple				
box color	box color	box color	box color	box color	box color

Schrock^{*}

DESCRIPTION

121/2

MODEL

RECESSED PANEL ARCH



JRCPV30

JRCPV36

JRCPV48

JRCPV54 JRCPV60

JRCPV72

- Trimmable up to 1 3/4" per side.
- Recommended for use with hearths, see page 149.
- Center height 8".
- Ends are pocket drilled for installation to adjacent cabinets.

Finish Techniques

Distressing	Heirlooming
	•

Species Availability (Wood)

Alder	Rustic Alder	Cherry	Hickory	Rustic Hickory	Maple	Oak
•	•	•			•	•

Species Availability (All Laminates)

	Horiz. Grain					
High Gloss	on Maple	on Maple	on Cherry	on Hickory	on Oak	Thermofoil
box color	box color	box color	box color		box color	box color

SCALLOPED VALANCE



SV48

• Trimmable.

48" • 3/4" thick. 33/16"

Finish Techniques Distressing Heirlooming


Species Availability (Wood)

Alder	Rustic Alder	Cherry	Hickory	Rustic Hickory	Maple	0ak
•	Alder	•	•	Hickory	•	•

Species Availability (All Laminates)

	Horiz. Grain	Vert. Grain	Vert. Grain	Vert. Grain	Vert. Grain	
High Gloss	on Maple	on Maple	on Cherry	on Hickory	on Oak	Thermofoil
box color	box color	box color	box color	box color	box color	box color

STRAIGHT VALANCE



VV48

VV72

VV96 VV120 *

Trimmable

• 3/4" thick.

Finish Techniques Distressing Heirlooming

Species Availability (Wood)

Alder	Rustic Alder	Cherry	Hickory	Rustic Hickory	Maple	0ak
•	•	•	•	•	•	•

Only available in Cherry and Maple.

Species Availability (All Laminates)

Species Availability (All Edillinates)							
	Horiz. Grain	Vert. Grain	Vert. Grain	Vert. Grain	Vert. Grain		
High Gloss	on Maple	on Maple	on Cherry	on Hickory	on Oak	Thermofoil	
box color	box color	box color	box color	box color	box color	box color	

lacktriangle Only available in Cherry and Maple box colors.

27/8'


ROSETTEMIS

DECORATIVE OVERLAYS





ACOVLY










Species Availability (Wood)

Alder	Rustic Alder	Cherry	Hickory	Rustic Hickory	Maple	0ak
•	Alder	•			•	

Species Availability (All Laminates)

High Gloss	Horiz. Grain on Maple				
3	box color	 	on mekory	on our	box color




Species Availability (All Laminates)

-		· · · · · · · · · · · · · · · · · · ·	,			
	Horiz. Grain	Vert. Grain	Vert. Grain	Vert. Grain	Vert. Grain	
High Gloss	on Maple	on Maple	on Cherry	on Hickory	on Oak	Thermofoil
box color	box color	box color	box color		box color	box color

DECORATIVE ORNAMENTS

ACANTHUS ORNAMENT





Glaze in Acanthus Detail

Finish Techniques Distressing Heirlooming

Species Availability (Wood)


opener managem		(
Alder	Rustic Alder	Cherry	Hickory	Rustic Hickory	Maple	Oak
		•			•	

Species Availability (All Laminates)

1 9/16"

	Horiz. Grain					
High Gloss	on Maple	on Maple	on Cherry	on Hickory	on Oak	Thermofoil
box color	box color	box color	box color			box color

MISSION ROSETTE



Finish Techniques

317

Distressing Heirlooming

Species Availability (Wood)

			,	•		
Alder	Rustic Alder	Cherry	Hickory	Rustic Hickory	Maple	Oak
•	Alder	•			•	•


Species Availability (All Laminates)

<u></u>—7/8"—

	Horiz. Grain					
High Gloss	on Maple	on Maple	on Cherry	on Hickory	on Oak	Thermofoil
box color	box color	box color	box color		box color	box color

SCROLL ROSETTE

213/16



ROSETTESCR



Finish Techniques Distressing Heirlooming


Species Availability (Wood)

Species Availability (vvoou)								
	Rustic			Rustic				
Alder	Alder	Cherry	Hickory	Hickory	Maple	0ak		
	Aldor					_		

Species Availability (All Laminates)

		Horiz. Grain					
ı	High Gloss	on Maple	on Maple	on Cherry	on Hickory	on Oak	Thermofoil
	box color	box color	box color	box color		box color	box color

TRADITIONAL ROSETTE







Finish Techniques Distressing Heirlooming

Species Availability (Wood)


	Rustic			Rustic		
Alder	Alder	Cherry	Hickory	Hickory	Maple	0ak
Cherry	Cherry	•	Beech	Beech	•	Beech


Species Availability (All Laminates)

	Horiz. Grain	Vert. Grain	Vert. Grain	Vert. Grain	Vert. Grain	
High Gloss	on Maple	on Maple	on Cherry	on Hickory	on Oak	Thermofoil
box color	box color	box color	box color	box color	box color	box color

FFRC3X3 (Fluted) BFRC3X3 (Beaded)


Back Views of Rosette






box color box color box color

box color box color





Back View of Rosette

FFRC6X6 (Fluted)


· Available only as fluted.



Finish Techniques Distressing Heirlooming

Species Availability (Wood) Rustic Rustic Alder Cherry Hickory Hickory Alder Hickory

Species Availability (All Laminates) High Gloss on Maple on Maple on Cherry on Hickory on Oak box color box color box color box color box color box color box color



Finish Techniques

Distressing Heirlooming

Maple Oak

Hickory Hickory

Hickory

on Oak

Species Availability (Wood)

Rustic
Alder Alder Cherry Hickory

Alder


Horiz. Grain Vert. Grain Vert. Grain Vert. Grain Vert. Grain


on Maple on Cherry on Hickory

box color box color box color box color box color box color box color

Species Availability (All Laminates)

on Maple





Finished edges indicated by bold lines on side view drawings. Glazed edges indicated by arrows on side view drawings. **EMBELLISHMENTS**



4SBARLEG

Trimmable

33/4"

320

Finish Techniques

11111311 104111	iiiquus
Distressing	Heirlooming
	•

Species Availability (Wood)

			,				
Alder	Rustic Alder	Cherry	Hickory	Rustic Hickory	Maple	Oak	
•	Alder	•			•	•	

Species Availability (All Laminates)

Species Availability (All Lamillates)								
	Horiz. Grain							
High Gloss	on Maple	on Maple	on Cherry	on Hickory	on Oak	Thermofoil		
box color	box color	box color	box color		box color	box color		

BAROQUE LEG, 34 1/2" HIGH

Taper 4 Sides



JBAROQUELEG

- Trimmable.
- Leg is designed with three pieces. Field assembly required.

341/2" 24"

Finish Techniques

Distressing	Heirlooming
	•

Species Availability (Wood)

Alder	Rustic Alder	Cherry	Hickory	Rustic Hickory	Maple	Oak
•	Alder	•			•	

Species Availability (All Laminates)


	Horiz. Grain on Maple				
box color	box color	box color	box color		box color

BUFFET LEG, 34 1/2" HIGH



JBUFFETLEG

• Trimmable.



Finish Techniques

Distressing Heirlooming

Species Availability (Wood)

			,	•				
Δlder	Rustic Alder	Cherry	Hickory	Rustic Hickory	Manle	Onk		
Hidoi	riidoi	CHOILY	THEROTY	THERETY	mapio	Ouk		
•	Alder	•			•	•		

Species Availability (All Laminates)

	Horiz. Grain on Maple				
box color	box color	box color	box color	box color	box color

COSMO LEG, 35 1/4" HIGH



JCOSMOLEG

- Trimmable.
- Leg is designed with three pieces joined together.

35¹/₄" 35¹/₄" 27¹/₄" Glaze in Recess Detail

Finish Techniques Distressing Heirlooming

Species Availability (Wood)

Species Availability			(11000)			
Alder	Rustic Alder	Cherry	Hickory	Rustic Hickory	Maple	Oak
•	Alder	•			•	•

Species Availability (All Laminates)

	Horiz. Grain	Vert. Grain	Vert. Grain	Vert. Grain	Vert. Grain	
High Gloss	on Maple	on Maple	on Cherry	on Hickory	on Oak	Thermofoil
box color	box color	box color	box color		box color	box color


Schrock^a

0ak

ENGLISH COUNTRY LEG, 35 1/4" HIGH



JENGCNTYLEG



• Trimmable.

Finish Techniques Distressing Heirlooming

Species Availability (Wood)

Spocios Availability			(11000	11000,			
	Rustic Alder	Cherry	Hickory	Rustic Hickory	Maple	Oak	
•	Alder	•		Ĺ	•	•	

	Horiz. Grain	Vert. Grain	Vert. Grain	Vert. Grain	Vert. Grain	
High Gloss	on Maple	on Maple	on Cherry	on Hickory	on Oak	Thermofoil
box color	box color	box color	box color		box color	box color

• Trimmable. 151/4 351/4 **Finish Techniques** Distressing Heirlooming Species Availability (Wood) Rustic Alder Hickory Alder

Species Availability (All Laminates)


	Horiz. Grain					
High Gloss	on Maple	on Maple	on Cherry	on Hickory	on Oak	Thermofoil
box color	box color	box color	box color		box color	box color

ENGLISH BAR COLUMN, 42 1/4" HIGH



ENGBARCOLUMN

• Trimmable.





Rustic

Maple 0ak

Hickory Hickory

Alder


Species Availability (All Laminates)								
II:-L Cl	Horiz. Grain							
High Gloss	on Maple	on Maple	on Cherry	on Hickory	on Uak	Inermotoil		
box color	box color	box color	box color		box color	box color		

Rustic

Alder

Cherry

Alder



Species Availability (All Laminates)

box color box color box color

Horiz. Grain Vert. Grain Vert. Grain Vert. Grain on Maple on Cherry on Hickory

Finished edges indicated by bold lines on side view drawings. Glazed edges indicated by arrows on side view drawings.

EMBELLISHMENTS

Vert. Grain on Oak


box color box color





JESTATELEGSS

• Trimmable




on Maple

box color box color box color box color

Horiz. Grain Vert. Grain Vert. Grain Vert. Grain

on Maple on Cherry



Horiz. Grain Vert. Grain Vert. Grain Vert. Grain

box color box color

on Maple

High Gloss

on Maple

box color box color


on Cherry


on Hickory

on Oak

box color box color

Thermofoil





Vert. Grain

on Oak


box color box color

on Hickory



JFLUTELEGSS

• Trimmable.



Species Availability (All Laminates)

Species Availability (All Lullillates)								
		Horiz. Grain						
	High Gloss	on Maple	on Maple	on Cherry	on Hickory	on Oak	Thermofoil	
	box color	box color	box color	box color		box color	box color	

35 1/4" HIGH

33/4"

351/4

CLASSIC FLUTED LEG,

10'

1915/16

JFLUTELEG

• Trimmable.

Finish Techniques

Heirlooming

0ak

Thermofoil

Distressing

Hickory

on Oak

box color

Species Availability (Wood)

Cherry Alder

on Hickory

Rustic

Alder

box color

Horiz. Grain | Vert. Grain | Vert. Grain | Vert. Grain

box color

on Maple on Cherry

Species Availability (All Laminates)

on Maple

High Gloss

box color









	Horiz. Grain	Vert. Grain	Vert. Grain	Vert. Grain	Vert. Grain	
High Gloss	on Maple	on Maple	on Cherry	on Hickory	on Oak	Thermofoil
box color	box color	box color	box color		box color	box color

CLASSIC FLUTED LEG, 5" WIDE, 35 1/4" HIGH • Trimmable. 10" 351/4 1915/16" Finish Techniques Flute Distressing Heirlooming Species Availability (Wood) Rustic Alder 55/16 Cherry Hickory Hickory Maple Oak Alder Species Availability (All Laminates)






_	Species Availability (All Laminates)										
ſ		Horiz. Grain									
ı	High Gloss	on Maple	on Maple	on Cherry	on Hickory	on Oak	Thermofoil				
	box color	box color	box color	box color		box color	box color				

Finished edges indicated by bold lines on side view drawings. Glazed edges indicated by arrows on side view drawings.

323

JFRNCNTYLEGT

• Trimmable.



41/4"

324

Finish Techniques

Distressing	Heirloomin
	•

Species Availability (Wood)

- Podico Itt dilamini			(
Alder	Rustic Alder	Cherry	Hickory	Rustic Hickory	Maple	0ak
•	Alder	•			•	•

Species Availability (All Laminates)


	Horiz. Grain on Maple				
box color	box color	box color	box color	box color	box color

FRENCH COUNTRY LEG, 5" WIDE, 35 1/4" HIGH



JFRNCNTYLEGL

• Trimmable



Finish Techniques

Distressing	Heirloomin
	•

Species Availability (Wood)

٨١	der	Rustic Alder	Cherry	Hickory	Rustic Hickory	Manle	Oak
Al	•	Alder	•	HICKOTY	THICKUTY	Mupic	•

Species Availability (All Laminates)


	Horiz. Grain on Maple				
box color	box color	box color	box color	box color	box color

ISLAND LEG, 2-SIDED, 35 1/4" HIGH



2SISLLEG

• Trimmable.



Finish Techniques Distressing Heirlooming

Species Availability (Wood)

			,	•		
Alder	Rustic Alder	Cherry	Hickory	Rustic Hickory	Maple	Oak
•	Alder	•			•	•

Species Availability (All Laminates)


Γ		Horiz. Grain	Vert. Grain	Vert. Grain	Vert. Grain	Vert. Grain	
	High Gloss	on Maple	on Maple	on Cherry	on Hickory	on Oak	Thermofoil
	box color	box color	box color	box color		box color	box color

ISLAND LEG, 4-SIDED, 35 1/4" HIGH



4SISLLEG

• Trimmable.



Finish Techniques Distressing Heirlooming ●

Species Availability (Wood)

1			,,				
Alder	Rustic Alder	Cherry	Hickory	Rustic Hickory	Maple	Oak	
_		,	/	,			
•	Alder	•			•	•	

21/4" Species Availability (All Laminates

Species Availability (All Lullillates)							
	Horiz. Grain	Vert. Grain	Vert. Grain	Vert. Grain	Vert. Grain		
High Gloss	on Maple	on Maple	on Cherry	on Hickory	on Oak	Thermofoil	
hox color	hox color	hox color	hox color		hox color	hox color	

Schrock

42 1/4" HIGH

METRO BAR COLUMN,

DESCRIPTION

MODEL

METBARCOLUMN 5 DAY



• Leg is designed with three pieces joined together.

33/4" 421/4 3019/32

Finish Techniques

Distressing	Heirlooming
	•

Species Availability (Wood)

Alder	Rustic Alder	Cherry	Hickory	Rustic Hickory	Maple	Oak
•	Alder	•			•	•

Species Availability (All Laminates)

	, ,					
	Horiz. Grain	Vert. Grain	Vert. Grain	Vert. Grain	Vert. Grain	
High Gloss	on Maple	on Maple	on Cherry	on Hickory	on Oak	Thermofoil
box color	box color	box color	box color		box color	box color

METISLCOLUMN



- Trimmable.
- Leg is designed with three pieces joined together.

| 3" | 3" 345/8

METRO ISLAND COLUMN,

34 5/8" HIGH

Finish Techniques

Districtstrily	Helilooilling
	•

cies Availability (Wood)

speci	,					
Alder	Rustic Alder	Cherry	Hickory	Rustic Hickory	Maple	Oak
•	Alder	•			•	•

Species Availability (All Laminates)

opened its annually (san automates)							
	Horiz. Grain						
High Gloss	on Maple	on Maple	on Cherry	on Hickory	on Oak	Thermofoil	
box color	box color	box color	box color		box color	box color	


MISSION LEG, 34 1/2" HIGH

| 3" |



DLEGMISSION

• Trimmable.



Species Availability (All Laminates)


High Gloss	Horiz. Grain on Maple				Thermofoil
box color	box color	box color	box color	box color	box color

QUEEN ANNE LEG, 42 1/4" HIGH



JQUNANNELEG

• Trimmable.



Finish Techniques


Speci	es Ava	iilability	/ (Wood)		
	Rustic			Rustic		
Alder	Alder	Cherry	Hickory	Hickory	Maple	0ak
•	Alder	•			•	•

Species Availability (All Laminates)

	Horiz. Grain	Vert. Grain	Vert. Grain	Vert. Grain	Vert. Grain		ı
High Gloss	on Maple	on Maple	on Cherry	on Hickory			
box color	box color	box color	box color		box color	box color	ı


Finished edges indicated by bold lines on side view drawings. Glazed edges indicated by arrows on side view drawings.

325



RDLEG

• Trimmable



Species Availability (All Laminates)


	Horiz. Grain on Maple				
_	box color	 ,	on matory	box color	





JRDLEGT

• Trimmable.



Finish Techniques

Finish Techniques

Rustic

Distressing Heirlooming

Speci	es Ava	ilability	/ (Wood)		
Alder	Rustic Alder	Cherry	Hickory	Rustic Hickory	Maple	Oak
•	Alder	•			•	•


Species Availability (All Laminates)

	Horiz. Grain					
High Gloss	on Maple	on Maple	on Cherry	on Hickory	on Oak	Thermofoil
box color	box color	box color	box color		box color	box color

REED LEG, 5" WIDE, 34 1/2" HIGH



JRDLEGL • Trimmable.



Finish Techniques							
Distressing	Heirlooming						
	•						

ailahility (Wood)

Sheri	C3 MVU	iliubilii)	/ (******	,		
Alder	Rustic	Cherry	Hickory	Rustic Hickory	Manle	Oak
Hidoi	riidoi	CHOILY	THEROTY	THEREOTY	mapio	Ouk
•	Alder	•			•	•

Species Availability (All Laminates)


	Horiz. Grain	Vert. Grain	Vert. Grain	Vert. Grain	Vert. Grain	
High Gloss	on Maple	on Maple	on Cherry	on Hickory	on Oak	Thermofoil
box color	box color	box color	box color		box color	box color

ROMAN WEAVE LEG, 35 1/4" HIGH



JWEAVELEG

• Trimmable.



				Fi	nish Tech	ıniaues	
				_	istressing	Heirlo	
						•	,
Speci	ies Avo	ilability	(W	ood)		
Alder	Rustic Alder	Cherry	Hick	ory	Rustic Hickory	Maple	0ak

Species Availability (All Laminates)

	Horiz. Grain					
High Gloss	on Maple	on Maple	on Cherry	on Hickory	on Oak	Thermofoil
box color	box color	box color	box color		box color	box color


Alder





JWEAVELEGT

• Trimmable.



Species	Availability	(All I	Laminates)


	Horiz. Grain	Vert. Grain	Vert. Grain	Vert. Grain	Vert. Grain	
High Gloss	on Maple	on Maple	on Cherry	on Hickory	on Oak	Thermofoil
box color	box color	box color	box color		box color	box color

ROMAN WEAVE LEG, 5" WIDE, 35 1/4" HIGH



JWEAVELEGL

• Trimmable.



Finish Techniques

Finish Techniques Distressing Heirlooming

Distressing	Heirlooming
	•

rios Availahility (Wood)

speci	es Avu	iliuvilli	/ (vvoou	,		
	Rustic			Rustic		
Alder	Alder	Cherry	Hickory	Hickory	Maple	Oak
•	Δlder	•			•	•

Species Availability (All Laminates)


	Horiz. Grain					
High Gloss	on Maple	on Maple	on Cherry	on Hickory	on Oak	Thermofoil
box color	box color	box color	box color		box color	box color





JROPELEGS

• Trimmable.



Species Availability (All Laminates)

	Horiz. Grain	Vert. Grain	Vert. Grain	Vert. Grain	Vert. Grain	
High Gloss	on Maple	on Maple	on Cherry	on Hickory	on Oak	Thermofoil
box color	box color	box color	box color		box color	box color


SMALL CLASSIC ROPE LEG SPLIT,





JROPELEGSS

• Trimmable



Finish Techniques Distressing Heirlooming

Species Availability (Wood)

Rustic			(1100u	,		
Alder		Cherry	Hickory	Rustic Hickory	Maple	0ak
•	Alder	•			•	•

Species Availability (All Laminates)

Species Availability (All Edillides)							
	Horiz. Grain						
High Gloss	on Maple	on Maple	on Cherry	on Hickory	on Oak	Thermofoil	
hox color	hox color	hox color	hox color		hox color	hox color	


Finished edges indicated by bold lines on side view drawings. Glazed edges indicated by arrows on side view drawings.

EMBELLISHMENTS

CLASSIC ROPE LEG, 35 1/4" HIGH

JROPELEG

• Trimmable.



Finish Techniques Distressing Heirlooming

Species Availability (Wood)

			•	•		
Alder	Rustic Alder	Cherry	Hickory	Rustic Hickory	Maple	Oak
•	Alder	•			•	•

Species Availability (All Laminates)


	Horiz. Grain					
High Gloss	on Maple	on Maple	on Cherry	on Hickory	on Oak	Thermofoil
box color	box color	box color	box color		box color	box color

CLASSIC ROPE LEG, 42 1/4" HIGH



JROPELEGT

• Trimmable.



Finish Techniques					
Distressing Heirlooming					
	•				

Species Availability (Wood)

Spocios Availability			(11000	(11004)			
Alder	Rustic Alder	Cherry	Hickory	Rustic Hickory	Maple	Oak	
•	Alder	•			•	•	

Species Availability (All Laminates)

-	, , , , , , , , , , , , , , , , , , , ,							
	Horiz. Grain							
High Gloss	on Maple	on Maple	on Cherry	on Hickory	on Oak	Thermofoil		
box color	box color	box color	box color		box color	box color		


CLASSIC ROPE LEG, 5" WIDE, 35 1/4" HIGH

DESCRIPTION



JROPELEGL

• Trimmable.



	Finish Tech	niques
	Distressing	Heirlooming
		•
Species Availability (W	ood)	

Maple Oak

Hickory Hickory

Alder Species Availability (All Laminates)

	Horiz. Grain							
High Gloss	on Maple	on Maple	on Cherry	on Hickory	on Oak	Thermofoil		
box color	box color	box color	box color		box color	box color		


Rustic Alder Cherry

SMALL SPOOL LEG, 2 3/4" WIDE, 35 1/4" HIGH



JSPLEGS

• Trimmable.



			Ľ	inish Tec Distressing		oming
	Rustic	ilability		Rustic		
Alder	Alder Alder	Cherry	Hickory	Hickory	Maple	Oak •

Species Availability (All Laminates)


	Horiz. Grain	Vert. Grain	Vert. Grain	Vert. Grain	Vert. Grain	
High Gloss	on Maple	on Maple	on Cherry	on Hickory	on Oak	Thermofoil
box color	box color	box color	box color		box color	box color





JSPLEGSS





Species Availability			(11000)				
Alder	Rustic Alder	Cherry	Hickory	Rustic Hickory	Maple	Oak	
•	Alder	•			•	•	

Species Availability (All Laminates)


	,							
	Horiz. Grain	Vert. Grain	Vert. Grain	Vert. Grain	Vert. Grain			
High Gloss	on Maple	on Maple	on Cherry	on Hickory	on Oak	Thermofoil		
box color	box color	box color	box color		box color	box color		





SPLEG

• Trimmable.



Finish Techniques


Distressing	Heirlooming
	•

Species Availability (Wood)

•	Alder	•			•	•
Alder	Rustic Alder	Cherry	Hickory	Rustic Hickory	Maple	Oak

Species Availability (All Laminates)

	Horiz. Grain on Maple				
box color	box color	box color	box color	box color	box color




MODEL

Species Availability (All Laminates)

	Horiz. Grain					
High Gloss	on Maple	on Maple	on Cherry	on Hickory	on Oak	Thermofoil
box color	box color	box color	box color		box color	box color

SQUARE ISLAND LEG SPLIT, 35 1/4" HIGH



JSQISLLEG3S

• Trimmable.

Finish Tech	niques
Distressing	Heirlooming
	•

Species Availability (Wood)

Alder	Rustic Alder	Cherry	Hickory	Rustic Hickory	Maple	Oak
•	Alder	•			•	•

Species Availability (All Laminates)

	, , , , , , , , , , , , , , , , , , ,					
	Horiz. Grain	Vert. Grain	Vert. Grain	Vert. Grain	Vert. Grain	
High Gloss	on Maple	on Maple	on Cherry	on Hickory	on Oak	Thermofoil
box color	box color	box color	box color		box color	box color

SQUARE ISLAND LEG, 3" x 3", 35 1/4" HIGH



JSQISLLEG3

• Trimmable.

Finish Technic									iques		
							[Distressing	I	Heirlooming	
									I	•)
		Speci	ies Ava	ilab	ility	(W	000	l)			
Alder		Rustic Alder	Che	rry	y Hickory		Rustic Hickory			Oak	
		•	Alder	•	,					•	•
(All L	amina	tes)								
Vert. Grain on Maple					rt. Grain Hickory		Vert. Grain on Oak		Thermofoil		
	box	color	box co	lor				box color		box	color

351/4

Species Availability (High Gloss on Maple box color box color

Finished edges indicated by bold lines on side view drawings. Glazed edges indicated by arrows on side view drawings.

EMBELLISHMENTS

JSQISLLEG4

• Trimmable. Species Availability (All Laminates)

Finish Techniques Distressing Heirlooming

Species Availability (Wood)


Speci	CJ ATU	masiiii)	(11000)				
Alder	Rustic Alder	Cherry	Hickory	Rustic Hickory	Maple	Oak	
•	Alder	•			•	•	

	Horiz. Grain on Maple				
box color	box color	box color	box color	box color	box color

SQUARE ISLAND LEG, 6" x 6", 35 1/4" HIGH



JSQISLLEG6



Finish Techniques

Distressing	Heirlooming
	•

Species Availability (Wood)

			,	•		
Alder	Rustic Alder	Cherry	Hickory	Rustic Hickory	Maple	Oak
•	Alder	•			•	•

Species Availability (All Laminates)


			,			
	Horiz. Grain	Vert. Grain	Vert. Grain	Vert. Grain	Vert. Grain	
High Gloss	on Maple	on Maple	on Cherry	on Hickory	on Oak	Thermofoil
box color	box color	box color	box color		box color	box color

SQUARE BAR LEG SPLIT, 42 1/4" HIGH



JSQBARLEG3S

Trimmable



rinish lech	niques
Distressing	Heirlooming
	•

ciae Availability (Wood)

Sheri	C3 MVU	illubilli	/ (*****	,		
Δlder	Rustic Alder	Cherry	Hickory	Rustic Hickory	Manle	Onk
riidoi	ruuoi	Citotiy	Inchory	THEROTY	mapio	Ouk
•	Alder	•			•	•

Species Availability (All Laminates)


Species Availability (All Lallilliates)								
	Horiz. Grain	Vert. Grain	Vert. Grain	Vert. Grain	Vert. Grain			
High Gloss	on Maple	on Maple	on Cherry	on Hickory	on Oak	Thermofoil		
box color	box color	box color	box color		box color	box color		

SQUARE BAR LEG, 3" x 3", 42 1/4" HIGH



JSQBARLEG3

• Trimmable.



Speci	ies Ava	ilability	(Wood)		
Alder	Rustic Alder	Cherry	Hickory	Rustic Hickory	Maple	Oa
•	Alder	•			•	•

Finish Techniques

Distressing Heirlooming

Species Availability (All Laminates)


	Horiz. Grain	Vert. Grain	Vert. Grain	Vert. Grain	Vert. Grain	
High Gloss	on Maple	on Maple	on Cherry	on Hickory	on Oak	Thermofoil
box color	box color	box color	box color		box color	box color

SQUARE BAR LEG, 4" x 4", 42 1/4" HIGH



JSQBARLEG4

• Trimmable.



Species Availability (Wood)							
	Rustic Alder		Hickory	Rustic Hickory	Maple	Oak	
•	Alder	•			•	•	

Finish Techniques Distressing Heirlooming


Species Availability (All Laminates)

	Horiz. Grain	Vert. Grain	Vert. Grain	Vert. Grain	Vert. Grain	
High Gloss	on Maple	on Maple	on Cherry	on Hickory	on Oak	Thermofoil
box color	box color	box color	box color		box color	box color

SQUARE BAR LEG, 6" x 6", 42 1/4" HIGH



JSQBARLEG6



Finish Techniques Distressing Heirlooming


Species Availability (Wood)

- 1			•	<u> </u>		
Alder	Rustic Alder	Cherry	Hickory	Rustic Hickory	Maple	0ak
•	Alder	•			•	•

Species Availability (All Laminates)

Species Availability (All Edillides)								
	Horiz. Grain	Vert. Grain	Vert. Grain	Vert. Grain	Vert. Grain			
High Gloss	on Maple	on Maple	on Cherry	on Hickory	on Oak	Thermofoil		
box color	box color	box color	box color		box color	box color		





Finish Techniques

Distressing

Species Availability (Wood)

Alder	Rustic Alder	Cherry	Hickory	Rustic Hickory	Maple	0ak
•	Alder	•			•	•

Species Availability (All Laminates)

	Horiz. Grain						
High Gloss	on Maple	on Maple	on Cherry	on Hickory	on Oak	Thermofoil	
box color	box color	box color	box color		box color	box color	




155/8"



JTULIPLEGT

Trimmable.



Species	Availability	(All	Laminates
Species	ATUINDIIII	1/211	Lummurca


	Horiz. Grain					
High Gloss	on Maple	on Maple	on Cherry	on Hickory	on Oak	Thermofoil
box color	box color	box color	box color		box color	box color

URN LEG, 35 1/4" HIGH



JURNLEG

• Trimmable.



Finish Techniques Heirlooming Distressing

Cuarias Availability /Waad

Speci	es Avu	iliability	/ (vvoou	,		
	Rustic Alder		Hickory	Rustic Hickory	Manle	Onl
,ao.	711001	c,	1111111111		mapio	- O G.
•	Alder	•			•	•

Cnaciae Availability (All Laminatae)

Species Availability (All Laillillates)								
	Horiz. Grain							
High Gloss	on Maple	on Maple	on Cherry	on Hickory	on Oak	Thermofoil		
box color	box color	box color	box color		box color	box color		

Schrock^a


DESCRIPTION MODEL

URN LEG, 42 1/4" HIGH



JURNLEGT

• Trimmable.



Finish Techniques Distressing Heirlooming

Speci	es Avo	iliability	/ (vvood)		
	Rustic			Rustic		
Alder	Alder	Cherry	Hickory	Hickory	Maple	0ak
•	Alder	•			•	•

Species Availability (All Laminates)


		Horiz. Grain						ı
	High Gloss	on Maple	on Maple	on Cherry	on Hickory	on Oak	Thermofoil	ı
	box color	box color	box color	box color		box color	box color	ı





JURNLEGL

• Trimmable.




Finish Techniques Species Availability (Wood)

Alder Alder Cherry Hickory Rustic Hickory Maple Oak Alder

			711401										
Species A	Species Availability (All Laminates)												
	Horiz. Grain on Maple												

ABBE FOOT, 4" HIGH



ABFOOT

box color box color box color box color

• Recommended for applications without toekicks.

Finish Techn

Species Availability (Wood) Rustic Alder Rustic Hickory

Species Availability (All Laminates)

	, ,		,			
	Horiz. Grain	Vert. Grain	Vert. Grain	Vert. Grain	Vert. Grain	
High Gloss	on Maple	on Maple	on Cherry	on Hickory	on Oak	Thermofoil
box color	box color	box color	box color		box color	box color

Alder

Finished edges indicated by bold lines on side view drawings. Glazed edges indicated by arrows on side view drawings.

EMBELLISHMENTS

FRENCH LEG, 6" HIGH

332

FRNLG

• Trimmable

Finish Techniques Distressing Heirlooming

Species Availability (Wood)

Alder	Rustic Alder	Cherry	Hickory	Rustic Hickory	Maple	0ak
Cherry	Cherry	•			•	

Species Availability (All Laminates)

	Horiz. Grain on Maple				
box color	box color	box color	box color		box color

ACANTHUS FOOT, 4 1/2" HIGH



JACANFOOT



Finish Tech Distressing

Species Availability (Wood)

Alder	Rustic Alder	Cherry	Hickory	Rustic Hickory	Maple	Oak
•	Alder	•			•	•

Species Availability (All Laminates)


opening the same of							
	Horiz. Grain	Vert. Grain	Vert. Grain	Vert. Grain	Vert. Grain		
High Gloss	on Maple	on Maple	on Cherry	on Hickory	on Oak	Thermofoil	
box color	box color	box color	box color		box color	box color	

COSMO FOOT, 4" HIGH



JCOSFOOT

• Recommended for applications without toekicks.



Finish Tech	niques	
Distressing	Heirlooming	
	•	

Species Availability (Wood)

				•		
Alder	Rustic Alder	Cherry	Hickory	Rustic Hickory	Maple	Oak
•	Alder	•			•	•

Species Availability (All Laminates)

eperate transmitty (terr community)							
	Horiz. Grain						
High Gloss	on Maple	on Maple	on Cherry	on Hickory	on Oak	Thermofoil	
box color	box color	box color	box color		box color	box color	

CRAFTSMAN FOOT, 4 1/2" HIGH

41/2'



JCRAFTFOOT



Finish Techniques Distressing Heirlooming Species Availability (Wood)

Rustic

Maple Oak

Hickory Hickory

Alder Alder Cherry Alder

Species Availability (All Laminates)										
	Horiz. Grain	Vert. Grain	Vert. Grain	Vert. Grain	Vert. Grain					
High Gloss	on Maple	on Maple	on Cherry	on Hickory	on Oak	Thermofoil				
box color	box color	box color	box color		box color	box color				


Rustic

FRENCH COUNTRY FOOT, 6" HIGH



JFRNCNTYFOOT

• Recommended for applications without toekicks.



Finish Techniques Heirlooming

Species Availability (Wood)

Alder	Rustic Alder	Cherry	Hickory	Rustic Hickory	Maple	0ak
•	Alder	•			•	•

Species Availability (All Laminates)

	Horiz. Grain					
High Gloss	on Maple	on Maple	on Cherry	on Hickory	on Oak	Thermofoil
box color	box color	box color	box color		box color	box color

MADELINE FOOT, 4 1/2" HIGH



JMADEFOOT

Finish Techniques Heirlooming Species Availability (Wood) Rustic Rustic

Alder | Alder | Cherry | Hickory | Hickory | Maple | Oak

Species Availability (All Laminates)

species n	Species Availability (All Edillidies)										
	Horiz. Grain										
High Gloss	on Maple	on Maple	on Cherry	on Hickory	on Oak	Thermofoil					
box color	box color	box color	box color		box color	box color					


Alder

MADISON FOOT, 6 1/8" HIGH



JMADFOOT

• Recommended for applications without toekicks.



Finish Techniques Distressing Heirlooming

Species Availability (Wood)


	Rustic Alder	Cherry	Hickory	Rustic Hickory	Maple	0ak
•	Alder	•			•	•

Species Availability (All Laminates)

	Horiz. Grain					
High Gloss	on Maple	on Maple	on Cherry	on Hickory	on Oak	Thermofoil
box color	box color	box color	box color		box color	box color

JMETROFOOT

• Recommended for applications without toekicks.



Finish Techniques Distressing Heirlooming

Species Availability (Wood)

Alder	Rustic Alder	Cherry	Hickory	Rustic Hickory	Maple	0ak
•	Alder	•			•	•


Species Availability (All Laminates)

	Horiz. Grain on Maple				
box color	box color	box color	box color	box color	box color

WEAVE FOOT, 4 1/2" HIGH



JWEAVEFOOT



Finish Techniques Distressing

Species Availability (Wood)

	Rustic			Rustic		
Alder	Alder	Cherry	Hickory	Hickory	Maple	0ak
•	Alder	•			•	•

Species Availability (All Laminates)


	Horiz. Grain	Vert. Grain	Vert. Grain	Vert. Grain	Vert. Grain	
High Gloss	on Maple	on Maple	on Cherry	on Hickory	on Oak	Thermofoil
box color	box color	box color	box color		box color	box color

LARGE SQUARE FOOT, 5" HIGH



LGSQFOOT

• Trimmable.




Finish Tech	Finish Techniques					
Distressing	Heirlooming					
	•					

Alder	Rustic Alder	Cherry	Hickory	Rustic Hickory	Maple	Oak
•	Alder	•			•	•

Species Availability (All Laminates)

aboutos 1	Species Availability (All Edillinaies)								
	Horiz. Grain								
High Gloss	on Maple	on Maple	on Cherry	on Hickory	on Oak	Thermofoil			
box color	box color	box color	box color		box color	box color			



Species Availability (Wood)

Alder	Rustic Alder	Cherry	Hickory	Rustic Hickory	Maple	Oak
•	Alder	•			•	•

Species Availability (All Laminates)

1 1 1 1 1	· · · · / ·					
	Horiz. Grain					
High Gloss	on Maple	on Maple	on Cherry	on Hickory	on Oak	Thermofoil
box color	box color	box color	box color		box color	box color


SQUARE FOOT, SPLIT, 4 1/2" HIGH

DESCRIPTION



JSQFOOTS

Trimmable.



Species Availability (Wood)

Sheri	C3 MVU	iliubilii j	(11000)			
Alder	Rustic Alder	Cherry	Hickory	Rustic Hickory	Maple	0ak
•	Alder	•			•	•

Species Availability (All Laminates)


	, ,		,			
	Horiz. Grain	Vert. Grain	Vert. Grain	Vert. Grain	Vert. Grain	
High Gloss	on Maple	on Maple	on Cherry	on Hickory	on Oak	Thermofoil
box color	box color	box color	box color		box color	box color

LILLE FOOT, 4 1/2" HIGH



LIFOOT

• Recommended for applications without toekicks.




Finish Techniques Distressing Heirlooming

Species Availability (Wood)


Alder	Rustic Alder	Cherry	Hickory	Rustic Hickory	Maple	0ak
•	Alder	•			•	•


Species Availability (All Laminates)


	, ,		,			
	Horiz. Grain					
High Gloss	on Maple	on Maple	on Cherry	on Hickory	on Oak	Thermofoil
box color	box color	box color	box color		box color	box color



box color | box color







box color box color box color box color

on Maple on Maple on Cherry on Hickory

on Oak

box color

box color

TLFOOT

2" DECORATIVE **SPLIT TURNINGS** 2"

15/16"

97/16

SPTRINGEND

|11/16"|

JSPTRINGCTR

31/8

- 21/8" -



SPTRINGEND (Sold in Pairs)

♪ JSPTRINGCTR ◆

SPTRINGREED30 (Reeded Half Round)

SPTRINGREED60

(Reeded Half Round)

SPTRINGREED96

(Reeded Half Round)

SPTRINGROPE30

(Rope Right Twist Half Round)

SPTRINGROPE60

(Rope Right Twist Half Round)

SPTRINGROPE96

(Rope Right Twist Half Round)

SPTRINGSPOOL30 (Half Round)

SPTRINGSPOOL60 (Half Round)

SPTRINGSPOOL96 (Half Round)



(Half Round)

- Ends sold separately from split turnings.
- 5 day Express Response not available on Architectural


SPTRINGREED

Glaze in Reed Detail

SPTRINGROPE_

Glaze in

Rope Detail



SPTRINGSPOOL___ JSPTRINGFLT96

Finish Tech	niques
Distressing	Heirlooming
	•

Species Availability (Wood)

•	Alder	•	•	Hickory	•	•
Alder	Rustic Alder	Cherry	Hickory	Rustic Hickory	Maple	0ak

◆ Not available in Hickory.

Species Availability (All Laminates)

-		· · · · · · · · · · · · · · · · · · ·	,			
	Horiz. Grain					
High Gloss	on Maple	on Maple	on Cherry	on Hickory	on Oak	Thermofoil
box color	box color	box color	box color	box color	box color	box color

Not available in Hickory box color.

3" DECORATIVE **SPLIT TURNINGS**

DESCRIPTION

17/16

513/16

J3SPTRINGBLK



J3SPTRINGBLK


J3SPTRINGFIN J3SPTRINGWV


MODEL


J3SPTRINGCTR


J3SPTRINGSP96 J3SPTRINGRP96 J3SPTRINGRD96 J3SPTRINGFL96


• Ends sold separately.

















31/2 **J3SPTRINGCTR**

J3SPTRINGRP96

J3SPTRINGFL96 Finish Techniques

Distressing Heirlooming

EMBELLISHMENTS

Species Availability (Wood)

			,	,		
Alder	Rustic Alder	Cherry	Hickory	Rustic Hickory	Maple	Oak
•	Alder	•			•	•

Species Availability (All Laminates)


ı		Horiz. Grain					
	High Gloss	on Maple	on Maple	on Cherry	on Hickory	on Oak	Thermofoil
	box color	box color	box color	box color		box color	box color

Celtic Deta . Glaze in Corners

336

SMCORBEL

• Not intended for cabinet or freestanding countertop support. For substantial weight support, use a floor mounted support such as a Decorative Leg.



61/16"

Finish Techniques

Distressing	Heirlooming
	•

Species Availability (Wood)

ALI	Rustic	Cl	10:1	Rustic		
Alder	Alder	Cherry	HICKORY	Hickory	<i>M</i> aple	Uak
•	Alder	•			•	•

Species Availability (All Laminates)

	Horiz. Grain on Maple					
box color	box color	box color	box color	,	box color	box color


13" LARGE CORBEL



93/16"

LGCORBEL

· Not intended for cabinet or freestanding countertop support. For substantial weight support, use a floor mounted support such as a Decorative Leg.



Finish Techniques

Distressing	Heirlooming
	•

Species Availability (Wood)

Alder	Rustic Alder	Cherry	Hickory	Rustic Hickory	Maple	Oak
•	Alder	•			•	•

Species Availability (All Laminates)

Species Availability (All Lallillates)						
	Horiz. Grain	Vert. Grain	Vert. Grain	Vert. Grain	Vert. Grain	
High Gloss	on Maple	on Maple	on Cherry	on Hickory	on Oak	Thermofoil
box color	box color	box color	box color		box color	box color

9" ART CORBEL 33/4"-

Schrock



CORBELART9

 Not intended for cabinet or freestanding countertop support. For substantial weight support, use a floor mounted support such as a Decorative Leg.

Finish Techniques



Species Availability (Wood)

Alder	Rustic Alder	Cherry	Hickory	Rustic Hickory	Maple	Oak
•	Alder	•			•	•

Availability (All Laminates)

	Horiz. Grain	Vert. Grain	Vert. Grain	Vert. Grain	Vert. Grain	
High Gloss	on Maple	on Maple	on Cherry	on Hickory	on Oak	Thermofoil
box color	box color	box color	box color		box color	box color

7" CELTIC CORBEL



CORBELCELT

• Not intended for cabinet or freestanding countertop support. For substantial weight support, use a floor mounted support such as a Decorative Leg.

Finish Techniques

Distressing	Heirlooming
	•

Species Availability (Wood)

Speci	G2 MAN	iliubilli	/ (vvoou	,		
Alder	Rustic Alder	Cherry	Hickory	Rustic Hickory	Maple	Oak
		•			•	•

Species Availability (All Laminates)

	Horiz. Grain	Vert. Grain	Vert. Grain	Vert. Grain	Vert. Grain	
High Gloss	on Maple	on Maple	on Cherry	on Hickory	on Oak	Thermofoil
box color	box color	box color	box color		box color	box color

7" SMALL COSMO **CORBEL**



JCORBELCOS7

· Not intended for cabinet or freestanding countertop support. For substantial weight support, use a floor mounted support such as a Decorative Leg.

Finish Techniques

Distressing	Heirloomina

Species Availability (Wood)

Alder	Rustic Alder	Cherry	Hickory	Rustic Hickory	Maple	Oak
•	Alder	•				•

Species Availability (All Laminates)

	Horiz. Grain on Maple				
box color	box color	box color	box color	box color	box color

13" LARGE COSMO **CORBEL**

23/4"




13



JCORBELCOS13

• Not intended for cabinet or freestanding countertop support. For substantial weight support, use a floor mounted support such as a Decorative Leg.



Finish Techniques

Distressing	Heirlooming
	•

Species Availability (Wood)

		,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,				
	Rustic Alder		Hickory	Rustic Hickory	Maple	0ak	
•	Alder	•			•	•	

Species Availability (All Laminates)

	Horiz. Grain	Vert. Grain	Vert. Grain	Vert. Grain	Vert. Grain	
High Gloss	on Maple	on Maple	on Cherry	on Hickory	on Oak	Thermofoil
box color	box color	box color	box color		box color	box color

CORBEL DEEP

13'

13" LARGE COSMO

JCORBELCOS13D

Not intended for cabinet or freestanding countertop

mounted support such as a Decorative Leg.

support. For substantial weight support, use a floor

Alder	Rustic Alder	Cherry	Hickory	Rustic Hickory	Maple	Oak
•	Alder	•			•	•

	Horiz. Grain on Maple					
box color	box color	box color	box color	,	box color	box color

Species Availability (All Laminates)

High Gloss	Horiz. Grain on Maple			
	box color		, , ,	box color

Finish Techniques Distressing Heirlooming

Species Availability (Wood)								
Alder	Rustic Alder	Cherry	Hickory	Rustic Hickory	Maple	0ak		
•	Alder	•			•	•		

Recess Detail

Species Availability (All Lullillates)						
	Horiz. Grain					
High Gloss	on Maple	on Maple	on Cherry	on Hickory	on Oak	Thermofoil
box color	box color	box color	box color		box color	box color

	, ,					
	Horiz. Grain	Vert. Grain	Vert. Grain	Vert. Grain	Vert. Grain	
High Gloss	on Maple	on Maple	on Cherry	on Hickory	on Oak	Thermofoil
box color	box color	box color	box color		box color	box color

7" COVE CORBEL



CORBELCOVE7

Not intended for cabinet or freestanding countertop support. For substantial weight support, use a floor mounted support such as a Decorative Leg.

Finish Techniques

Distressing	Heirlooming
	•

Species Availability (Wood)

ALI	Rustic	Cl	115.1	Rustic		۸.
Alder	Alder	Cherry	Hickory	HICKORY	Maple	Uak
•	Alder	•	•	Hickory	•	•

Species Availability (All Laminates)


	Horiz. Grain on Maple					
box color	box color	box color	box color	box color	box color	box color

11 1/4" **COVÉ CORBEL**



CORBELCOVE11

 Not intended for cabinet or freestanding countertop support. For substantial weight support, use a floor mounted support such as a Decorative Leg.



111/4"

Finish Techniques

Distressing	Heirlooming		
	•		

Species Availability (Wood)

•	Alder	•	•	Hickory	•	•
Alder	Rustic Alder	Cherry	Hickory	Rustic Hickory	Maple	Oak

Species Availability (All Laminates)


	Horiz. Grain					
High Gloss	on Maple	on Maple	on Cherry	on Hickory	on Oak	Thermofoil
box color	box color	box color	box color	box color	box color	box color

9" MISSION CORBEL



CORBELMIS9

· Not intended for cabinet or freestanding countertop support. For substantial weight support, use a floor mounted support such as a Decorative Leg.




Species Availability (Wood)								
Alder	Rustic Alder	Cherry	Hickory	Rustic Hickory	Maple	0ak		
	Aldar				-	_		

Finish Techniques Distressing Heirlooming

Species Availability (All Laminates)

	Horiz. Grain					
High Gloss	on Maple	on Maple	on Cherry	on Hickory	on Oak	Thermofoil
box color	box color	box color	box color		box color	box color

4" OLD WORLD CORBEL



JCORBELOWD4

• Not intended for cabinet or freestanding countertop support. For substantial weight support, use a floor mounted support such as a Decorative Leg.

Finish Techniques Distressing Heirlooming


Species Availability (Wood)

			,	,		
Alder	Rustic Alder	Cherry	Hickory	Rustic Hickory	Maple	Oak
-		,	,	,	- 1	
•	Alder	•			•	•

Species Availability (All Laminates)

	, ,	, = w	,			
	Horiz. Grain					
High Gloss	on Maple	on Maple	on Cherry	on Hickory	on Oak	Thermofoil
hox color	hox color	hox color	hox color		hox color	hox color

5" OLD WORLD CORBEL



CORBELOWD5

 Not intended for cabinet or freestanding countertop support. For substantial weight support, use a floor mounted support such as a Decorative Leg.

Finish Techniques Distressing Heirlooming

EMBELLISHMENTS

Species Availability (Wood)


Alder	Rustic Alder	Cherry	Hickory	Rustic Hickory	Maple	Oak
•	Alder	•			•	•

cies Availahility (All Laminates)

		=w	,			
	Horiz. Grain	Vert. Grain	Vert. Grain	Vert. Grain	Vert. Grain	
High Gloss	on Maple	on Maple	on Cherry	on Hickory	on Oak	Thermofoil
hox color	hox color	hox color	hox color		hox color	hox color

SBS

7" OLD WORLD CORBEL



JCORBELOWD7

• Not intended for cabinet or freestanding countertop support. For substantial weight support, use a floor mounted support such as a Decorative Leg.

Finish Techniques

Distressing	Heirlooming
	•

Species Availability (Wood)

			,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	•		
Alder	Rustic Alder	Cherry	Hickory	Rustic Hickory	Maple	Oak
•	Alder	•			•	•

Species Availability (All Laminates)

	, ,					
	Horiz. Grain					
High Gloss	on Maple	on Maple	on Cherry	on Hickory	on Oak	Thermofoil
box color	box color	box color	box color		box color	box color

6" SCROLL CORBEL









CORBELSCR6

• Not intended for cabinet or freestanding countertop support. For substantial weight support, use a floor mounted support such as a Decorative Leg.

Finish Techniques

Distressing	Heirlooming
	•


Species Availability (Wood)

Alde	Rustic Alder		Hickory	Rustic Hickory	Maple	Oak
•	Alder	•			•	•

Species Availability (All Laminates)

	Horiz. Grain					
High Gloss	on Maple	on Maple	on Cherry	on Hickory	on Oak	Thermofoil
box color	box color	box color	box color		box color	box color

9" SCROLL CORBEL





• Not intended for cabinet or freestanding countertop support. For substantial weight support, use a floor mounted support such as a Decorative Leg.

Cintale Tasketin

	rinish lethi	iliques
l	Distressing	Heirlooming
ı		

Species Availability (Wood)

			•	•		
Alder	Rustic Alder	Cherry	Hickory	Rustic Hickory	Maple	Oak
•	Δlder	•			•	•

Species Availability (All Laminates)

-	, ,		,			
	Horiz. Grain					
High Gloss	on Maple	on Maple	on Cherry	on Hickory	on Oak	Thermofoil
box color	box color	box color	box color		box color	box color

DESCRIPTION

111/4

SNACK BAR SUPPORT

5 DAY

• Not intended for cabinet or freestanding countertop support. For substantial weight support, use a floor mounted support such as a Decorative Leg.

Finish Techniques

Distressing	Heirlooming
	•

Species Availability (Wood)

Alder	Rustic Alder	Cherry	Hickory	Rustic Hickory	Maple	Oak
•	Alder	•	•	Hickory	•	•

Species Availability (All Laminates)

	Horiz. Grain on Maple					
box color	box color	box color	box color	box color	box color	box color

10" ACANTHUS CORBEL



JCORBELACAN10

Not intended for cabinet or freestanding countertop support. For substantial weight support, use a floor mounted support such as a Decorative Leg.

Finish Techniques

Distressing	Heirlooming
	•


Species Availability (Wood)

			,	•		
	Rustic	cl	ne t	Rustic		0.1
Alder	Alder	Cherry	Hickory	HICKORY	Maple	Uak
•	Alder	•			•	•

Species Availability (All Laminates)


	Horiz. Grain on Maple				
box color	box color	box color	box color	box color	box color

11 1/2" ARTS & **CRAFTS BRACKET**



JBRACKETART

Not intended for cabinet or freestanding countertop support. For substantial weight support, use a floor mounted support such as a Decorative Leg.





Finish Techniques

Distressing	Heirlooming
	•

Species Availability (Wood)

- 1			•	<u> </u>		
Alder	Rustic Alder	Cherry	Hickory	Rustic Hickory	Maple	0ak
•	Alder	•			•	•

Species Availability (All Laminates)

species M	Species Availability (All Editiliares)					
	Horiz. Grain					
High Gloss	on Maple	on Maple	on Cherry	on Hickory	on Oak	Thermofoil
box color	box color	box color	box color		box color	box color

14" ARTS & CRAFTS **OPEN CORBEL**



JCORBELARTO

 Not intended for cabinet or freestanding countertop support. For substantial weight support, use a floor mounted support such as a Decorative Leg.

14

73/8"

Finish Techniques

Distressing	Heirlooming
	•

Species Availability (Wood)

Alder A	Alder	Cherry	Hickory	Hickory	Maple	0ak
• 4	Alder	•			•	•

Species Availability (All Laminates)						
	Horiz. Grain	Vert. Grain	Vert. Grain	Vert. Grain	Vert. Grain	
High Gloss	on Maple	on Maple	on Cherry	on Hickory	on Oak	Thermofoil
box color	box color	box color	box color		box color	box color

12" CRAFTSMAN **OPEN BRACKET**

31/2" -

12



JCORBELCRAFTO

• Not intended for cabinet or freestanding countertop support. For substantial weight support, use a floor mounted support such as a Decorative Leg.

Finish Techniques Distressing Heirlooming

Species Availability (Wood	Species	Availability	(Wood
----------------------------	---------	---------------------	-------

Alder	Rustic Alder	Cherry	Hickory	Rustic Hickory	Maple	0ak
•	Alder	•			•	•

A....tlmb:lta.. (All Itm.a.a.)

Species Availability (All Laminates)							
	Horiz. Grain						
High Gloss	on Maple	on Maple	on Cherry	on Hickory	on Oak	Thermofoil	
box color	box color	box color	box color		box color	box color	

3" MINI SHAKER CORBEL





JCORBELSHKR3

• Not intended for cabinet or freestanding countertop support. For substantial weight support, use a floor mounted support such as a Decorative Leg.

Finish Techniques

Distressing	Heirloomin
	•

Species Availability (Wood)

	Rustic			Rustic		
Alder	Alder	Cherry	Hickory	Hickory	Maple	0ak
•	Alder	•			•	•

Species Availability (All Laminates)

Species Availability (All Edillinates)							
	Horiz. Grain	Vert. Grain	Vert. Grain	Vert. Grain	Vert. Grain		
High Gloss	on Maple	on Maple	on Cherry	on Hickory	on Oak	Thermofoil	
box color	box color	box color	box color		box color	box color	

6 1/2" SMALL **SHAKER CORBEL**

37/8"



JCORBELSHKR7

 Not intended for cabinet or freestanding countertop support. For substantial weight support, use a floor mounted support such as a Decorative Leg.

31/4" Detail

Finish Techniques

Distressing Heirlooming


Species Availability (Wood)

Alder	Rustic Alder	Cherry	Hickory	Rustic Hickory	Maple	Oak
•	Alder	•			•	•

Species Availability (All Laminates)


	Horiz. Grain	Vert. Grain	Vert. Grain	Vert. Grain	Vert. Grain	
High Gloss	on Maple	on Maple	on Cherry	on Hickory	on Oak	Thermofoil
box color	box color	box color	box color		box color	box color

13 3/8" MEDIUM **SHAKER CORBEL**



JCORBELSHKR14

• Not intended for cabinet or freestanding countertop support. For substantial weight support, use a floor mounted support such as a Decorative Leg.



Distressing Heirlooming

ilability	(Wood)		
		Rustic		
Cherry	Hickory	Hickory	Maple	0ak

Finish Techniques

Alder

Alder

Species Availability (All Laminates)						
	Horiz. Grain on Maple					
box color	box color	box color	box color		box color	box color


Species Availabilit Rustic Alder


16" LARGE - 6¹³/₁₆" —

JCORBELSHKR16

• Not intended for cabinet or freestanding countertop support. For substantial weight support, use a floor mounted support such as a Decorative Leg.

SHAKER CORBEL





Finish Techniques

Distressin	g Heirlooming
	•


Species Availability (Wood)


			,	•		
Al.J	Rustic	Cl	History.	Rustic	Marala	0-1-
Alder	Alder	Cherry	Hickory	HICKORY	<i>I</i> wapie	Uak
•	Alder	•			•	•


Species Availability (All Laminates)

	Horiz. Grain on Maple				
box color	box color	box color	box color	box color	box color

14" TRADITIONAL **OPEN CORBEL**







JCORBELTRADO

• Not intended for cabinet or freestanding countertop support. For substantial weight support, use a floor mounted support such as a Decorative Leg.



Species Availability (Wood)

a poc.	OJ ATU	masili.	111000	,			
Alder	Rustic Alder	Cherry	Hickory	Rustic Hickory	Maple	Oak	
•	Alder	•			•	•	

Finish Techniques Distressing Heirlooming

Species Availability (All Laminates)

species M	species Availability (All Lallillates)					
	Horiz. Grain					
High Gloss	on Maple	on Maple	on Cherry	on Hickory	on Oak	Thermofoil
box color	box color	box color	box color		box color	box color

SINGLE OUTLET COVER



JSOC



Finish Techniques

Distressing	Heirlooming

Species Availability (Wood)

			,	•		
411	Rustic	CI.	11: 1	Rustic		
Alder	Alder	Cherry	Hickory	Hickory	Maple	Uak
•	Alder	•			•	•

Species Availability (All Laminates)

High Class	Horiz. Grain on Maple				
	box color	 ,	OII HICKOTY	box color	

SINGLE ROCKER PLATE



JSRC

Finish Techniques Distressing Heirlooming


Speci	Species Availability (Wood)						
	Rustic			Rustic			
Alder	Alder	Cherry	Hickory	Hickory	Maple	0ak	
•	Alder	•			•	•	

Species Availability (All Laminates)

Species Availability (All Edillillates)						
	Horiz. Grain	Vert. Grain	Vert. Grain	Vert. Grain	Vert. Grain	
High Gloss	on Maple	on Maple	on Cherry	on Hickory	on Oak	Thermofoil
box color	box color	box color	box color		box color	box color

CONTEMPORARY EMBELLISHMENTS

METAL FEET, ANGLED




FOOTMETALANGEN

- BN = Brushed Nickel

- **FOOTMETALANGPC**
- PC = Polished Chrome
- Maximum weight capacity is 160 lbs.

TOUCH LATCH AND ADAPTER




TOUCHLATCHFA

- · Nylon gray mechanism with bumper tip with adapter
- Can be field adjusted for door gap depth, no tools required.
- Requires a soft touch to open the door, and door must be pushed closed to reset the TOUCHLATCHFA mechanism.
- Only for use on hinged doors, and can be used without decorative hardware. Not compatible with non-hinged doors such as pull-outs, Wall Vertical-lift (WVL..). For drawers, pull-outs, and other non-compatible cabinets, PULLH70 and PULLH71 are recommended.

341

METAL FEET, ROUND




FOOTMETALRDBS

FOOTMETALRDPS

- BS = Brushed Stainless
- PS = Polished Stainless
- Maximum weight capacity is 150 lbs.

FINGER PULL, BRUSHED NICKEL




PULLH70



PULLH70

PULLH71

METAL FEET, SQUARE




FOOTMETALSQBS

FOOTMETALSQPS

- BS = Brushed Stainless
- PS = Polished Stainless


TRUSS METAL CORBEL, STAINLESS STEEL



CORBELTRSS

- · Pre-drilled mounting holes for easy installation.
- 1/4" material thickness.
- Not intended for cabinet or freestanding countertop support. For substantial weight support, use a floor mounted support such as a Decorative Leg.
- · Must be properly installed into a structural member of the wall.

METAL FEET, TEE




FOOTMETALANGTBN

FOOTMETALANGTPC

- BN = Brushed Nickel
- PC = Polished Chrome

CRESCENT METAL CORBEL, **BRUSHED NICKEL**



CORBELCRBN

- Matching screw caps included to hide the installation screws.
- Pre-drilled mounting holes for easy installation.
- 1/4" material thickness.
- Not intended for cabinet or freestanding countertop support. For substantial weight support, use a floor mounted support such as a Decorative Leg.
- . Must be properly installed into a structural member of the

SHELF SUPPORT BRACKET, **SATIN NICKEL**





SHELFBRKTSN

- Sold in pairs.
- Can be used with glass shelves 0.28"-0.75" (7-19mm) thick, or wood shelves 0.5"-1.61" (12-41mm) thick.
- Must be properly installed into a structural member of the
- Maximum shelf load varies with shelf depth. For a 12" deep shelf, maximum shelf load is 50 lbs. each including shelf weight.

DECORATIVE HARDWARE

Schrock^{*}

HARDWARE - DECORATIVE PULLS AND KNOBS

KNOBH06 - Copper Antique Highlight (1 1/4"W x 1 1/8"L)

> KNOBH07 - Copper Antique Highlight (2 1/4"W x 1 1/16"L)

PULLH08 - Copper Antique Highlight -128mm C/C

(15/16"W x 5 1/2"L x 1 1/16"H)

KNOBH10 - Nickel Antique Highlight (1 5/16"W x 3/4"H)

PULLH11 - Nickel Antique Highlight -96mm C/C

(3/8"W x 4 3/4"L x 1 3/8"H)

KNOBH20 - Red Rust Antique $(1 1/4"W \times 1"H)$

KNOBH23 - Ultra Brush Nickel $(1 1/4"W \times 1"H)$

PULLH30 - Ultra Brush Nickel - 128mm C/C (3/16"W x 6 1/2"L x 1 1/8"H)

KNOBH31 - Ultra Brush Nickel (1"W x 3/4"H)

KNOBH32 - Ultra Brush Nickel $(1''W \times 1/2''H)$

PULLH34 - Rust Pewter $(1/4''W \times 1.28''L)$

KNOBH35 - Rust Pewter (1.27"W x 1.03"L)

PULLH36 - Red Rust Antique - 6" C/C (3/4"W x 7 1/2"L x 1 1/4"H)

KNOBH37 - Red Rust Antique (1.38"W x 1 1/4"H)

PULLH38 - Vibra Black Nickel - 128mm C/C (1 1/4"W x 5 1/8"L x 1 3/8"H)

PULLH39 - Vibra Black Nickel - 96mm C/C (1 1/8"W x 3 7/8"L x 1 1/8"H)

KNOBH40 - Black

 $(1.1/8"W \times 1.1/4"L \times 1/2"H)$

PULLH41 - Black - 5 1/2" C/C (11/16"W x 7 1/8"L)

PULLH42 - Black - 96mm C/C (1 1/8"W x 4 1/4"L x 1 1/8"H)

KNOBH43 - Windsor Antique

(1.88"W x 1.08"L)

PULLH44 - Vibra Black Nickel (2 1/8"W x 1 1/2"L x 5/8"H)

PULLH45 - Vibra Black Nickel - 3" C/C (4 1/4"W x 1 1/2"L x 5/8"H)

KNOBH46 - Vibra Black Nickel $(1''W \times 1 \frac{1}{4''}L \times \frac{7}{8''}H)$

PULLH47 - Vibra Black Nickel - 2 1/2" C/C (3"W x 1/2"L x 5/8"H)

PULLH50 - Satin Nickel - 5" C/C $(5/16''W \times 5''L \times 1 1/4''H)$

PULLH51 - Stainless Steel - 1" C/C (5/16"W x 2"L x 7/16"H)

HARDWARE - DECORATIVE PULLS AND KNOBS (cont'd)



DESCRIPTION

PULLH52 - Stainless Steel - 7.38" C/C (3/8"W x 8 1/16"L x 7/8"H)



KNOBH54 - Black Nickel with Brown Glaze (1 1/4"W x 1 1/8"H)

PULLH55 - Black Nickel with Brown Glaze -4 1/2" C/C $(7/16''W \times 5 1/8''L)$

PULLH56 - South Haven Antique -128mm C/C

(5 3/8"L) **KNOBH57 - South Haven Antique**

(11/4'')

KNOBH58 - Oil Rubbed Bronze (1 1/4"W x 1"H)

PULLH59 - Oil Rubbed Bronze - 128mm C/C $(1 \frac{1}{4}$ W x 6 $\frac{1}{8}$ L x $\frac{1}{3}$ H)

PULLH60 - Oil Rubbed Bronze - 96mm C/C (4 7/8"W x 2"L x 7/8"H)

PULLH61 - Black - 96mm C/C $(7/16'' \times 4 15/16''L)$

KNOBH62 - Black (2 1/8"W x 2"L x 5/8"H)

PULLH63 - Satin Nickel - 96mm C/C (1/2"W x 4 1/8"L x 1 1/6"H)

PULLH64 - Satin Nickel - 3" C/C (1/2"W x 4 9/16"L x 15/16"H)

KNOBH65 - Stainless Steel (0.088'')

PULLH66 - Black Nickel - 9" C/C $(7/8''W \times 9 1/4''L)$

PULLH70 - Brushed Nickel - 113mm C/C (1 3/4"W x 6"L x 3/4"H)

PULLH71 - Brushed Nickel - 32mm C/C $(1 3/4^{\prime\prime}W \times 1 3/4^{\prime\prime}L \times 3/4^{\prime\prime}H)$

- Screws included with each hardware piece.
- Larger pulls may not be compatible with raised profile or 5-piece drawer fronts less than 12" wide.
- See page 70 for 5-piece drawer front dimensions when specifying decorative

HARDWARE-**FAUX HINGES**



HINGEFH1 - Antique Brass Faux Barrel Hinge

HINGEFH2 - Pewter Faux Barrel Hinae

HINGEFH3 - Black Faux Strap Hinge



HINGEFH1



• Faux Strap Hinge: All 12" - 30" high doors use 2 hinges. All 36" high and above use 3 hinges.

- Faux Barrel Hinge: All 12" 30" high doors use 2 hinges. All 42" high and above use 3 hinges.
- · Requires field installation
- · For use with Brantley door style.

ACCESSORIES

BASE MIXER KIT










MIXKITFHSC21

MIXKITFHSC24

- Smart Stop closing feature.
- Mixer shelf will be 3/4" thick natural finished veneer plywood, mixer shelf dimensions: 18" wide: 13 7/16" wide x 20" deep.
- 21" wide: 16 7/16" wide x 20" deep. 24" wide: 19 7/16" wide x 20" deep.
- Maximum Weight Capacity for Mixer Shelf: 60 lbs.
- Mixer shelf locks in the fully open position. Release brackets lower the mixer shelf back into the cabinet.
- When in closed position, clearance above shelf is 19 1/2"; clearance below shelf is 8 7/16".

BASE PAN STORAGE



BPS24

BPS30

BPS36

Model	Application
BPS24	24" Base
BPS30	30" Base
BPS36	36" Base

- Roll tray not included.
- Insert consists of solid Maple sides and shelves. Back is edgebanded plywood.

BASE WASTEBASKET LIDS



BWBLID

BWBFHLID

- Designed to be used with the BWB trash units.
- Sold individually.
- BWBLID fits 35 quart wastebaskets. BWBFHLID fits 50 quart wastebaskets.

BATTERY STRIP LIGHT

BATTLTI

- ullet Battery operated (4) AAA batteries (not included).
- Motion activated.
- Low power usage (0.3W).
- Plastic aluminum finish.
- Dimensions: Length 11.93" (303mm), Width 0.67" (17mm), and Depth 0.55" (14mm).
- Easy adhesive install.

BROOM CLIP



BRMCLP





S

199/16

S



CABMAT30

CABMAT33

CABMAT36

- Designed with a slope to capture spills and is removable for cleaning.

 • See CabMat[™] modification for easy size selection by
- cabinet model.
- Not trimmable. Can also be used in wider cabinets but will create a small void of unprotected area along the end panels

343

	Liquid C	apacity	Cabinet Size		
Model	Quarts	Liters	Width	Depth	
CABMAT30	4.2	3.9	30″	24"	
CABMAT33	4.6	4.3	33″	24"	
CABMAT36	5.0	4.7	36"	24"	

CABMAT™ VANITY

221/4", 281/4", or 341/4"

CABMATV24

CABMATV30

CABMATV36

- Designed with a slope to capture spills and is removable for cleaning.

 • See CabMat[™] modification for easy size selection by
- cabinet model.
- Not trimmable. Can also be used in wider cabinets but will create a small void of unprotected area along the end

	Liquid Capacity		Cabinet Si	ze
Model	Quarts Liters		Equivalent Cabinet Width	Depth
CABMATV24	2.5	2.4	24"-27"	21″
CABMATV30	3.3	3.1	30″-33″	21"
CABMATV36	3.9	3.7	36"	21″


COOKING UTENSIL DIVIDER




CUDD24


CUDD30

CUDD36



· Pre-assembled natural wood drawer insert (does not fit roll trays).







ACCESSORIES

15", 18", 21", and 24"

DIVIDER DRAWER,

CUTLERY INSERT WOOD ORGANIZER



CIW18

CIW15

CIW21

Model	Application
CIW15	15" Base
CIW18	18" Base
CIW21	21" Base
CIW24	24" Base


- Pre-assembled natural wood drawer insert.
- CIW also available installed in B__CIW, B__RTCIW, and
- 4DB__CIW. See pages 159, 168, and 194.

 Place a cabinet with a CIW next to the dishwasher for convenience.

911/16"	201/4"



1211/16"



201/4"

5 DAY

33/4"

WTCD15

WTCD18

WTCD21 WTCD24


Model	Application
WTCD15	15" Base
WTCD18	18" Base
WTCD21	21" Base
WTCD24	24" Base


- Replaces standard drawer. Uses existing cabinet member drawer hardware.
- Requires field installation of drawer front.
 For use with 24" deep cabinets only.
- Exterior WTCD drawer box height is 3 3/4", interior height of top and bottom tier is 1.3/8".
- Top divider slides front-to-back.


S


25/8"**T**

344












bottom

WOOD TIERED K-CUP* DRAWER

KCUP18

- Holds 40 K-Cups.
- Exterior Wood Tiered K-Cup drawer box height is $3 \frac{3}{4}$ ", interior height of top tier is $1 \frac{5}{8}$ ", and interior height of bottom tier is 1 3/8".
- The Wood Tiered K-Cup Drawer is compatible with K-Cup
- · Replaces standard drawer. Uses existing cabinet member drawer hardware.
- Requires field installation of drawer front.
- Only for use with 24" deep cabinets that are 18" wide or have an equivalent size drawer.
- Top divider slides front-to-back.

*K-Cup is a registered trademark of Keurig Green Mountain,



EDGEBANDING



EDGEBAND10WD

EDGEBAND10P

EDGEBAND10NML

EDGEBAND10NIP

EDGEBAND10WHL

- Edgebanding will come in a 10' length.
- Finger joints may be visible on unfinished veneer and clear coated edgebanding.
- Edgebanding does not come pre-glued.
- EDGEBAND10WD is unfinished veneer, available in Alder, Cherry, Hickory, Maple, Oak, Rustic Alder, and Rustic Hickory.
- EDGEBAND10P is available in Arctic, Antler, Elk, High Gloss White, High Gloss White with Metallic, Obsidian, and Wharf.
- EDGEBAND10NML is Natural Maple Laminate.
- EDGEBAND 1 ONIP is clear coated veneer for use with APC natural interiors
- EDGEBAND10WHL is White Laminate.
- EDGEBAND10WD and EDGEBAND10WHL can be used for White Melamine.

EXTERIOR SHELVES, 12" DEEP

Grain

18". 24". 30"

36", 48", or 96'

DESCRIPTION



ES1218

ES1224 ES1230

ES1236

ES1248

ES1296[†]

- Wood 3/4" panels are veneered furniture board finished both sides, and front and side edges (back edge is not finished).
- Not available in wood grain laminates.
- Shelves can be ordered in APC.
- †5 do

lay Express Response not available on items over 48".								
Custom M	odifications	Finish Techniques						
ID	RD		Distressing	Heirlooming				
•	•							

Species Availability (Wood)

apoc.	OJ ATO	masim;	, (1100u)					
Alder	Rustic Alder	Cherry	Hickory	Rustic Hickory	Manle	Oak		
ruuoi	riidoi	Citoriy	THEROTY	THEROTY	mapio	Ouk		
•	Δlder	•	•	Hickory	•	•		

Species Availability (All Laminates)

	· · · · / ·					
	Horiz. Grain	Vert. Grain	Vert. Grain	Vert. Grain	Vert. Grain	
High Gloss	on Maple	on Maple	on Cherry	on Hickory	on Oak	Thermofoil
box color	box color	box color	box color	box color	box color	box color

EXTERIOR SHELVES, 18" DEEP



ES1818

ES1824


ES1830 ES1836

ES1848

ES1896[†]

- Wood 3/4" panels are veneered furniture board finished both sides, and front and side edges (back edge is not
- Not available in wood grain laminates.
- Shelves can be ordered in APC.

[†]5 day Express Response not available on items over 48".



Custom Modifications ID

Finish Techniques Distressing Heirlooming

Hickory

Hickory

•	•							
Species Availability (Wood)								

Hickory

Cherry

Alder Alder

Alder

Species Availability (All Laminates)									
		Horiz. Grain							
	High Gloss	on Maple	on Maple	on Cherry	on Hickory	on Oak	Thermotoil		
	box color	box color	box color	box color	box color	box color	box color		

5_{DA}

EXTERIOR SHELVES, 21" DEEP



Ŀ	5	Z	I	I	ŏ				
r	c	n	1	n	А				

ES2124


ES2130 ES2136

ES2148

ES2196[†]

- Wood 3/4" panels are veneered furniture board finished both sides, and front and side edges (back edge is not finished).
- Not available in wood grain laminates.
- Shelves can be ordered in APC.

[†]5 day Express Response not available on items over 48".



Custom Mo	odificatio
ID	RD
•	•

Finish Tech	niques
Distressing	Heirlooming

Species Availability (Wood)

- 1			•	<u> </u>		
Alder	Rustic Alder	Cherry	Hickory	Rustic Hickory	Maple	Oak
•	Alder	•	•	Hickory	•	•

Species Availability (All Laminates)

oponios resumaning (rai sammaros)						
	Horiz. Grain					
High Gloss	on Maple	on Maple	on Cherry	on Hickory	on Oak	Thermofoil
box color	box color	box color	box color	box color	box color	box color

EXTERIOR SHELVES, 24" DEEP



ES2424

ES2430


ES2436

ES2448

ES2496[†]

- Wood 3/4" panels are veneered furniture board finished both sides, and front and side edges (back edge is not finished).
- Not available in wood grain laminates.
- Shelves can be ordered in APC.

†5 day Express Response not available on items over 48".



Custom Modifications

Finish Techniques

Distressing Heirlog

Species Availability (Wood


Species Availabilit			Availability (vvooa)			
	Rustic			Rustic		
Alder	Alder	Cherry	Hickory	Hickory	Maple	Oak
•	Δlder	•	•	Hickory	•	•

Species Availability (All Laminates)

Species Availability (All Lullillates)						
	Horiz. Grain					
High Gloss	on Maple	on Maple	on Cherry	on Hickory	on Oak	Thermofoil
box color	box color	box color	box color	box color	box color	box color

FULL DEPTH SHELVING

To Fit 12" Deep Cabinets



7	SK912
	SK1212
_	SK1512
7	SK1812
	SK2112
	SK2412
	SK2712
	SK3012
	SK3312
	SK3612
	SK3912

SK4812

SK4212


- One shelf, 10 15/32" deep, may require field trimming based on cabinet configuration.
- Each kit includes 8 shelf pegs.
- Shelving material specific to construction option. See pages 34-35 for construction details.
- Specify material when ordering.
- Full Depth Shelves will be shipped separate from the cabinet.
- If matching interior is desired, order shelf kit (SK______ with Matching Interior Plywood (MIP) modification.

Custom Modifications ID MIP RD WLI

Construction	Upgrades
APC	
•	

FULL DEPTH SHELVING

To Fit 24" Deep Cabinets




SK924	
SK1224	
SK1524	
SK1824	
SK2124	
SK2424	
SK2724	
SK3024	
SK3324	
SK3624	
SK3924	
SK4224	
SK4824	

- One shelf, 22 15/32" deep, may require field trimming based on cabinet configuration.
- Each kit includes 8 shelf pegs.
- Shelving material specific to construction option. See pages 34-35 for construction details.
- Specify material when ordering.
- Full Depth Shelves will be shipped separate from the cabinet.
- If matching interior is desired, order shelf kit (SK______ with Matching Interior Plywood (MIP) modification.

Custom Modifications				
ID	MIP	RD	WLI	
•	•	•	•	

Construction	Upgrade
APC	
•	



JGSK1206FA	
JGSK1506FA	
JGSK1806FA	
JGSK2106FA	
JGSK2406FA	

JGSK2106FA	
JGSK2406FA	
JGSK2706FA	
JGSK3006FA	
JGSK3306FA	
JGSK3606FA	
ICCV1000FA	

JGSK1209FA	
JGSK1509FA	
JGSK1809FA	
JGSK2109FA	
JGSK2409FA	
JGSK2709FA	
JGSK3009FA	
JGSK3309FA	
JGSK3609FA	

JGSK912FA	
JGSK1212FA	
JGSK1512FA	
JGSK1812FA	
JGSK2112FA	
JGSK2412FA	
JGSK2712FA	
JGSK3012FA	
JGSK3312FA	
JGSK3612FA	


• For use in full access cabinets.

- JGSK___FA cannot be trimmed.
- Kit includes two 1/4" tempered shelves.
- Example: JGSK1512FA = 13 17/32" wide x 10 3/16" deep fits in W1530 (12" deep cabinet).
- ID13-ID18 available on JGSK1212FA-JGSK3612FA.

GLASS SHELF KIT, 6", 9", & 12" DEEP (FRAMED)



JGSK1806	
JGSK2406	
JGSK3006	
JGSK3606	



JGSK1809 JGSK2409

JGSK3009 JGSK3609


JGSK1812 **JGSK2412** JGSK3012

• For use in framed cabinets such as Wall Bookcase (W_ _BC and WFBC_ _) and Tall Bookcase (TBC $_$ and TBCD $_$).

JGSK3612

- JGSK __ cannot be trimmed.
 Kit includes two 1/4" tempered shelves.
- Example: JGSK1812 = 16.9/32" wide x 10.3/16" deep fits in WFBC1848 (12" deep cabinet).
- ID13-ID18 available on JGSK1812-JGSK3612.

STRAIGHT HEAT SHIELDS



STRTHEATSHIELD

STRTHSHIELDSS

- STRTHEATSHIELD is a pair of 1/16" thick, white powder coated metal shields.
- STRTHSHIELDSS is a pair of 1/16" thick, stainless steel metal shields.
- Heat Shield is used to deflect heat from self-cleaning ovens away from cabinet doors and drawer fronts.
- For use when additional 1/8" can be added to the oven manufacturer's recommended space requirement.
- · Installs on the cabinet end panel of each cabinet adjacent to the oven.

GLASS SHELF KIT, DIAGONAL (FULL ACCESS)




JGSKDW24FA JGSKDW27FA

• For use in full access cabinets.

- JGSKDW___FA cannot be trimmed.
- Kit includes two 1/4" tempered shelves.
- Not available for 24" and 27" high Diagonal Wall cabinets. Shelf will not fit through door opening.
- JGSKDW24FA fits 24" Deep Diagonal Wall cabinets (DW 2424).
- JGSKDW27FA fits 27" Deep Diagonal Wall cabinets (DW__2727).

K-CUP* INSERT



WBCPOKCUP

- Holds 44 K-Cups, compatible with K-Cup pods only.
- Wire K-Cup rack for easy field installation on either the left or right side. Compatible with all heights of 3" wide box column pull-outs (WBCPO.., see page 130). Depending on height of pull-out, shelves can be used above or below insert for additional storage:
- 30" and 33" high include 4 shelves, not compatible with
- 36" and 39" high include 5 shelves, one shelf recommended for use with insert.
- 42" high includes 6 shelves, two shelves recommended for use with insert.
- *K-Cup is a registered trademark of Keurig Green Mountain,

347

LID ORGANIZERS

LO24DPRT30

LO24DPRT33

LO24DPRT36

LO



. LO24DPRT30, LO24DPRT33, and LO24DPRT36 include roll tray and installation hardware.

348



LINEN CLOSET HAMPER LINER



LCHAMPERLNR


· Replacement cloth liner for use with LCRH188421, see

PEGGED DISH ORGANIZER



PDO (8 Posts & Board)

PDOPOSTS (4 Posts)



- For use in 36" wide drawer base cabinets in 6 3/8" or 10" deep drawers, trimmable for cabinets less than 36" wide. Not recommended for use in roll trays.
- Pegged Board is 19/32" thick.
- 33" x 19 5/8".
- Posts are 6" high.

S

141/

POTS & PANS PULL-OUT

Shelf Depth (front to back)




193/4"

· For use in 24" wide cabinets.


PPP30

• For use in 30" wide cabinets.






POWERGLIDE™ COMPACT DRAWER OUTLET



DRWPWR1

- Outlet has a total rated capacity of 15 amps.
- Includes two 120V electrical plug-ins and two 2.1 amp rated USB charging ports.
- Cord has 3 ft. of length hanging freely from back mounting bracket. The cord is 14 gauge wire and features a standard 3-prong plug and is required to be plugged into an approved AFCI/GFCI dual function outlet for all applications.
- Outlet is ETL approved-compliant for electrical and other safety standards to U.S. and Canadian safety including UL
- Requires field installation including a 4.25" x 2.13" square hole to be cut into the back of the drawer box.
- Outlet face plate measures 5.22" x 2.3" and will extend 3/4" into drawer box.
- A minimum drawer box height of 2 5/8" is required for
- For use in base cabinet widths of 18" to 36".
- For use in cabinet depths of 13", 15", 16", 18", 19", 21", 22", and 24". Not compatible with 14", 17", 20", and 23" depths..
- Also available as an installed modification, see DRWPWR on page 47.



POWER POD



JPWRPODBK (Black)

JPWRPODSS (Stainless Steel)

JPWRPODGM (Gun Metal Black)

- Includes: independent power switch, three electrical sockets, and two USB ports (located above power
- 18" of clearance required below surface mount location; and 3 9/16" diameter hole is required in countertop to install.
- This item requires field installation. This accessory cannot be installed above drawers.
- Safe for countertop installation: rated IP54-splash proof from splashing water and water jets per IPX waterproof specifications; and is ETL approved-compliant for electrical and other safety standards to North America safety including: UL, ANSI, CSA, ASTM, and NFPA standards.
- When installed, top lip of strip sits on top of countertop with a pivoting handle. Handle is pulled up to bring bottom of power strip to countertop.
- Cord is 8 ft. long and features a standard 3-prong plug for use in any household outlet. 10 amps.

SINK BASE CADDY





SBCADDY

- Caddy is removable and portable.
- Recommended for use in cabinets 18" and wider.
- Caddy dimensions are: 9 15/16" wide x 18 5/16" tall x 18 5/8" deep.
- Caddy fits in cabinets with a minimum: 12" wide x 20.1/2" high opening x 21" deep cabinet.

SLIDING TOWEL RACK



STR

- Metal.
- 5" wide x 17 3/4" long x 1 1/2" high.
- Fits in any sink cabinet.

EZ-ORG™ MODULAR PULL-OUT RACKS



EZORG18

EZORG24



 EZORG18 includes four pull-out racks installed onto a wood base for use in an 18" wide or wider cabinet. Outside rack dimensions:

one 5 7/8" wide x 5 3/4" high one 3 1/4" wide x 10 3/4" high two 2 3/8" wide x 10 3/8" high

• EZORG24 includes six pull-out racks installed onto a wood base for use in a 24" wide or wider cabinet.
Outside rack dimensions:
one 5" wide x 5 3/8" high
two 3 1/4" wide x 10 3/4" high
three 2 3/8" wide x 10 3/8" high

 Entire pull-out must be installed as one unit, cannot remove racks from wood base for individual installation.

 Racks feature natural finish wood shelves with wire racks and frosted front and back panels. Guides are full extension and do not feature Smart Stop.

Maximum Weight Capacity:
 2 3/8" and 3 1/4" wide racks: 7 lbs.
 5" and 5 7/8" wide racks: 20 lbs.

 Must be installed on the floor of the cabinet. Cannot be installed on an adjustable shelf.


 Field installation requires attaching wood base to cabinet bottom with pre-drilled mounting holes, includes 4 screws and instructions.

 Installation height clearance of 12" minimum is recommended.

SPICE RACKS

EZORG18

EZORG24



SRCH12

SRCH15

SRCH18

Model	Α	В	Fits
SRCH12	7 7/8"	8 13/50"	B15, B30, B33
SRCH15	10 5/8"	11"	B18, B36
SRCH18	13 5/8"	14"	B21, B24 L or R

A = Hole Centers Width


- B = Outside Overall Widths
- Designed for Base cabinets only. Mounts to door top and bottom rails.
- Spice Rack is chrome.

SPICE RACK PULL-DOWN



5 DAY

SPD18



- Maximum Weight Capacity: 15 lbs.
- Must be installed on the floor of the cabinet. Cannot be installed on an adjustable shelf.

SHELF PULL-DOWN

DESCRIPTION




SHLFPD36

- Shelf Pull-down dimensions: 18 11/64" high x 28 1/4" wide x 8 1/2" deep.
- Clearance dimensions: 19 3/8" high x 15 3/8" wide.
- Maximum Weight Capacity: 26 lbs.
- Must be installed on the floor of the cabinet. Cannot be installed on an adjustable shelf.



TABLET HOLDER




TABLETHLDR

- Mounts under 15" wide cabinet or wider.
- Designed for cabinets 12" deep or deeper.
- Features an acrylic mounting base and pull-down tablet holder tray.
- Tray is movable forward and backward with a slight side to side rotation, and can be utilized at any position.
- Tray has side cut-outs for a charging cord and can be used to store most tablets when closed, depending on overall thickness, width, height, and weight of the tablet.
- Maximum dimensions for tablet: 11 1/4" x 8 1/2" x 1 1/8" thick. Maximum tablet weight is 3 1/2 lbs.
- Tablet Holder has an overall height of 1 17/32" when installed and in closed position (measured from the bottom panel of the cabinet), 0.78" visible from front of cabinet when closed.
- · Installation instructions included.

TOEKICK VACUUM



TOEKICKVAC



- 120V compact vacuum cleaner for field installation into the toekick area of base cabinets. Toekick area must be routed for vacuum to be inserted and screwed into place.
- Flooring installation must be compatible with the vacuum by ensuring the bottom of the cabinet is flush with the top of the flooring to allow clearance for the tray to open to access the bag and filter. The flooring should either be installed under the cabinets or the cabinets can be raised to the flooring level.
- Vacuum is 120V-60Hz, rated current of 5 amps, and rated input power is 650W.
- Cord is 10 ft. from the right side of the unit and features a standard 3-prong plug for use in any household outlet.
- Built-in switch can be gently tapped to turn the unit on, a 10 second timer will automatically turn the unit off.
- Should not be installed in a sink base, bathroom, outdoors, or in other wet environments. Do not expose to moisture, rain, or snow. Do not pick up water or sweep water into the vacuum.
- For installation in the front toekick, cabinet must have a minimum depth of 22" and a minimum width of 18".
 For installation in an end panel, cabinet must have a minimum depth of 21" and a minimum width of 21".
- TOEKICKVAC includes one reusable 0.5 gallon vacuum bag, one HEPA filter, and 4 disposable bags.
- Plastic faceplate features a stainless steel look.
- An air exhaust opening equal to 8" sq (50 cm sq) is required in an area adjacent to the TOEKICKVAC at the rear or side of the cabinet, where cabinets are tight to the floor.

ACCESSORIES

TILT-OUT TRAYS, PLASTIC

11" or 141/4




TOT15 TOT18

- · Kit includes two white plastic trays and one pair of tilt-out hinges that attaches to the inside of the false panel.
- One tilt-out tray per false panel on cabinets less than 30" wide and greater than 36" wide, two tilt-out trays attached to one false panel on 30"-36" wide cabinets.
- Clean using a mild soap and water. Avoid scalding water.

Model	Width	Application
T0T15	11″	SB30, SB33
TOT18	14 1/4″	SB36, SB39, SB42, SB24, SB27, SB48

350

TILT-OUT TRAYS, STAINLESS STEEL





5	
5	
-	DAY

•	TOTSS10
	TOTSS13
	TOTSS16
	TOTSS19
	TOTSS25
	TOTSS31
	TOTSSS10
	TOTSSS13
	TOTSSS16

10133310	
TOTSSS13	
TOTSSS16	
TOTSSS19	
TOTSSS25	

TOTSSS31

- Kit contains one tray and one pair of tilt-out hinges that attaches to the inside of the false panel.
- One tilt-out tray per false panel.
- TOTSS is available in standard depth (2" deep) and TOTSSS is a slim version (1 11/16'' deep) to be used in narrow spaces.
- Standard trays protrude 1 1/16" into cabinet. Slim trays protrude 3/4" into cabinet.

Model	Width	Application
TOTSS10	10"	VSB15
TOTSSS10		
TOTSS13	13″	SB39, SB45, VSB18, VSB39, 2VSD36,
TOTSSS13		2VSD42, 2VSD48, VSD60, 6VSD42FP
TOTSS16	16"	SB21, SB42, SB45, SB48, VSB21,
TOTSSS16		VSB42, VSB45, 2VSD45, VSD54FP,
		VSD60FP, VS3D54, VS3D60
TOTSS19	19″	SB24, SB27, SB30, SB33, SB48,
TOTSSS19		VSB24, VSB27, VSB48, 2VSD54,
		2VSD60, VSD24FP, VSD27FP, 6VSD48FP,
		6VSD54FP, 6VSD60FP, 8VSD48FP,
		8VSD60FP
TOTSS25	25″	SB30, SB33, SB36, SB39, VSB30,
TOTSSS25		VSB33, VSD30FP, VSD33FP, VSD42FP,
		VSD45FP
TOTSS31	31″	SB36, SB42, VSB36, VSD36FP, VSD48FP
TOTSSS31		

TRAY DIVIDER, CHROME



DESCRIPTION

CTDK

- CTDK: Includes 1 divider, 3 clips, and 3 screws.
- Tray divider is chrome wire.

TRAY DIVIDER KIT





TDKIT15	
TDKIT18	
TDKIT21	
TDKIT24	

TDKIT27

- Dividers are sized for a 24" deep cabinet, Depth and height can be trimmed during field installation. Installation screws included.
- Tray dividers are Natural Maple laminated plywood. When specified with APC, tray dividers are clear coated veneer plywood. When specified with APC and WLI, dividers are white laminated plywood. Rails are always Natural Maple.


Model	Wall Cabinets	Tall Cabinets — Upper Section	
TDKIT15	Most 18" high wall cabinets	Upper section of 84" high utility, oven cabinets with 17 3/4" high doors	
TDKIT18	Most 21" high wall cabinets	Upper section of 87" high utility, oven cabinets with 20 3/4" high doors	
TDKIT21	Most 24" high wall cabinets	Upper section of 90" high utility, oven cabinets with 23 3/4" high doors	
TDKIT24	Most 27" high wall cabinets	Upper section of 93" high utility, oven cabinets with 26 3/4" high doors	
TDKIT27	Most 30" high wall cabinets	Upper section of 96" high utility, oven cabinets with 29 3/4" high doors	

TRAY DIVIDER ROLL-OUT KIT



TDRO12


TDRO15













TDRO12

- TDRO12: 2 removable dividers (3 compartments).
- TDRO15: 3 removable dividers (4 compartments).
- Utilizes Smart Stop undermount guides and bumpers for door protection.
- Installation hardware included.

UTILITY EASY ACCESS BASKETS

103/4" or 133/4



UEASBSK15



- **UEASBSK18**
- Only for use to add baskets to a UEAS cabinet.
- Mounting hardware not included.



VANITY CHROME ROLL-OUT RACK



VCRR1521



VCRR1821



- Requires installation to fixed shelf or cabinet bottom in a 21" or 24" deep cabinet.
- VCRR1521 recommended for use in VB153221, VB153421, DDD152921, CPU152921 (rack will be exposed-no door).
- VCRR1821 recommended for use in VB183421, 2VSD363221, 2VSD363421, VSD303121, VSD303421, LC188421 (lower section), VU188421, VU188421H, DDD182921.
- Roll-out is full extension.

S

VANITY WASTEBASKET



VWB



- Bottom mount zinc colored Smart Stop guide with 20 quart gray wastebasket inserted in chrome support.
- Dimension of insert: 8.5" wide x 16.7" tall x 17.7" deep.





WALL SUSAN KITS



18" Diameter

WSK30


WSK33

WSK36

WSK39


WSK42

• 30"-36" kits include pole and two 18" diameter plywood shelves. 39" and 42" kits include pole and three 18" diameter plywood shelves.



DESCRIPTION

WINE GLASS HOLDERS



- **WGH30** (7 slots)
- WGH33 (7 slots)

WGH36 (8 slots)

- Maximum wine glass base is 3" diameter.
- Wine Glass Holder is finished.
- · May be trimmed to fit smaller cabinets.
- Designed for installation under a wall cabinet recommended for use with Recessed Bottom (RECBTM) modification.

Speci	es Avo	iilability	/ (Wood)		
	Rustic			Rustic		
Alder	Alder	Cherry	Hickory	Hickory	Maple	0ak
•	Alder	•	•	Hickory	•	•

351

Alder	Rustic Alder	Cherry	Hickory	Rustic Hickory	Maple	0ak
•	Alder	•	•	Hickory	•	•

Species Availability (All Laminates)

	Horiz. Grain on Maple					Thermofoil
box color	box color	box color	box color	box color	box color	box color

For 18" Deep Cabinets RT1218SP RT1518SP RT1818SP RT2118SP **RT2418SP** RT2718SP RT3018SP

RT3318SP RT3618SP For 21" Deep Cabinets

RT1221SP

RT1521SP

RT1821SP RT2121SP

RT2421SP **RT2721SP**

RT3021SP

RT3321SP RT3621SP

For 24" Deep Cabinets

RT12SP

RT15SP

RT18SP

RT21SP RT24SP

RT27SP

RT30SP

RT33SP

RT36SP

- $\bullet~$ RT_ _SP's include roll tray, roll tray brackets, hardware, screws, and installation instructions.
- Kits can only be used on the cabinet width specified for proper field installation. For installed roll trays in wider cabinets, specify the RT modification.

Custom Modifications

ID	RD
	•

DESCRIPTION



MODEL

Ī	For 18" Deep Cabinets
ı	DRT1218
	DRT1518
	DRT1818
	DRT2118
	DRT2418
	DRT2718
	DRT3018
	DRT3318
	DRT3618
	For 21" Deep Cabinets
	DRT1221
	DRT1521
	DRT1821
	DRT2121
	DRT2421
	DRT2721
	DRT3021

DRT3621 For 24" Deep Cabinets

DRT12

DRT3321

DRT15 DRT18

DRT21

DRT24

DRT27

DRT30

DRT33

DRT36

- DRT__'s include deep roll tray, deep roll tray brackets, hardware, screws, and installation instructions.
- Kits can only be used on the cabinet width specified for proper field installation. For installed roll trays in wider cabinets, specify the RT modification.

Custom IVI	Daiticatio
ID	RD

GUIDE KITS AND PARTS

DRAWER GUIDE KITS




DGKIT12FA

DGKIT15FA

DGKIT18FA

DGKIT21FA DGKIT24FA

- Undermount full extension Smart Stop Premium Guide
- Maximum Weight Capacity: 90 lbs. per pair.
- Kit includes guide hardware for one drawer box (cabinets and drawer members, sockets and screws) Dimension refers to cabinet depth.



DGKIT12RTFA

DGKIT15RTFA

DGKIT18RTFA

DGKIT21RTFA

DGKIT24RTFA

- Undermount full extension Smart Stop Premium Guide utilized on roll trays.
- Maximum Weight Capacity: 90 lbs. per pair.
- Kit includes guide hardware for one drawer box (cabinets) and drawer members, sockets and screws) Dimension refers to cabinet depth.

DRAWER GUIDE BACK SOCKETS



BKSOCKET-PG

BKSOCKET-SP

- BKSOCKET-PG used with Smart Stop drawer guides (12"-24" deep).
- BKSOCKET-SP used with Smart Stop roll tray guides.
- Sold in pairs.

DRAWER GUIDE SPACER BLOCK





- Sold in pairs.
- For use with DGKIT..FA kits when RD is used for depths other than in $3^{\prime\prime}$ increments.
- One SPACERBLK required for each inch of depth. For 14", 17", 20", and 23" depths order (2) SPACERBLK (pair). For 13", 16", 19", and 22" depths order (1)SPACERBLK (pair).

FALSE PANEL CLIPS





5 DAY

FALSEPNLCLIPFA

- Use to secure false front on sink base.
- Sold in pairs.

ROLL TRAY PLUG IN BRACKET





RTSPACERFA

· For use with roll tray hardware to prevent interference with door hinges. Also included in roll tray hardware kit.

STAIN & PAINT



QUARTCOLOR

SSC

SSCCLEAR

SSCMATTESH

- · Wiping stains can be sprayed at low pressure.
- Specify finish name and wood type when ordering.
- QUARTCOLOR sold in quarts.
- SSC is a 384 mL aerosol can available in Paint colors.
- SSCCLEAR is a 384 mL aerosol can in clear.
- SSCMATTESH is a 384 mL aerosol can in clear with a matte sheen.
- Not available in Arctic, Antler, Elk, High Gloss White, Obsidian, or Wharf.
- For Touch-up Kits and Glaze Pens, see below.

TOUCH-UP TOOLS



TUK

MTUK

GLAZEPEN

- Touch-up Kit includes touch-up marker and a fill stick.
- MTUK ordered in Paints with glaze will only contain the base color.
- Mini Touch-up Kit includes small touch-up marker and a small fill stick
- GLAZEPEN available in glaze colors only.
- GLAZEPEN works on finished doors and does not require a separate top coat.

GUIDE KITS AND PARTS / STAIN, PAINT, & TOUCH-UP TOOLS

HINGES - FULL ACCESS





cabinets not specified by other hinges.

HINGEFABC

- $\bullet~95^{\circ}$ Full Access hinge and mounting plate used on: Blind Corner Cabinets (WC, BC, BCFW).
- Sold in pairs.

HINGEFANEG30

- -30° Full Access hinge and mounting plate used on: Wall End Double Door Cabinets (WEC__D, STWEC__D).
- Sold in pairs.

HINGEFA45

- 45° Full Access hinge used on Wall Transition Cabinets (WTC_ _, STWTC_ _), Diagonal Wall Cabinets _), Angle Corner Sink Base (ACS_ _), and Diagonal Base Cabinets (DAB___).
- Sold in pairs.

HINGEFANEG45

- -45° Full Access hinge and mounting plate used on: Wall End Single Door Cabinets (WEC, STWEC).
- Sold in pairs.

HINGEFAWTH

- 107° Full Access hinge and mounting plate used on: Wall Top Hinge Cabinets (WTH).
- Sold in pairs.

HINGEFA170

- 170° Full Access hinge and mounting plate used on: Corner/Angle Base Cabinets (CS, BER, BERAS, BLS, SLS), Base SuperCabinets™ (BSC).
- Sold in pairs.

32049HINGE

- 90° Corner Self-closing Center Hinge.
- Center Hinge for Corner/Angle Base Cabinets (ER, BLS, SLS, BER, BERAS, and CS).
- Sold in pairs.

HINGES - OTHER



HINGEQRFO

- Quick-Release™ with Integrated Smart Stop, 6-way Adjustable, Full Overlay, 107° Hinge for use on framed construction cabinets: Floating Island Cabinets (FICNT and FIC) and Tall Bookcase Cabinets with Doors (TBCD).
- Sold in pairs.

38CFOHINGE

- · Integrated Soft-close, 6-way Adjustable, Full Overlay, 107° Hinge for use on framed construction cabinets: Wall Message Center (WMC) and Base Message Center (BMC).
- Sold in pairs.

7299HINGE

- · Mirror Hinge.
- TV and MC cabinets.
- Sold in pairs.







- 107° Full Access hinge and mounting plate used on all
- Sold in pairs.



HINGE ANGLE RESTRICTION CLIP,

HINGE ANGLE

FULL ACCESS

RESTRICTION CLIP,



FRAMED

RESCLIPQR



RESCLIPFA

MODEL

- · For use in applications with cabinets installed at varying depths to prevent the door damage caused by opening into an adjacent cabinet.
- Restricts hinges to 86° opening capability.
- · Works only with the HINGEFASTD.
- Sold in pairs.

RESCLIPQR

HINGERESCLIP

- For use in framed applications only with cabinets installed at varying depths to prevent the door damage caused by opening into an adjacent cabinet.
- Restricts hinges to 86° opening capability.
- · RESCLIPQR is only compatible with HINGEQRFO for use on framed construction cabinets: Floating Island Cabinets (FICNT and FIC) and Tall Bookcase Cabinets with Doors (TRCD)
- $\bullet \ \ \text{HINGERESCLIP} \ \text{is only compatible with 38CFOHINGE for} \\$ use on framed construction cabinets: Wall Message Center (WMC) and Base Message Center (BMC).
- Sold in pairs.

HINGE SHIM



5 DAY

HINGESHIMFA

- Installs between the hinge and hinge cup bore of the door. Used on cabinets requiring a 13mm hinge cup depth such as Wall End Cabinets (WEC, STWEC, WEC__D, STWEC__D), Diagonal Walls (DW), Wall Transition (WTC, STWTC), Wall Blind Corner (WC__), Base Blind Corner (BC), Base Transition (BTC), Diagonal Angle Base (DAB), and Angle Corner Sink (ACS).
- Pack of 5 metal shims.

LIDSTAY



LIDSTAY • Sold in pairs.

 Recommended for field installed wall top hinge applications up to 18" high.

LIDSTAY - HEAVY DUTY



LIDSTAYHD

• One heavy duty lid stay hinge required per cabinet.

· Recommended for field installed wall top hinge applications of 21" high cabinets.





DOORS & DRAWER FRONTS



Standard Door Size, 18" High or Less

Standard Door Size, 21" to 30" High

Standard Door Size, 33" or Higher

Standard Door Size, No Hinge Route,

18" High or Less

Standard Door Size, No Hinge Route,

21" to 30" High

Standard Door Size, No Hinge Route,

33" or Higher

Any Drawer Front

 Backs of "NO HINGE ROUTE" doors may have identification marks, be unfinished, and have 3/16" diameter holes used during finish processing. For these reasons, these doors are not suitable for use as cabinet doors.

DRAWERS



Complete Drawer

Drawer Box Only

Complete Drawer and Drawer Box Only do not include drawer guides.
 They must be ordered separately.

Species Availability (Wood)

			,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,			
Alder	Rustic	Charry	Hickory	Rustic	Manla	Oak
Aluci	Aluci	Clicity	HICKOLY	HICKOLY	Muhie	Ouk
•	•	•	•	•	•	•

Species Availability (All Laminates)

Spotios A	valiability (All Edilling	103)			
	Horiz. Grain					
High Gloss	on Maple	on Maple	on Cherry	on Hickory	on Oak	Thermofoil
_	_	_	_	_	_	_

MISCELLANEOUS PARTS



BRKOFFSCREW (pkg. 25)

CONBOLTCH10

DFBRACKET5P

INSTALLSCR24 (pkg. 24)

INSTALLSCREWS (pkg. 100)

TVHDW/WCATCH

MC16HDW/WCATCH

RETCLIP250BAG

BUMPERPADS (pkg. 25)

SHELFPEGSFA (pkg. 20)

SHELFPEGS (pkg. 24)

OCINSTALLFA27

OCINSTALLFA30

OCINSTALLFA33

- BRKOFFSCREW is a pack of 25 breakaway screws for use with decorative hardware pulls and knobs.
- CONBOLTCH10 is a package of 10 bolt and sleeve sets that allow adjacent cabinets to be connected to one another by bolting cabinet end panels together.
- DFBRACKETSP is a pair of brackets and screws used to attach 5-piece drawer fronts to drawer boxes.
- INSTALLSCR24 and INSTALLSCREWS are screws for cabinet installation through the cabinet back to the wall studs (includes a pack of 24 or 100).
- TVHDW/WCATCH is one set of the magnetic catch hardware and handle used on mirrors on Tri-View Mirrors (TV.)
- MC16HDW/WCATCH is one set of the magnetic catch hardware, handle, and one pair of hinges used on Single Door Medicine Cabinets (MC16).
- RETCLIP250BAG: 6 retainer clips for use with glass inserts in mullion and cut-for-glass doors.
- SHELFPEGSFA are 5mm steel pins with clear plastic shoulders.
- SHELFPEGS are 3mm steel pins with clear plastic shoulders, for use on framed cabinets only.
- OCINSTALLFA__ are recommended for supporting built-in appliances such as ovens, microwaves, and warming drawers. Refer to appliance manufacturer specifications for installation requirements.

355


STACK MOULDING KITS

*Cleats and finish nails not included.

- · Moulding stacks do not ship assembled; field assembly is required. Assembly instructions can be viewed in 20/20 spec pages and will also ship with moulding
- When ordered as a kit, only one finish can be specified. To order with more than one finish, moulding pieces must be ordered separately.

 • Moulding stacks include Assembly Instructions. Cleats and finish nails not included.
- How to place a stack moulding in 20/20:

 - → Moulding
 → Top Mouldings or Bottom Mouldings
 - → Stacked Mouldings
 - → Drag and drop desired moulding stack onto wall cabinets
- Mouldings specified as 8' nominal length have a usable length range of 93" up to 99". Mouldings specified as 10' nominal length have a usable length range of 117" up to 123". Be sure to order the correct amount of moulding length to work around required cuts with minimal butt joints.



STKMLD1


Finish Techniques								
	Distressing I	Heirlooming						
TBP8		•						
SWCRM8	•	•						
ICM8								
TF396FH	•							

Species Availability (Wood)

	Alder	Rustic Alder	Cherry	Hickory	Rustic Hickory	Maple	Oak
TBP8	•	Alder	•	•	Hickory	•	•
SWCRM8	•	•	•	•	•	•	•
ICM8	•	Alder	•	•	Hickory	•	•
TF396FH	•	Alder	•	•	Hickory	•	•

Species Availability (All Laminates)

		Horiz. Grain	Vert. Grain	Vert. Grain	Vert. Grain	Vert. Grain	
	High Gloss	on Maple	on Maple	on Cherry	on Hickory	on Oak	Thermofoil
TBP8	box color	box color	box color	box color	box color	box color	box color
SWCRM8	box color	box color	box color	box color	box color	box color	box color
ICM8	box color	box color	box color	box color	box color	box color	box color
TF396FH	box color	box color	box color	box color	box color	box color	box color





STKMLD2

	Distressing I	Heirlooming
SWVCRM8	•	•
VFR8		•
TF396FH	•	


Species Availability (Wood)


	Alder	Rustic Alder	Chorne	Hickory	Rustic	Maple	Oak
	Aluei	Aluel	Ciletry	HICKOLY	HICKOLY	mupie	UUK
SWVCRM8	•	•	•	•	•	•	•
VFR8	•	Alder	•	•	Hickory	•	•
TF396FH	•	Alder	•	•	Hickory	•	•

Species Availability (All Laminates)

Species Avail	ability (All	Lummarcaj					
		Horiz. Grain	Vert. Grain	Vert. Grain	Vert. Grain	Vert. Grain	
	High Gloss	on Maple	on Maple	on Cherry	on Hickory	on Oak	Thermofoil
SWVCRM8	box color	box color	box color	box color	box color	box color	box color
VFR8	box color	box color	box color	box color	box color	box color	box color
TF396FH	box color	box color	box color	box color	box color	box color	box color

MOULDING STACK 3





5_{DAY}

STKMLD3

 Not recommended for use when taking application to the ceiling.

Finish Techniques

	Distressing I	Heirlooming
SWVCRM8	•	•
LB2		
VFR8		•
TBP8		•

Species Availability (Wood)


Spocies Availability (1100a)								
	Alder	Rustic Alder	Cherry	Hickory	Rustic Hickory	Maple	Oak	
SWVCRM8	•	•	•	•	•	•	•	
LB2	•	Alder	•	•	Hickory	•	•	
VFR8	•	Alder	•	•	Hickory	•	•	
TBP8	•	Alder	•	•	Hickory	•	•	

Species Availability (All Laminates)


Species Availability (All Callillates)								
		Horiz. Grain	Vert. Grain	Vert. Grain	Vert. Grain	Vert. Grain		
	High Gloss	on Maple	on Maple	on Cherry	on Hickory	on Oak	Thermofoil	
SWVCRM8	box color	box color	box color	box color	box color	box color	box color	
LB2	box color	box color	box color	box color	box color	box color	box color	
VFR8	box color	box color	box color	box color	box color	box color	box color	
TBP8	box color	box color	box color	box color	box color	box color	box color	



*Cleats and finish nails not included.









STKMLD5

Finish Techniques								
	Distressing	Heirlooming						
SWVCRM8	•	•						
RPM8								
MDFNTII 8								

Species Availability (Wood)


	(1111)								
	Alder	Rustic Alder	Cherry	Hickory	Rustic Hickory	Maple	Oak		
SWVCRM8	•	•	•	•		•	•		
RPM8	•	Alder	•	•		•	•		
MDENTIL8	•	Alder	•			•	•		
TF396FH	•	Alder	•	•		•	•		

TF396FH


Species Availability (All Laminates)

Species Avuilu	Species Availability (All Edillinates)									
		Horiz. Grain	Vert. Grain	Vert. Grain	Vert. Grain	Vert. Grain				
	High Gloss	on Maple	on Maple	on Cherry	on Hickory	on Oak	Thermofoil			
SWVCRM8	box color	box color	box color	box color	box color	box color	box color			
RPM8	box color	box color	box color	box color	box color	box color	box color			
MDENTIL8	box color	box color	box color	box color		box color	box color			
TF396FH	box color	box color	box color	box color	box color	box color	box color			

MOULDING STACK 6



*Cleats and finish nails not included.



5 DAY

STKMLD6

 Not recommended for use when taking application to the ceiling.

Finish Techniques

	Distressing I	Heirlooming
SHKRCRM8	•	•
SM8		
TF396FH	•	


Species Availability (Wood)


		Rustic			Rustic		
	Alder	Alder	Cherry	Hickory	Hickory	Maple	0ak
SHKRCRM8	•	•	•	•	•	•	•
SM8	•	Alder	•	•	Hickory	•	•
TF396FH	•	Alder	•	•	Hickory	•	•

Species Availability (All Laminates)

-F / V/									
		Horiz. Grain	Vert. Grain	Vert. Grain	Vert. Grain	Vert. Grain			
	High Gloss	on Maple	on Maple	on Cherry	on Hickory	on Oak	Thermofoil		
SHKRCRM8	box color	box color	box color	box color	box color	box color	box color		
SM8	box color	box color	box color	box color	box color	box color	box color		
TF396FH	box color	box color	box color	box color	box color	box color	box color		

STACK MOULDING KITS







STKMLD7

 $\bullet\,$ Not recommended for use when taking application to the ceiling.

Finish Techniques

	Distressing I	Heirlooming
SWVCRM8	•	•
ACAM		
TF396FH	•	
TSTM8		

Species Availability (Wood)

	Alder	Rustic Alder	Cherry	Hickory	Rustic Hickory	Maple	Oak
SWVCRM8	•	•	•	•	•	•	•
ACAM	•	Alder	•	Beech	Beech	•	Beech
TF396FH	•	Alder	•	•	Hickory	•	•
TSTM8	•	Alder	•	•	Hickory	•	•

Species Availability (All Laminates)


Species Availa	Spottos Avanability (All Editinatos)									
		Horiz. Grain	Vert. Grain	Vert. Grain	Vert. Grain	Vert. Grain				
	High Gloss	on Maple	on Maple	on Cherry	on Hickory	on Oak	Thermofoil			
SWVCRM8	box color	box color	box color	box color	box color	box color	box color			
ACAM	box color	box color	box color	box color	Beech	Beech	box color			
TF396FH	box color	box color	box color	box color	box color	box color	box color			
TSTM8	box color	box color	box color	box color	box color	box color	box color			

MOULDING STACK 8

*Cleats and finish nails not included.









STKMLD8

 $\bullet\,$ Not recommended for use when taking application to the ceiling.

Finish Techniques

	Distressing I	Heirlooming
SWCRM8	•	•
RPM8		
TBP8		•
TF396FH	•	


Species Availability (Wood)

	Alder	Rustic Alder	Cherry	Hickory	Rustic Hickory	Maple	Oak
SWCRM8	•	•	•	•	•	•	•
RPM8	•	Alder	•	•	Hickory	•	•
TBP8	•	Alder	•	•	Hickory	•	•
TF396FH	•	Alder	•	•	Hickory	•	•


Species Availability (All Laminates)

Species Availa	Species Availability (All Editinates)									
		Horiz. Grain	Vert. Grain	Vert. Grain	Vert. Grain	Vert. Grain				
	High Gloss	on Maple	on Maple	on Cherry	on Hickory	on Oak	Thermofoil			
SWCRM8	box color	box color	box color	box color	box color	box color	box color			
RPM8	box color	box color	box color	box color	box color	box color	box color			
TBP8	box color	box color	box color	box color	box color	box color	box color			
TF396FH	box color	box color	box color	box color	box color	box color	box color			

MOULDING STACK 10



*Cleats and finish nails not included.



STKMLD10

 $\bullet\,$ Not recommended for use when taking application to the

Finish Techniques

l		Distressing I	Heirlooming
ſ	VV96	•	•
ſ	SWCRM8	•	•
ſ	SCM8	•	•
Ī	LB2		

Species Availability (Wood)

Species Availe		111004	,				
	Alder	Rustic Alder	Cherry	Hickory	Rustic Hickory	Maple	Oak
VV96	•	•	•	•	•	•	•
SWCRM8	•	•	•	•	•	•	•
SCM8	•	•	•	•	•	•	•
LB2	•	Alder	•	•	Hickory	•	•

Species Availability (All Laminates)

	High Gloss	Horiz. Grain on Maple	Vert. Grain on Maple		Vert. Grain on Hickory	Vert. Grain on Oak	Thermofoil
VV96	box color	box color	box color	box color	box color	box color	box color
SWCRM8	box color	box color	box color	box color	box color	box color	box color
SCM8	box color	box color	box color	box color	box color	box color	box color
LB2	box color	box color	box color	box color	box color	box color	box color

MOULDING STACK 11

*Cleats and finish nails not included.

П

П

П П

Ц

П

ij

П

П





Finish Techniques


	Distressing I	Heirlooming
SWVCRM8	•	•
TF696FH	•	
TCM8		•

Species Availability (Wood)

	Alder	Rustic Alder	Cherry	Hickory	Rustic Hickory	Maple	0ak
SWVCRM8	•	•	•	•	•	•	•
TF696FH	•	Alder	•	•	Hickory	•	•
TCM8	•	Alder	•	•	Hickory	•	•

Species Availability (All Laminates)

-	- Product Annual								
			Horiz. Grain	Vert. Grain	Vert. Grain	Vert. Grain	Vert. Grain		
	Hiç	gh Gloss	on Maple	on Maple	on Cherry	on Hickory	on Oak	Thermofoil	
SWVCR	M8 bo	x color	box color	box color	box color	box color	box color	box color	
TF696F	·H bo	x color	box color	box color	box color	box color	box color	box color	
TCM8	bo	x color	box color	box color	box color	box color	box color	box color	



SWVCRM8

TF696FH

-TCM8

-Door


Finish Nails*

Finish Nails*

Top of Cabinet

Front of Cabinet

91/16"





Finish Techniques

	Distressing	Heirlooming
LB2		
TF396FH	•	

Species Availability (Wood)

		Rustic			Rustic		
	Alder	Alder	Cherry	Hickory	Hickory	Maple	0ak
LB2	•	Alder	•	•	Hickory	•	•
TF396FH	•	Alder	•	•	Hickory	•	•

Species Availability (All Laminates)


		Horiz. Grain	Vert. Grain	Vert. Grain	Vert. Grain	Vert. Grain	
	High Gloss	on Maple	on Maple	on Cherry	on Hickory	on Oak	Thermofoil
LB2	box color	box color	box color	box color	box color	box color	box color
TF396FH	box color	box color	box color	box color	box color	box color	box color

^{*}Cleats and finish nails not included.

MOULDING STACK 16

*Cleats and finish nails not included.

*Cleats and finish nails not included.





STKMLD16

 $\bullet\,$ Not recommended for use when taking application to the ceiling.

Finish Techniques


	Distressing I	Heirlooming
SWVCRM8	•	•
MDENTIL8		
LB2		


Species Availability (Wood)

	Alder	Rustic Alder	Cherry	Hickory	Rustic Hickory	Maple	Oak
SWVCRM8	•	•	•	•		•	•
MDENTIL8	•	Alder	•			•	•
LB2	•	Alder	•	•		•	•

Species Availability (All Laminates)

	High Gloss	Horiz. Grain on Maple			Vert. Grain on Hickory		Thermofoil
SWVCRM8	box color	box color	box color	box color	box color	box color	box color
MDENTIL8	box color	box color	box color	box color		box color	box color
LB2	box color	box color	box color	box color	box color	box color	box color







STKMLD17

• Not recommended for use when taking application to the ceiling.

Finish Techniques


	Distressing I	Heirlooming
SWCRM8	•	•
LB2		
BRAIDM		
TSTM8		


Species Availability (Wood)

	Alder	Rustic Alder	Cherry	Hickory	Rustic Hickory	Maple	Oak
SWCRM8	•	•	•	•	•	•	•
LB2	•	Alder	•	•	Hickory	•	•
BRAIDM	•	Alder	•	Beech	Beech	•	Beech
TSTM8	•	Alder	•	•	Hickory	•	•

Species Availability (All Laminates)

Transfer to the state of the st										
	Horiz. Grain	Vert. Grain	Vert. Grain	Vert. Grain	Vert. Grain					
High Gloss	on Maple	on Maple	on Cherry	on Hickory	on Oak	Thermofoil				
box color	box color	box color	box color	box color	box color	box color				
box color	box color	box color	box color	box color	box color	box color				
box color	box color	box color	box color	Beech	Beech	box color				
box color	box color	box color	box color	box color	box color	box color				
	box color box color box color	High Gloss on Maple box color box color box color box color box color box color	High Gloss on Maple on Maple box color box color box color box color box color box color box color box color box color	High Gloss on Maple on Maple on Cherry box color box color box color box color box color box color box color box color box color box color box color box color	High Gloss on Maple on Maple on Cherry on Hickory box color box color box color box color box color box color box color box color box color box color box color box color	box color Beech				







STKMLD18

Finish Techniques

	Distressing I	Heirlooming
SCM8	•	•
TF396FH	•	
VFR8		•


Species Availability (Wood)


	Alder	Rustic Alder	Cherry	Hickory	Rustic Hickory	Maple	Oak
SCM8	•	•	•	•	•	•	•
TF396FH	•	Alder	•	•	Hickory	•	•
VFR8	•	Alder	•	•	Hickory	•	•

Species Availability (All Laminates)

		Horiz. Grain	Vert. Grain	Vert. Grain	Vert. Grain	Vert. Grain	
	High Gloss	on Maple	on Maple	on Cherry	on Hickory	on Oak	Thermofoil
SCM8	box color	box color	box color	box color	box color	box color	box color
TF396FH	box color	box color	box color	box color	box color	box color	box color
VFR8	box color	box color	box color	box color	box color	box color	box color

DESCRIPTION MODEL







STKMLD19


Finish Techniques Distressing Heirlooming MDENTIL8 TCM8


Species Availability (Wood)

		•	•				
	Alder	Rustic Alder	Cherry	Hickory	Rustic Hickory	Maple	Oak
MDENTIL8	•	Alder	•			•	•
TCM8	•	Alder	•	•		•	•


Species Availability (All Laminates)


		Horiz. Grain	Vert. Grain	Vert. Grain	Vert. Grain	Vert. Grain	
	High Gloss	on Maple	on Maple	on Cherry	on Hickory	on Oak	Thermofoil
MDENTIL8	box color	box color	box color	box color		box color	box color
TCM8	box color	box color	box color	box color	box color	box color	box color






STACK MOULDING KITS









Finish Nails*

Top of Cabinet

Front of Cabinet

Finish Nails*



STKMLD25

Finish Techniques Distressing Heirlooming

Species Availability (Wood)

		•					
		Rustic			Rustic		
	Alder	Alder	Cherry	Hickory	Hickory	Maple	0ak
TF396FH	•	Alder	•	•	Hickory	•	•

Species Availability (All Laminates)

TF396FH

TF396FH

TF396FH

Door

	7 (****						
		Horiz. Grain	Vert. Grain	Vert. Grain	Vert. Grain	Vert. Grain	
	High Gloss	on Maple	on Maple	on Cherry	on Hickory	on Oak	Thermofoil
TF396FH	box color	box color	box color	box color	box color	box color	box color

*Cleats and finish nails not included.

1111

įΠ

 μ_1

μī

ш

11.1


Ì٢


П

Ш


П П

 Π Π П Π |||П





MOULDING STACK 28



*Cleats and finish nails not included.

364



STKMLD28

• Not recommended for use when taking application to the ceiling.

Finish Techniques

	Distressing I	Heirlooming
FOLCROWN8		•
BBM8	•	•

Species Availability (Wood)

	Alder	Rustic Alder	Cherry	Hickory	Rustic Hickory	Maple	Oak
FOLCROWN8	•	•	•	•	•	•	•
BBM8	•	•	•	•	•	•	•

Species Availability (All Laminates)

Finish Nails*

Finish Nails*

Top of Cabinet

Front of Cabinet

FOLCROWN8

BBM8

-Door

- Finish Nails*

61/4"

		Horiz. Grain	Vert. Grain	Vert. Grain	Vert. Grain	Vert. Grain	
	High Gloss	on Maple	on Maple	on Cherry	on Hickory	on Oak	Thermofoil
FOLCROWN8	box color	box color	box color	box color	box color	box color	box color
BBM8	box color	box color	box color	box color	box color	box color	box color

Schrock

Dear Schrock Customer,

Congratulations on your selection of Schrock cabinetry with an Heirlooming finish. Because of its unique characteristics, this finish is quite different from other cabinetry finishes you may be familiar with. Your satisfaction is important to Schrock, and we want you to fully understand the characteristics that make an Heirlooming Finish unique.

Our heirloomimg technique is available on the following finishes: Black, Maritime, Moonstone, Seaside, Seaside w/Oasis, and Storm. The finish will be sanded through the base coat to expose the surface of the wood. This type of sand through on the edges and profiles creates a naturally worn appearance. If a finish is chosen with a glaze, the glaze will be applied after sanding has been done. This will enhance those areas of exposed wood to take on the darker characteristics of the applied glaze.

Normal Characteristics of Painted, Sand-Through Finishes include:

Hairline Cracking Visible textures of natural grain patterns Variation in rub through and wear techniques

Accordingly, we ask that the following agreement be signed for Heirlooming Finish orders.

I have read the foregoing and find the characteristic variations of wood with Heirlooming finish are desirable. As such, I agree to hold Schrock and/or the Schrock dealer listed below responsible in the event that these characteristics are later found by me be less desirable than I had expected.			
Customer Signature	Dealer Signature		
Customer Name (please print)	Dealer Name (please print)		
	Dealer Purchase Order Number		

PAINT FINISH AGREEMENT

Schrock

Dear Schrock Customer,

Congratulations on your selection of Schrock cabinetry in a Paint or Paint with Glaze finish. Because of its unique characteristics, this finish is quite different from other cabinetry finishes you may be familiar with. Your satisfaction is important to Schrock, and we want you to fully understand the characteristics that make painted finishes so distinctive.

It is important to realize that the beauty of wood cabinetry comes from the natural qualities of wood itself. Schrock utilizes only select solid hardwoods and veneers. The beauty of these genuine woods lies in the variation of the grain. The textures of those natural grain patterns often remain visible with paint finish and should be accepted as inherent characteristics when selecting painted cabinetry.

Seam lines and hairline cracking at stile, rail and panel joints are a normal characteristic of painted finishes and should not be considered a reason for product replacement. When ordering painted Maple 5-piece styles (except Whittaker), the door's center panel will be constructed of MDF material. Over time, there may be a slight color shift in the paint finish due to the continued exposure to natural and artificial light sources. We mention these characteristics because neither Schrock nor your Schrock dealer can be responsible for these conditions and variations.







Example of front joint separation

Example of front joint separation

Example of end joint separation

Accordingly, we ask that the following agreement be signed for Paint Finish orders.

I have read the foregoing and find the characteristic variations of wood with painted finish are desirable.

As such, I agree not to hold Schrock and/or the Schrock dealer listed below responsible in the event that these characteristics are later found by me to be less desirable than I had expected.

Customer Signature	Dealer Signature
Customer Name (please print)	Dealer Name (please print)
	Dealer Purchase Order Number

Schrock^{*}

RUSTIC ALDER DESCRIPTION AGREEMENT



Schrock[®]

Dear Schrock Customer,

Congratulations on your selection of Schrock cabinetry in Rustic Alder. Because of its unique characteristics Rustic Alder is quite different from other wood types you may be familiar with. Your satisfaction is important to Schrock, and we want you to fully understand the characteristics that make Rustic Alder so distinctive.

It is important to realize that the beauty of wood cabinetry comes from the natural qualities of wood itself. Rustic Alder is characterized by its light brown and reddish undertones and may contain a variety of pin holes, open and closed knots of various sizes and colors, small cracks, bird pecks, mineral streaks, and grain variation. Some knots may have small holes through the panel. Larger holes will not be filled. In addition, the wood will contain color difference caused by variations in minerals found in the soil, creating visible mineral tracks. However, those characteristics that might compromise the structural integrity of the door will not be included.

Sound Closed Knot (not moveable) — Expected in Rustic Alder up to approximately 3" diameter.

Sound Knot with Cracks – Expect sound knots with open cracks up to approximately 1" in length.

Open Knot (through door) – Expected in Rustic Alder with open area up to approximately 3/4" diameter.

Note: 3/4" diameter is about the size of a penny. Holes created by open knots pass completely through the door and are desirable for this rustic look.

Unsound Knot (moveable core) — Not to be expected.

Knot Cluster (cluster of tight sound knots) – To be expected in Rustic Alder.

Worm Holes/Pin Holes (can go through door) — Can be expected on Rustic Alder up to approximately 1/4" diameter.

Worm Tracks – Can be expected on Rustic Alder in sizes up to approximately 1/8'' wide by 8'' long.

Rustic Alder as described is featured for doors, drawer fronts, and selected mouldings. Other areas of the product will utilize standard hard Alder. Customers should expect a much lower occurrence of rustic characteristics in these other areas. Also, the natural characteristics mentioned occur randomly in Rustic Alder. All doors, drawer fronts, and selected mouldings will contain some combination of the common Rustic Alder markings; however, it will be uncommon to find all markings on any single piece.

The natural characteristics of wood described above and variations in grain patterns and color are not considered reasons for product replacement. We mention these characteristics because neither Schrock nor your Schrock dealer can be responsible for these conditions and variations.

Accordingly, we ask that the following agreement be signed for Rustic Alder orders.

I have read the foregoing and find the characteristic variations of wood with Rustic Alder are desirable. As such, I agree not to hold Schrock and/or the Schrock dealer listed below responsible in the event that these characteristics later found by me to be less desirable than I had expected.			
Customer Signature	Dealer Signature		
Customer Name (please print)	Dealer Name (please print)		

RUSTIC HICKORY DESCRIPTION AGREEMENT @_

Schrock

Dear Schrock Customer,

Congratulations on your selection of Schrock cabinetry in Rustic Hickory. Because of its unique characteristics Rustic Hickory is quite different from other wood types you may be familiar with. Your satisfaction is important to Schrock, and we want you to fully understand the characteristics that make Rustic Hickory so distinctive.

Rustic Hickory is a strong, heavy hardwood known for distinctive graining patterns. Color will vary from nearly white to dark brown, with wild, flowing grain patterns and dramatic color variations. Rustic Hickory can have a fine uniform grain to large knots appearing black and brown in color of various shapes and sizes, sapwood, mineral and some checking.

Sound Closed Knot (not moveable) — Expected up to approximately 3" diameter.

Sound Knot with Cracks – Expect sound knots with open cracks up to approximately 1" length.

Open Knot (through door) – Expected with open area up to approximately 3/4" diameter.

Unsound Knot (moveable core) – Not to be expected.

Worm Holes/Pin Holes (can go through the door) — Can be expected up to 1/4" diameter.

Worm Tracks – Can be expected in sizes up to approximately 1/8" wide by 8" long.

Note: 3/4'' diameter is about the size of a penny. Holes created by open knots pass completely through the door and are desirable for this rustic look.

Doors, drawer fronts, and selected trim items will feature rustic characteristics. Other areas of the product will utilize standard Hickory.

The natural characteristics of wood described above and variations in grain patterns and color are not considered reasons for product replacement. We mention these characteristics because neither Schrock nor your Schrock dealer can be responsible for these conditions and variations.

Accordingly, we ask that the following agreement be signed for Rustic Hickory orders.

3 3	randinans of wood with Rustic Alckory are destrable. All the second responsible in the event that these characteristics are pected.
Customer Signature	Dealer Signature
Customer Name (please print)	Dealer Name (please print)
	Dealer Purchase Order Number

Schrock

Code	Page Number	Code	Page Number	Code	Page Number	Code	Page Number
1TWT		BMC		DLEGMISSION DOOR		JESTATELEGSS JFLUTELEG	000
2DBDR		BMWDDD		DOOR		JFLUTELEG	
2DBPDO		BO		DPSRR		IFILITELEGGC	322
2DBRT	191	BOC	202		46, 352	JFLUTELEGSS JFRNCNTYFOOT	332
2DBRTPDO	191	BOD	204	DRWPWR			323
3DB	192	BP	295	DRWTK	52	JGSK	
3DBKCUP	193	BPCRSGR		DW	113-115	JINSERTLRC	
3DBUD	208	BPLAM, BPNIP		DWD		JINSERTLRT	314
3DBWD	193	BPVG		DWDS		JLRINSACAN	314
3DBWTCD	192	BPM		DWS	114	JLRINSCELT	
3DBB	192	BPP	199	DWBFH	247	JLRINSMIS	314
3DBBDD		BPPP	170	EDGEBAND	345	JLRINSWEAVE	314
3DBDD	193	BPS		EGD			332
3TWT		BPTWBFH			321	JMADFOOT	332
4DB		BRAIDM	308	ENGISLCOLUMN			333
4DBCIW		BRDB	189	ER		JMISINSERTM	
4DBKCUP	195		355	ES	345	JPWRPOD	348
4DBWTCD		BRMCLP	343	EXBKL, EXBKR	43	JQUNANNELEG	325
4TWT		BSC30PR, R, RP, RS, SF	R 164	EZORĞ		JRCPV	316
4VDB	264	BSC36PRP, PRS, SRP, S		F		JRDLEG JROPELEG	326
ABFOOT	331 200	BSD	100	FR	252	JROPELEGS	328 327
ACO	307 217		355	FB		JROPELEGS	327
ACOVLY		BUPP		FBF	284	JRPV	
ACS	180	BUPPKB	200	FD		JSOC	
ADDTK	49	BV2SC3OPR RP RS SE	164	10	248-249	JSPLEGS	
ALF		BV2SC3OPR, RP, RS, SF BV2SC36PRP, PRS, SRF	SRS 165	FDWB		JSPLEGSS	
APC		BWB		FFP		JSPLEGT	
AV	316		196	FFRC	318	JSQBARLEG	330
В	158-209	BWBFHLID, BWBLID .	343	FIC	199	JSQBARLEG3S	330
BCIW	159	BWC	198	FICNT	198	JSQFOOT	
BDR	202	CABMAT	343	FOLCROWN	304	JSQFOOTS	
BFH	161, 162	CABMATV	343	FOOTMETAL		JSQISLLEG	329
BFHMIXSC	172	CAPM		FRUD	210	JSQISLLEG3S	
BFHRT	167	CBO		FRNLG	332	JSRC	
BFHRTLO	170	CCM		FS	139	JTILEACAN	
BFSCO	/	CCO		FTK, FTK.FNT.P, FTK.P	49	JTILEMISSION	
BKCUP	160	CF		FTKAV, FTKAV.FNT.P, FT FTKFV, FTKFV.FNT.P, FT	IKAV.P 49	JTULIPLEG	
BKCUPRT		CFP		FIKEV, FIKEV.FNI.P, FI	FKFV.P 49	JURNLEG	331
BPS		CG, CG.BTM, CG.TOP . CIW	55	GLAZEPEN	310	JWEAVEFOOT JWEAVEINSERTM	333
BRTCIW		CLTCROWN	204	HINGE			326
BRTLO		CMAT		HINGERESCLIP		JWHCA	145
BRTUD	207	CND		HINGESHIMFA	354	JWHCONSTR	
BRTWTCD	169	CNTYSB	180	HL		JWHCS	145
BTDRO		CNTYSBCM	181	HM		JWHIA	
BUD		CNTYSBSA		HP21		JWHIS	146
BWTCD	160	CONBOLTCH		HPP21	154	JWHL	142
BARLEG	319	CONVERSION		HS	157	JWHSHIPCH	143
BATTLTI	343	CORBELART9		ICM		JWHSHIPSTR	142
BBCPO	201	CORBELCELT		ID		JWHSHIPSTRCB	143
BBM	311	CORBELCOVE	337	INSCROWN	304	JWHSHIPT	143
BBMSC	312	CORBELCRBN		INSERTCELT INSTALLS	308	JWHSHIPTCB	144
BBMSH	312		337	INSTALLSCR, INSTALLS	CREWS 355	KCUP	345
BBMSW	312		337	INVFRM		KNOBH	342
BBMWUD	209	CORBELOWD5	000	ISLLEG	324	LB	
BBMWDDD	203		338	J3SPTRING		LBRM	
BBMWDSD			338	JACANINGERTA		LC	2/5
BBTP		CORBELTRSS	341	JACANINSERTM	308	LCHAMPERLNR	348
BC		COTCROWN	204	JACANTHUSLEG JBAROQUELEG		LCRH LGCORBEL	2/3
BCFW		CPE	200		320	LGSQFOOT	333
BCFWCPO	18/	CS		JBUFFETLEG		LIDSTAY, LIDSTAYHD .	35/
BCOPP	100	CTDK		JCELOVLY	217	LIFOOT	333
BEAS		CUDD		JCORBELARTO	330	LO, LO24DP	348
BEC		DABFS	185	JCORBELCOS7		LOSC	315
BEP		DABSLS		JCORBELCOS7		LRM	
BEP. AEL, AER		DAPNL	292	JCORBELCOS13D	337	LSACROWN	305
BEPVG	301	DB		JCORBELCRAFTO	339	LSHAKER	305
BEPF	299-300	DDFD			337	LSP	189
BER	186	DDO		JCORBELOWD7		LT	276
BERAS	185	DDR			339	ĹTI	
BF	210	DER	247	JCORBELTRADO	340	MC	279
BFPC	318	DFBRACKETP	355	JCOSFOOT	332	MC16HDW/WCATCH.	355
BFRC		DFD	246	JCOSMOLEG	320	MC16HDW/WCATCH . MD, MD.BTM, MD.TOP	56
BKSOCKET	353	DFF5PC	39	JCRAFTFOOT	332	MDENTIL	308
BLOWER	147	DFR5PC	39	JENGCNTYLEG	321	METBARCOLUMN	325
BLS	184	DFSLB	39	JESTATELEG	322	METISLCOLUMN	325
BLVDFF				JESTATELEGS		^I МIР	

Code	Page Number
MIXKITFHSC	. 343
MSACROWN	
MTCROWN	. 305
MTUK	. 353
MW	. 125
OCUD	. 209
OC135	. 313
OCDWDE	233-236
OCINSTALLFA	. 355
OCM	. 315
OGEEM	. 230-232 . 310
OL	. 282
OMC, OMCDD, OMCWD	. 238-240
P	
PDO, PDOPOSTS	. 302-303 . 348
PLBLOCK	. 334
PPP	
PRB	
PRMD	
PTU	
PTUP	. 227
PTUS	
QRM	
QRM	. 353
RD	40
RDLEG	4.4
RECBTM	
RECTKALL	
RECTKL	
RECTKR	. 51
RESCLIPFA	
RESCLIPQR	
ROSETTCELT	
ROSETTEMIS	
ROSETTESCR	. 317 . 308
RT	
RTSPACERFA	. 353
S96	.281
SACROWN	. 305 . 173-175
SBCDY	. 173-173
SBCM	. 173
SBD	
SBS	. 177 . 177
SBSCM	. 177 . 177
SBST	. 175
SBSTCDY	. 176
SBSTCM	. 175 . 178
SBSTSCDY	. 179
SBSTSCM	. 178
SBSTUD	. 207
SBUD	
SBCADDY	. 348
SBE	. 310
SBM	. 310 . 310
SBP	
SCM	. 306
SCPDRW	. 40
SFM	. 307 . 341
SHELFPEGS	. 341 . 355
SHKRCRM	. 305
SHLFPD	. 349
SHM	
SHMD	. 346
	. 187, 188

Code	Page Number
SLSUD	208
SLSCR	187-188
SLSW	187-188
SM	309
SM SMCORBEL SMCOVECROWN	336
SMCOVECROWN	306
SMLR	313
STACEKREK	.353
SPD	349 329
SPTRINGEND	335
SPTRINGREED	335
SPTRINGREED	335
SPTRINGSPOOL	335
SRCH	349
SSC	353
SSM	310
SSS	186
SIUW	116 307
STR8	307
STRS STRTHEATSHIELD	347
STRTHSHIELDSS	347
STW	106-108
STWDAG	102-103
STWEC	120
STWECD	121
STWTC	124
STWVLDAG	104-105
SV	316
SWCRM	306
SWLCRM	306 307
SWYCRM	307
TABLETHLDR	349
TAPLG	334
IB	
TB8UD	210
TBC	243-243
TBCD	244-244
TBEM	311
TBMWB	237
TBP	311
TCM	309 48 172
TD	48, 172 172
TNKIT	350
TDRO	350
TEP. TEP. AEL. TEP. AER	297, 301
TDKIT TDRO TEP, TEP. AEL, TEP. AER TEP. VG	301
Itr	301
IFF)	/ 7 7
TF TKC TKP TKTLF00T	210
TKC	312
IKP	51
IKILHUUI	334
TLFOOT	334 349
TOT	350
10155	47 350
101SSS	47.350
TOUCHLATCHFA	341
TPP	228
TPP	139
TROSETTE	31/
TSTM	.311
TUK	353
TV TVHDW/WCATCH TVRAV, TVRFV, TVRVV	2/9
TYPDAY TYPEY TYPEY	ანნ 4.4
IVKAV, IVKEV, IVKVV	44 146
TWH TWHBLOWER	146 147
TWHBLOWER U U.RT UCD	211-215
URT	216-218
UCD	251, 274
UEAS	219-222
UCD	223
UOCDZ UPM	224
UPM	311
V	252-254

	Pago
Code	Page Number
VB	
VBEPVBH	
VBH	
VCRR	351
VDB	
VDL	301 210
VER	
VFR	
VGPO	
VII	
VMP	
VP	
VS3DVSB	255-256
VSBU	257
VSBWB	
VSD	266-272, 273
VSDFP	273
VSSBST	258
VSSBSTWB	
VIN	276
W	316
VWB	
VWH	070
W	70.07
	138, 278
WBC	241 87, 90
WPO	07, 90 92
WSHLFPD	134
WSPD	
W2D	99 100
WAIN	
WB	163
WBCPO	129 131, 347
WBMW	126
WC	109-112
WCS	
WCT	313 97
WEC	119
WEPVG	301
WEP	301 242
WGH	351
WHA	141
WHC	141
WHCA	144 145
WHS	143
WLI	38
WMC	140 310
WNR	137
W0	138
WOC	135
WQRES	122-123 140
WSC	137
WSCRIBE	311
WSD	138
WSR	351 133
WSR	134
WTC	124
WTCD	344 80-89
WVL	85-90



OUR COMMITMENT TO CHANNEL PARTNERS, DESIGNERS AND CUSTOMERS

Schrock's Express Response™ program is designed to expedite orders when customers need product faster than normal lead times to correct problems with an existing order. Below is an overview of the program and what you can expect from Schrock's commitment to superior service.

GUIDELINES

- Order must be associated with a previous order number.
- All orders received by 12 NOON E.T. Monday-Friday will be automatically scheduled for Express Response that same day. Orders received after the cutoff time will be processed on the next business day.
- Lead time calculation is based on receipt of a clean order on a credit-worthy account. Clean orders are orders in which all information is provided and accurate.
- There are no cancellations or returns once order is received.
- Due to the special nature of Special Orders and Appliance Panels, they are excluded from the Express Response program and will be processed as a standard lead time order.
- Express Response is available within the continental United States. Should Alaska, Hawaii or international shipments be required, customer service representatives are ready to assist by providing shipping information and determining lead times.

LEAD TIMES

12 WORKING DAYS OR LESS FROM ORDER TO DELIVERY (channel partner or home delivery agent):

- Items shipped via LTL (via SuperPACTM) or truckload.
- Includes all catalog items except those that can be expedited through the 5-day program listed below.

5 WORKING DAYS FROM ORDER TO DELIVERY:

• Qualified items are designated in the Pricing/Specification Guide with an icon



- Items will ship via parcel ground.
 - o Lead time calculation allows for 2 days parcel ground shipping time. Some geographic areas may require additional shipping time.
- For orders containing both 12 day and 5 day items, the longer lead time applies.



SCHROCK DOOR STYLE PRICING REFERENCE

Price Point Order				
4	Aspen Melamine	10	Parker Maple	
4	Beckman Alder	10	Seaton Maple	
4	Beckman Hickory	10	Whittaker Maple	
4	Beckman Maple	11	Carmin Cherry	
4	Beckman Oak	12	Denton Maple	
4	Beckman Rustic Alder	12	Huxley Oak	
4	Beckman Rustic Hickory	12	Jarret Maple	
4	Gallio Melamine	12	Kennedy Maple	
4	Hutton Maple	12	Pleasant Hill Cherry	
4	Morgan Alder	13	Ainsley Maple	
4	Morgan Maple	13	Edmond Cherry	
4	Morgan Rustic Alder	13	Parker Cherry	
4	Morgan Rustic Hickory	13	Whittaker Cherry	
4	Patmore Oak	14	Elston Cherry	
	Fletcher Maple	. 14	Prestley Maple	
5	Patmore Hickory	14	Seaton Cherry	
5	Patmore Maple	15	Banbury Maple	
6	Reflection Thermofoil	. 15	Denton Cherry	
7	Hutton Cherry	. 15	Galena Alder	
7	Morgan Cherry	15	Galena Maple	
8	Beckman Cherry	. 15	Huxley Alder	
8	Carmin Maple	15	Huxley Maple	
8	Elston Oak	15	Huxley Rustic Alder	
8	Fletcher Cherry	15	Huxley Rustic Hickory	
8	Patmore Cherry	15	Jarret Cherry	
9	Edmond Oak	 16	Aspen Laminate	
9	Pleasant Hill Alder	16	Banbury Cherry	
9	Pleasant Hill Hickory	16	Campbell Maple	
9	Pleasant Hill Maple	16	Derazi Laminate	
9	Pleasant Hill Rustic Alder	16	Gallio Laminate	
9	Pleasant Hill Rustic Hickory	16	Kennedy Cherry	
10	Chanley Alder	16	Prestley Cherry	
10	Chanley Rustic Alder	17	Asbury Maple	
10	Chanley Rustic Hickory	17	Brantley Maple	
10	Edmond Hickory	17	Galena Cherry	
10	Edmond Maple	17	Huxley Cherry	
10	Elston Alder	18	Asbury Cherry	
10	Elston Maple	18	Brantley Cherry	
10	Elston Rustic Alder	18	Campbell Cherry	
10	Elekara Darakia Hilabara			

10 Elston Rustic Hickory

Alphabetical Order

13	Ainsley Maple	15	Galena Maple
18	Asbury Cherry	4	Gallio Melamine
17	Asbury Maple	16	Gallio Laminate
16	Aspen Laminate	7	Hutton Cherry
4	Aspen Melamine	4	Hutton Maple
16	Banbury Cherry	15	Huxley Alder
15	Banbury Maple	17	Huxley Cherry
4	Beckman Alder	15	Huxley Maple
8	Beckman Cherry	12	Huxley Oak
4	Beckman Hickory	15	Huxley Rustic Alder
4	Beckman Maple	15	Huxley Rustic Hickory
4	Beckman Oak	15	Jarret Cherry
4	Beckman Rustic Alder	12	Jarret Maple
4	Beckman Rustic Hickory	16	Kennedy Cherry
18	Brantley Cherry	12	Kennedy Maple
17	Brantley Maple	4	Morgan Alder
18	Campbell Cherry	7	Morgan Cherry
16	Campbell Maple	4	Morgan Maple
11	Carmin Cherry	4	Morgan Rustic Alder
8	Carmin Maple	4	Morgan Rustic Hickory
10	Chanley Alder	13	Parker Cherry
10	Chanley Rustic Alder	10	Parker Maple
10	Chanley Rustic Hickory	8	Patmore Cherry
15	Denton Cherry	5	Patmore Hickory
12	Denton Maple	5	Patmore Maple
16	Derazi Laminate	4	Patmore Oak
13	Edmond Cherry	9	Pleasant Hill Alder
10	Edmond Hickory	12	Pleasant Hill Cherry
10	Edmond Maple	9	Pleasant Hill Hickory
9	Edmond Oak	9	Pleasant Hill Maple
10	Elston Alder	9	Pleasant Hill Rustic Alder
14	Elston Cherry	9	Pleasant Hill Rustic Hickory
10	Elston Maple	16	Prestley Cherry
8	Elston Oak	14	Prestley Maple
10	Elston Rustic Alder	6	Reflection Thermofoil
10	Elston Rustic Hickory	14	Seaton Cherry
8	Fletcher Cherry	10	Seaton Maple
5	Fletcher Maple	13	Whittaker Cherry
15	Galena Alder	10	Whittaker Maple
	- 11		

17 Galena Cherry

Schrock uniquely yours.



Framed construction



Full access construction

Styles, product availability and construction may vary slightly from those shown in this book due to material availability and/or design evolution. Specifications are subject to change without notice. Customer service is available if your design requires verification of product availability and specifications.

Product photography and illustrations have been reproduced as accurately as printing technologies permit. To ensure highest satisfaction, we strongly recommend you view an actual sample for best color, wood grain and finish representation.

Schrock[™] is a certified brand in the Kitchen Cabinet Manufacturers Association (KCMA) Environmental Stewardship Program. The program recognizes companies that demonstrate an ongoing commitment to environmental practices and sustainability.

Schrock[™] has a Limited Lifetime Warranty.

For terms and conditions, please visit: https://www.schrock.com/warranty Cabinet Care and Cleaning Instructions: www.masterbrand.com/care-and-cleaning

Front cover: Full Access PRESTLEY Maple Moonstone
Inside cover: Full Access PRESTLEY Maple Dover and Maritime







schrock.com #SchrockCabinets © 2019 MasterBrand Cabinets, Inc

Customer Service

Hours: Mon - Fri, 7:30 AM - 8:00 PM EST

Phone: (800) 730-0171 Fax: (877) 333-7122

Please reference Service Policies at www.mbci1touch.com

Designer ID #:	
Customer Account #:	
Sales Rep:	